

(19) World Intellectual Property Organization
International Bureau(43) International Publication Date
20 September 2001 (20.09.2001)

PCT

(10) International Publication Number
WO 01/68848 A2(51) International Patent Classification?: **C12N 15/12**,
15/62, C07K 14/47, 14/705, 16/18, G01N 33/53, C12Q
1/6860/000,000 15 September 2000 (15.09.2000) US
PCT/US00/309528 November 2000 (08.11.2000) US
PCT/US00/32678

(21) International Application Number: PCT/US01/06520

1 December 2000 (01.12.2000) US
PCT/US00/34956

(22) International Filing Date: 28 February 2001 (28.02.2001)

20 December 2000 (20.12.2000) US

(25) Filing Language: English

(71) Applicant (for all designated States except US): **GENEN-
TECH, INC.** [US/US]; 1 DNA Way, South San Francisco,
CA 94080-4990 (US).

(26) Publication Language: English

(30) Priority Data:

PCT/US00/05601	1 March 2000 (01.03.2000)	US
PCT/US00/05841	2 March 2000 (02.03.2000)	US
60/187,202	3 March 2000 (03.03.2000)	US
60/186,968	6 March 2000 (06.03.2000)	US
60/189,328	14 March 2000 (14.03.2000)	US
60/189,320	14 March 2000 (14.03.2000)	US
PCT/US00/06884	15 March 2000 (15.03.2000)	US
60/191,048	21 March 2000 (21.03.2000)	US
60/190,828	21 March 2000 (21.03.2000)	US
60/191,314	21 March 2000 (21.03.2000)	US
60/191,007	21 March 2000 (21.03.2000)	US
60/192,655	28 March 2000 (28.03.2000)	US
60/193,032	29 March 2000 (29.03.2000)	US
60/193,053	29 March 2000 (29.03.2000)	US
PCT/US00/08439	30 March 2000 (30.03.2000)	US
60/194,647	4 April 2000 (04.04.2000)	US
60/194,449	4 April 2000 (04.04.2000)	US
60/196,820	11 April 2000 (11.04.2000)	US
60/195,975	11 April 2000 (11.04.2000)	US
60/196,000	11 April 2000 (11.04.2000)	US
60/196,187	11 April 2000 (11.04.2000)	US
60/196,690	11 April 2000 (11.04.2000)	US
60/198,121	18 April 2000 (18.04.2000)	US
60/198,585	18 April 2000 (18.04.2000)	US
60/199,654	25 April 2000 (25.04.2000)	US
60/199,397	25 April 2000 (25.04.2000)	US
60/199,550	25 April 2000 (25.04.2000)	US
60/201,516	3 May 2000 (03.05.2000)	US
PCT/US00/13705	17 May 2000 (17.05.2000)	US
PCT/US00/14042	22 May 2000 (22.05.2000)	US
PCT/US00/14941	30 May 2000 (30.05.2000)	US
PCT/US00/15264	2 June 2000 (02.06.2000)	US
60/209,832	5 June 2000 (05.06.2000)	US
PCT/US00/20710	28 July 2000 (28.07.2000)	US
09/644,848	22 August 2000 (22.08.2000)	US
PCT/US00/23328	24 August 2000 (24.08.2000)	US

(72) Inventors; and

(75) Inventors/Applicants (for US only): **BAKER, Kevin**,
P. [GB/US]; 14006 Indian Run Drive, Darnestown, MD
20878 (US). **CHEN, Jian** [CN/US]; 121 York Drive,
Princeton, NJ 08540 (US). **DESNOYERS, Luc** [CA/US];
2050 Stockton Street, San Francisco, CA 94133 (US).
GODDARD, Audrey [CA/US]; 110 Congo Street,
San Francisco, CA 94131 (US). **GODOWSKI, Paul, J.**
[US/US]; 2627 Easton Drive, Burlingame, CA 94010 (US).
GURNEY, Austin, L. [US/US]; 1 Debbie Lane, Belmont,
CA 94002 (US). **PAN, James** [CA/US]; 2705 Coronet
Boulevard, Belmont, CA 94002 (US). **SMITH, Victoria**
[AU/US]; 19 Dwight Road, Burlingame, CA 94010 (US).
WATANABE, Colin, K. [US/US]; 128 Corliss Drive,
Moraga, CA 94556 (US). **WOOD, William, I.** [US/US];
35 Southdown Court, Hillsborough, CA 94010 (US).
ZHANG, Zemin [CN/US]; 876 Taurus Drive, Foster City,
CA 94404 (US).(74) Agents: **BARNES, Elizabeth, M.** et al.; c/o Genentech,
Inc., MS49, 1 DNA Way, South San Francisco, CA 94080-
4990 (US).(81) Designated States (national): AE, AG, AL, AM, AT, AU,
AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ,
DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR,
HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR,
LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ,
NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM,
TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.(84) Designated States (regional): ARIPO patent (GH, GM,
KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian
patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European
patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE,
IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF,
CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

[Continued on next page]

(54) Title: SECRETED AND TRANSMEMBRANE POLYPEPTIDES AND NUCLEIC ACIDS ENCODING THE SAME

(57) Abstract: The present invention is directed to novel polypeptides and to nucleic acid molecules encoding those polypeptides. Also provided herein are vectors and host cells comprising those nucleic acid sequences, chimeric polypeptide molecules comprising the polypeptides of the present invention fused to heterologous polypeptide sequences, antibodies which bind to the polypeptides of the present invention and to methods for producing the polypeptides of the present invention.

WO 01/68848 A2

WO 01/68848 A2



Published:

— without international search report and to be republished
upon receipt of that report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

SECRETED AND TRANSMEMBRANE POLYPEPTIDES AND NUCLEIC ACIDS ENCODING THE SAME

FIELD OF THE INVENTION

5 The present invention relates generally to the identification and isolation of novel DNA and to the recombinant production of novel polypeptides.

BACKGROUND OF THE INVENTION

10 Extracellular proteins play important roles in, among other things, the formation, differentiation and maintenance of multicellular organisms. The fate of many individual cells, e.g., proliferation, migration, differentiation, or interaction with other cells, is typically governed by information received from other cells and/or the immediate environment. This information is often transmitted by secreted polypeptides (for instance, mitogenic factors, survival factors, cytotoxic factors, differentiation factors, neuropeptides, and hormones) which are, in turn, received and interpreted by diverse cell receptors or membrane-bound proteins. These secreted polypeptides or signaling molecules normally pass through the cellular secretory pathway to reach their site of
15 action in the extracellular environment.

Secreted proteins have various industrial applications, including as pharmaceuticals, diagnostics, biosensors and bioreactors. Most protein drugs available at present, such as thrombolytic agents, interferons, interleukins, erythropoietins, colony stimulating factors, and various other cytokines, are secretory proteins. Their receptors, which are membrane proteins, also have potential as therapeutic or diagnostic agents. Efforts
20 are being undertaken by both industry and academia to identify new, native secreted proteins. Many efforts are focused on the screening of mammalian recombinant DNA libraries to identify the coding sequences for novel secreted proteins. Examples of screening methods and techniques are described in the literature [see, for example, Klein et al., *Proc. Natl. Acad. Sci.* 93:7108-7113 (1996); U.S. Patent No. 5,536,637].

Membrane-bound proteins and receptors can play important roles in, among other things, the formation,
25 differentiation and maintenance of multicellular organisms. The fate of many individual cells, e.g., proliferation, migration, differentiation, or interaction with other cells, is typically governed by information received from other cells and/or the immediate environment. This information is often transmitted by secreted polypeptides (for instance, mitogenic factors, survival factors, cytotoxic factors, differentiation factors, neuropeptides, and hormones) which are, in turn, received and interpreted by diverse cell receptors or membrane-bound proteins.
30 Such membrane-bound proteins and cell receptors include, but are not limited to, cytokine receptors, receptor kinases, receptor phosphatases, receptors involved in cell-cell interactions, and cellular adhesion molecules like selectins and integrins. For instance, transduction of signals that regulate cell growth and differentiation is regulated in part by phosphorylation of various cellular proteins. Protein tyrosine kinases, enzymes that catalyze that process, can also act as growth factor receptors. Examples include fibroblast growth factor receptor and

nerve growth factor receptor.

Membrane-bound proteins and receptor molecules have various industrial applications, including as pharmaceutical and diagnostic agents. Receptor immunoadhesins, for instance, can be employed as therapeutic agents to block receptor-ligand interactions. The membrane-bound proteins can also be employed for screening of potential peptide or small molecule inhibitors of the relevant receptor/ligand interaction.

5 Efforts are being undertaken by both industry and academia to identify new, native receptor or membrane-bound proteins. Many efforts are focused on the screening of mammalian recombinant DNA libraries to identify the coding sequences for novel receptor or membrane-bound proteins.

SUMMARY OF THE INVENTION

10 In one embodiment, the invention provides an isolated nucleic acid molecule comprising a nucleotide sequence that encodes a PRO polypeptide.

15 In one aspect, the isolated nucleic acid molecule comprises a nucleotide sequence having at least about 80% nucleic acid sequence identity, alternatively at least about 81% nucleic acid sequence identity, alternatively at least about 82% nucleic acid sequence identity, alternatively at least about 83% nucleic acid sequence identity, alternatively at least about 84% nucleic acid sequence identity, alternatively at least about 85% nucleic acid sequence identity, alternatively at least about 86% nucleic acid sequence identity, alternatively at least about 87% nucleic acid sequence identity, alternatively at least about 88% nucleic acid sequence identity, alternatively at least about 89% nucleic acid sequence identity, alternatively at least about 90% nucleic acid sequence identity, alternatively at least about 91% nucleic acid sequence identity, alternatively at least about 92% nucleic acid sequence identity, alternatively at least about 93% nucleic acid sequence identity, alternatively at least about 94% nucleic acid sequence identity, alternatively at least about 95% nucleic acid sequence identity, alternatively at least about 96% nucleic acid sequence identity, alternatively at least about 97% nucleic acid sequence identity, alternatively at least about 98% nucleic acid sequence identity and alternatively at least about 99% nucleic acid sequence identity to (a) a DNA molecule encoding a PRO polypeptide having a full-length amino acid sequence as disclosed herein, an amino acid sequence lacking the signal peptide as disclosed herein, an extracellular domain of a transmembrane protein, with or without the signal peptide, as disclosed herein or any other specifically defined fragment of the full-length amino acid sequence as disclosed herein, or (b) the complement of the DNA molecule of (a).

25 In other aspects, the isolated nucleic acid molecule comprises a nucleotide sequence having at least about 80% nucleic acid sequence identity, alternatively at least about 81% nucleic acid sequence identity, alternatively at least about 82% nucleic acid sequence identity, alternatively at least about 83% nucleic acid sequence identity, alternatively at least about 84% nucleic acid sequence identity, alternatively at least about 85% nucleic acid sequence identity, alternatively at least about 86% nucleic acid sequence identity, alternatively at least about 87% nucleic acid sequence identity, alternatively at least about 88% nucleic acid sequence identity, alternatively at least about 89% nucleic acid sequence identity, alternatively at least about 90% nucleic acid sequence identity, alternatively at least about 91% nucleic acid sequence identity, alternatively at least about 92% nucleic acid sequence identity, alternatively at least about 93% nucleic acid sequence identity, alternatively at least about 94%

30

35

nucleic acid sequence identity, alternatively at least about 95% nucleic acid sequence identity, alternatively at least about 96% nucleic acid sequence identity, alternatively at least about 97% nucleic acid sequence identity, alternatively at least about 98% nucleic acid sequence identity and alternatively at least about 99% nucleic acid sequence identity to (a) a DNA molecule comprising the coding sequence of a full-length PRO polypeptide cDNA as disclosed herein, the coding sequence of a PRO polypeptide lacking the signal peptide as disclosed herein, the coding sequence of an extracellular domain of a transmembrane PRO polypeptide, with or without the signal peptide, as disclosed herein or the coding sequence of any other specifically defined fragment of the full-length amino acid sequence as disclosed herein, or (b) the complement of the DNA molecule of (a).

In a further aspect, the invention concerns an isolated nucleic acid molecule comprising a nucleotide sequence having at least about 80% nucleic acid sequence identity, alternatively at least about 81% nucleic acid sequence identity, alternatively at least about 82% nucleic acid sequence identity, alternatively at least about 83% nucleic acid sequence identity, alternatively at least about 84% nucleic acid sequence identity, alternatively at least about 85% nucleic acid sequence identity, alternatively at least about 86% nucleic acid sequence identity, alternatively at least about 87% nucleic acid sequence identity, alternatively at least about 88% nucleic acid sequence identity, alternatively at least about 89% nucleic acid sequence identity, alternatively at least about 90% nucleic acid sequence identity, alternatively at least about 91% nucleic acid sequence identity, alternatively at least about 92% nucleic acid sequence identity, alternatively at least about 93% nucleic acid sequence identity, alternatively at least about 94% nucleic acid sequence identity, alternatively at least about 95% nucleic acid sequence identity, alternatively at least about 96% nucleic acid sequence identity, alternatively at least about 97% nucleic acid sequence identity, alternatively at least about 98% nucleic acid sequence identity and alternatively at least about 99% nucleic acid sequence identity to (a) a DNA molecule that encodes the same mature polypeptide encoded by any of the human protein cDNAs deposited with the ATCC as disclosed herein, or (b) the complement of the DNA molecule of (a).

Another aspect the invention provides an isolated nucleic acid molecule comprising a nucleotide sequence encoding a PRO polypeptide which is either transmembrane domain-deleted or transmembrane domain-inactivated, or is complementary to such encoding nucleotide sequence, wherein the transmembrane domain(s) of such polypeptide are disclosed herein. Therefore, soluble extracellular domains of the herein described PRO polypeptides are contemplated.

Another embodiment is directed to fragments of a PRO polypeptide coding sequence, or the complement thereof, that may find use as, for example, hybridization probes, for encoding fragments of a PRO polypeptide that may optionally encode a polypeptide comprising a binding site for an anti-PRO antibody or as antisense oligonucleotide probes. Such nucleic acid fragments are usually at least about 10 nucleotides in length, alternatively at least about 15 nucleotides in length, alternatively at least about 20 nucleotides in length, alternatively at least about 30 nucleotides in length, alternatively at least about 40 nucleotides in length, alternatively at least about 50 nucleotides in length, alternatively at least about 60 nucleotides in length, alternatively at least about 70 nucleotides in length, alternatively at least about 80 nucleotides in length, alternatively at least about 90 nucleotides in length, alternatively at least about 100 nucleotides in length, alternatively at least about 110 nucleotides in length, alternatively at least about 120 nucleotides in length,

alternatively at least about 130 nucleotides in length, alternatively at least about 140 nucleotides in length, alternatively at least about 150 nucleotides in length, alternatively at least about 160 nucleotides in length, alternatively at least about 170 nucleotides in length, alternatively at least about 180 nucleotides in length, alternatively at least about 190 nucleotides in length, alternatively at least about 200 nucleotides in length, alternatively at least about 250 nucleotides in length, alternatively at least about 300 nucleotides in length, alternatively at least about 350 nucleotides in length, alternatively at least about 400 nucleotides in length, alternatively at least about 450 nucleotides in length, alternatively at least about 500 nucleotides in length, alternatively at least about 600 nucleotides in length, alternatively at least about 700 nucleotides in length, alternatively at least about 800 nucleotides in length, alternatively at least about 900 nucleotides in length and alternatively at least about 1000 nucleotides in length, wherein in this context the term "about" means the referenced nucleotide sequence length plus or minus 10% of that referenced length. It is noted that novel fragments of a PRO polypeptide-encoding nucleotide sequence may be determined in a routine manner by aligning the PRO polypeptide-encoding nucleotide sequence with other known nucleotide sequences using any of a number of well known sequence alignment programs and determining which PRO polypeptide-encoding nucleotide sequence fragment(s) are novel. All of such PRO polypeptide-encoding nucleotide sequences are contemplated herein. Also contemplated are the PRO polypeptide fragments encoded by these nucleotide molecule fragments, preferably those PRO polypeptide fragments that comprise a binding site for an anti-PRO antibody.

In another embodiment, the invention provides isolated PRO polypeptide encoded by any of the isolated nucleic acid sequences hereinabove identified.

In a certain aspect, the invention concerns an isolated PRO polypeptide, comprising an amino acid sequence having at least about 80% amino acid sequence identity, alternatively at least about 81% amino acid sequence identity, alternatively at least about 82% amino acid sequence identity, alternatively at least about 83% amino acid sequence identity, alternatively at least about 84% amino acid sequence identity, alternatively at least about 85% amino acid sequence identity, alternatively at least about 86% amino acid sequence identity, alternatively at least about 87% amino acid sequence identity, alternatively at least about 88% amino acid sequence identity, alternatively at least about 89% amino acid sequence identity, alternatively at least about 90% amino acid sequence identity, alternatively at least about 91% amino acid sequence identity, alternatively at least about 92% amino acid sequence identity, alternatively at least about 93% amino acid sequence identity, alternatively at least about 94% amino acid sequence identity, alternatively at least about 95% amino acid sequence identity, alternatively at least about 96% amino acid sequence identity, alternatively at least about 97% amino acid sequence identity, alternatively at least about 98% amino acid sequence identity and alternatively at least about 99% amino acid sequence identity to a PRO polypeptide having a full-length amino acid sequence as disclosed herein, an amino acid sequence lacking the signal peptide as disclosed herein, an extracellular domain of a transmembrane protein, with or without the signal peptide, as disclosed herein or any other specifically defined fragment of the full-length amino acid sequence as disclosed herein.

In a further aspect, the invention concerns an isolated PRO polypeptide comprising an amino acid sequence having at least about 80% amino acid sequence identity, alternatively at least about 81% amino acid sequence identity, alternatively at least about 82% amino acid sequence identity, alternatively at least about 83%

amino acid sequence identity, alternatively at least about 84% amino acid sequence identity, alternatively at least about 85% amino acid sequence identity, alternatively at least about 86% amino acid sequence identity, alternatively at least about 87% amino acid sequence identity, alternatively at least about 88% amino acid sequence identity, alternatively at least about 89% amino acid sequence identity, alternatively at least about 90% amino acid sequence identity, alternatively at least about 91% amino acid sequence identity, alternatively at least about 92% amino acid sequence identity, alternatively at least about 93% amino acid sequence identity, alternatively at least about 94% amino acid sequence identity, alternatively at least about 95% amino acid sequence identity, alternatively at least about 96% amino acid sequence identity, alternatively at least about 97% amino acid sequence identity, alternatively at least about 98% amino acid sequence identity and alternatively at least about 99% amino acid sequence identity to an amino acid sequence encoded by any of the human protein cDNAs deposited with the ATCC as disclosed herein.

In a specific aspect, the invention provides an isolated PRO polypeptide without the N-terminal signal sequence and/or the initiating methionine and is encoded by a nucleotide sequence that encodes such an amino acid sequence as hereinbefore described. Processes for producing the same are also herein described, wherein those processes comprise culturing a host cell comprising a vector which comprises the appropriate encoding nucleic acid molecule under conditions suitable for expression of the PRO polypeptide and recovering the PRO polypeptide from the cell culture.

Another aspect the invention provides an isolated PRO polypeptide which is either transmembrane domain-deleted or transmembrane domain-inactivated. Processes for producing the same are also herein described, wherein those processes comprise culturing a host cell comprising a vector which comprises the appropriate encoding nucleic acid molecule under conditions suitable for expression of the PRO polypeptide and recovering the PRO polypeptide from the cell culture.

In yet another embodiment, the invention concerns agonists and antagonists of a native PRO polypeptide as defined herein. In a particular embodiment, the agonist or antagonist is an anti-PRO antibody or a small molecule.

In a further embodiment, the invention concerns a method of identifying agonists or antagonists to a PRO polypeptide which comprise contacting the PRO polypeptide with a candidate molecule and monitoring a biological activity mediated by said PRO polypeptide. Preferably, the PRO polypeptide is a native PRO polypeptide.

In a still further embodiment, the invention concerns a composition of matter comprising a PRO polypeptide, or an agonist or antagonist of a PRO polypeptide as herein described, or an anti-PRO antibody, in combination with a carrier. Optionally, the carrier is a pharmaceutically acceptable carrier.

Another embodiment of the present invention is directed to the use of a PRO polypeptide, or an agonist or antagonist thereof as hereinbefore described, or an anti-PRO antibody, for the preparation of a medicament useful in the treatment of a condition which is responsive to the PRO polypeptide, an agonist or antagonist thereof or an anti-PRO antibody.

In other embodiments of the present invention, the invention provides vectors comprising DNA encoding any of the herein described polypeptides. Host cell comprising any such vector are also provided. By way of example, the host cells may be CHO cells, *E. coli*, or yeast. A process for producing any of the herein described

polypeptides is further provided and comprises culturing host cells under conditions suitable for expression of the desired polypeptide and recovering the desired polypeptide from the cell culture.

In other embodiments, the invention provides chimeric molecules comprising any of the herein described polypeptides fused to a heterologous polypeptide or amino acid sequence. Example of such chimeric molecules comprise any of the herein described polypeptides fused to an epitope tag sequence or a Fc region of an immunoglobulin.

In another embodiment, the invention provides an antibody which binds, preferably specifically, to any of the above or below described polypeptides. Optionally, the antibody is a monoclonal antibody, humanized antibody, antibody fragment or single-chain antibody.

In yet other embodiments, the invention provides oligonucleotide probes which may be useful for isolating genomic and cDNA nucleotide sequences, measuring or detecting expression of an associated gene or as antisense probes, wherein those probes may be derived from any of the above or below described nucleotide sequences. Preferred probe lengths are described above.

In yet other embodiments, the present invention is directed to methods of using the PRO polypeptides of the present invention for a variety of uses based upon the functional biological assay data presented in the Examples below.

BRIEF DESCRIPTION OF THE DRAWINGS

Figure 1 shows a nucleotide sequence (SEQ ID NO:1) of a native sequence PRO276 cDNA, wherein SEQ ID NO:1 is a clone designated herein as "DNA16435-1208".

Figure 2 shows the amino acid sequence (SEQ ID NO:2) derived from the coding sequence of SEQ ID NO:1 shown in Figure 1.

Figure 3 shows a nucleotide sequence (SEQ ID NO:3) of a native sequence PRO284 cDNA, wherein SEQ ID NO:3 is a clone designated herein as "DNA23318-1211".

Figure 4 shows the amino acid sequence (SEQ ID NO:4) derived from the coding sequence of SEQ ID NO:3 shown in Figure 3.

Figure 5 shows a nucleotide sequence (SEQ ID NO:5) of a native sequence PRO193 cDNA, wherein SEQ ID NO:5 is a clone designated herein as "DNA23322-1393".

Figure 6 shows the amino acid sequence (SEQ ID NO:6) derived from the coding sequence of SEQ ID NO:5 shown in Figure 5.

Figure 7 shows a nucleotide sequence (SEQ ID NO:7) of a native sequence PRO190 cDNA, wherein SEQ ID NO:7 is a clone designated herein as "DNA23334-1392".

Figure 8 shows the amino acid sequence (SEQ ID NO:8) derived from the coding sequence of SEQ ID NO:7 shown in Figure 7.

Figure 9 shows a nucleotide sequence (SEQ ID NO:9) of a native sequence PRO180 cDNA, wherein SEQ ID NO:9 is a clone designated herein as "DNA26843-1389".

Figure 10 shows the amino acid sequence (SEQ ID NO:10) derived from the coding sequence of SEQ ID NO:9 shown in Figure 9.

Figure 11 shows a nucleotide sequence (SEQ ID NO:11) of a native sequence PRO194 cDNA, wherein SEQ ID NO:11 is a clone designated herein as "DNA26844-1394".

Figure 12 shows the amino acid sequence (SEQ ID NO:12) derived from the coding sequence of SEQ ID NO:11 shown in Figure 11.

5 Figure 13 shows a nucleotide sequence (SEQ ID NO:13) of a native sequence PRO218 cDNA, wherein SEQ ID NO:13 is a clone designated herein as "DNA30867-1335".

Figure 14 shows the amino acid sequence (SEQ ID NO:14) derived from the coding sequence of SEQ ID NO:13 shown in Figure 13.

Figure 15 shows a nucleotide sequence (SEQ ID NO:15) of a native sequence PRO260 cDNA, wherein SEQ ID NO:15 is a clone designated herein as "DNA33470-1175".

10 Figure 16 shows the amino acid sequence (SEQ ID NO:16) derived from the coding sequence of SEQ ID NO:15 shown in Figure 15.

Figure 17 shows a nucleotide sequence (SEQ ID NO:17) of a native sequence PRO233 cDNA, wherein SEQ ID NO:17 is a clone designated herein as "DNA34436-1238".

15 Figure 18 shows the amino acid sequence (SEQ ID NO:18) derived from the coding sequence of SEQ ID NO:17 shown in Figure 17.

Figure 19 shows a nucleotide sequence (SEQ ID NO:19) of a native sequence PRO234 cDNA, wherein SEQ ID NO:19 is a clone designated herein as "DNA35557-1137".

Figure 20 shows the amino acid sequence (SEQ ID NO:20) derived from the coding sequence of SEQ ID NO:19 shown in Figure 19.

20 Figure 21 shows a nucleotide sequence (SEQ ID NO:21) of a native sequence PRO236 cDNA, wherein SEQ ID NO:21 is a clone designated herein as "DNA35599-1168".

Figure 22 shows the amino acid sequence (SEQ ID NO:22) derived from the coding sequence of SEQ ID NO:21 shown in Figure 21.

25 Figure 23 shows a nucleotide sequence (SEQ ID NO:23) of a native sequence PRO244 cDNA, wherein SEQ ID NO:23 is a clone designated herein as "DNA35668-1171".

Figure 24 shows the amino acid sequence (SEQ ID NO:24) derived from the coding sequence of SEQ ID NO:23 shown in Figure 23.

Figure 25 shows a nucleotide sequence (SEQ ID NO:25) of a native sequence PRO262 cDNA, wherein SEQ ID NO:25 is a clone designated herein as "DNA36992-1168".

30 Figure 26 shows the amino acid sequence (SEQ ID NO:26) derived from the coding sequence of SEQ ID NO:25 shown in Figure 25.

Figure 27 shows a nucleotide sequence (SEQ ID NO:27) of a native sequence PRO271 cDNA, wherein SEQ ID NO:27 is a clone designated herein as "DNA39423-1182".

35 Figure 28 shows the amino acid sequence (SEQ ID NO:28) derived from the coding sequence of SEQ ID NO:27 shown in Figure 27.

Figure 29 shows a nucleotide sequence (SEQ ID NO:29) of a native sequence PRO268 cDNA, wherein SEQ ID NO:29 is a clone designated herein as "DNA39427-1179".

Figure 30 shows the amino acid sequence (SEQ ID NO:30) derived from the coding sequence of SEQ ID NO:29 shown in Figure 29.

Figure 31 shows a nucleotide sequence (SEQ ID NO:31) of a native sequence PRO270 cDNA, wherein SEQ ID NO:31 is a clone designated herein as "DNA39510-1181".

5 Figure 32 shows the amino acid sequence (SEQ ID NO:32) derived from the coding sequence of SEQ ID NO:31 shown in Figure 31.

Figure 33 shows a nucleotide sequence (SEQ ID NO:33) of a native sequence PRO355 cDNA, wherein SEQ ID NO:33 is a clone designated herein as "DNA39518-1247".

Figure 34 shows the amino acid sequence (SEQ ID NO:34) derived from the coding sequence of SEQ ID NO:33 shown in Figure 33.

10 Figure 35 shows a nucleotide sequence (SEQ ID NO:35) of a native sequence PRO298 cDNA, wherein SEQ ID NO:35 is a clone designated herein as "DNA39975-1210".

Figure 36 shows the amino acid sequence (SEQ ID NO:36) derived from the coding sequence of SEQ ID NO:35 shown in Figure 35.

15 Figure 37 shows a nucleotide sequence (SEQ ID NO:37) of a native sequence PRO299 cDNA, wherein SEQ ID NO:37 is a clone designated herein as "DNA39976-1215".

Figure 38 shows the amino acid sequence (SEQ ID NO:38) derived from the coding sequence of SEQ ID NO:37 shown in Figure 37.

Figure 39 shows a nucleotide sequence (SEQ ID NO:39) of a native sequence PRO296 cDNA, wherein SEQ ID NO:39 is a clone designated herein as "DNA39979-1213".

20 Figure 40 shows the amino acid sequence (SEQ ID NO:40) derived from the coding sequence of SEQ ID NO:39 shown in Figure 39.

Figure 41 shows a nucleotide sequence (SEQ ID NO:41) of a native sequence PRO329 cDNA, wherein SEQ ID NO:41 is a clone designated herein as "DNA40594-1233".

25 Figure 42 shows the amino acid sequence (SEQ ID NO:42) derived from the coding sequence of SEQ ID NO:41 shown in Figure 41.

Figure 43 shows a nucleotide sequence (SEQ ID NO:43) of a native sequence PRO330 cDNA, wherein SEQ ID NO:43 is a clone designated herein as "DNA40603-1232".

Figure 44 shows the amino acid sequence (SEQ ID NO:44) derived from the coding sequence of SEQ ID NO:43 shown in Figure 43.

30 Figure 45 shows a nucleotide sequence (SEQ ID NO:45) of a native sequence PRO294 cDNA, wherein SEQ ID NO:45 is a clone designated herein as "DNA40604-1187".

Figure 46 shows the amino acid sequence (SEQ ID NO:46) derived from the coding sequence of SEQ ID NO:45 shown in Figure 45.

35 Figure 47 shows a nucleotide sequence (SEQ ID NO:47) of a native sequence PRO300 cDNA, wherein SEQ ID NO:47 is a clone designated herein as "DNA40625-1189".

Figure 48 shows the amino acid sequence (SEQ ID NO:48) derived from the coding sequence of SEQ ID NO:47 shown in Figure 47.

Figure 49 shows a nucleotide sequence (SEQ ID NO:49) of a native sequence PRO307 cDNA, wherein SEQ ID NO:49 is a clone designated herein as "DNA41225-1217".

Figure 50 shows the amino acid sequence (SEQ ID NO:50) derived from the coding sequence of SEQ ID NO:49 shown in Figure 49.

5 Figure 51 shows a nucleotide sequence (SEQ ID NO:51) of a native sequence PRO334 cDNA, wherein SEQ ID NO:51 is a clone designated herein as "DNA41379-1236".

Figure 52 shows the amino acid sequence (SEQ ID NO:52) derived from the coding sequence of SEQ ID NO:51 shown in Figure 51.

Figure 53 shows a nucleotide sequence (SEQ ID NO:53) of a native sequence PRO352 cDNA, wherein SEQ ID NO:53 is a clone designated herein as "DNA41386-1316".

10 Figure 54 shows the amino acid sequence (SEQ ID NO:54) derived from the coding sequence of SEQ ID NO:53 shown in Figure 53.

Figure 55 shows a nucleotide sequence (SEQ ID NO:55) of a native sequence PRO710 cDNA, wherein SEQ ID NO:55 is a clone designated herein as "DNA44161-1434".

15 Figure 56 shows the amino acid sequence (SEQ ID NO:56) derived from the coding sequence of SEQ ID NO:55 shown in Figure 55.

Figure 57 shows a nucleotide sequence (SEQ ID NO:57) of a native sequence PRO873 cDNA, wherein SEQ ID NO:57 is a clone designated herein as "DNA44179-1362".

Figure 58 shows the amino acid sequence (SEQ ID NO:58) derived from the coding sequence of SEQ ID NO:57 shown in Figure 57.

20 Figure 59 shows a nucleotide sequence (SEQ ID NO:59) of a native sequence PRO354 cDNA, wherein SEQ ID NO:59 is a clone designated herein as "DNA44192-1246".

Figure 60 shows the amino acid sequence (SEQ ID NO:60) derived from the coding sequence of SEQ ID NO:59 shown in Figure 59.

25 Figure 61 shows a nucleotide sequence (SEQ ID NO:61) of a native sequence PRO1151 cDNA, wherein SEQ ID NO:61 is a clone designated herein as "DNA44694-1500".

Figure 62 shows the amino acid sequence (SEQ ID NO:62) derived from the coding sequence of SEQ ID NO:61 shown in Figure 61.

Figure 63 shows a nucleotide sequence (SEQ ID NO:63) of a native sequence PRO382 cDNA, wherein SEQ ID NO:63 is a clone designated herein as "DNA45234-1277".

30 Figure 64 shows the amino acid sequence (SEQ ID NO:64) derived from the coding sequence of SEQ ID NO:63 shown in Figure 63.

Figure 65 shows a nucleotide sequence (SEQ ID NO:65) of a native sequence PRO1864 cDNA, wherein SEQ ID NO:65 is a clone designated herein as "DNA45409-2511".

35 Figure 66 shows the amino acid sequence (SEQ ID NO:66) derived from the coding sequence of SEQ ID NO:65 shown in Figure 65.

Figure 67 shows a nucleotide sequence (SEQ ID NO:67) of a native sequence PRO386 cDNA, wherein SEQ ID NO:67 is a clone designated herein as "DNA45415-1318".

Figure 68 shows the amino acid sequence (SEQ ID NO:68) derived from the coding sequence of SEQ ID NO:67 shown in Figure 67.

Figure 69 shows a nucleotide sequence (SEQ ID NO:69) of a native sequence PRO541 cDNA, wherein SEQ ID NO:69 is a clone designated herein as "DNA45417-1432".

5 Figure 70 shows the amino acid sequence (SEQ ID NO:70) derived from the coding sequence of SEQ ID NO:69 shown in Figure 69.

Figure 71 shows a nucleotide sequence (SEQ ID NO:71) of a native sequence PRO852 cDNA, wherein SEQ ID NO:71 is a clone designated herein as "DNA45493-1349".

Figure 72 shows the amino acid sequence (SEQ ID NO:72) derived from the coding sequence of SEQ ID NO:71 shown in Figure 71.

10 Figure 73 shows a nucleotide sequence (SEQ ID NO:73) of a native sequence PRO700 cDNA, wherein SEQ ID NO:73 is a clone designated herein as "DNA46776-1284".

Figure 74 shows the amino acid sequence (SEQ ID NO:74) derived from the coding sequence of SEQ ID NO:73 shown in Figure 73.

15 Figures 75A-75B show a nucleotide sequence (SEQ ID NO:75) of a native sequence PRO708 cDNA, wherein SEQ ID NO:75 is a clone designated herein as "DNA48296-1292".

Figure 76 shows the amino acid sequence (SEQ ID NO:76) derived from the coding sequence of SEQ ID NO:75 shown in Figures 75A-75B.

Figure 77 shows a nucleotide sequence (SEQ ID NO:77) of a native sequence PRO707 cDNA, wherein SEQ ID NO:77 is a clone designated herein as "DNA48306-1291".

20 Figure 78 shows the amino acid sequence (SEQ ID NO:78) derived from the coding sequence of SEQ ID NO:77 shown in Figure 77.

Figure 79 shows a nucleotide sequence (SEQ ID NO:79) of a native sequence PRO864 cDNA, wherein SEQ ID NO:79 is a clone designated herein as "DNA48328-1355".

25 Figure 80 shows the amino acid sequence (SEQ ID NO:80) derived from the coding sequence of SEQ ID NO:79 shown in Figure 79.

Figure 81 shows a nucleotide sequence (SEQ ID NO:81) of a native sequence PRO706 cDNA, wherein SEQ ID NO:81 is a clone designated herein as "DNA48329-1290".

Figure 82 shows the amino acid sequence (SEQ ID NO:82) derived from the coding sequence of SEQ ID NO:81 shown in Figure 81.

30 Figure 83 shows a nucleotide sequence (SEQ ID NO:83) of a native sequence PRO732 cDNA, wherein SEQ ID NO:83 is a clone designated herein as "DNA48334-1435".

Figure 84 shows the amino acid sequence (SEQ ID NO:84) derived from the coding sequence of SEQ ID NO:83 shown in Figure 83.

35 Figure 85 shows a nucleotide sequence (SEQ ID NO:85) of a native sequence PRO537 cDNA, wherein SEQ ID NO:85 is a clone designated herein as "DNA49141-1431".

Figure 86 shows the amino acid sequence (SEQ ID NO:86) derived from the coding sequence of SEQ ID NO:85 shown in Figure 85.

Figure 87 shows a nucleotide sequence (SEQ ID NO:87) of a native sequence PRO545 cDNA, wherein SEQ ID NO:87 is a clone designated herein as "DNA49624-1279".

Figure 88 shows the amino acid sequence (SEQ ID NO:88) derived from the coding sequence of SEQ ID NO:87 shown in Figure 87.

5 Figure 89 shows a nucleotide sequence (SEQ ID NO:89) of a native sequence PRO718 cDNA, wherein SEQ ID NO:89 is a clone designated herein as "DNA49647-1398".

Figure 90 shows the amino acid sequence (SEQ ID NO:90) derived from the coding sequence of SEQ ID NO:89 shown in Figure 89.

Figure 91 shows a nucleotide sequence (SEQ ID NO:91) of a native sequence PRO872 cDNA, wherein SEQ ID NO:91 is a clone designated herein as "DNA49819-1439".

10 Figure 92 shows the amino acid sequence (SEQ ID NO:92) derived from the coding sequence of SEQ ID NO:91 shown in Figure 91.

Figure 93 shows a nucleotide sequence (SEQ ID NO:93) of a native sequence PRO704 cDNA, wherein SEQ ID NO:93 is a clone designated herein as "DNA50911-1288".

15 Figure 94 shows the amino acid sequence (SEQ ID NO:94) derived from the coding sequence of SEQ ID NO:93 shown in Figure 93.

Figure 95 shows a nucleotide sequence (SEQ ID NO:95) of a native sequence PRO705 cDNA, wherein SEQ ID NO:95 is a clone designated herein as "DNA50914-1289".

Figure 96 shows the amino acid sequence (SEQ ID NO:96) derived from the coding sequence of SEQ ID NO:95 shown in Figure 95.

20 Figure 97 shows a nucleotide sequence (SEQ ID NO:97) of a native sequence PRO871 cDNA, wherein SEQ ID NO:97 is a clone designated herein as "DNA50919-1361".

Figure 98 shows the amino acid sequence (SEQ ID NO:98) derived from the coding sequence of SEQ ID NO:97 shown in Figure 97.

25 Figure 99 shows a nucleotide sequence (SEQ ID NO:99) of a native sequence PRO702 cDNA, wherein SEQ ID NO:99 is a clone designated herein as "DNA50980-1286".

Figure 100 shows the amino acid sequence (SEQ ID NO:100) derived from the coding sequence of SEQ ID NO:99 shown in Figure 99.

Figure 101 shows a nucleotide sequence (SEQ ID NO:101) of a native sequence PRO944 cDNA, wherein SEQ ID NO:101 is a clone designated herein as "DNA52185-1370".

30 Figure 102 shows the amino acid sequence (SEQ ID NO:102) derived from the coding sequence of SEQ ID NO:101 shown in Figure 101.

Figure 103 shows a nucleotide sequence (SEQ ID NO:103) of a native sequence PRO739 cDNA, wherein SEQ ID NO:103 is a clone designated herein as "DNA52756".

35 Figure 104 shows the amino acid sequence (SEQ ID NO:104) derived from the coding sequence of SEQ ID NO:103 shown in Figure 103.

Figure 105 shows a nucleotide sequence (SEQ ID NO:105) of a native sequence PRO941 cDNA, wherein SEQ ID NO:105 is a clone designated herein as "DNA53906-1368".

Figure 106 shows the amino acid sequence (SEQ ID NO:106) derived from the coding sequence of SEQ ID NO:105 shown in Figure 105.

Figure 107 shows a nucleotide sequence (SEQ ID NO:107) of a native sequence PRO1082 cDNA, wherein SEQ ID NO:107 is a clone designated herein as "DNA53912-1457".

5 Figure 108 shows the amino acid sequence (SEQ ID NO:108) derived from the coding sequence of SEQ ID NO:107 shown in Figure 107.

Figure 109 shows a nucleotide sequence (SEQ ID NO:109) of a native sequence PRO1133 cDNA, wherein SEQ ID NO:109 is a clone designated herein as "DNA53913-1490".

Figure 110 shows the amino acid sequence (SEQ ID NO:110) derived from the coding sequence of SEQ ID NO:109 shown in Figure 109.

10 Figure 111 shows a nucleotide sequence (SEQ ID NO:111) of a native sequence PRO983 cDNA, wherein SEQ ID NO:111 is a clone designated herein as "DNA53977-1371".

Figure 112 shows the amino acid sequence (SEQ ID NO:112) derived from the coding sequence of SEQ ID NO:111 shown in Figure 111.

15 Figure 113 shows a nucleotide sequence (SEQ ID NO:113) of a native sequence PRO784 cDNA, wherein SEQ ID NO:113 is a clone designated herein as "DNA53978-1443".

Figure 114 shows the amino acid sequence (SEQ ID NO:114) derived from the coding sequence of SEQ ID NO:113 shown in Figure 113.

Figure 115 shows a nucleotide sequence (SEQ ID NO:115) of a native sequence PRO783 cDNA, wherein SEQ ID NO:115 is a clone designated herein as "DNA53996-1442".

20 Figure 116 shows the amino acid sequence (SEQ ID NO:116) derived from the coding sequence of SEQ ID NO:115 shown in Figure 115.

Figure 117 shows a nucleotide sequence (SEQ ID NO:117) of a native sequence PRO940 cDNA, wherein SEQ ID NO:117 is a clone designated herein as "DNA54002-1367".

25 Figure 118 shows the amino acid sequence (SEQ ID NO:118) derived from the coding sequence of SEQ ID NO:117 shown in Figure 117.

Figure 119 shows a nucleotide sequence (SEQ ID NO:119) of a native sequence PRO768 cDNA, wherein SEQ ID NO:119 is a clone designated herein as "DNA55737-1345".

Figure 120 shows the amino acid sequence (SEQ ID NO:120) derived from the coding sequence of SEQ ID NO:119 shown in Figure 119.

30 Figure 121 shows a nucleotide sequence (SEQ ID NO:121) of a native sequence PRO1079 cDNA, wherein SEQ ID NO:121 is a clone designated herein as "DNA56050-1455".

Figure 122 shows the amino acid sequence (SEQ ID NO:122) derived from the coding sequence of SEQ ID NO:121 shown in Figure 121.

35 Figure 123 shows a nucleotide sequence (SEQ ID NO:123) of a native sequence PRO1078 cDNA, wherein SEQ ID NO:123 is a clone designated herein as "DNA56052-1454".

Figure 124 shows the amino acid sequence (SEQ ID NO:124) derived from the coding sequence of SEQ ID NO:123 shown in Figure 123.

Figure 125 shows a nucleotide sequence (SEQ ID NO:125) of a native sequence PRO1018 cDNA, wherein SEQ ID NO:125 is a clone designated herein as "DNA56107-1415".

Figure 126 shows the amino acid sequence (SEQ ID NO:126) derived from the coding sequence of SEQ ID NO:125 shown in Figure 125.

5 Figure 127 shows a nucleotide sequence (SEQ ID NO:127) of a native sequence PRO793 cDNA, wherein SEQ ID NO:127 is a clone designated herein as "DNA56110-1437".

Figure 128 shows the amino acid sequence (SEQ ID NO:128) derived from the coding sequence of SEQ ID NO:127 shown in Figure 127.

Figure 129 shows a nucleotide sequence (SEQ ID NO:129) of a native sequence PRO1773 cDNA, wherein SEQ ID NO:129 is a clone designated herein as "DNA56406-1704".

10 Figure 130 shows the amino acid sequence (SEQ ID NO:130) derived from the coding sequence of SEQ ID NO:129 shown in Figure 129.

Figure 131 shows a nucleotide sequence (SEQ ID NO:131) of a native sequence PRO1014 cDNA, wherein SEQ ID NO:131 is a clone designated herein as "DNA56409-1377".

15 Figure 132 shows the amino acid sequence (SEQ ID NO:132) derived from the coding sequence of SEQ ID NO:131 shown in Figure 131.

Figure 133 shows a nucleotide sequence (SEQ ID NO:133) of a native sequence PRO1013 cDNA, wherein SEQ ID NO:133 is a clone designated herein as "DNA56410-1414".

Figure 134 shows the amino acid sequence (SEQ ID NO:134) derived from the coding sequence of SEQ ID NO:133 shown in Figure 133.

20 Figure 135 shows a nucleotide sequence (SEQ ID NO:135) of a native sequence PRO937 cDNA, wherein SEQ ID NO:135 is a clone designated herein as "DNA56436-1448".

Figure 136 shows the amino acid sequence (SEQ ID NO:136) derived from the coding sequence of SEQ ID NO:135 shown in Figure 135.

25 Figure 137 shows a nucleotide sequence (SEQ ID NO:137) of a native sequence PRO1477 cDNA, wherein SEQ ID NO:137 is a clone designated herein as "DNA56529-1647".

Figure 138 shows the amino acid sequence (SEQ ID NO:138) derived from the coding sequence of SEQ ID NO:137 shown in Figure 137.

Figure 139 shows a nucleotide sequence (SEQ ID NO:139) of a native sequence PRO842 cDNA, wherein SEQ ID NO:139 is a clone designated herein as "DNA56855-1447".

30 Figure 140 shows the amino acid sequence (SEQ ID NO:140) derived from the coding sequence of SEQ ID NO:139 shown in Figure 139.

Figure 141 shows a nucleotide sequence (SEQ ID NO:141) of a native sequence PRO839 cDNA, wherein SEQ ID NO:141 is a clone designated herein as "DNA56859-1445".

35 Figure 142 shows the amino acid sequence (SEQ ID NO:142) derived from the coding sequence of SEQ ID NO:141 shown in Figure 141.

Figure 143 shows a nucleotide sequence (SEQ ID NO:143) of a native sequence PRO1180 cDNA, wherein SEQ ID NO:143 is a clone designated herein as "DNA56860-1510".

Figure 144 shows the amino acid sequence (SEQ ID NO:144) derived from the coding sequence of SEQ ID NO:143 shown in Figure 143.

Figure 145 shows a nucleotide sequence (SEQ ID NO:145) of a native sequence PRO1134 cDNA, wherein SEQ ID NO:145 is a clone designated herein as "DNA56865-1491".

5 Figure 146 shows the amino acid sequence (SEQ ID NO:146) derived from the coding sequence of SEQ ID NO:145 shown in Figure 145.

Figure 147 shows a nucleotide sequence (SEQ ID NO:147) of a native sequence PRO1115 cDNA, wherein SEQ ID NO:147 is a clone designated herein as "DNA56868-1478".

Figure 148 shows the amino acid sequence (SEQ ID NO:148) derived from the coding sequence of SEQ ID NO:147 shown in Figure 147.

10 Figure 149 shows a nucleotide sequence (SEQ ID NO:149) of a native sequence PRO1277 cDNA, wherein SEQ ID NO:149 is a clone designated herein as "DNA56869-1545".

Figure 150 shows the amino acid sequence (SEQ ID NO:150) derived from the coding sequence of SEQ ID NO:149 shown in Figure 149.

15 Figure 151 shows a nucleotide sequence (SEQ ID NO:151) of a native sequence PRO1135 cDNA, wherein SEQ ID NO:151 is a clone designated herein as "DNA56870-1492".

Figure 152 shows the amino acid sequence (SEQ ID NO:152) derived from the coding sequence of SEQ ID NO:151 shown in Figure 151.

Figure 153 shows a nucleotide sequence (SEQ ID NO:153) of a native sequence PRO827 cDNA, wherein SEQ ID NO:153 is a clone designated herein as "DNA57039-1402".

20 Figure 154 shows the amino acid sequence (SEQ ID NO:154) derived from the coding sequence of SEQ ID NO:153 shown in Figure 153.

Figure 155 shows a nucleotide sequence (SEQ ID NO:155) of a native sequence PRO1057 cDNA, wherein SEQ ID NO:155 is a clone designated herein as "DNA57253-1382".

25 Figure 156 shows the amino acid sequence (SEQ ID NO:156) derived from the coding sequence of SEQ ID NO:155 shown in Figure 155.

Figure 157 shows a nucleotide sequence (SEQ ID NO:157) of a native sequence PRO1113 cDNA, wherein SEQ ID NO:157 is a clone designated herein as "DNA57254-1477".

Figure 158 shows the amino acid sequence (SEQ ID NO:158) derived from the coding sequence of SEQ ID NO:157 shown in Figure 157.

30 Figure 159 shows a nucleotide sequence (SEQ ID NO:159) of a native sequence PRO1006 cDNA, wherein SEQ ID NO:159 is a clone designated herein as "DNA57699-1412".

Figure 160 shows the amino acid sequence (SEQ ID NO:160) derived from the coding sequence of SEQ ID NO:159 shown in Figure 159.

35 Figure 161 shows a nucleotide sequence (SEQ ID NO:161) of a native sequence PRO1074 cDNA, wherein SEQ ID NO:161 is a clone designated herein as "DNA57704-1452".

Figure 162 shows the amino acid sequence (SEQ ID NO:162) derived from the coding sequence of SEQ ID NO:161 shown in Figure 161.

Figure 163 shows a nucleotide sequence (SEQ ID NO:163) of a native sequence PRO1073 cDNA, wherein SEQ ID NO:163 is a clone designated herein as "DNA57710-1451".

Figure 164 shows the amino acid sequence (SEQ ID NO:164) derived from the coding sequence of SEQ ID NO:163 shown in Figure 163.

5 Figure 165 shows a nucleotide sequence (SEQ ID NO:165) of a native sequence PRO1136 cDNA, wherein SEQ ID NO:165 is a clone designated herein as "DNA57827-1493".

Figure 166 shows the amino acid sequence (SEQ ID NO:166) derived from the coding sequence of SEQ ID NO:165 shown in Figure 165.

Figure 167 shows a nucleotide sequence (SEQ ID NO:167) of a native sequence PRO1004 cDNA, wherein SEQ ID NO:167 is a clone designated herein as "DNA57844-1410".

10 Figure 168 shows the amino acid sequence (SEQ ID NO:168) derived from the coding sequence of SEQ ID NO:167 shown in Figure 167.

Figure 169 shows a nucleotide sequence (SEQ ID NO:169) of a native sequence PRO1344 cDNA, wherein SEQ ID NO:169 is a clone designated herein as "DNA58723-1588".

15 Figure 170 shows the amino acid sequence (SEQ ID NO:170) derived from the coding sequence of SEQ ID NO:169 shown in Figure 169.

Figure 171 shows a nucleotide sequence (SEQ ID NO:171) of a native sequence PRO1110 cDNA, wherein SEQ ID NO:171 is a clone designated herein as "DNA58727-1474".

Figure 172 shows the amino acid sequence (SEQ ID NO:172) derived from the coding sequence of SEQ ID NO:171 shown in Figure 171.

20 Figure 173 shows a nucleotide sequence (SEQ ID NO:173) of a native sequence PRO1378 cDNA, wherein SEQ ID NO:173 is a clone designated herein as "DNA58730-1607".

Figure 174 shows the amino acid sequence (SEQ ID NO:174) derived from the coding sequence of SEQ ID NO:173 shown in Figure 173.

25 Figure 175 shows a nucleotide sequence (SEQ ID NO:175) of a native sequence PRO1481 cDNA, wherein SEQ ID NO:175 is a clone designated herein as "DNA58732-1650".

Figure 176 shows the amino acid sequence (SEQ ID NO:176) derived from the coding sequence of SEQ ID NO:175 shown in Figure 175.

Figure 177 shows a nucleotide sequence (SEQ ID NO:177) of a native sequence PRO1109 cDNA, wherein SEQ ID NO:177 is a clone designated herein as "DNA58737-1473".

30 Figure 178 shows the amino acid sequence (SEQ ID NO:178) derived from the coding sequence of SEQ ID NO:177 shown in Figure 177.

Figure 179 shows a nucleotide sequence (SEQ ID NO:179) of a native sequence PRO1383 cDNA, wherein SEQ ID NO:179 is a clone designated herein as "DNA58743-1609".

35 Figure 180 shows the amino acid sequence (SEQ ID NO:180) derived from the coding sequence of SEQ ID NO:179 shown in Figure 179.

Figure 181 shows a nucleotide sequence (SEQ ID NO:181) of a native sequence PRO1072 cDNA, wherein SEQ ID NO:181 is a clone designated herein as "DNA58747-1384".

Figure 182 shows the amino acid sequence (SEQ ID NO:182) derived from the coding sequence of SEQ ID NO:181 shown in Figure 181.

Figure 183 shows a nucleotide sequence (SEQ ID NO:183) of a native sequence PRO1189 cDNA, wherein SEQ ID NO:183 is a clone designated herein as "DNA58828-1519".

5 Figure 184 shows the amino acid sequence (SEQ ID NO:184) derived from the coding sequence of SEQ ID NO:183 shown in Figure 183.

Figure 185 shows a nucleotide sequence (SEQ ID NO:185) of a native sequence PRO1003 cDNA, wherein SEQ ID NO:185 is a clone designated herein as "DNA58846-1409".

Figure 186 shows the amino acid sequence (SEQ ID NO:186) derived from the coding sequence of SEQ ID NO:185 shown in Figure 185.

10 Figure 187 shows a nucleotide sequence (SEQ ID NO:187) of a native sequence PRO1108 cDNA, wherein SEQ ID NO:187 is a clone designated herein as "DNA58848-1472".

Figure 188 shows the amino acid sequence (SEQ ID NO:188) derived from the coding sequence of SEQ ID NO:187 shown in Figure 187.

15 Figure 189 shows a nucleotide sequence (SEQ ID NO:189) of a native sequence PRO1137 cDNA, wherein SEQ ID NO:189 is a clone designated herein as "DNA58849-1494".

Figure 190 shows the amino acid sequence (SEQ ID NO:190) derived from the coding sequence of SEQ ID NO:189 shown in Figure 189.

Figure 191 shows a nucleotide sequence (SEQ ID NO:191) of a native sequence PRO1138 cDNA, wherein SEQ ID NO:191 is a clone designated herein as "DNA58850-1495".

20 Figure 192 shows the amino acid sequence (SEQ ID NO:192) derived from the coding sequence of SEQ ID NO:191 shown in Figure 191.

Figure 193 shows a nucleotide sequence (SEQ ID NO:193) of a native sequence PRO1415 cDNA, wherein SEQ ID NO:193 is a clone designated herein as "DNA58852-1637".

25 Figure 194 shows the amino acid sequence (SEQ ID NO:194) derived from the coding sequence of SEQ ID NO:193 shown in Figure 193.

Figure 195 shows a nucleotide sequence (SEQ ID NO:195) of a native sequence PRO1054 cDNA, wherein SEQ ID NO:195 is a clone designated herein as "DNA58853-1423".

Figure 196 shows the amino acid sequence (SEQ ID NO:196) derived from the coding sequence of SEQ ID NO:195 shown in Figure 195.

30 Figure 197 shows a nucleotide sequence (SEQ ID NO:197) of a native sequence PRO994 cDNA, wherein SEQ ID NO:197 is a clone designated herein as "DNA58855-1422".

Figure 198 shows the amino acid sequence (SEQ ID NO:198) derived from the coding sequence of SEQ ID NO:197 shown in Figure 197.

35 Figure 199 shows a nucleotide sequence (SEQ ID NO:199) of a native sequence PRO1069 cDNA, wherein SEQ ID NO:199 is a clone designated herein as "DNA59211-1450".

Figure 200 shows the amino acid sequence (SEQ ID NO:200) derived from the coding sequence of SEQ ID NO:199 shown in Figure 199.

Figure 201 shows a nucleotide sequence (SEQ ID NO:201) of a native sequence PRO1411 cDNA, wherein SEQ ID NO:201 is a clone designated herein as "DNA59212-1627".

Figure 202 shows the amino acid sequence (SEQ ID NO:202) derived from the coding sequence of SEQ ID NO:201 shown in Figure 201.

5 Figure 203 shows a nucleotide sequence (SEQ ID NO:203) of a native sequence PRO1129 cDNA, wherein SEQ ID NO:203 is a clone designated herein as "DNA59213-1487".

Figure 204 shows the amino acid sequence (SEQ ID NO:204) derived from the coding sequence of SEQ ID NO:203 shown in Figure 203.

Figure 205 shows a nucleotide sequence (SEQ ID NO:205) of a native sequence PRO1359 cDNA, wherein SEQ ID NO:205 is a clone designated herein as "DNA59219-1613".

10 Figure 206 shows the amino acid sequence (SEQ ID NO:206) derived from the coding sequence of SEQ ID NO:205 shown in Figure 205.

Figure 207 shows a nucleotide sequence (SEQ ID NO:207) of a native sequence PRO1139 cDNA, wherein SEQ ID NO:207 is a clone designated herein as "DNA59497-1496".

15 Figure 208 shows the amino acid sequence (SEQ ID NO:208) derived from the coding sequence of SEQ ID NO:207 shown in Figure 207.

Figure 209 shows a nucleotide sequence (SEQ ID NO:209) of a native sequence PRO1065 cDNA, wherein SEQ ID NO:209 is a clone designated herein as "DNA59602-1436".

Figure 210 shows the amino acid sequence (SEQ ID NO:210) derived from the coding sequence of SEQ ID NO:209 shown in Figure 209.

20 Figure 211 shows a nucleotide sequence (SEQ ID NO:211) of a native sequence PRO1028 cDNA, wherein SEQ ID NO:211 is a clone designated herein as "DNA59603-1419".

Figure 212 shows the amino acid sequence (SEQ ID NO:212) derived from the coding sequence of SEQ ID NO:211 shown in Figure 211.

25 Figure 213 shows a nucleotide sequence (SEQ ID NO:213) of a native sequence PRO1027 cDNA, wherein SEQ ID NO:213 is a clone designated herein as "DNA59605-1418".

Figure 214 shows the amino acid sequence (SEQ ID NO:214) derived from the coding sequence of SEQ ID NO:213 shown in Figure 213.

Figure 215 shows a nucleotide sequence (SEQ ID NO:215) of a native sequence PRO1140 cDNA, wherein SEQ ID NO:215 is a clone designated herein as "DNA59607-1497".

30 Figure 216 shows the amino acid sequence (SEQ ID NO:216) derived from the coding sequence of SEQ ID NO:215 shown in Figure 215.

Figure 217 shows a nucleotide sequence (SEQ ID NO:217) of a native sequence PRO1291 cDNA, wherein SEQ ID NO:217 is a clone designated herein as "DNA59610-1556".

35 Figure 218 shows the amino acid sequence (SEQ ID NO:218) derived from the coding sequence of SEQ ID NO:217 shown in Figure 217.

Figure 219 shows a nucleotide sequence (SEQ ID NO:219) of a native sequence PRO1105 cDNA, wherein SEQ ID NO:219 is a clone designated herein as "DNA59612-1466".

Figure 220 shows the amino acid sequence (SEQ ID NO:220) derived from the coding sequence of SEQ ID NO:219 shown in Figure 219.

Figure 221 shows a nucleotide sequence (SEQ ID NO:221) of a native sequence PRO1026 cDNA, wherein SEQ ID NO:221 is a clone designated herein as "DNA59613-1417".

5 Figure 222 shows the amino acid sequence (SEQ ID NO:222) derived from the coding sequence of SEQ ID NO:221 shown in Figure 221.

Figure 223 shows a nucleotide sequence (SEQ ID NO:223) of a native sequence PRO1104 cDNA, wherein SEQ ID NO:223 is a clone designated herein as "DNA59616-1465".

Figure 224 shows the amino acid sequence (SEQ ID NO:224) derived from the coding sequence of SEQ ID NO:223 shown in Figure 223.

10 Figure 225 shows a nucleotide sequence (SEQ ID NO:225) of a native sequence PRO1100 cDNA, wherein SEQ ID NO:225 is a clone designated herein as "DNA59619-1464".

Figure 226 shows the amino acid sequence (SEQ ID NO:226) derived from the coding sequence of SEQ ID NO:225 shown in Figure 225.

15 Figure 227 shows a nucleotide sequence (SEQ ID NO:227) of a native sequence PRO1141 cDNA, wherein SEQ ID NO:227 is a clone designated herein as "DNA59625-1498".

Figure 228 shows the amino acid sequence (SEQ ID NO:228) derived from the coding sequence of SEQ ID NO:227 shown in Figure 227.

Figure 229 shows a nucleotide sequence (SEQ ID NO:229) of a native sequence PRO1772 cDNA, wherein SEQ ID NO:229 is a clone designated herein as "DNA59817-1703".

20 Figure 230 shows the amino acid sequence (SEQ ID NO:230) derived from the coding sequence of SEQ ID NO:229 shown in Figure 229.

Figure 231 shows a nucleotide sequence (SEQ ID NO:231) of a native sequence PRO1064 cDNA, wherein SEQ ID NO:231 is a clone designated herein as "DNA59827-1426".

25 Figure 232 shows the amino acid sequence (SEQ ID NO:232) derived from the coding sequence of SEQ ID NO:231 shown in Figure 231.

Figure 233 shows a nucleotide sequence (SEQ ID NO:233) of a native sequence PRO1379 cDNA, wherein SEQ ID NO:233 is a clone designated herein as "DNA59828-1608".

Figure 234 shows the amino acid sequence (SEQ ID NO:234) derived from the coding sequence of SEQ ID NO:233 shown in Figure 233.

30 Figure 235 shows a nucleotide sequence (SEQ ID NO:235) of a native sequence PRO3573 cDNA, wherein SEQ ID NO:235 is a clone designated herein as "DNA59837-2545".

Figure 236 shows the amino acid sequence (SEQ ID NO:236) derived from the coding sequence of SEQ ID NO:235 shown in Figure 235.

35 Figure 237 shows a nucleotide sequence (SEQ ID NO:237) of a native sequence PRO3566 cDNA, wherein SEQ ID NO:237 is a clone designated herein as "DNA59844-2542".

Figure 238 shows the amino acid sequence (SEQ ID NO:238) derived from the coding sequence of SEQ ID NO:237 shown in Figure 237.

Figure 239 shows a nucleotide sequence (SEQ ID NO:239) of a native sequence PRO1156 cDNA, wherein SEQ ID NO:239 is a clone designated herein as "DNA59853-1505".

Figure 240 shows the amino acid sequence (SEQ ID NO:240) derived from the coding sequence of SEQ ID NO:239 shown in Figure 239.

5 Figure 241 shows a nucleotide sequence (SEQ ID NO:241) of a native sequence PRO1098 cDNA, wherein SEQ ID NO:241 is a clone designated herein as "DNA59854-1459".

Figure 242 shows the amino acid sequence (SEQ ID NO:242) derived from the coding sequence of SEQ ID NO:241 shown in Figure 241.

Figure 243 shows a nucleotide sequence (SEQ ID NO:243) of a native sequence PRO1128 cDNA, wherein SEQ ID NO:243 is a clone designated herein as "DNA59855-1485".

10 Figure 244 shows the amino acid sequence (SEQ ID NO:244) derived from the coding sequence of SEQ ID NO:243 shown in Figure 243.

Figure 245 shows a nucleotide sequence (SEQ ID NO:245) of a native sequence PRO1248 cDNA, wherein SEQ ID NO:245 is a clone designated herein as "DNA60278-1530".

15 Figure 246 shows the amino acid sequence (SEQ ID NO:246) derived from the coding sequence of SEQ ID NO:245 shown in Figure 245.

Figure 247 shows a nucleotide sequence (SEQ ID NO:247) of a native sequence PRO1127 cDNA, wherein SEQ ID NO:247 is a clone designated herein as "DNA60283-1484".

Figure 248 shows the amino acid sequence (SEQ ID NO:248) derived from the coding sequence of SEQ ID NO:247 shown in Figure 247.

20 Figure 249 shows a nucleotide sequence (SEQ ID NO:249) of a native sequence PRO1316 cDNA, wherein SEQ ID NO:249 is a clone designated herein as "DNA60608-1577".

Figure 250 shows the amino acid sequence (SEQ ID NO:250) derived from the coding sequence of SEQ ID NO:249 shown in Figure 249.

25 Figure 251 shows a nucleotide sequence (SEQ ID NO:251) of a native sequence PRO1197 cDNA, wherein SEQ ID NO:251 is a clone designated herein as "DNA60611-1524".

Figure 252 shows the amino acid sequence (SEQ ID NO:252) derived from the coding sequence of SEQ ID NO:251 shown in Figure 251.

Figure 253 shows a nucleotide sequence (SEQ ID NO:253) of a native sequence PRO1125 cDNA, wherein SEQ ID NO:253 is a clone designated herein as "DNA60619-1482".

30 Figure 254 shows the amino acid sequence (SEQ ID NO:254) derived from the coding sequence of SEQ ID NO:253 shown in Figure 253.

Figure 255 shows a nucleotide sequence (SEQ ID NO:255) of a native sequence PRO1158 cDNA, wherein SEQ ID NO:255 is a clone designated herein as "DNA60625-1507".

35 Figure 256 shows the amino acid sequence (SEQ ID NO:256) derived from the coding sequence of SEQ ID NO:255 shown in Figure 255.

Figure 257 shows a nucleotide sequence (SEQ ID NO:257) of a native sequence PRO1124 cDNA, wherein SEQ ID NO:257 is a clone designated herein as "DNA60629-1481".

Figure 258 shows the amino acid sequence (SEQ ID NO:258) derived from the coding sequence of SEQ ID NO:257 shown in Figure 257.

Figure 259 shows a nucleotide sequence (SEQ ID NO:259) of a native sequence PRO1380 cDNA, wherein SEQ ID NO:259 is a clone designated herein as "DNA60740-1615".

5 Figure 260 shows the amino acid sequence (SEQ ID NO:260) derived from the coding sequence of SEQ ID NO:259 shown in Figure 259.

Figure 261 shows a nucleotide sequence (SEQ ID NO:261) of a native sequence PRO1377 cDNA, wherein SEQ ID NO:261 is a clone designated herein as "DNA61608-1606".

Figure 262 shows the amino acid sequence (SEQ ID NO:262) derived from the coding sequence of SEQ ID NO:261 shown in Figure 261.

10 Figure 263 shows a nucleotide sequence (SEQ ID NO:263) of a native sequence PRO1287 cDNA, wherein SEQ ID NO:263 is a clone designated herein as "DNA61755-1554".

Figure 264 shows the amino acid sequence (SEQ ID NO:264) derived from the coding sequence of SEQ ID NO:263 shown in Figure 263.

15 Figure 265 shows a nucleotide sequence (SEQ ID NO:265) of a native sequence PRO1249 cDNA, wherein SEQ ID NO:265 is a clone designated herein as "DNA62809-1531".

Figure 266 shows the amino acid sequence (SEQ ID NO:266) derived from the coding sequence of SEQ ID NO:265 shown in Figure 265.

Figure 267 shows a nucleotide sequence (SEQ ID NO:267) of a native sequence PRO1335 cDNA, wherein SEQ ID NO:267 is a clone designated herein as "DNA62812-1594".

20 Figure 268 shows the amino acid sequence (SEQ ID NO:268) derived from the coding sequence of SEQ ID NO:267 shown in Figure 267.

Figure 269 shows a nucleotide sequence (SEQ ID NO:269) of a native sequence PRO3572 cDNA, wherein SEQ ID NO:269 is a clone designated herein as "DNA62813-2544".

25 Figure 270 shows the amino acid sequence (SEQ ID NO:270) derived from the coding sequence of SEQ ID NO:269 shown in Figure 269.

Figure 271 shows a nucleotide sequence (SEQ ID NO:271) of a native sequence PRO1599 cDNA, wherein SEQ ID NO:271 is a clone designated herein as "DNA62845-1684".

Figure 272 shows the amino acid sequence (SEQ ID NO:272) derived from the coding sequence of SEQ ID NO:271 shown in Figure 271.

30 Figure 273 shows a nucleotide sequence (SEQ ID NO:273) of a native sequence PRO1374 cDNA, wherein SEQ ID NO:273 is a clone designated herein as "DNA64849-1604".

Figure 274 shows the amino acid sequence (SEQ ID NO:274) derived from the coding sequence of SEQ ID NO:273 shown in Figure 273.

35 Figure 275 shows a nucleotide sequence (SEQ ID NO:275) of a native sequence PRO1345 cDNA, wherein SEQ ID NO:275 is a clone designated herein as "DNA64852-1589".

Figure 276 shows the amino acid sequence (SEQ ID NO:276) derived from the coding sequence of SEQ ID NO:275 shown in Figure 275.

Figure 277 shows a nucleotide sequence (SEQ ID NO:277) of a native sequence PRO1311 cDNA, wherein SEQ ID NO:277 is a clone designated herein as "DNA64863-1573".

Figure 278 shows the amino acid sequence (SEQ ID NO:278) derived from the coding sequence of SEQ ID NO:277 shown in Figure 277.

5 Figure 279 shows a nucleotide sequence (SEQ ID NO:279) of a native sequence PRO1357 cDNA, wherein SEQ ID NO:279 is a clone designated herein as "DNA64881-1602".

Figure 280 shows the amino acid sequence (SEQ ID NO:280) derived from the coding sequence of SEQ ID NO:279 shown in Figure 279.

Figure 281 shows a nucleotide sequence (SEQ ID NO:281) of a native sequence PRO1557 cDNA, wherein SEQ ID NO:281 is a clone designated herein as "DNA64902-1667".

10 Figure 282 shows the amino acid sequence (SEQ ID NO:282) derived from the coding sequence of SEQ ID NO:281 shown in Figure 281.

Figure 283 shows a nucleotide sequence (SEQ ID NO:283) of a native sequence PRO1305 cDNA, wherein SEQ ID NO:283 is a clone designated herein as "DNA64952-1568".

15 Figure 284 shows the amino acid sequence (SEQ ID NO:284) derived from the coding sequence of SEQ ID NO:283 shown in Figure 283.

Figure 285 shows a nucleotide sequence (SEQ ID NO:285) of a native sequence PRO1302 cDNA, wherein SEQ ID NO:285 is a clone designated herein as "DNA65403-1565".

Figure 286 shows the amino acid sequence (SEQ ID NO:286) derived from the coding sequence of SEQ ID NO:285 shown in Figure 285.

20 Figure 287 shows a nucleotide sequence (SEQ ID NO:287) of a native sequence PRO1266 cDNA, wherein SEQ ID NO:287 is a clone designated herein as "DNA65413-1534".

Figure 288 shows the amino acid sequence (SEQ ID NO:288) derived from the coding sequence of SEQ ID NO:287 shown in Figure 287.

25 Figures 289A-289B show a nucleotide sequence (SEQ ID NO:289) of a native sequence PRO1336 cDNA, wherein SEQ ID NO:289 is a clone designated herein as "DNA65423-1595".

Figure 290 shows the amino acid sequence (SEQ ID NO:290) derived from the coding sequence of SEQ ID NO:289 shown in Figures 289A-289B.

Figure 291 shows a nucleotide sequence (SEQ ID NO:291) of a native sequence PRO1278 cDNA, wherein SEQ ID NO:291 is a clone designated herein as "DNA66304-1546".

30 Figure 292 shows the amino acid sequence (SEQ ID NO:292) derived from the coding sequence of SEQ ID NO:291 shown in Figure 291.

Figure 293 shows a nucleotide sequence (SEQ ID NO:293) of a native sequence PRO1270 cDNA, wherein SEQ ID NO:293 is a clone designated herein as "DNA66308-1537".

35 Figure 294 shows the amino acid sequence (SEQ ID NO:294) derived from the coding sequence of SEQ ID NO:293 shown in Figure 293.

Figure 295 shows a nucleotide sequence (SEQ ID NO:295) of a native sequence PRO1298 cDNA, wherein SEQ ID NO:295 is a clone designated herein as "DNA66511-1563".

Figure 296 shows the amino acid sequence (SEQ ID NO:296) derived from the coding sequence of SEQ ID NO:295 shown in Figure 295.

Figure 297 shows a nucleotide sequence (SEQ ID NO:297) of a native sequence PRO1301 cDNA, wherein SEQ ID NO:297 is a clone designated herein as "DNA66512-1564".

5 Figure 298 shows the amino acid sequence (SEQ ID NO:298) derived from the coding sequence of SEQ ID NO:297 shown in Figure 297.

Figure 299 shows a nucleotide sequence (SEQ ID NO:299) of a native sequence PRO1268 cDNA, wherein SEQ ID NO:299 is a clone designated herein as "DNA66519-1535".

Figure 300 shows the amino acid sequence (SEQ ID NO:300) derived from the coding sequence of SEQ ID NO:299 shown in Figure 299.

10 Figure 301 shows a nucleotide sequence (SEQ ID NO:301) of a native sequence PRO1327 cDNA, wherein SEQ ID NO:301 is a clone designated herein as "DNA66521-1583".

Figure 302 shows the amino acid sequence (SEQ ID NO:302) derived from the coding sequence of SEQ ID NO:301 shown in Figure 301.

15 Figure 303 shows a nucleotide sequence (SEQ ID NO:303) of a native sequence PRO1328 cDNA, wherein SEQ ID NO:303 is a clone designated herein as "DNA66658-1584".

Figure 304 shows the amino acid sequence (SEQ ID NO:304) derived from the coding sequence of SEQ ID NO:303 shown in Figure 303.

Figure 305 shows a nucleotide sequence (SEQ ID NO:305) of a native sequence PRO1329 cDNA, wherein SEQ ID NO:305 is a clone designated herein as "DNA66660-1585".

20 Figure 306 shows the amino acid sequence (SEQ ID NO:306) derived from the coding sequence of SEQ ID NO:305 shown in Figure 305.

Figure 307 shows a nucleotide sequence (SEQ ID NO:307) of a native sequence PRO1339 cDNA, wherein SEQ ID NO:307 is a clone designated herein as "DNA66669-1597".

25 Figure 308 shows the amino acid sequence (SEQ ID NO:308) derived from the coding sequence of SEQ ID NO:307 shown in Figure 307.

Figure 309 shows a nucleotide sequence (SEQ ID NO:309) of a native sequence PRO1342 cDNA, wherein SEQ ID NO:309 is a clone designated herein as "DNA66674-1599".

Figure 310 shows the amino acid sequence (SEQ ID NO:310) derived from the coding sequence of SEQ ID NO:309 shown in Figure 309.

30 Figures 311A-311B show a nucleotide sequence (SEQ ID NO:311) of a native sequence PRO1487 cDNA, wherein SEQ ID NO:311 is a clone designated herein as "DNA68836-1656".

Figure 312 shows the amino acid sequence (SEQ ID NO:312) derived from the coding sequence of SEQ ID NO:311 shown in Figures 311A-311B.

35 Figure 313 shows a nucleotide sequence (SEQ ID NO:313) of a native sequence PRO3579 cDNA, wherein SEQ ID NO:313 is a clone designated herein as "DNA68862-2546".

Figure 314 shows the amino acid sequence (SEQ ID NO:314) derived from the coding sequence of SEQ ID NO:313 shown in Figure 313.

Figure 315 shows a nucleotide sequence (SEQ ID NO:315) of a native sequence PRO1472 cDNA, wherein SEQ ID NO:315 is a clone designated herein as "DNA68866-1644".

Figure 316 shows the amino acid sequence (SEQ ID NO:316) derived from the coding sequence of SEQ ID NO:315 shown in Figure 315.

5 Figure 317 shows a nucleotide sequence (SEQ ID NO:317) of a native sequence PRO1385 cDNA, wherein SEQ ID NO:317 is a clone designated herein as "DNA68869-1610".

Figure 318 shows the amino acid sequence (SEQ ID NO:318) derived from the coding sequence of SEQ ID NO:317 shown in Figure 317.

Figure 319 shows a nucleotide sequence (SEQ ID NO:319) of a native sequence PRO1461 cDNA, wherein SEQ ID NO:319 is a clone designated herein as "DNA68871-1638".

10 Figure 320 shows the amino acid sequence (SEQ ID NO:320) derived from the coding sequence of SEQ ID NO:319 shown in Figure 319.

Figure 321 shows a nucleotide sequence (SEQ ID NO:321) of a native sequence PRO1429 cDNA, wherein SEQ ID NO:321 is a clone designated herein as "DNA68879-1631".

15 Figure 322 shows the amino acid sequence (SEQ ID NO:322) derived from the coding sequence of SEQ ID NO:321 shown in Figure 321.

Figure 323 shows a nucleotide sequence (SEQ ID NO:323) of a native sequence PRO1568 cDNA, wherein SEQ ID NO:323 is a clone designated herein as "DNA68880-1676".

Figure 324 shows the amino acid sequence (SEQ ID NO:324) derived from the coding sequence of SEQ ID NO:323 shown in Figure 323.

20 Figure 325 shows a nucleotide sequence (SEQ ID NO:325) of a native sequence PRO1569 cDNA, wherein SEQ ID NO:325 is a clone designated herein as "DNA68882-1677".

Figure 326 shows the amino acid sequence (SEQ ID NO:326) derived from the coding sequence of SEQ ID NO:325 shown in Figure 325.

25 Figure 327 shows a nucleotide sequence (SEQ ID NO:327) of a native sequence PRO1753 cDNA, wherein SEQ ID NO:327 is a clone designated herein as "DNA68883-1691".

Figure 328 shows the amino acid sequence (SEQ ID NO:328) derived from the coding sequence of SEQ ID NO:327 shown in Figure 327.

Figure 329 shows a nucleotide sequence (SEQ ID NO:329) of a native sequence PRO1570 cDNA, wherein SEQ ID NO:329 is a clone designated herein as "DNA68885-1678".

30 Figure 330 shows the amino acid sequence (SEQ ID NO:330) derived from the coding sequence of SEQ ID NO:329 shown in Figure 329.

Figure 331 shows a nucleotide sequence (SEQ ID NO:331) of a native sequence PRO1559 cDNA, wherein SEQ ID NO:331 is a clone designated herein as "DNA68886".

35 Figure 332 shows the amino acid sequence (SEQ ID NO:332) derived from the coding sequence of SEQ ID NO:331 shown in Figure 331.

Figure 333 shows a nucleotide sequence (SEQ ID NO:333) of a native sequence PRO1486 cDNA, wherein SEQ ID NO:333 is a clone designated herein as "DNA71180-1655".

Figure 334 shows the amino acid sequence (SEQ ID NO:334) derived from the coding sequence of SEQ ID NO:333 shown in Figure 333.

Figure 335 shows a nucleotide sequence (SEQ ID NO:335) of a native sequence PRO1433 cDNA, wherein SEQ ID NO:335 is a clone designated herein as "DNA71184-1634".

5 Figure 336 shows the amino acid sequence (SEQ ID NO:336) derived from the coding sequence of SEQ ID NO:335 shown in Figure 335.

Figure 337 shows a nucleotide sequence (SEQ ID NO:337) of a native sequence PRO1490 cDNA, wherein SEQ ID NO:337 is a clone designated herein as "DNA71213-1659".

Figure 338 shows the amino acid sequence (SEQ ID NO:338) derived from the coding sequence of SEQ ID NO:337 shown in Figure 337.

10 Figure 339 shows a nucleotide sequence (SEQ ID NO:339) of a native sequence PRO1482 cDNA, wherein SEQ ID NO:339 is a clone designated herein as "DNA71234-1651".

Figure 340 shows the amino acid sequence (SEQ ID NO:340) derived from the coding sequence of SEQ ID NO:339 shown in Figure 339.

15 Figure 341 shows a nucleotide sequence (SEQ ID NO:341) of a native sequence PRO1409 cDNA, wherein SEQ ID NO:341 is a clone designated herein as "DNA71269-1621".

Figure 342 shows the amino acid sequence (SEQ ID NO:342) derived from the coding sequence of SEQ ID NO:341 shown in Figure 341.

Figure 343 shows a nucleotide sequence (SEQ ID NO:343) of a native sequence PRO1446 cDNA, wherein SEQ ID NO:343 is a clone designated herein as "DNA71277-1636".

20 Figure 344 shows the amino acid sequence (SEQ ID NO:344) derived from the coding sequence of SEQ ID NO:343 shown in Figure 343.

Figure 345 shows a nucleotide sequence (SEQ ID NO:345) of a native sequence PRO1604 cDNA, wherein SEQ ID NO:345 is a clone designated herein as "DNA71286-1687".

25 Figure 346 shows the amino acid sequence (SEQ ID NO:346) derived from the coding sequence of SEQ ID NO:345 shown in Figure 345.

Figure 347 shows a nucleotide sequence (SEQ ID NO:347) of a native sequence PRO1491 cDNA, wherein SEQ ID NO:347 is a clone designated herein as "DNA71883-1660".

Figure 348 shows the amino acid sequence (SEQ ID NO:348) derived from the coding sequence of SEQ ID NO:347 shown in Figure 347.

30 Figure 349 shows a nucleotide sequence (SEQ ID NO:349) of a native sequence PRO1431 cDNA, wherein SEQ ID NO:349 is a clone designated herein as "DNA73401-1633".

Figure 350 shows the amino acid sequence (SEQ ID NO:350) derived from the coding sequence of SEQ ID NO:349 shown in Figure 349.

35 Figures 351A-351B show a nucleotide sequence (SEQ ID NO:351) of a native sequence PRO1563 cDNA, wherein SEQ ID NO:351 is a clone designated herein as "DNA73492-1671".

Figure 352 shows the amino acid sequence (SEQ ID NO:352) derived from the coding sequence of SEQ ID NO:351 shown in Figures 351A-351B.

Figure 353 shows a nucleotide sequence (SEQ ID NO:353) of a native sequence PRO1571 cDNA, wherein SEQ ID NO:353 is a clone designated herein as "DNA73730-1679".

Figure 354 shows the amino acid sequence (SEQ ID NO:354) derived from the coding sequence of SEQ ID NO:353 shown in Figure 353.

5 Figure 355 shows a nucleotide sequence (SEQ ID NO:355) of a native sequence PRO1572 cDNA, wherein SEQ ID NO:355 is a clone designated herein as "DNA73734-1680".

Figure 356 shows the amino acid sequence (SEQ ID NO:356) derived from the coding sequence of SEQ ID NO:355 shown in Figure 355.

Figure 357 shows a nucleotide sequence (SEQ ID NO:357) of a native sequence PRO1573 cDNA, wherein SEQ ID NO:357 is a clone designated herein as "DNA73735-1681".

10 Figure 358 shows the amino acid sequence (SEQ ID NO:358) derived from the coding sequence of SEQ ID NO:357 shown in Figure 357.

Figure 359 shows a nucleotide sequence (SEQ ID NO:359) of a native sequence PRO1508 cDNA, wherein SEQ ID NO:359 is a clone designated herein as "DNA73742-1662".

15 Figure 360 shows the amino acid sequence (SEQ ID NO:360) derived from the coding sequence of SEQ ID NO:359 shown in Figure 359.

Figure 361 shows a nucleotide sequence (SEQ ID NO:361) of a native sequence PRO1485 cDNA, wherein SEQ ID NO:361 is a clone designated herein as "DNA73746-1654".

Figure 362 shows the amino acid sequence (SEQ ID NO:362) derived from the coding sequence of SEQ ID NO:361 shown in Figure 361.

20 Figure 363 shows a nucleotide sequence (SEQ ID NO:363) of a native sequence PRO1564 cDNA, wherein SEQ ID NO:363 is a clone designated herein as "DNA73760-1672".

Figure 364 shows the amino acid sequence (SEQ ID NO:364) derived from the coding sequence of SEQ ID NO:363 shown in Figure 363.

25 Figure 365 shows a nucleotide sequence (SEQ ID NO:365) of a native sequence PRO1550 cDNA, wherein SEQ ID NO:365 is a clone designated herein as "DNA76393-1664".

Figure 366 shows the amino acid sequence (SEQ ID NO:366) derived from the coding sequence of SEQ ID NO:365 shown in Figure 365.

Figure 367 shows a nucleotide sequence (SEQ ID NO:367) of a native sequence PRO1757 cDNA, wherein SEQ ID NO:367 is a clone designated herein as "DNA76398-1699".

30 Figure 368 shows the amino acid sequence (SEQ ID NO:368) derived from the coding sequence of SEQ ID NO:367 shown in Figure 367.

Figure 369 shows a nucleotide sequence (SEQ ID NO:369) of a native sequence PRO1758 cDNA, wherein SEQ ID NO:369 is a clone designated herein as "DNA76399-1700".

35 Figure 370 shows the amino acid sequence (SEQ ID NO:370) derived from the coding sequence of SEQ ID NO:369 shown in Figure 369.

Figure 371 shows a nucleotide sequence (SEQ ID NO:371) of a native sequence PRO1781 cDNA, wherein SEQ ID NO:371 is a clone designated herein as "DNA76522-2500".

Figure 372 shows the amino acid sequence (SEQ ID NO:372) derived from the coding sequence of SEQ ID NO:371 shown in Figure 371.

Figure 373 shows a nucleotide sequence (SEQ ID NO:373) of a native sequence PRO1606 cDNA, wherein SEQ ID NO:373 is a clone designated herein as "DNA76533-1689".

5 Figure 374 shows the amino acid sequence (SEQ ID NO:374) derived from the coding sequence of SEQ ID NO:373 shown in Figure 373.

Figure 375 shows a nucleotide sequence (SEQ ID NO:375) of a native sequence PRO1784 cDNA, wherein SEQ ID NO:375 is a clone designated herein as "DNA77303-2502".

Figure 376 shows the amino acid sequence (SEQ ID NO:376) derived from the coding sequence of SEQ ID NO:375 shown in Figure 375.

10 Figure 377 shows a nucleotide sequence (SEQ ID NO:377) of a native sequence PRO1774 cDNA, wherein SEQ ID NO:377 is a clone designated herein as "DNA77626-1705".

Figure 378 shows the amino acid sequence (SEQ ID NO:378) derived from the coding sequence of SEQ ID NO:377 shown in Figure 377.

15 Figure 379 shows a nucleotide sequence (SEQ ID NO:379) of a native sequence PRO1605 cDNA, wherein SEQ ID NO:379 is a clone designated herein as "DNA77648-1688".

Figure 380 shows the amino acid sequence (SEQ ID NO:380) derived from the coding sequence of SEQ ID NO:379 shown in Figure 379.

Figure 381 shows a nucleotide sequence (SEQ ID NO:381) of a native sequence PRO1928 cDNA, wherein SEQ ID NO:381 is a clone designated herein as "DNA81754-2532".

20 Figure 382 shows the amino acid sequence (SEQ ID NO:382) derived from the coding sequence of SEQ ID NO:381 shown in Figure 381.

Figure 383 shows a nucleotide sequence (SEQ ID NO:383) of a native sequence PRO1865 cDNA, wherein SEQ ID NO:383 is a clone designated herein as "DNA81757-2512".

25 Figure 384 shows the amino acid sequence (SEQ ID NO:384) derived from the coding sequence of SEQ ID NO:383 shown in Figure 383.

Figure 385 shows a nucleotide sequence (SEQ ID NO:385) of a native sequence PRO1925 cDNA, wherein SEQ ID NO:385 is a clone designated herein as "DNA82302-2529".

Figure 386 shows the amino acid sequence (SEQ ID NO:386) derived from the coding sequence of SEQ ID NO:385 shown in Figure 385.

30 Figure 387 shows a nucleotide sequence (SEQ ID NO:387) of a native sequence PRO1926 cDNA, wherein SEQ ID NO:387 is a clone designated herein as "DNA82340-2530".

Figure 388 shows the amino acid sequence (SEQ ID NO:388) derived from the coding sequence of SEQ ID NO:387 shown in Figure 387.

35 Figure 389 shows a nucleotide sequence (SEQ ID NO:389) of a native sequence PRO2630 cDNA, wherein SEQ ID NO:389 is a clone designated herein as "DNA83551".

Figure 390 shows the amino acid sequence (SEQ ID NO:390) derived from the coding sequence of SEQ ID NO:389 shown in Figure 389.

Figure 391 shows a nucleotide sequence (SEQ ID NO:391) of a native sequence PRO3443 cDNA, wherein SEQ ID NO:391 is a clone designated herein as "DNA87991-2540".

Figure 392 shows the amino acid sequence (SEQ ID NO:392) derived from the coding sequence of SEQ ID NO:391 shown in Figure 391.

5 Figure 393 shows a nucleotide sequence (SEQ ID NO:393) of a native sequence PRO3301 cDNA, wherein SEQ ID NO:393 is a clone designated herein as "DNA88002".

Figure 394 shows the amino acid sequence (SEQ ID NO:394) derived from the coding sequence of SEQ ID NO:393 shown in Figure 393.

Figure 395 shows a nucleotide sequence (SEQ ID NO:395) of a native sequence PRO3442 cDNA, wherein SEQ ID NO:395 is a clone designated herein as "DNA92238-2539".

10 Figure 396 shows the amino acid sequence (SEQ ID NO:396) derived from the coding sequence of SEQ ID NO:395 shown in Figure 395.

Figure 397 shows a nucleotide sequence (SEQ ID NO:397) of a native sequence PRO4978 cDNA, wherein SEQ ID NO:397 is a clone designated herein as "DNA95930".

15 Figure 398 shows the amino acid sequence (SEQ ID NO:398) derived from the coding sequence of SEQ ID NO:397 shown in Figure 397.

Figure 399 shows a nucleotide sequence (SEQ ID NO:399) of a native sequence PRO5801 cDNA, wherein SEQ ID NO:399 is a clone designated herein as "DNA115291-2681".

Figure 400 shows the amino acid sequence (SEQ ID NO:400) derived from the coding sequence of SEQ ID NO:399 shown in Figure 399.

20 Figure 401 shows a nucleotide sequence (SEQ ID NO:401) of a native sequence PRO19630 cDNA, wherein SEQ ID NO:401 is a clone designated herein as "DNA23336-2861".

Figure 402 shows the amino acid sequence (SEQ ID NO:402) derived from the coding sequence of SEQ ID NO:401 shown in Figure 401.

25 Figure 403 shows a nucleotide sequence (SEQ ID NO:403) of a native sequence PRO203 cDNA, wherein SEQ ID NO:403 is a clone designated herein as "DNA30862-1396".

Figure 404 shows the amino acid sequence (SEQ ID NO:404) derived from the coding sequence of SEQ ID NO:403 shown in Figure 403.

Figure 405 shows a nucleotide sequence (SEQ ID NO:405) of a native sequence PRO204 cDNA, wherein SEQ ID NO:405 is a clone designated herein as "DNA30871-1157".

30 Figure 406 shows the amino acid sequence (SEQ ID NO:406) derived from the coding sequence of SEQ ID NO:405 shown in Figure 405.

Figure 407 shows a nucleotide sequence (SEQ ID NO:407) of a native sequence PRO210 cDNA, wherein SEQ ID NO:407 is a clone designated herein as "DNA32279-1131".

35 Figure 408 shows the amino acid sequence (SEQ ID NO:408) derived from the coding sequence of SEQ ID NO:407 shown in Figure 407.

Figure 409 shows a nucleotide sequence (SEQ ID NO:409) of a native sequence PRO223 cDNA, wherein SEQ ID NO:409 is a clone designated herein as "DNA33206-1165".

Figure 410 shows the amino acid sequence (SEQ ID NO:410) derived from the coding sequence of SEQ ID NO:409 shown in Figure 409.

Figure 411 shows a nucleotide sequence (SEQ ID NO:411) of a native sequence PRO247 cDNA, wherein SEQ ID NO:411 is a clone designated herein as "DNA35673-1201".

5 Figure 412 shows the amino acid sequence (SEQ ID NO:412) derived from the coding sequence of SEQ ID NO:411 shown in Figure 411.

Figure 413 shows a nucleotide sequence (SEQ ID NO:413) of a native sequence PRO358 cDNA, wherein SEQ ID NO:413 is a clone designated herein as "DNA47361-1154-2".

Figure 414 shows the amino acid sequence (SEQ ID NO:414) derived from the coding sequence of SEQ ID NO:413 shown in Figure 413.

10 Figure 415 shows a nucleotide sequence (SEQ ID NO:415) of a native sequence PRO724 cDNA, wherein SEQ ID NO:415 is a clone designated herein as "DNA49631-1328".

Figure 416 shows the amino acid sequence (SEQ ID NO:416) derived from the coding sequence of SEQ ID NO:415 shown in Figure 415.

15 Figure 417 shows a nucleotide sequence (SEQ ID NO:417) of a native sequence PRO868 cDNA, wherein SEQ ID NO:417 is a clone designated herein as "DNA52594-1270".

Figure 418 shows the amino acid sequence (SEQ ID NO:418) derived from the coding sequence of SEQ ID NO:417 shown in Figure 417.

Figure 419 shows a nucleotide sequence (SEQ ID NO:419) of a native sequence PRO740 cDNA, wherein SEQ ID NO:419 is a clone designated herein as "DNA55800-1263".

20 Figure 420 shows the amino acid sequence (SEQ ID NO:420) derived from the coding sequence of SEQ ID NO:419 shown in Figure 419.

Figure 421 shows a nucleotide sequence (SEQ ID NO:421) of a native sequence PRO1478 cDNA, wherein SEQ ID NO:421 is a clone designated herein as "DNA56531-1648".

25 Figure 422 shows the amino acid sequence (SEQ ID NO:422) derived from the coding sequence of SEQ ID NO:421 shown in Figure 421.

Figure 423 shows a nucleotide sequence (SEQ ID NO:423) of a native sequence PRO162 cDNA, wherein SEQ ID NO:423 is a clone designated herein as "DNA56965-1356".

Figure 424 shows the amino acid sequence (SEQ ID NO:424) derived from the coding sequence of SEQ ID NO:423 shown in Figure 423.

30 Figure 425 shows a nucleotide sequence (SEQ ID NO:425) of a native sequence PRO828 cDNA, wherein SEQ ID NO:425 is a clone designated herein as "DNA57037-1444".

Figure 426 shows the amino acid sequence (SEQ ID NO:426) derived from the coding sequence of SEQ ID NO:425 shown in Figure 425.

35 Figure 427 shows a nucleotide sequence (SEQ ID NO:427) of a native sequence PRO819 cDNA, wherein SEQ ID NO:427 is a clone designated herein as "DNA57695-1340".

Figure 428 shows the amino acid sequence (SEQ ID NO:428) derived from the coding sequence of SEQ ID NO:427 shown in Figure 427.

Figure 429 shows a nucleotide sequence (SEQ ID NO:429) of a native sequence PRO813 cDNA, wherein SEQ ID NO:429 is a clone designated herein as "DNA57834-1339".

Figure 430 shows the amino acid sequence (SEQ ID NO:430) derived from the coding sequence of SEQ ID NO:429 shown in Figure 429.

5 Figure 431 shows a nucleotide sequence (SEQ ID NO:431) of a native sequence PRO1194 cDNA, wherein SEQ ID NO:431 is a clone designated herein as "DNA57841-1522".

Figure 432 shows the amino acid sequence (SEQ ID NO:432) derived from the coding sequence of SEQ ID NO:431 shown in Figure 431.

Figure 433 shows a nucleotide sequence (SEQ ID NO:433) of a native sequence PRO887 cDNA, wherein SEQ ID NO:433 is a clone designated herein as "DNA58130".

10 Figure 434 shows the amino acid sequence (SEQ ID NO:434) derived from the coding sequence of SEQ ID NO:433 shown in Figure 433.

Figure 435 shows a nucleotide sequence (SEQ ID NO:435) of a native sequence PRO1071 cDNA, wherein SEQ ID NO:435 is a clone designated herein as "DNA58847-1383".

15 Figure 436 shows the amino acid sequence (SEQ ID NO:436) derived from the coding sequence of SEQ ID NO:435 shown in Figure 435.

Figure 437 shows a nucleotide sequence (SEQ ID NO:437) of a native sequence PRO1029 cDNA, wherein SEQ ID NO:437 is a clone designated herein as "DNA59493-1420".

Figure 438 shows the amino acid sequence (SEQ ID NO:438) derived from the coding sequence of SEQ ID NO:437 shown in Figure 437.

20 Figure 439 shows a nucleotide sequence (SEQ ID NO:439) of a native sequence PRO1190 cDNA, wherein SEQ ID NO:439 is a clone designated herein as "DNA59586-1520".

Figure 440 shows the amino acid sequence (SEQ ID NO:440) derived from the coding sequence of SEQ ID NO:439 shown in Figure 439.

25 Figure 441 shows a nucleotide sequence (SEQ ID NO:441) of a native sequence PRO4334 cDNA, wherein SEQ ID NO:441 is a clone designated herein as "DNA59608-2577".

Figure 442 shows the amino acid sequence (SEQ ID NO:442) derived from the coding sequence of SEQ ID NO:441 shown in Figure 441.

Figure 443 shows a nucleotide sequence (SEQ ID NO:443) of a native sequence PRO1155 cDNA, wherein SEQ ID NO:443 is a clone designated herein as "DNA59849-1504".

30 Figure 444 shows the amino acid sequence (SEQ ID NO:444) derived from the coding sequence of SEQ ID NO:443 shown in Figure 443.

Figure 445 shows a nucleotide sequence (SEQ ID NO:445) of a native sequence PRO1157 cDNA, wherein SEQ ID NO:445 is a clone designated herein as "DNA60292-1506".

35 Figure 446 shows the amino acid sequence (SEQ ID NO:446) derived from the coding sequence of SEQ ID NO:445 shown in Figure 445.

Figure 447 shows a nucleotide sequence (SEQ ID NO:447) of a native sequence PRO1122 cDNA, wherein SEQ ID NO:447 is a clone designated herein as "DNA62377-1381-1".

Figure 448 shows the amino acid sequence (SEQ ID NO:448) derived from the coding sequence of SEQ ID NO:447 shown in Figure 447.

Figure 449 shows a nucleotide sequence (SEQ ID NO:449) of a native sequence PRO1183 cDNA, wherein SEQ ID NO:449 is a clone designated herein as "DNA62880-1513".

5 Figure 450 shows the amino acid sequence (SEQ ID NO:450) derived from the coding sequence of SEQ ID NO:449 shown in Figure 449.

Figure 451 shows a nucleotide sequence (SEQ ID NO:451) of a native sequence PRO1337 cDNA, wherein SEQ ID NO:451 is a clone designated herein as "DNA66672-1586".

Figure 452 shows the amino acid sequence (SEQ ID NO:452) derived from the coding sequence of SEQ ID NO:451 shown in Figure 451.

10 Figure 453 shows a nucleotide sequence (SEQ ID NO:453) of a native sequence PRO1480 cDNA, wherein SEQ ID NO:453 is a clone designated herein as "DNA67962-1649".

Figure 454 shows the amino acid sequence (SEQ ID NO:454) derived from the coding sequence of SEQ ID NO:453 shown in Figure 453.

15 Figure 455 shows a nucleotide sequence (SEQ ID NO:455) of a native sequence PRO19645 cDNA, wherein SEQ ID NO:455 is a clone designated herein as "DNA69555-2867".

Figure 456 shows the amino acid sequence (SEQ ID NO:456) derived from the coding sequence of SEQ ID NO:455 shown in Figure 455.

Figure 457 shows a nucleotide sequence (SEQ ID NO:457) of a native sequence PRO9782 cDNA, wherein SEQ ID NO:457 is a clone designated herein as "DNA71162-2764".

20 Figure 458 shows the amino acid sequence (SEQ ID NO:458) derived from the coding sequence of SEQ ID NO:457 shown in Figure 457.

Figure 459 shows a nucleotide sequence (SEQ ID NO:459) of a native sequence PRO1419 cDNA, wherein SEQ ID NO:459 is a clone designated herein as "DNA71290-1630".

25 Figure 460 shows the amino acid sequence (SEQ ID NO:460) derived from the coding sequence of SEQ ID NO:459 shown in Figure 459.

Figure 461 shows a nucleotide sequence (SEQ ID NO:461) of a native sequence PRO1575 cDNA, wherein SEQ ID NO:461 is a clone designated herein as "DNA76401-1683".

Figure 462 shows the amino acid sequence (SEQ ID NO:462) derived from the coding sequence of SEQ ID NO:461 shown in Figure 461.

30 Figure 463 shows a nucleotide sequence (SEQ ID NO:463) of a native sequence PRO1567 cDNA, wherein SEQ ID NO:463 is a clone designated herein as "DNA76541-1675".

Figure 464 shows the amino acid sequence (SEQ ID NO:464) derived from the coding sequence of SEQ ID NO:463 shown in Figure 463.

35 Figure 465 shows a nucleotide sequence (SEQ ID NO:465) of a native sequence PRO1891 cDNA, wherein SEQ ID NO:465 is a clone designated herein as "DNA76788-2526".

Figure 466 shows the amino acid sequence (SEQ ID NO:466) derived from the coding sequence of SEQ ID NO:465 shown in Figure 465.

Figure 467 shows a nucleotide sequence (SEQ ID NO:467) of a native sequence PRO1889 cDNA, wherein SEQ ID NO:467 is a clone designated herein as "DNA77623-2524".

Figure 468 shows the amino acid sequence (SEQ ID NO:468) derived from the coding sequence of SEQ ID NO:467 shown in Figure 467.

5 Figure 469 shows a nucleotide sequence (SEQ ID NO:469) of a native sequence PRO1785 cDNA, wherein SEQ ID NO:469 is a clone designated herein as "DNA80136-2503".

Figure 470 shows the amino acid sequence (SEQ ID NO:470) derived from the coding sequence of SEQ ID NO:469 shown in Figure 469.

Figure 471 shows a nucleotide sequence (SEQ ID NO:471) of a native sequence PRO6003 cDNA, wherein SEQ ID NO:471 is a clone designated herein as "DNA83568-2692".

10 Figure 472 shows the amino acid sequence (SEQ ID NO:472) derived from the coding sequence of SEQ ID NO:471 shown in Figure 471.

Figure 473 shows a nucleotide sequence (SEQ ID NO:473) of a native sequence PRO4333 cDNA, wherein SEQ ID NO:473 is a clone designated herein as "DNA84210-2576".

15 Figure 474 shows the amino acid sequence (SEQ ID NO:474) derived from the coding sequence of SEQ ID NO:473 shown in Figure 473.

Figure 475 shows a nucleotide sequence (SEQ ID NO:475) of a native sequence PRO4356 cDNA, wherein SEQ ID NO:475 is a clone designated herein as "DNA86576-2595".

Figure 476 shows the amino acid sequence (SEQ ID NO:476) derived from the coding sequence of SEQ ID NO:475 shown in Figure 475.

20 Figure 477 shows a nucleotide sequence (SEQ ID NO:477) of a native sequence PRO4352 cDNA, wherein SEQ ID NO:477 is a clone designated herein as "DNA87976-2593".

Figure 478 shows the amino acid sequence (SEQ ID NO:478) derived from the coding sequence of SEQ ID NO:477 shown in Figure 477.

25 Figure 479 shows a nucleotide sequence (SEQ ID NO:479) of a native sequence PRO4354 cDNA, wherein SEQ ID NO:479 is a clone designated herein as "DNA92256-2596".

Figure 480 shows the amino acid sequence (SEQ ID NO:480) derived from the coding sequence of SEQ ID NO:479 shown in Figure 479.

Figure 481 shows a nucleotide sequence (SEQ ID NO:481) of a native sequence PRO4369 cDNA, wherein SEQ ID NO:481 is a clone designated herein as "DNA92289-2598".

30 Figure 482 shows the amino acid sequence (SEQ ID NO:482) derived from the coding sequence of SEQ ID NO:481 shown in Figure 481.

Figure 483 shows a nucleotide sequence (SEQ ID NO:483) of a native sequence PRO6030 cDNA, wherein SEQ ID NO:483 is a clone designated herein as "DNA96850-2705".

35 Figure 484 shows the amino acid sequence (SEQ ID NO:484) derived from the coding sequence of SEQ ID NO:483 shown in Figure 483.

Figure 485 shows a nucleotide sequence (SEQ ID NO:485) of a native sequence PRO4433 cDNA, wherein SEQ ID NO:485 is a clone designated herein as "DNA96855-2629".

Figure 486 shows the amino acid sequence (SEQ ID NO:486) derived from the coding sequence of SEQ ID NO:485 shown in Figure 485.

Figure 487 shows a nucleotide sequence (SEQ ID NO:487) of a native sequence PRO4424 cDNA, wherein SEQ ID NO:487 is a clone designated herein as "DNA96857-2636".

5 Figure 488 shows the amino acid sequence (SEQ ID NO:488) derived from the coding sequence of SEQ ID NO:487 shown in Figure 487.

Figure 489 shows a nucleotide sequence (SEQ ID NO:489) of a native sequence PRO6017 cDNA, wherein SEQ ID NO:489 is a clone designated herein as "DNA96860-2700".

Figure 490 shows the amino acid sequence (SEQ ID NO:490) derived from the coding sequence of SEQ ID NO:489 shown in Figure 489.

10 Figure 491 shows a nucleotide sequence (SEQ ID NO:491) of a native sequence PRO19563 cDNA, wherein SEQ ID NO:491 is a clone designated herein as "DNA96861-2844".

Figure 492 shows the amino acid sequence (SEQ ID NO:492) derived from the coding sequence of SEQ ID NO:491 shown in Figure 491.

15 Figure 493 shows a nucleotide sequence (SEQ ID NO:493) of a native sequence PRO6015 cDNA, wherein SEQ ID NO:493 is a clone designated herein as "DNA96866-2698".

Figure 494 shows the amino acid sequence (SEQ ID NO:494) derived from the coding sequence of SEQ ID NO:493 shown in Figure 493.

Figure 495 shows a nucleotide sequence (SEQ ID NO:495) of a native sequence PRO5779 cDNA, wherein SEQ ID NO:495 is a clone designated herein as "DNA96870-2676".

20 Figure 496 shows the amino acid sequence (SEQ ID NO:496) derived from the coding sequence of SEQ ID NO:495 shown in Figure 495.

Figure 497 shows a nucleotide sequence (SEQ ID NO:497) of a native sequence PRO5776 cDNA, wherein SEQ ID NO:497 is a clone designated herein as "DNA96872-2674".

25 Figure 498 shows the amino acid sequence (SEQ ID NO:498) derived from the coding sequence of SEQ ID NO:497 shown in Figure 497.

Figure 499 shows a nucleotide sequence (SEQ ID NO:499) of a native sequence PRO4430 cDNA, wherein SEQ ID NO:499 is a clone designated herein as "DNA96878-2626".

Figure 500 shows the amino acid sequence (SEQ ID NO:500) derived from the coding sequence of SEQ ID NO:499 shown in Figure 499.

30 Figure 501 shows a nucleotide sequence (SEQ ID NO:501) of a native sequence PRO4421 cDNA, wherein SEQ ID NO:501 is a clone designated herein as "DNA96879-2619".

Figure 502 shows the amino acid sequence (SEQ ID NO:502) derived from the coding sequence of SEQ ID NO:501 shown in Figure 501.

35 Figure 503 shows a nucleotide sequence (SEQ ID NO:503) of a native sequence PRO4499 cDNA, wherein SEQ ID NO:503 is a clone designated herein as "DNA96889-2641".

Figure 504 shows the amino acid sequence (SEQ ID NO:504) derived from the coding sequence of SEQ ID NO:503 shown in Figure 503.

Figure 505 shows a nucleotide sequence (SEQ ID NO:505) of a native sequence PRO4423 cDNA, wherein SEQ ID NO:505 is a clone designated herein as "DNA96893-2621".

Figure 506 shows the amino acid sequence (SEQ ID NO:506) derived from the coding sequence of SEQ ID NO:505 shown in Figure 505.

5 Figure 507 shows a nucleotide sequence (SEQ ID NO:507) of a native sequence PRO5998 cDNA, wherein SEQ ID NO:507 is a clone designated herein as "DNA96897-2688".

Figure 508 shows the amino acid sequence (SEQ ID NO:508) derived from the coding sequence of SEQ ID NO:507 shown in Figure 507.

Figure 509 shows a nucleotide sequence (SEQ ID NO:509) of a native sequence PRO4501 cDNA, wherein SEQ ID NO:509 is a clone designated herein as "DNA98564-2643".

10 Figure 510 shows the amino acid sequence (SEQ ID NO:510) derived from the coding sequence of SEQ ID NO:509 shown in Figure 509.

Figure 511 shows a nucleotide sequence (SEQ ID NO:511) of a native sequence PRO6240 cDNA, wherein SEQ ID NO:511 is a clone designated herein as "DNA107443-2718".

15 Figure 512 shows the amino acid sequence (SEQ ID NO:512) derived from the coding sequence of SEQ ID NO:511 shown in Figure 511.

Figure 513 shows a nucleotide sequence (SEQ ID NO:513) of a native sequence PRO6245 cDNA, wherein SEQ ID NO:513 is a clone designated herein as "DNA107786-2723".

Figure 514 shows the amino acid sequence (SEQ ID NO:514) derived from the coding sequence of SEQ ID NO:513 shown in Figure 513.

20 Figure 515 shows a nucleotide sequence (SEQ ID NO:515) of a native sequence PRO6175 cDNA, wherein SEQ ID NO:515 is a clone designated herein as "DNA108682-2712".

Figure 516 shows the amino acid sequence (SEQ ID NO:516) derived from the coding sequence of SEQ ID NO:515 shown in Figure 515.

25 Figure 517 shows a nucleotide sequence (SEQ ID NO:517) of a native sequence PRO9742 cDNA, wherein SEQ ID NO:517 is a clone designated herein as "DNA108684-2761".

Figure 518 shows the amino acid sequence (SEQ ID NO:518) derived from the coding sequence of SEQ ID NO:517 shown in Figure 517.

Figure 519 shows a nucleotide sequence (SEQ ID NO:519) of a native sequence PRO7179 cDNA, wherein SEQ ID NO:519 is a clone designated herein as "DNA108701-2749".

30 Figure 520 shows the amino acid sequence (SEQ ID NO:520) derived from the coding sequence of SEQ ID NO:519 shown in Figure 519.

Figure 521 shows a nucleotide sequence (SEQ ID NO:521) of a native sequence PRO6239 cDNA, wherein SEQ ID NO:521 is a clone designated herein as "DNA108720-2717".

35 Figure 522 shows the amino acid sequence (SEQ ID NO:522) derived from the coding sequence of SEQ ID NO:521 shown in Figure 521.

Figure 523 shows a nucleotide sequence (SEQ ID NO:523) of a native sequence PRO6493 cDNA, wherein SEQ ID NO:523 is a clone designated herein as "DNA108726-2729".

Figure 524 shows the amino acid sequence (SEQ ID NO:524) derived from the coding sequence of SEQ ID NO:523 shown in Figure 523.

Figures 525A-525B show a nucleotide sequence (SEQ ID NO:525) of a native sequence PRO9741 cDNA, wherein SEQ ID NO:525 is a clone designated herein as "DNA108728-2760".

5 Figure 526 shows the amino acid sequence (SEQ ID NO:526) derived from the coding sequence of SEQ ID NO:525 shown in Figures 525A-525B.

Figure 527 shows a nucleotide sequence (SEQ ID NO:527) of a native sequence PRO9822 cDNA, wherein SEQ ID NO:527 is a clone designated herein as "DNA108738-2767".

Figure 528 shows the amino acid sequence (SEQ ID NO:528) derived from the coding sequence of SEQ ID NO:527 shown in Figure 527.

10 Figure 529 shows a nucleotide sequence (SEQ ID NO:529) of a native sequence PRO6244 cDNA, wherein SEQ ID NO:529 is a clone designated herein as "DNA108743-2722".

Figure 530 shows the amino acid sequence (SEQ ID NO:530) derived from the coding sequence of SEQ ID NO:529 shown in Figure 529.

15 Figure 531 shows a nucleotide sequence (SEQ ID NO:531) of a native sequence PRO9740 cDNA, wherein SEQ ID NO:531 is a clone designated herein as "DNA108758-2759".

Figure 532 shows the amino acid sequence (SEQ ID NO:532) derived from the coding sequence of SEQ ID NO:531 shown in Figure 531.

Figure 533 shows a nucleotide sequence (SEQ ID NO:533) of a native sequence PRO9739 cDNA, wherein SEQ ID NO:533 is a clone designated herein as "DNA108765-2758".

20 Figure 534 shows the amino acid sequence (SEQ ID NO:534) derived from the coding sequence of SEQ ID NO:533 shown in Figure 533.

Figure 535 shows a nucleotide sequence (SEQ ID NO:535) of a native sequence PRO7177 cDNA, wherein SEQ ID NO:535 is a clone designated herein as "DNA108783-2747".

25 Figure 536 shows the amino acid sequence (SEQ ID NO:536) derived from the coding sequence of SEQ ID NO:535 shown in Figure 535.

Figure 537 shows a nucleotide sequence (SEQ ID NO:537) of a native sequence PRO7178 cDNA, wherein SEQ ID NO:537 is a clone designated herein as "DNA108789-2748".

Figure 538 shows the amino acid sequence (SEQ ID NO:538) derived from the coding sequence of SEQ ID NO:537 shown in Figure 537.

30 Figure 539 shows a nucleotide sequence (SEQ ID NO:539) of a native sequence PRO6246 cDNA, wherein SEQ ID NO:539 is a clone designated herein as "DNA108806-2724".

Figure 540 shows the amino acid sequence (SEQ ID NO:540) derived from the coding sequence of SEQ ID NO:539 shown in Figure 539.

35 Figure 541 shows a nucleotide sequence (SEQ ID NO:541) of a native sequence PRO6241 cDNA, wherein SEQ ID NO:541 is a clone designated herein as "DNA108936-2719".

Figure 542 shows the amino acid sequence (SEQ ID NO:542) derived from the coding sequence of SEQ ID NO:541 shown in Figure 541.

Figure 543 shows a nucleotide sequence (SEQ ID NO:543) of a native sequence PRO9835 cDNA, wherein SEQ ID NO:543 is a clone designated herein as "DNA119510-2771".

Figure 544 shows the amino acid sequence (SEQ ID NO:544) derived from the coding sequence of SEQ ID NO:543 shown in Figure 543.

5 Figure 545 shows a nucleotide sequence (SEQ ID NO:545) of a native sequence PRO9857 cDNA, wherein SEQ ID NO:545 is a clone designated herein as "DNA119517-2778".

Figure 546 shows the amino acid sequence (SEQ ID NO:546) derived from the coding sequence of SEQ ID NO:545 shown in Figure 545.

Figure 547 shows a nucleotide sequence (SEQ ID NO:547) of a native sequence PRO7436 cDNA, wherein SEQ ID NO:547 is a clone designated herein as "DNA119535-2756".

10 Figure 548 shows the amino acid sequence (SEQ ID NO:548) derived from the coding sequence of SEQ ID NO:547 shown in Figure 547.

Figure 549 shows a nucleotide sequence (SEQ ID NO:549) of a native sequence PRO9856 cDNA, wherein SEQ ID NO:549 is a clone designated herein as "DNA119537-2777".

15 Figure 550 shows the amino acid sequence (SEQ ID NO:550) derived from the coding sequence of SEQ ID NO:549 shown in Figure 549.

Figure 551 shows a nucleotide sequence (SEQ ID NO:551) of a native sequence PRO19605 cDNA, wherein SEQ ID NO:551 is a clone designated herein as "DNA119714-2851".

Figure 552 shows the amino acid sequence (SEQ ID NO:552) derived from the coding sequence of SEQ ID NO:551 shown in Figure 551.

20 Figure 553 shows a nucleotide sequence (SEQ ID NO:553) of a native sequence PRO9859 cDNA, wherein SEQ ID NO:553 is a clone designated herein as "DNA125170-2780".

Figure 554 shows the amino acid sequence (SEQ ID NO:554) derived from the coding sequence of SEQ ID NO:553 shown in Figure 553.

25 Figure 555 shows a nucleotide sequence (SEQ ID NO:555) of a native sequence PRO12970 cDNA, wherein SEQ ID NO:555 is a clone designated herein as "DNA129594-2841".

Figure 556 shows the amino acid sequence (SEQ ID NO:556) derived from the coding sequence of SEQ ID NO:555 shown in Figure 555.

Figure 557 shows a nucleotide sequence (SEQ ID NO:557) of a native sequence PRO19626 cDNA, wherein SEQ ID NO:557 is a clone designated herein as "DNA129793-2857".

30 Figure 558 shows the amino acid sequence (SEQ ID NO:558) derived from the coding sequence of SEQ ID NO:557 shown in Figure 557.

Figure 559 shows a nucleotide sequence (SEQ ID NO:559) of a native sequence PRO9833 cDNA, wherein SEQ ID NO:559 is a clone designated herein as "DNA130809-2769".

35 Figure 560 shows the amino acid sequence (SEQ ID NO:560) derived from the coding sequence of SEQ ID NO:559 shown in Figure 559.

Figure 561 shows a nucleotide sequence (SEQ ID NO:561) of a native sequence PRO19670 cDNA, wherein SEQ ID NO:561 is a clone designated herein as "DNA131639-2874".

Figure 562 shows the amino acid sequence (SEQ ID NO:562) derived from the coding sequence of SEQ ID NO:561 shown in Figure 561.

Figure 563 shows a nucleotide sequence (SEQ ID NO:563) of a native sequence PRO19624 cDNA, wherein SEQ ID NO:563 is a clone designated herein as "DNA131649-2855".

5 Figure 564 shows the amino acid sequence (SEQ ID NO:564) derived from the coding sequence of SEQ ID NO:563 shown in Figure 563.

Figure 565 shows a nucleotide sequence (SEQ ID NO:565) of a native sequence PRO19680 cDNA, wherein SEQ ID NO:565 is a clone designated herein as "DNA131652-2876".

Figure 566 shows the amino acid sequence (SEQ ID NO:566) derived from the coding sequence of SEQ ID NO:565 shown in Figure 565.

10 Figure 567 shows a nucleotide sequence (SEQ ID NO:567) of a native sequence PRO19675 cDNA, wherein SEQ ID NO:567 is a clone designated herein as "DNA131658-2875".

Figure 568 shows the amino acid sequence (SEQ ID NO:568) derived from the coding sequence of SEQ ID NO:567 shown in Figure 567.

15 Figure 569 shows a nucleotide sequence (SEQ ID NO:569) of a native sequence PRO9834 cDNA, wherein SEQ ID NO:569 is a clone designated herein as "DNA132162-2770".

Figure 570 shows the amino acid sequence (SEQ ID NO:570) derived from the coding sequence of SEQ ID NO:569 shown in Figure 569.

Figure 571 shows a nucleotide sequence (SEQ ID NO:571) of a native sequence PRO9744 cDNA, wherein SEQ ID NO:571 is a clone designated herein as "DNA136110-2763".

20 Figure 572 shows the amino acid sequence (SEQ ID NO:572) derived from the coding sequence of SEQ ID NO:571 shown in Figure 571.

Figure 573 shows a nucleotide sequence (SEQ ID NO:573) of a native sequence PRO19644 cDNA, wherein SEQ ID NO:573 is a clone designated herein as "DNA139592-2866".

25 Figure 574 shows the amino acid sequence (SEQ ID NO:574) derived from the coding sequence of SEQ ID NO:573 shown in Figure 573.

Figure 575 shows a nucleotide sequence (SEQ ID NO:575) of a native sequence PRO19625 cDNA, wherein SEQ ID NO:575 is a clone designated herein as "DNA139608-2856".

Figure 576 shows the amino acid sequence (SEQ ID NO:576) derived from the coding sequence of SEQ ID NO:575 shown in Figure 575.

30 Figure 577 shows a nucleotide sequence (SEQ ID NO:577) of a native sequence PRO19597 cDNA, wherein SEQ ID NO:577 is a clone designated herein as "DNA143292-2848".

Figure 578 shows the amino acid sequence (SEQ ID NO:578) derived from the coding sequence of SEQ ID NO:577 shown in Figure 577.

35 Figure 579 shows a nucleotide sequence (SEQ ID NO:579) of a native sequence PRO16090 cDNA, wherein SEQ ID NO:579 is a clone designated herein as "DNA144844-2843".

Figure 580 shows the amino acid sequence (SEQ ID NO:580) derived from the coding sequence of SEQ ID NO:579 shown in Figure 579.

Figure 581 shows a nucleotide sequence (SEQ ID NO:581) of a native sequence PRO19576 cDNA, wherein SEQ ID NO:581 is a clone designated herein as "DNA144857-2845".

Figure 582 shows the amino acid sequence (SEQ ID NO:582) derived from the coding sequence of SEQ ID NO:581 shown in Figure 581.

5 Figure 583 shows a nucleotide sequence (SEQ ID NO:583) of a native sequence PRO19646 cDNA, wherein SEQ ID NO:583 is a clone designated herein as "DNA145841-2868".

Figure 584 shows the amino acid sequence (SEQ ID NO:584) derived from the coding sequence of SEQ ID NO:583 shown in Figure 583.

Figure 585 shows a nucleotide sequence (SEQ ID NO:585) of a native sequence PRO19814 cDNA, wherein SEQ ID NO:585 is a clone designated herein as "DNA148004-2882".

10 Figure 586 shows the amino acid sequence (SEQ ID NO:586) derived from the coding sequence of SEQ ID NO:585 shown in Figure 585.

Figure 587 shows a nucleotide sequence (SEQ ID NO:587) of a native sequence PRO19669 cDNA, wherein SEQ ID NO:587 is a clone designated herein as "DNA149893-2873".

15 Figure 588 shows the amino acid sequence (SEQ ID NO:588) derived from the coding sequence of SEQ ID NO:587 shown in Figure 587.

Figure 589 shows a nucleotide sequence (SEQ ID NO:589) of a native sequence PRO19818 cDNA, wherein SEQ ID NO:589 is a clone designated herein as "DNA149930-2884".

Figure 590 shows the amino acid sequence (SEQ ID NO:590) derived from the coding sequence of SEQ ID NO:589 shown in Figure 589.

20 Figure 591 shows a nucleotide sequence (SEQ ID NO:591) of a native sequence PRO20088 cDNA, wherein SEQ ID NO:591 is a clone designated herein as "DNA150157-2898".

Figure 592 shows the amino acid sequence (SEQ ID NO:592) derived from the coding sequence of SEQ ID NO:591 shown in Figure 591.

25 Figure 593 shows a nucleotide sequence (SEQ ID NO:593) of a native sequence PRO16089 cDNA, wherein SEQ ID NO:593 is a clone designated herein as "DNA150163-2842".

Figure 594 shows the amino acid sequence (SEQ ID NO:594) derived from the coding sequence of SEQ ID NO:593 shown in Figure 593.

Figure 595 shows a nucleotide sequence (SEQ ID NO:595) of a native sequence PRO20025 cDNA, wherein SEQ ID NO:595 is a clone designated herein as "DNA153579-2894".

30 Figure 596 shows the amino acid sequence (SEQ ID NO:596) derived from the coding sequence of SEQ ID NO:595 shown in Figure 595.

Figure 597 shows a nucleotide sequence (SEQ ID NO:597) of a native sequence PRO20040 cDNA, wherein SEQ ID NO:597 is a clone designated herein as "DNA164625-2890".

35 Figure 598 shows the amino acid sequence (SEQ ID NO:598) derived from the coding sequence of SEQ ID NO:597 shown in Figure 597.

Figure 599 shows a nucleotide sequence (SEQ ID NO:599) of a native sequence PRO791 cDNA, wherein SEQ ID NO:599 is a clone designated herein as "DNA57838-1337".

Figure 600 shows the amino acid sequence (SEQ ID NO:600) derived from the coding sequence of SEQ ID NO:599 shown in Figure 599.

Figure 601 shows a nucleotide sequence (SEQ ID NO:601) of a native sequence PRO1131 cDNA, wherein SEQ ID NO:601 is a clone designated herein as "DNA59777-1480".

5 Figure 602 shows the amino acid sequence (SEQ ID NO:602) derived from the coding sequence of SEQ ID NO:601 shown in Figure 601.

Figure 603 shows a nucleotide sequence (SEQ ID NO:603) of a native sequence PRO1343 cDNA, wherein SEQ ID NO:603 is a clone designated herein as "DNA66675-1587".

Figure 604 shows the amino acid sequence (SEQ ID NO:604) derived from the coding sequence of SEQ ID NO:603 shown in Figure 603.

10 Figure 605 shows a nucleotide sequence (SEQ ID NO:605) of a native sequence PRO1760 cDNA, wherein SEQ ID NO:605 is a clone designated herein as "DNA76532-1702".

Figure 606 shows the amino acid sequence (SEQ ID NO:606) derived from the coding sequence of SEQ ID NO:605 shown in Figure 605.

15 Figure 607 shows a nucleotide sequence (SEQ ID NO:607) of a native sequence PRO6029 cDNA, wherein SEQ ID NO:607 is a clone designated herein as "DNA105849-2704".

Figure 608 shows the amino acid sequence (SEQ ID NO:608) derived from the coding sequence of SEQ ID NO:607 shown in Figure 607.

Figure 609 shows a nucleotide sequence (SEQ ID NO:609) of a native sequence PRO1801 cDNA, wherein SEQ ID NO:609 is a clone designated herein as "DNA83500-2506".

20 Figure 610 shows the amino acid sequence (SEQ ID NO:610) derived from the coding sequence of SEQ ID NO:609 shown in Figure 609.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

I. Definitions

25 The terms "PRO polypeptide" and "PRO" as used herein and when immediately followed by a numerical designation refer to various polypeptides, wherein the complete designation (i.e., PRO/number) refers to specific polypeptide sequences as described herein. The terms "PRO/number polypeptide" and "PRO/number" wherein the term "number" is provided as an actual numerical designation as used herein encompass native sequence polypeptides and polypeptide variants (which are further defined herein). The PRO polypeptides described herein
30 may be isolated from a variety of sources, such as from human tissue types or from another source, or prepared by recombinant or synthetic methods. The term "PRO polypeptide" refers to each individual PRO/number polypeptide disclosed herein. All disclosures in this specification which refer to the "PRO polypeptide" refer to each of the polypeptides individually as well as jointly. For example, descriptions of the preparation f, purification of, derivation of, formation of antibodies to or against, administration of, compositions containing,
35 treatment of a disease with, etc., pertain to each polypeptide of the invention individually. The term "PRO polypeptide" also includes variants of the PRO/number polypeptides disclosed herein.

A "native sequence PRO polypeptide" comprises a polypeptide having the same amino acid sequence as

the corresponding PRO polypeptide derived from nature. Such native sequence PRO polypeptides can be isolated from nature or can be produced by recombinant or synthetic means. The term "native sequence PRO polypeptide" specifically encompasses naturally-occurring truncated or secreted forms of the specific PRO polypeptide (*e.g.*, an extracellular domain sequence), naturally-occurring variant forms (*e.g.*, alternatively spliced forms) and naturally-occurring allelic variants of the polypeptide. In various embodiments of the invention, the native sequence PRO polypeptides disclosed herein are mature or full-length native sequence polypeptides comprising the full-length amino acids sequences shown in the accompanying figures. Start and stop codons are shown in bold font and underlined in the figures. However, while the PRO polypeptide disclosed in the accompanying figures are shown to begin with methionine residues designated herein as amino acid position 1 in the figures, it is conceivable and possible that other methionine residues located either upstream or downstream from the amino acid position 1 in the figures may be employed as the starting amino acid residue for the PRO polypeptides.

The PRO polypeptide "extracellular domain" or "ECD" refers to a form of the PRO polypeptide which is essentially free of the transmembrane and cytoplasmic domains. Ordinarily, a PRO polypeptide ECD will have less than 1 % of such transmembrane and/or cytoplasmic domains and preferably, will have less than 0.5% of such domains. It will be understood that any transmembrane domains identified for the PRO polypeptides of the present invention are identified pursuant to criteria routinely employed in the art for identifying that type of hydrophobic domain. The exact boundaries of a transmembrane domain may vary but most likely by no more than about 5 amino acids at either end of the domain as initially identified herein. Optionally, therefore, an extracellular domain of a PRO polypeptide may contain from about 5 or fewer amino acids on either side of the transmembrane domain/extracellular domain boundary as identified in the Examples or specification and such polypeptides, with or without the associated signal peptide, and nucleic acid encoding them, are contemplated by the present invention.

The approximate location of the "signal peptides" of the various PRO polypeptides disclosed herein are shown in the present specification and/or the accompanying figures. It is noted, however, that the C-terminal boundary of a signal peptide may vary, but most likely by no more than about 5 amino acids on either side of the signal peptide C-terminal boundary as initially identified herein, wherein the C-terminal boundary of the signal peptide may be identified pursuant to criteria routinely employed in the art for identifying that type of amino acid sequence element (*e.g.*, Nielsen et al., Prot. Eng. 10:1-6 (1997) and von Heinje et al., Nucl. Acids. Res. 14:4683-4690 (1986)). Moreover, it is also recognized that, in some cases, cleavage of a signal sequence from a secreted polypeptide is not entirely uniform, resulting in more than one secreted species. These mature polypeptides, where the signal peptide is cleaved within no more than about 5 amino acids on either side of the C-terminal boundary of the signal peptide as identified herein, and the polynucleotides encoding them, are contemplated by the present invention.

"PRO polypeptide variant" means an active PRO polypeptide as defined above or below having at least about 80% amino acid sequence identity with a full-length native sequence PRO polypeptide sequence as disclosed herein, a PRO polypeptide sequence lacking the signal peptide as disclosed herein, an extracellular domain of a PRO polypeptide, with or without the signal peptide, as disclosed herein or any other fragment of a full-length PRO polypeptide sequence as disclosed herein. Such PRO polypeptide variants include, for instance, PRO

polypeptides wherein one or more amino acid residues are added, or deleted, at the N- or C-terminus of the full-length native amino acid sequence. Ordinarily, a PRO polypeptide variant will have at least about 80% amino acid sequence identity, alternatively at least about 81% amino acid sequence identity, alternatively at least about 82% amino acid sequence identity, alternatively at least about 83% amino acid sequence identity, alternatively at least about 84% amino acid sequence identity, alternatively at least about 85% amino acid sequence identity, alternatively at least about 86% amino acid sequence identity, alternatively at least about 87% amino acid sequence identity, alternatively at least about 88% amino acid sequence identity, alternatively at least about 89% amino acid sequence identity, alternatively at least about 90% amino acid sequence identity, alternatively at least about 91% amino acid sequence identity, alternatively at least about 92% amino acid sequence identity, alternatively at least about 93% amino acid sequence identity, alternatively at least about 94% amino acid sequence identity, alternatively at least about 95% amino acid sequence identity, alternatively at least about 96% amino acid sequence identity, alternatively at least about 97% amino acid sequence identity, alternatively at least about 98% amino acid sequence identity and alternatively at least about 99% amino acid sequence identity to a full-length native sequence PRO polypeptide sequence as disclosed herein, a PRO polypeptide sequence lacking the signal peptide as disclosed herein, an extracellular domain of a PRO polypeptide, with or without the signal peptide, as disclosed herein or any other specifically defined fragment of a full-length PRO polypeptide sequence as disclosed herein. Ordinarily, PRO variant polypeptides are at least about 10 amino acids in length, alternatively at least about 20 amino acids in length, alternatively at least about 30 amino acids in length, alternatively at least about 40 amino acids in length, alternatively at least about 50 amino acids in length, alternatively at least about 60 amino acids in length, alternatively at least about 70 amino acids in length, alternatively at least about 80 amino acids in length, alternatively at least about 90 amino acids in length, alternatively at least about 100 amino acids in length, alternatively at least about 150 amino acids in length, alternatively at least about 200 amino acids in length, alternatively at least about 300 amino acids in length, or more.

"Percent (%) amino acid sequence identity" with respect to the PRO polypeptide sequences identified herein is defined as the percentage of amino acid residues in a candidate sequence that are identical with the amino acid residues in the specific PRO polypeptide sequence, after aligning the sequences and introducing gaps, if necessary, to achieve the maximum percent sequence identity, and not considering any conservative substitutions as part of the sequence identity. Alignment for purposes of determining percent amino acid sequence identity can be achieved in various ways that are within the skill in the art, for instance, using publicly available computer software such as BLAST, BLAST-2, ALIGN or Megalign (DNASTAR) software. Those skilled in the art can determine appropriate parameters for measuring alignment, including any algorithms needed to achieve maximal alignment over the full length of the sequences being compared. For purposes herein, however, % amino acid sequence identity values are generated using the sequence comparison computer program ALIGN-2, wherein the complete source code for the ALIGN-2 program is provided in Table 1 below. The ALIGN-2 sequence comparison computer program was authored by Genentech, Inc. and the source code shown in Table 1 below has been filed with user documentation in the U.S. Copyright Office, Washington D.C., 20559, where it is registered under U.S. Copyright Registration No. TXU510087. The ALIGN-2 program is publicly available through

Genentech, Inc., South San Francisco, California or may be compiled from the source code provided in Table 1 below. The ALIGN-2 program should be compiled for use on a UNIX operating system, preferably digital UNIX V4.0D. All sequence comparison parameters are set by the ALIGN-2 program and do not vary.

In situations where ALIGN-2 is employed for amino acid sequence comparisons, the % amino acid sequence identity of a given amino acid sequence A to, with, or against a given amino acid sequence B (which can alternatively be phrased as a given amino acid sequence A that has or comprises a certain % amino acid sequence identity to, with, or against a given amino acid sequence B) is calculated as follows:

$$100 \text{ times the fraction } X/Y$$

where X is the number of amino acid residues scored as identical matches by the sequence alignment program ALIGN-2 in that program's alignment of A and B, and where Y is the total number of amino acid residues in B. It will be appreciated that where the length of amino acid sequence A is not equal to the length of amino acid sequence B, the % amino acid sequence identity of A to B will not equal the % amino acid sequence identity of B to A. As examples of % amino acid sequence identity calculations using this method, Tables 2 and 3 demonstrate how to calculate the % amino acid sequence identity of the amino acid sequence designated "Comparison Protein" to the amino acid sequence designated "PRO", wherein "PRO" represents the amino acid sequence of a hypothetical PRO polypeptide of interest, "Comparison Protein" represents the amino acid sequence of a polypeptide against which the "PRO" polypeptide of interest is being compared, and "X", "Y" and "Z" each represent different hypothetical amino acid residues.

Unless specifically stated otherwise, all % amino acid sequence identity values used herein are obtained as described in the immediately preceding paragraph using the ALIGN-2 computer program. However, % amino acid sequence identity values may also be obtained as described below by using the WU-BLAST-2 computer program (Altschul et al., Methods in Enzymology 266:460-480 (1996)). Most of the WU-BLAST-2 search parameters are set to the default values. Those not set to default values, i.e., the adjustable parameters, are set with the following values: overlap span = 1, overlap fraction = 0.125, word threshold (T) = 11, and scoring matrix = BLOSUM62. When WU-BLAST-2 is employed, a % amino acid sequence identity value is determined by dividing (a) the number of matching identical amino acid residues between the amino acid sequence of the PRO polypeptide of interest having a sequence derived from the native PRO polypeptide and the comparison amino acid sequence of interest (i.e., the sequence against which the PRO polypeptide of interest is being compared which may be a PRO variant polypeptide) as determined by WU-BLAST-2 by (b) the total number of amino acid residues of the PRO polypeptide of interest. For example, in the statement "a polypeptide comprising an the amino acid sequence A which has or having at least 80% amino acid sequence identity to the amino acid sequence B", the amino acid sequence A is the comparison amino acid sequence of interest and the amino acid sequence B is the amino acid sequence of the PRO polypeptide of interest.

Percent amino acid sequence identity may also be determined using the sequence comparison program NCBI-BLAST2 (Altschul et al., Nucleic Acids Res. 25:3389-3402 (1997)). The NCBI-BLAST2 sequence comparison program may be downloaded from <http://www.ncbi.nlm.nih.gov> or otherwise obtained from the

National Institute of Health, Bethesda, MD. NCBI-BLAST2 uses several search parameters, wherein all of those search parameters are set to default values including, for example, unmask = yes, strand = all, expected occurrences = 10, minimum low complexity length = 15/5, multi-pass e-value = 0.01, constant for multi-pass = 25, dropoff for final gapped alignment = 25 and scoring matrix = BLOSUM62.

In situations where NCBI-BLAST2 is employed for amino acid sequence comparisons, the % amino acid sequence identity of a given amino acid sequence A to, with, or against a given amino acid sequence B (which can alternatively be phrased as a given amino acid sequence A that has or comprises a certain % amino acid sequence identity to, with, or against a given amino acid sequence B) is calculated as follows:

$$100 \text{ times the fraction } X/Y$$

where X is the number of amino acid residues scored as identical matches by the sequence alignment program NCBI-BLAST2 in that program's alignment of A and B, and where Y is the total number of amino acid residues in B. It will be appreciated that where the length of amino acid sequence A is not equal to the length of amino acid sequence B, the % amino acid sequence identity of A to B will not equal the % amino acid sequence identity of B to A.

"PRO variant polynucleotide" or "PRO variant nucleic acid sequence" means a nucleic acid molecule which encodes an active PRO polypeptide as defined below and which has at least about 80% nucleic acid sequence identity with a nucleotide acid sequence encoding a full-length native sequence PRO polypeptide sequence as disclosed herein, a full-length native sequence PRO polypeptide sequence lacking the signal peptide as disclosed herein, an extracellular domain of a PRO polypeptide, with or without the signal peptide, as disclosed herein or any other fragment of a full-length PRO polypeptide sequence as disclosed herein. Ordinarily, a PRO variant polynucleotide will have at least about 80% nucleic acid sequence identity, alternatively at least about 81% nucleic acid sequence identity, alternatively at least about 82% nucleic acid sequence identity, alternatively at least about 83% nucleic acid sequence identity, alternatively at least about 84% nucleic acid sequence identity, alternatively at least about 85% nucleic acid sequence identity, alternatively at least about 86% nucleic acid sequence identity, alternatively at least about 87% nucleic acid sequence identity, alternatively at least about 88% nucleic acid sequence identity, alternatively at least about 89% nucleic acid sequence identity, alternatively at least about 90% nucleic acid sequence identity, alternatively at least about 91% nucleic acid sequence identity, alternatively at least about 92% nucleic acid sequence identity, alternatively at least about 93% nucleic acid sequence identity, alternatively at least about 94% nucleic acid sequence identity, alternatively at least about 95% nucleic acid sequence identity, alternatively at least about 96% nucleic acid sequence identity, alternatively at least about 97% nucleic acid sequence identity, alternatively at least about 98% nucleic acid sequence identity and alternatively at least about 99% nucleic acid sequence identity with a nucleic acid sequence encoding a full-length native sequence PRO polypeptide sequence as disclosed herein, a full-length native sequence PRO polypeptide sequence lacking the signal peptide as disclosed herein, an extracellular domain of a PRO polypeptide, with or without the signal sequence, as disclosed herein or any other fragment of a full-length PRO polypeptide sequence as disclosed herein. Variants do not encompass the native nucleotide sequence.

Ordinarily, PRO variant polynucleotides are at least about 30 nucleotides in length, alternatively at least about 60 nucleotides in length, alternatively at least about 90 nucleotides in length, alternatively at least about 120 nucleotides in length, alternatively at least about 150 nucleotides in length, alternatively at least about 180 nucleotides in length, alternatively at least about 210 nucleotides in length, alternatively at least about 240 nucleotides in length, alternatively at least about 270 nucleotides in length, alternatively at least about 300
5 nucleotides in length, alternatively at least about 450 nucleotides in length, alternatively at least about 600 nucleotides in length, alternatively at least about 900 nucleotides in length, or more.

"Percent (%) nucleic acid sequence identity" with respect to PRO-encoding nucleic acid sequences identified herein is defined as the percentage of nucleotides in a candidate sequence that are identical with the nucleotides in the PRO nucleic acid sequence of interest, after aligning the sequences and introducing gaps, if
10 necessary, to achieve the maximum percent sequence identity. Alignment for purposes of determining percent nucleic acid sequence identity can be achieved in various ways that are within the skill in the art, for instance, using publicly available computer software such as BLAST, BLAST-2, ALIGN or Megalign (DNASTAR) software. For purposes herein, however, % nucleic acid sequence identity values are generated using the sequence comparison computer program ALIGN-2, wherein the complete source code for the ALIGN-2 program
15 is provided in Table 1 below. The ALIGN-2 sequence comparison computer program was authored by Genentech, Inc. and the source code shown in Table 1 below has been filed with user documentation in the U.S. Copyright Office, Washington D.C., 20559, where it is registered under U.S. Copyright Registration No. TXU510087. The ALIGN-2 program is publicly available through Genentech, Inc., South San Francisco, California or may be compiled from the source code provided in Table 1 below. The ALIGN-2 program should
20 be compiled for use on a UNIX operating system, preferably digital UNIX V4.0D. All sequence comparison parameters are set by the ALIGN-2 program and do not vary.

In situations where ALIGN-2 is employed for nucleic acid sequence comparisons, the % nucleic acid sequence identity of a given nucleic acid sequence C to, with, or against a given nucleic acid sequence D (which can alternatively be phrased as a given nucleic acid sequence C that has or comprises a certain % nucleic acid
25 sequence identity to, with, or against a given nucleic acid sequence D) is calculated as follows:

$$100 \text{ times the fraction } W/Z$$

where W is the number of nucleotides scored as identical matches by the sequence alignment program ALIGN-2
30 in that program's alignment of C and D, and where Z is the total number of nucleotides in D. It will be appreciated that where the length of nucleic acid sequence C is not equal to the length of nucleic acid sequence D, the % nucleic acid sequence identity of C to D will not equal the % nucleic acid sequence identity of D to C. As examples of % nucleic acid sequence identity calculations, Tables 4 and 5, demonstrate how to calculate the
35 % nucleic acid sequence identity of the nucleic acid sequence designated "Comparison DNA" to the nucleic acid sequence designated "PRO-DNA", wherein "PRO-DNA" represents a hypothetical PRO-encoding nucleic acid sequence of interest, "Comparison DNA" represents the nucleotide sequence of a nucleic acid molecule against which the "PRO-DNA" nucleic acid molecule of interest is being compared, and "N", "L" and "V" each represent

different hypothetical nucleotides.

Unless specifically stated otherwise, all % nucleic acid sequence identity values used herein are obtained as described in the immediately preceding paragraph using the ALIGN-2 computer program. However, % nucleic acid sequence identity values may also be obtained as described below by using the WU-BLAST-2 computer program (Altschul et al., Methods in Enzymology 266:460-480 (1996)). Most of the WU-BLAST-2 search parameters are set to the default values. Those not set to default values, i.e., the adjustable parameters, are set with the following values: overlap span = 1, overlap fraction = 0.125, word threshold (T) = 11, and scoring matrix = BLOSUM62. When WU-BLAST-2 is employed, a % nucleic acid sequence identity value is determined by dividing (a) the number of matching identical nucleotides between the nucleic acid sequence of the PRO polypeptide-encoding nucleic acid molecule of interest having a sequence derived from the native sequence PRO polypeptide-encoding nucleic acid and the comparison nucleic acid molecule of interest (i.e., the sequence against which the PRO polypeptide-encoding nucleic acid molecule of interest is being compared which may be a variant PRO polynucleotide) as determined by WU-BLAST-2 by (b) the total number of nucleotides of the PRO polypeptide-encoding nucleic acid molecule of interest. For example, in the statement "an isolated nucleic acid molecule comprising a nucleic acid sequence A which has or having at least 80% nucleic acid sequence identity to the nucleic acid sequence B", the nucleic acid sequence A is the comparison nucleic acid molecule of interest and the nucleic acid sequence B is the nucleic acid sequence of the PRO polypeptide-encoding nucleic acid molecule of interest.

Percent nucleic acid sequence identity may also be determined using the sequence comparison program NCBI-BLAST2 (Altschul et al., Nucleic Acids Res. 25:3389-3402 (1997)). The NCBI-BLAST2 sequence comparison program may be downloaded from <http://www.ncbi.nlm.nih.gov> or otherwise obtained from the National Institute of Health, Bethesda, MD. NCBI-BLAST2 uses several search parameters, wherein all of those search parameters are set to default values including, for example, unmask = yes, strand = all, expected occurrences = 10, minimum low complexity length = 15/5, multi-pass e-value = 0.01, constant for multi-pass = 25, dropoff for final gapped alignment = 25 and scoring matrix = BLOSUM62.

In situations where NCBI-BLAST2 is employed for sequence comparisons, the % nucleic acid sequence identity of a given nucleic acid sequence C to, with, or against a given nucleic acid sequence D (which can alternatively be phrased as a given nucleic acid sequence C that has or comprises a certain % nucleic acid sequence identity to, with, or against a given nucleic acid sequence D) is calculated as follows:

$$100 \text{ times the fraction } W/Z$$

where W is the number of nucleotides scored as identical matches by the sequence alignment program NCBI-BLAST2 in that program's alignment of C and D, and where Z is the total number of nucleotides in D. It will be appreciated that where the length of nucleic acid sequence C is not equal to the length of nucleic acid sequence D, the % nucleic acid sequence identity of C to D will not equal the % nucleic acid sequence identity of D to C.

In other embodiments, PRO variant polynucleotides are nucleic acid molecules that encode an active PRO polypeptide and which are capable of hybridizing, preferably under stringent hybridization and wash conditions,

to nucleotide sequences encoding a full-length PRO polypeptide as disclosed herein. PRO variant polypeptides may be those that are encoded by a PRO variant polynucleotide.

"Isolated," when used to describe the various polypeptides disclosed herein, means polypeptide that has been identified and separated and/or recovered from a component of its natural environment. Contaminant components of its natural environment are materials that would typically interfere with diagnostic or therapeutic uses for the polypeptide, and may include enzymes, hormones, and other proteinaceous or non-proteinaceous solutes. In preferred embodiments, the polypeptide will be purified (1) to a degree sufficient to obtain at least 15 residues of N-terminal or internal amino acid sequence by use of a spinning cup sequenator, or (2) to homogeneity by SDS-PAGE under non-reducing or reducing conditions using Coomassie blue or, preferably, silver stain. Isolated polypeptide includes polypeptide *in situ* within recombinant cells, since at least one component of the PRO polypeptide natural environment will not be present. Ordinarily, however, isolated polypeptide will be prepared by at least one purification step.

An "isolated" PRO polypeptide-encoding nucleic acid or other polypeptide-encoding nucleic acid is a nucleic acid molecule that is identified and separated from at least one contaminant nucleic acid molecule with which it is ordinarily associated in the natural source of the polypeptide-encoding nucleic acid. An isolated polypeptide-encoding nucleic acid molecule is other than in the form or setting in which it is found in nature. Isolated polypeptide-encoding nucleic acid molecules therefore are distinguished from the specific polypeptide-encoding nucleic acid molecule as it exists in natural cells. However, an isolated polypeptide-encoding nucleic acid molecule includes polypeptide-encoding nucleic acid molecules contained in cells that ordinarily express the polypeptide where, for example, the nucleic acid molecule is in a chromosomal location different from that of natural cells.

The term "control sequences" refers to DNA sequences necessary for the expression of an operably linked coding sequence in a particular host organism. The control sequences that are suitable for prokaryotes, for example, include a promoter, optionally an operator sequence, and a ribosome binding site. Eukaryotic cells are known to utilize promoters, polyadenylation signals, and enhancers.

Nucleic acid is "operably linked" when it is placed into a functional relationship with another nucleic acid sequence. For example, DNA for a presequence or secretory leader is operably linked to DNA for a polypeptide if it is expressed as a preprotein that participates in the secretion of the polypeptide; a promoter or enhancer is operably linked to a coding sequence if it affects the transcription of the sequence; or a ribosome binding site is operably linked to a coding sequence if it is positioned so as to facilitate translation. Generally, "operably linked" means that the DNA sequences being linked are contiguous, and, in the case of a secretory leader, contiguous and in reading phase. However, enhancers do not have to be contiguous. Linking is accomplished by ligation at convenient restriction sites. If such sites do not exist, the synthetic oligonucleotide adaptors or linkers are used in accordance with conventional practice.

The term "antibody" is used in the broadest sense and specifically covers, for example, single anti-PRO monoclonal antibodies (including agonist, antagonist, and neutralizing antibodies), anti-PRO antibody compositions with polyepitopic specificity, single chain anti-PRO antibodies, and fragments of anti-PRO antibodies (see below). The term "monoclonal antibody" as used herein refers to an antibody obtained from a population of substantially

homogeneous antibodies, i.e., the individual antibodies comprising the population are identical except for possible naturally-occurring mutations that may be present in minor amounts.

"Stringency" of hybridization reactions is readily determinable by one of ordinary skill in the art, and generally is an empirical calculation dependent upon probe length, washing temperature, and salt concentration. In general, longer probes require higher temperatures for proper annealing, while shorter probes need lower temperatures. Hybridization generally depends on the ability of denatured DNA to reanneal when complementary strands are present in an environment below their melting temperature. The higher the degree of desired homology between the probe and hybridizable sequence, the higher the relative temperature which can be used. As a result, it follows that higher relative temperatures would tend to make the reaction conditions more stringent, while lower temperatures less so. For additional details and explanation of stringency of hybridization reactions, see Ausubel et al., Current Protocols in Molecular Biology, Wiley Interscience Publishers, (1995).

"Stringent conditions" or "high stringency conditions", as defined herein, may be identified by those that: (1) employ low ionic strength and high temperature for washing, for example 0.015 M sodium chloride/0.0015 M sodium citrate/0.1% sodium dodecyl sulfate at 50°C; (2) employ during hybridization a denaturing agent, such as formamide, for example, 50% (v/v) formamide with 0.1% bovine serum albumin/0.1% Ficoll/0.1% polyvinylpyrrolidone/50mM sodium phosphate buffer at pH 6.5 with 750 mM sodium chloride, 75 mM sodium citrate at 42°C; or (3) employ 50% formamide, 5 x SSC (0.75 M NaCl, 0.075 M sodium citrate), 50 mM sodium phosphate (pH 6.8), 0.1% sodium pyrophosphate, 5 x Denhardt's solution, sonicated salmon sperm DNA (50 µg/ml), 0.1% SDS, and 10% dextran sulfate at 42°C, with washes at 42°C in 0.2 x SSC (sodium chloride/sodium citrate) and 50% formamide at 55°C, followed by a high-stringency wash consisting of 0.1 x SSC containing EDTA at 55°C.

"Moderately stringent conditions" may be identified as described by Sambrook et al., Molecular Cloning: A Laboratory Manual, New York: Cold Spring Harbor Press, 1989, and include the use of washing solution and hybridization conditions (e.g., temperature, ionic strength and %SDS) less stringent than those described above. An example of moderately stringent conditions is overnight incubation at 37°C in a solution comprising: 20% formamide, 5 x SSC (150 mM NaCl, 15 mM trisodium citrate), 50 mM sodium phosphate (pH 7.6), 5 x Denhardt's solution, 10% dextran sulfate, and 20 mg/ml denatured sheared salmon sperm DNA, followed by washing the filters in 1 x SSC at about 37-50°C. The skilled artisan will recognize how to adjust the temperature, ionic strength, etc. as necessary to accommodate factors such as probe length and the like.

The term "epitope tagged" when used herein refers to a chimeric polypeptide comprising a PRO polypeptide fused to a "tag polypeptide". The tag polypeptide has enough residues to provide an epitope against which an antibody can be made, yet is short enough such that it does not interfere with activity of the polypeptide to which it is fused. The tag polypeptide preferably also is fairly unique so that the antibody does not substantially cross-react with other epitopes. Suitable tag polypeptides generally have at least six amino acid residues and usually between about 8 and 50 amino acid residues (preferably, between about 10 and 20 amino acid residues).

As used herein, the term "immunoadhesin" designates antibody-like molecules which combine the binding specificity of a heterologous protein (an "adhesin") with the effector functions of immunoglobulin constant domains. Structurally, the immunoadhesins comprise a fusion of an amino acid sequence with the desired binding

specificity which is other than the antigen recognition and binding site of an antibody (i.e., is "heterologous"), and an immunoglobulin constant domain sequence. The adhesin part of an immunoadhesin molecule typically is a contiguous amino acid sequence comprising at least the binding site of a receptor or a ligand. The immunoglobulin constant domain sequence in the immunoadhesin may be obtained from any immunoglobulin, such as IgG-1, IgG-2, IgG-3, or IgG-4 subtypes, IgA (including IgA-1 and IgA-2), IgE, IgD or IgM.

5 "Active" or "activity" for the purposes herein refers to form(s) of a PRO polypeptide which retain a biological and/or an immunological activity of native or naturally-occurring PRO, wherein "biological" activity refers to a biological function (either inhibitory or stimulatory) caused by a native or naturally-occurring PRO other than the ability to induce the production of an antibody against an antigenic epitope possessed by a native or naturally-occurring PRO and an "immunological" activity refers to the ability to induce the production of an
10 antibody against an antigenic epitope possessed by a native or naturally-occurring PRO.

The term "antagonist" is used in the broadest sense, and includes any molecule that partially or fully blocks, inhibits, or neutralizes a biological activity of a native PRO polypeptide disclosed herein. In a similar manner, the term "agonist" is used in the broadest sense and includes any molecule that mimics a biological activity of a native PRO polypeptide disclosed herein. Suitable agonist or antagonist molecules specifically
15 include agonist or antagonist antibodies or antibody fragments, fragments or amino acid sequence variants of native PRO polypeptides, peptides, antisense oligonucleotides, small organic molecules, etc. Methods for identifying agonists or antagonists of a PRO polypeptide may comprise contacting a PRO polypeptide with a candidate agonist or antagonist molecule and measuring a detectable change in one or more biological activities normally associated with the PRO polypeptide.

20 "Treatment" refers to both therapeutic treatment and prophylactic or preventative measures, wherein the object is to prevent or slow down (lessen) the targeted pathologic condition or disorder. Those in need of treatment include those already with the disorder as well as those prone to have the disorder or those in whom the disorder is to be prevented.

"Chronic" administration refers to administration of the agent(s) in a continuous mode as opposed to an
25 acute mode, so as to maintain the initial therapeutic effect (activity) for an extended period of time. "Intermittent" administration is treatment that is not consecutively done without interruption, but rather is cyclic in nature.

"Mammal" for purposes of treatment refers to any animal classified as a mammal, including humans, domestic and farm animals, and zoo, sports, or pet animals, such as dogs, cats, cattle, horses, sheep, pigs, goats, rabbits, etc. Preferably, the mammal is human.

30 Administration "in combination with" one or more further therapeutic agents includes simultaneous (concurrent) and consecutive administration in any order.

"Carriers" as used herein include pharmaceutically acceptable carriers, excipients, or stabilizers which are nontoxic to the cell or mammal being exposed thereto at the dosages and concentrations employed. Often the physiologically acceptable carrier is an aqueous pH buffered solution. Examples of physiologically acceptable
35 carriers include buffers such as phosphate, citrate, and other organic acids; antioxidants including ascorbic acid; low molecular weight (less than about 10 residues) polypeptide; proteins, such as serum albumin, gelatin, or immunoglobulins; hydrophilic polymers such as polyvinylpyrrolidone; amino acids such as glycine, glutamine,

asparagine, arginine or lysine; monosaccharides, disaccharides, and other carbohydrates including glucose, mannose, or dextrans; chelating agents such as EDTA; sugar alcohols such as mannitol or sorbitol; salt-forming counterions such as sodium; and/or nonionic surfactants such as TWEEN™, polyethylene glycol (PEG), and PLURONICS™.

5 "Antibody fragments" comprise a portion of an intact antibody, preferably the antigen binding or variable region of the intact antibody. Examples of antibody fragments include Fab, Fab', F(ab')₂, and Fv fragments; diabodies; linear antibodies (Zapata et al., Protein Eng. 8(10): 1057-1062 [1995]); single-chain antibody molecules; and multispecific antibodies formed from antibody fragments.

10 Papain digestion of antibodies produces two identical antigen-binding fragments, called "Fab" fragments, each with a single antigen-binding site, and a residual "Fc" fragment, a designation reflecting the ability to crystallize readily. Pepsin treatment yields an F(ab')₂ fragment that has two antigen-combining sites and is still capable of cross-linking antigen.

15 "Fv" is the minimum antibody fragment which contains a complete antigen-recognition and -binding site. This region consists of a dimer of one heavy- and one light-chain variable domain in tight, non-covalent association. It is in this configuration that the three CDRs of each variable domain interact to define an antigen-binding site on the surface of the V_H-V_L dimer. Collectively, the six CDRs confer antigen-binding specificity to the antibody. However, even a single variable domain (or half of an Fv comprising only three CDRs specific for an antigen) has the ability to recognize and bind antigen, although at a lower affinity than the entire binding site.

20 The Fab fragment also contains the constant domain of the light chain and the first constant domain (CH1) of the heavy chain. Fab fragments differ from Fab' fragments by the addition of a few residues at the carboxy terminus of the heavy chain CH1 domain including one or more cysteines from the antibody hinge region. Fab'-SH is the designation herein for Fab' in which the cysteine residue(s) of the constant domains bear a free thiol group. F(ab')₂ antibody fragments originally were produced as pairs of Fab' fragments which have hinge cysteines between them. Other chemical couplings of antibody fragments are also known.

25 The "light chains" of antibodies (immunoglobulins) from any vertebrate species can be assigned to one of two clearly distinct types, called kappa and lambda, based on the amino acid sequences of their constant domains.

30 Depending on the amino acid sequence of the constant domain of their heavy chains, immunoglobulins can be assigned to different classes. There are five major classes of immunoglobulins: IgA, IgD, IgE, IgG, and IgM, and several of these may be further divided into subclasses (isotypes), e.g., IgG1, IgG2, IgG3, IgG4, IgA, and IgA2.

35 "Single-chain Fv" or "sFv" antibody fragments comprise the V_H and V_L domains of antibody, wherein these domains are present in a single polypeptide chain. Preferably, the Fv polypeptide further comprises a polypeptide linker between the V_H and V_L domains which enables the sFv to form the desired structure for antigen binding. For a review of sFv, see Pluckthun in The Pharmacology of Monoclonal Antibodies, vol. 113, Rosenberg and Moore eds., Springer-Verlag, New York, pp. 269-315 (1994).

The term "diabodies" refers to small antibody fragments with two antigen-binding sites, which fragments comprise a heavy-chain variable domain (V_H) connected to a light-chain variable domain (V_L) in the same

polypeptide chain (V_H - V_L). By using a linker that is too short to allow pairing between the two domains on the same chain, the domains are forced to pair with the complementary domains of another chain and create two antigen-binding sites. Diabodies are described more fully in, for example, EP 404,097; WO 93/11161; and Hollinger et al., Proc. Natl. Acad. Sci. USA, 90:6444-6448 (1993).

5 An "isolated" antibody is one which has been identified and separated and/or recovered from a component of its natural environment. Contaminant components of its natural environment are materials which would interfere with diagnostic or therapeutic uses for the antibody, and may include enzymes, hormones, and other proteinaceous or nonproteinaceous solutes. In preferred embodiments, the antibody will be purified (1) to greater than 95% by weight of antibody as determined by the Lowry method, and most preferably more than 99% by weight, (2) to a degree sufficient to obtain at least 15 residues of N-terminal or internal amino acid sequence
10 by use of a spinning cup sequenator, or (3) to homogeneity by SDS-PAGE under reducing or nonreducing conditions using Coomassie blue or, preferably, silver stain. Isolated antibody includes the antibody in situ within recombinant cells since at least one component of the antibody's natural environment will not be present. Ordinarily, however, isolated antibody will be prepared by at least one purification step.

15 An antibody that "specifically binds to" or is "specific for" a particular polypeptide or an epitope on a particular polypeptide is one that binds to that particular polypeptide or epitope on a particular polypeptide without substantially binding to any other polypeptide or polypeptide epitope.

The word "label" when used herein refers to a detectable compound or composition which is conjugated directly or indirectly to the antibody so as to generate a "labeled" antibody. The label may be detectable by itself (e.g. radioisotope labels or fluorescent labels) or, in the case of an enzymatic label, may catalyze chemical
20 alteration of a substrate compound or composition which is detectable.

By "solid phase" is meant a non-aqueous matrix to which the antibody of the present invention can adhere. Examples of solid phases encompassed herein include those formed partially or entirely of glass (e.g., controlled pore glass), polysaccharides (e.g., agarose), polyacrylamides, polystyrene, polyvinyl alcohol and silicones. In certain embodiments, depending on the context, the solid phase can comprise the well of an assay
25 plate; in others it is a purification column (e.g., an affinity chromatography column). This term also includes a discontinuous solid phase of discrete particles, such as those described in U.S. Patent No. 4,275,149.

A "liposome" is a small vesicle composed of various types of lipids, phospholipids and/or surfactant which is useful for delivery of a drug (such as a PRO polypeptide or antibody thereto) to a mammal. The components of the liposome are commonly arranged in a bilayer formation, similar to the lipid arrangement of
30 biological membranes.

A "small molecule" is defined herein to have a molecular weight below about 500 Daltons.

An "effective amount" of a polypeptide disclosed herein or an agonist or antagonist thereof is an amount sufficient to carry out a specifically stated purpose. An "effective amount" may be determined empirically and in a routine manner, in relation to the stated purpose.
35

Table 1

```

/*
 *
 * C-C increased from 12 to 15
 * Z is average of EQ
5  * B is average of ND
 * match with stop is _M; stop-stop = 0; J (joker) match = 0
 */
#define _M      -8      /* value of a match with a stop */

10 int _day[26][26] = {
/* A B C D E F G H I J K L M N O P Q R S T U V W X Y Z */
/* A */ { 2, 0, -2, 0, 0, -4, 1, -1, -1, 0, -1, -2, -1, 0, _M, 1, 0, -2, 1, 1, 0, 0, -6, 0, -3, 0},
/* B */ { 0, 3, -4, 3, 2, -5, 0, 1, -2, 0, 0, -3, -2, 2, _M, -1, 1, 0, 0, 0, 0, -2, -5, 0, -3, 1},
/* C */ {-2, -4, 15, -5, -5, -4, -3, -3, -2, 0, -5, -6, -5, -4, _M, -3, -5, -4, 0, -2, 0, -2, -8, 0, 0, -5},
15 /* D */ { 0, 3, -5, 4, 3, -6, 1, 1, -2, 0, 0, -4, -3, 2, _M, -1, 2, -1, 0, 0, 0, -2, -7, 0, -4, 2},
/* E */ { 0, 2, -5, 3, 4, -5, 0, 1, -2, 0, 0, -3, -2, 1, _M, -1, 2, -1, 0, 0, 0, -2, -7, 0, -4, 3},
/* F */ {-4, -5, -4, -6, -5, 9, -5, -2, 1, 0, -5, 2, 0, -4, _M, -5, -5, -4, -3, -3, 0, -1, 0, 0, 7, -5},
/* G */ { 1, 0, -3, 1, 0, -5, 5, -2, -3, 0, -2, -4, -3, 0, _M, -1, -1, -3, 1, 0, 0, -1, -7, 0, -5, 0},
/* H */ {-1, 1, -3, 1, 1, -2, -2, 6, -2, 0, 0, -2, -2, 2, _M, 0, 3, 2, -1, -1, 0, -2, -3, 0, 0, 2},
20 /* I */ {-1, -2, -2, -2, -2, 1, -3, -2, 5, 0, -2, 2, 2, -2, _M, -2, -2, -2, -1, 0, 0, 4, -5, 0, -1, -2},
/* J */ { 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, _M, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0},
/* K */ {-1, 0, -5, 0, 0, -5, -2, 0, -2, 0, 5, -3, 0, 1, _M, -1, 1, 3, 0, 0, 0, -2, -3, 0, -4, 0},
/* L */ {-2, -3, -6, -4, -3, 2, -4, -2, 2, 0, -3, 6, 4, -3, _M, -3, -2, -3, -3, -1, 0, 2, -2, 0, -1, -2},
/* M */ {-1, -2, -5, -3, -2, 0, -3, -2, 2, 0, 0, 4, 6, -2, _M, -2, -1, 0, -2, -1, 0, 2, -4, 0, -2, -1},
25 /* N */ { 0, 2, -4, 2, 1, -4, 0, 2, -2, 0, 1, -3, -2, 2, _M, -1, 1, 0, 1, 0, 0, -2, -4, 0, -2, 1},
/* O */ {_M, _M, _M, _M, _M, _M, _M, _M, _M, _M, _M, _M, _M, _M, _M, 0, _M, _M, _M, _M, _M, _M, _M, _M},
/* P */ { 1, -1, -3, -1, -1, -5, -1, 0, -2, 0, -1, -3, -2, -1, _M, 6, 0, 0, 1, 0, 0, -1, -6, 0, -5, 0},
/* Q */ { 0, 1, -5, 2, 2, -5, -1, 3, -2, 0, 1, -2, -1, 1, _M, 0, 4, 1, -1, -1, 0, -2, -5, 0, -4, 3},
/* R */ {-2, 0, -4, -1, -1, -4, -3, 2, -2, 0, 3, -3, 0, 0, _M, 0, 1, 6, 0, -1, 0, -2, 2, 0, -4, 0},
30 /* S */ { 1, 0, 0, 0, 0, -3, 1, -1, -1, 0, 0, -3, -2, 1, _M, 1, -1, 0, 2, 1, 0, -1, -2, 0, -3, 0},
/* T */ { 1, 0, -2, 0, 0, -3, 0, -1, 0, 0, 0, -1, -1, 0, _M, 0, -1, -1, 1, 3, 0, 0, -5, 0, -3, 0},
/* U */ { 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, _M, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0},
/* V */ { 0, -2, -2, -2, -2, -1, -1, -2, 4, 0, -2, 2, 2, -2, _M, -1, -2, -2, -1, 0, 0, 4, -6, 0, -2, -2},
/* W */ {-6, -5, -8, -7, -7, 0, -7, -3, -5, 0, -3, -2, -4, -4, _M, -6, -5, 2, -2, -5, 0, -6, 17, 0, 0, -6},
35 /* X */ { 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, _M, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0},
/* Y */ {-3, -3, 0, -4, -4, 7, -5, 0, -1, 0, -4, -1, -2, -2, _M, -5, -4, -4, -3, -3, 0, -2, 0, 0, 10, -4},
/* Z */ { 0, 1, -5, 2, 3, -5, 0, 2, -2, 0, 0, -2, -1, 1, _M, 0, 3, 0, 0, 0, 0, -2, -6, 0, -4, 4}
};

40

45

50

55

```


Table 1 (cont')

```

/*
*/
#include <stdio.h>
#include <ctype.h>

5
#define MAXJMP      16      /* max jumps in a diag */
#define MAXGAP      24      /* don't continue to penalize gaps larger than this */
#define JMPS        1024    /* max jmps in an path */
10
#define MX          4       /* save if there's at least MX-1 bases since last jmp */

#define DMAT        3       /* value of matching bases */
#define DMIS        0       /* penalty for mismatched bases */
#define DINS0       8       /* penalty for a gap */
15
#define DINS1       1       /* penalty per base */
#define PINS0       8       /* penalty for a gap */
#define PINS1       4       /* penalty per residue */

struct jmp {
20
    short            n[MAXJMP]; /* size of jmp (neg for dely) */
    unsigned short   x[MAXJMP]; /* base no. of jmp in seq x */
}; /* limits seq to 2^16 -1 */

struct diag {
25
    int              score;      /* score at last jmp */
    long             offset;     /* offset of prev block */
    short            jmp;        /* current jmp index */
    struct jmp        jp;        /* list of jmps */
};

30
struct path {
    int              spc;        /* number of leading spaces */
    short            n[JMPS];    /* size of jmp (gap) */
    int              x[JMPS];    /* loc of jmp (last elem before gap) */
35
};

char              *ofile;        /* output file name */
char              *namex[2];     /* seq names: getseqs() */
char              *prog;         /* prog name for err msgs */
40
char              *seqx[2];      /* seqs: getseqs() */
int               dmax;          /* best diag: nw() */
int               dmax0;         /* final diag */
int               dna;           /* set if dna: main() */
int               endgaps;       /* set if penalizing end gaps */
int               gapx, gapy;     /* total gaps in seqs */
45
int               len0, len1;    /* seq lens */
int               ngapx, ngapy;   /* total size of gaps */
int               smax;          /* max score: nw() */
int               *xbm;          /* bitmap for matching */
int               offset;        /* current offset in jmp file */
50
long              diag           /* holds diagonals */
struct            path          /* holds path for seqs */
    struct          *dx;
    struct          pp[2];

char              *calloc(), *malloc(), *index(), *strcpy();
55
char              *getseq0, *g_calloc();

```

60

Table 1 (cont')

```

/* Needleman-Wunsch alignment program
*
* usage: progs file1 file2
* where file1 and file2 are two dna or two protein sequences.
5  * The sequences can be in upper- or lower-case and may contain ambiguity
* Any lines beginning with ';', '>' or '<' are ignored
* Max file length is 65535 (limited by unsigned short x in the jmp struct)
* A sequence with 1/3 or more of its elements ACGTU is assumed to be DNA
10 * Output is in the file "align.out"
*
* The program may create a tmp file in /tmp to hold info about traceback.
* Original version developed under BSD 4.3 on a vax 8650
*/
#include "nw.h"
15 #include "day.h"

static _dbval[26] = {
    1,14,2,13,0,0,4,11,0,0,12,0,3,15,0,0,0,5,6,8,8,7,9,0,10,0
};

20 static _pbval[26] = {
    1, 2|(1<<('D'-'A'))|(1<<('N'-'A')), 4, 8, 16, 32, 64,
    128, 256, 0xFFFFFFFF, 1<<10, 1<<11, 1<<12, 1<<13, 1<<14,
    1<<15, 1<<16, 1<<17, 1<<18, 1<<19, 1<<20, 1<<21, 1<<22,
25 1<<23, 1<<24, 1<<25|(1<<('E'-'A'))|(1<<('Q'-'A'))
};

main(ac, av)                                main
30     int      ac;
     char      *av[];
{
    prog = av[0];
    if (ac != 3) {
35         fprintf(stderr, "usage: %s file1 file2\n", prog);
         fprintf(stderr, "where file1 and file2 are two dna or two protein sequences.\n");
         fprintf(stderr, "The sequences can be in upper- or lower-case\n");
         fprintf(stderr, "Any lines beginning with ';', '>' or '<' are ignored\n");
         fprintf(stderr, "Output is in the file \"align.out\"\n");
         exit(1);
40     }
    namex[0] = av[1];
    namex[1] = av[2];
    seqx[0] = getseq(namex[0], &len0);
    seqx[1] = getseq(namex[1], &len1);
45     xbm = (dna)? _dbval : _pbval;

    endgaps = 0;                                /* 1 to penalize endgaps */
    ofile = "align.out";                        /* output file */

50     nw();                                /* fill in the matrix, get the possible jumps */
    readjumps();                                /* get the actual jumps */
    print();                                /* print stats, alignment */

55     cleanup();                                /* unlink any tmp files */
}

```

Table 1 (cont')

```

/* do the alignment, return best score: main()
* dna: values in Fitch and Smith, PNAS, 80, 1382-1386, 1983
* pro: PAM 250 values
* When scores are equal, we prefer mismatches to any gap, prefer
5 * a new gap to extending an ongoing gap, and prefer a gap in seqx
* to a gap in seq y.
*/
nw0
{
10     char        *px, *py;          /* seqs and ptrs */
    int          *ndely, *dely;      /* keep track of dely */
    int          ndelx, delx;        /* keep track of delx */
    int          *tmp;              /* for swapping row0, row1 */
    int          mis;               /* score for each type */
15     int          ins0, ins1;        /* insertion penalties */
    register     id;                /* diagonal index */
    register     ij;               /* jmp index */
    register     *col0, *col1;      /* score for curr, last row */
    register     xx, yy;            /* index into seqs */
20
    dx = (struct diag *)g_calloc("to get diags", len0+len1+1, sizeof(struct diag));

    ndely = (int *)g_calloc("to get ndely", len1+1, sizeof(int));
    dely = (int *)g_calloc("to get dely", len1+1, sizeof(int));
25     col0 = (int *)g_calloc("to get col0", len1+1, sizeof(int));
    col1 = (int *)g_calloc("to get col1", len1+1, sizeof(int));
    ins0 = (dna)? DINS0 : PINS0;
    ins1 = (dna)? DINS1 : PINS1;

30     smax = -10000;
    if (endgaps) {
        for (col0[0] = dely[0] = -ins0, yy = 1; yy <= len1; yy++) {
            col0[yy] = dely[yy] = col0[yy-1] - ins1;
            ndely[yy] = yy;
35         }
        col0[0] = 0;          /* Waterman Bull Math Biol 84 */
    }
    else
40         for (yy = 1; yy <= len1; yy++)
            dely[yy] = -ins0;

    /* fill in match matrix
    */
45     for (px = seqx[0], xx = 1; xx <= len0; px++, xx++) {
        /* initialize first entry in col
        */
        if (endgaps) {
            if (xx == 1)
                col1[0] = delx = -(ins0+ins1);
50             else
                col1[0] = delx = col0[0] - ins1;
            ndelx = xx;
        }
        else {
55             col1[0] = 0;
            delx = -ins0;
            ndelx = 0;
60         }
    }

```

Table 1 (cont')

...RW

```

5      for (py = seqx[1], yy = 1; yy <= len1; py++, yy++) {
        mis = col0[yy-1];
        if (dna)
            mis += (xbm[*px-'A']&xbm[*py-'A'])? DMAT : DMIS;
        else
            mis += _day[*px-'A'][*py-'A'];

10      /* update penalty for del in x seq;
        * favor new del over ongoing del
        * ignore MAXGAP if weighting endgaps.
        */
        if (endgaps || ndely[yy] < MAXGAP) {
15            if (col0[yy] - ins0 >= dely[yy]) {
                dely[yy] = col0[yy] - (ins0+ins1);
                ndely[yy] = 1;
            } else {
                dely[yy] -= ins1;
                ndely[yy]++;
20            }
        } else {
            if (col0[yy] - (ins0+ins1) >= dely[yy]) {
                dely[yy] = col0[yy] - (ins0+ins1);
                ndely[yy] = 1;
25            } else
                ndely[yy]++;
        }

        /* update penalty for del in y seq;
        * favor new del over ongoing del
        */
        if (endgaps || ndelx < MAXGAP) {
30            if (col1[yy-1] - ins0 >= delx) {
                delx = col1[yy-1] - (ins0+ins1);
                ndelx = 1;
35            } else {
                delx -= ins1;
                ndelx++;
            }
        } else {
40            if (col1[yy-1] - (ins0+ins1) >= delx) {
                delx = col1[yy-1] - (ins0+ins1);
                ndelx = 1;
            } else
45                ndelx++;
        }

        /* pick the maximum score; we're favoring
50        * mis over any del and delx over dely
        */

```

55

60

Table 1 (cont')

...nw

```

    id = xx - yy + len1 - 1;
    if (mis >= delx && mis >= dely[yy])
        coll[yy] = mis;
5   else if (delx >= dely[yy]) {
        coll[yy] = delx;
        ij = dx[id].ijmp;
        if (dx[id].jp.n[0] && (ldna || (ndelx >= MAXJMP
10  && xx > dx[id].jp.x[ij]+MX) || mis > dx[id].score+DINS0)) {
            dx[id].ijmp++;
            if (++ij >= MAXJMP) {
                writejumps(id);
                ij = dx[id].ijmp = 0;
                dx[id].offset = offset;
                offset += sizeof(struct jmp) + sizeof(offset);
            }
            dx[id].jp.n[ij] = ndelx;
            dx[id].jp.x[ij] = xx;
            dx[id].score = delx;
        }
        else {
            coll[yy] = dely[yy];
            ij = dx[id].ijmp;
25  if (dx[id].jp.n[0] && (ldna || (ndely[yy] >= MAXJMP
            && xx > dx[id].jp.x[ij]+MX) || mis > dx[id].score+DINS0)) {
                dx[id].ijmp++;
                if (++ij >= MAXJMP) {
                    writejumps(id);
                    ij = dx[id].ijmp = 0;
                    dx[id].offset = offset;
                    offset += sizeof(struct jmp) + sizeof(offset);
                }
            }
            dx[id].jp.n[ij] = -ndely[yy];
            dx[id].jp.x[ij] = xx;
            dx[id].score = dely[yy];
        }
        if (xx == len0 && yy < len1) {
40  /* last col
            */
            if (endgaps)
                coll[yy] -= ins0+ins1*(len1-yy);
            if (coll[yy] > smax) {
45  smax = coll[yy];
                dmax = id;
            }
        }
    }
50  if (endgaps && xx < len0)
        coll[yy-1] -= ins0+ins1*(len0-xx);
    if (coll[yy-1] > smax) {
        smax = coll[yy-1];
        dmax = id;
55  }
    tmp = col0; col0 = coll; coll = tmp;
}
(void) free((char *)ndely);
(void) free((char *)dely);
(void) free((char *)col0);
60 (void) free((char *)coll);
    }

```

Table 1 (cont')

```

/*
 *
 * print() -- only routine visible outside this module
 *
5  * static:
 * getmat() -- trace back best path, count matches: print()
 * pr_align() -- print alignment of described in array p[]: print()
 * dumpblock() -- dump a block of lines with numbers, stars: pr_align()
 * nums() -- put out a number line: dumpblock()
10 * putline() -- put out a line (name, [num], seq, [num]): dumpblock()
 * stars() -- put a line of stars: dumpblock()
 * stripname() -- strip any path and prefix from a seqname
 */

15 #include "nw.h"

#define SPC      3
#define P_LINE  256 /* maximum output line */
#define P_SPC    3 /* space between name or num and seq */

20 extern _day[26][26];
int olen; /* set output line length */
FILE *fx; /* output file */

25 print()
{
    int lx, ly, firstgap, lastgap; /* overlap */

    if ((fx = fopen(ofile, "w")) == 0) {
30         fprintf(stderr, "%s: can't write %s\n", prog, ofile);
        cleanup(1);
    }
    fprintf(fx, "< first sequence: %s (length = %d)\n", namex[0], len0);
    fprintf(fx, "< second sequence: %s (length = %d)\n", namex[1], len1);
35     olen = 60;
    lx = len0;
    ly = len1;
    firstgap = lastgap = 0;
    if (dmax < len1 - 1) { /* leading gap in x */
40         pp[0].spc = firstgap = len1 - dmax - 1;
        ly -= pp[0].spc;
    }
    else if (dmax > len1 - 1) { /* leading gap in y */
45         pp[1].spc = firstgap = dmax - (len1 - 1);
        lx -= pp[1].spc;
    }
    if (dmax0 < len0 - 1) { /* trailing gap in x */
50         lastgap = len0 - dmax0 - 1;
        lx -= lastgap;
    }
    else if (dmax0 > len0 - 1) { /* trailing gap in y */
        lastgap = dmax0 - (len0 - 1);
        ly -= lastgap;
    }
55     getmat(lx, ly, firstgap, lastgap);
    pr_align();
}

60

```

Table 1 (cont')

```

/*
 * trace back the best path, count matches
 */
static
5 getmat(lx, ly, firstgap, lastgap)                                getmat
    int      lx, ly;                                /* "core" (minus endgaps) */
    int      firstgap, lastgap;                      /* leading trailing overlap */
{
    int      nm, i0, i1, siz0, siz1;
10    char     outx[32];
    double   pct;
    register n0, n1;
    register char *p0, *p1;

15    /* get total matches, score
    */
    i0 = i1 = siz0 = siz1 = 0;
    p0 = seqx[0] + pp[1].spc;
    p1 = seqx[1] + pp[0].spc;
20    n0 = pp[1].spc + 1;
    n1 = pp[0].spc + 1;

    nm = 0;
    while ( *p0 && *p1 ) {
25         if (siz0) {
             p1++;
             n1++;
             siz0--;
         }
30         else if (siz1) {
             p0++;
             n0++;
             siz1--;
         }
35         else {
             if (xbm[*p0-'A']&xbm[*p1-'A'])
                 nm++;
             if (n0++ == pp[0].x[i0])
40                 siz0 = pp[0].n[i0++];
             if (n1++ == pp[1].x[i1])
                 siz1 = pp[1].n[i1++];
             p0++;
             p1++;
         }
45     }

    /* pct homology:
    * if penalizing endgaps, base is the shorter seq
    * else, knock off overhangs and take shorter core
    */
50    if (endgaps)
        lx = (len0 < len1)? len0 : len1;
    else
        lx = (lx < ly)? lx : ly;
55    pct = 100.*((double)nm)/((double)lx);
    fprintf(fx, "\n");
    fprintf(fx, "< %d match%s in an overlap of %d: %.2f percent similarity\n",
        nm, (nm == 1)? "" : "es", lx, pct);
60

```

Table 1 (cont')

```

fprintf(fx, "< gaps in first sequence: %d", gapx);
if (gapx) {
    (void) sprintf(outx, " (%d %s%s)",
        ngapx, (dna)? "base": "residue", (ngapx == 1)? "" : "s");
    fprintf(fx, "%s", outx);
}

fprintf(fx, ", gaps in second sequence: %d", gapy);
if (gapy) {
    (void) sprintf(outx, " (%d %s%s)",
        ngapy, (dna)? "base": "residue", (ngapy == 1)? "" : "s");
    fprintf(fx, "%s", outx);
}
if (dna)
    fprintf(fx,
        "\n< score: %d (match = %d, mismatch = %d, gap penalty = %d + %d per base)\n",
        smax, DMAT, DMIS, DINSO, DINS1);
else
    fprintf(fx,
        "\n< score: %d (Dayhoff PAM 250 matrix, gap penalty = %d + %d per residue)\n",
        smax, PINSO, PINS1);
if (endgaps)
    fprintf(fx,
        "< endgaps penalized. left endgap: %d %s%s, right endgap: %d %s%s\n",
        firstgap, (dna)? "base" : "residue", (firstgap == 1)? "" : "s",
        lastgap, (dna)? "base" : "residue", (lastgap == 1)? "" : "s");
else
    fprintf(fx, "< endgaps not penalized\n");
}

static nm; /* matches in core -- for checking */
static lmax; /* lengths of stripped file names */
static ij[2]; /* jmp index for a path */
static nc[2]; /* number at start of current line */
static ni[2]; /* current elem number -- for gapping */
static siz[2];
static char *ps[2]; /* ptr to current element */
static char *po[2]; /* ptr to next output char slot */
static char out[2][P_LINE]; /* output line */
static char star[P_LINE]; /* set by stars() */

/*
 * print alignment of described in struct path pp[]
 */
static
pr_align()
{
    int nn; /* char count */
    int more;
    register i;

    for (i = 0, lmax = 0; i < 2; i++) {
        nn = stripname(name[i]);
        if (nn > lmax)
            lmax = nn;

        nc[i] = 1;
        ni[i] = 1;
        siz[i] = ij[i] = 0;
        ps[i] = seqx[i];
        po[i] = out[i];
    }
}

```

...getmat

pr_align

Table 1 (c nt')

```

for (nn = nm = 0, more = 1; more;) {
    for (i = more = 0; i < 2; i++) {
        /*
5         * do we have more of this sequence?
        */
        if (!*ps[i])
            continue;

10         more++;

        if (pp[i].spc) { /* leading space */
            *po[i]++ = ' ';
            pp[i].spc--;
15        }
        else if (siz[i]) { /* in a gap */
            *po[i]++ = '-';
            siz[i]--;
20        }
        else { /* we're putting a seq element
            */
            *po[i] = *ps[i];
            if (islower(*ps[i]))
                *ps[i] = toupper(*ps[i]);
25            po[i]++;
            ps[i]++;

            /*
            * are we at next gap for this seq?
            */
30            if (ni[i] == pp[i].x[ij[i]]) {
                /*
                * we need to merge all gaps
                * at this location
                */
                siz[i] = pp[i].n[ij[i]++];
                while (ni[i] == pp[i].x[ij[i]])
                    siz[i] += pp[i].n[ij[i]++];
35                }
                ni[i]++;
40            }
        }
        if (++nn == olen || !more && nn) {
            dumpblock();
            for (i = 0; i < 2; i++)
                po[i] = out[i];
            nn = 0;
45        }
    }
50 }

/*
 * dump a block of lines, including numbers, stars: pr_align()
 */
55 static
dumpblock()
{
    register i;

60    for (i = 0; i < 2; i++)
        *po[i]-- = '\0';

```

dumpblock

Table 1 (cont')

...dumpblock

```

5      (void) putc('\n', fx);
      for (i = 0; i < 2; i++) {
          if (*out[i] && (*out[i] != ' ' || *(po[i]) != ' ')) {
              if (i == 0)
                  nums(i);
              if (i == 0 && *out[1])
                  stars();
10             putline(i);
              if (i == 0 && *out[1])
                  fprintf(fx, star);
              if (i == 1)
                  nums(i);
15         }
      }
  }

/*
20  * put out a number line: dumpblock()
  */
  static
  nums(ix)
25      int      ix;      /* index in out[] holding seq line */
  {
      char      nline[P_LINE];
      register  i, j;
      register char *pn, *px, *py;

30      for (pn = nline, i = 0; i < lmax+P_SPC; i++, pn++)
          *pn = ' ';
      for (i = nc[ix], py = out[ix]; *py; py++, pn++) {
          if (*py == ' ' || *py == '-')
              *pn = ' ';
35          else {
              if (i%10 == 0 || (i == 1 && nc[ix] != 1)) {
                  j = (i < 0)? -i : i;
                  for (px = pn; j /= 10, px--)
                      *px = j%10 + '0';
40                  if (i < 0)
                      *px = '-';
              }
              else
                  *pn = ' ';
45              i++;
          }
      }
      *pn = '\0';
      nc[ix] = i;
      for (pn = nline; *pn; pn++)
          (void) putc(*pn, fx);
50      (void) putc('\n', fx);
  }

55  /*
  * put out a line (name, [num], seq, [num]): dumpblock()
  */
  static
  putline(ix)
60      int      ix;      {

```

nums

putline

Table 1 (cont')

...putline

```

5      int          i;
      register char *px;

      for (px = namex[ix], i = 0; *px && *px != ':'; px++, i++)
          (void) putc(*px, fx);
      for (; i < lmax+P_SPC; i++)
          (void) putc(' ', fx);

10     /* these count from 1:
       * ni[] is current element (from 1)
       * nc[] is number at start of current line
       */
15     for (px = out[ix]; *px; px++)
          (void) putc(*px&0x7F, fx);
      (void) putc('\n', fx);
  }

20  /*
   * put a line of stars (seqs always in out[0], out[1]): dumpblock()
   */
   static
25  stars()
   {
       int          i;
       register char *p0, *p1, cx, *px;

30     if (!*out[0] || (*out[0] == ' ' && *(po[0]) == ' ') ||
        !*out[1] || (*out[1] == ' ' && *(po[1]) == ' '))
            return;
       px = star;
       for (i = lmax+P_SPC; i; i--)
35         *px++ = ' ';

       for (p0 = out[0], p1 = out[1]; *p0 && *p1; p0++, p1++) {
           if (isalpha(*p0) && isalpha(*p1)) {

40                 if (xbm[*p0-'A']&xbm[*p1-'A']) {
                     cx = '*';
                     nm++;
                 }
           else if (ldna && _day[*p0-'A'][*p1-'A'] > 0)
45                 cx = '.';
           else
               cx = ' ';

           }
           else
50                 cx = ' ';
           *px++ = cx;
       }
       *px++ = '\n';
       *px = '\0';
55  }

```

stars

Table 1 (cont')

```

/*
 * strip path or prefix from pn, return len: pr_align0
 */
static
5 stripname(pn)                                stripname
{
    char    *pn;    /* file name (may be path) */
    register char    *px, *py;
10     py = 0;
    for (px = pn; *px; px++)
        if (*px == '/')
            py = px + 1;
15     if (py)
        (void) strcpy(pn, py);
    return(strlen(pn));
}
20
25
30
35
40
45
50
55
60

```

Table 1 (c nt')

```

/*
 * cleanup() -- cleanup any tmp file
 * getseq() -- read in seq, set dna, len, maxlen
 * g_alloc() -- calloc() with error checkin
5  * readjumps() -- get the good jumps; from tmp file if necessary
 * writejumps() -- write a filled array of jumps to a tmp file: nw()
 */
#include "nw.h"
#include <sys/file.h>

10 char    *jname = "/tmp/homgXXXXXXX";    /* tmp file for jumps */
FILE    *fj;

int      cleanup();                      /* cleanup tmp file */
15 long    lseek();

/*
 * remove any tmp file if we blow
 */
20 cleanup(i)                                cleanup
    int    i;
{
    if (fj)
        (void) unlink(jname);
25    exit(i);
}

/*
 * read, return ptr to seq, set dna, len, maxlen
 * skip lines starting with ';', '<', or '>'
 * seq in upper or lower case
 */
30 char    *
getseq(file, len)                                getseq
    char    *file;    /* file name */
    int     *len;     /* seq len */
{
    char    line[1024], *pseq;
    register char    *px, *py;
    int     natgc, tlen;
    FILE    *fp;

    if ((fp = fopen(file, "r")) == 0) {
        fprintf(stderr, "%s: can't read %s\n", prog, file);
        exit(1);
    }
    tlen = natgc = 0;
    while (fgets(line, 1024, fp)) {
        if (*line == ';' || *line == '<' || *line == '>')
            continue;
        for (px = line; *px != '\n'; px++)
            if (isupper(*px) || islower(*px))
                tlen++;
    }
    if ((pseq = malloc((unsigned)(tlen+6))) == 0) {
        fprintf(stderr, "%s: malloc() failed to get %d bytes for %s\n", prog, tlen+6, file);
        exit(1);
    }
    pseq[0] = pseq[1] = pseq[2] = pseq[3] = '\0';
60

```

Table 1 (cont')

...getseq

```

py = pseq + 4;
*len = tlen;
rewind(fp);
5
while (fgets(line, 1024, fp)) {
    if (*line == ';' || *line == '<' || *line == '>')
        continue;
    for (px = line; *px != '\n'; px++) {
10
        if (isupper(*px))
            *py++ = *px;
        else if (islower(*px))
            *py++ = toupper(*px);
        if (index("ATGCU", *(py-1)))
            natgc++;
15
    }
    *py++ = '\0';
    *py = '\0';
    (void) fclose(fp);
    dna = natgc > (tlen/3);
    return(pseq+4);
20
}

char *
g_alloc(msg, nx, sz)
char *msg;          /* program, calling routine */
int nx, sz;          /* number and size of elements */
25
{
    char *px, *calloc();

    if ((px = calloc((unsigned)nx, (unsigned)sz)) == 0) {
        if (*msg) {
35
            fprintf(stderr, "%s: g_alloc() failed %s (n=%d, sz=%d)\n", prog, msg, nx, sz);
            exit(1);
        }
    }
    return(px);
40
}

/*
 * get final jmps from dx[] or tmp file, set pp[], reset dmax: main()
 */
readjmps()
45
{
    int fd = -1;
    int siz, i0, i1;
    register i, j, xx;

50
    if (fj) {
        (void) fclose(fj);
        if ((fd = open(jname, O_RDONLY, 0)) < 0) {
            fprintf(stderr, "%s: can't open() %s\n", prog, jname);
            cleanup(1);
55
        }
    }
    for (i = i0 = i1 = 0, dmax0 = dmax, xx = len0; ; i++) {
        while (1) {
60
            for (j = dx[dmax].ijmp; j >= 0 && dx[dmax].jp.x[j] >= xx; j--)
                ;

```

g_alloc

readjmps

Table 1 (cont')**...readjumps**

```

5         if (j < 0 && dx[dmax].offset && fj) {
            (void) lseek(fd, dx[dmax].offset, 0);
            (void) read(fd, (char *)&dx[dmax].jp, sizeof(struct jmp));
            (void) read(fd, (char *)&dx[dmax].offset, sizeof(dx[dmax].offset));
            dx[dmax].ijmp = MAXJMP-1;
        }
        else
            break;
10    }
    if (i >= JMPS) {
        fprintf(stderr, "%s: too many gaps in alignment\n", prog);
        cleanup(1);
    }
15    if (j >= 0) {
        siz = dx[dmax].jp.n[j];
        xx = dx[dmax].jp.x[j];
        dmax += siz;
        if (siz < 0) { /* gap in second seq */
20            pp[1].n[i1] = -siz;
            xx += siz;
            /* id = xx - yy + len1 - 1
             */
            pp[1].x[i1] = xx - dmax + len1 - 1;
            gapy++;
            ngapy -= siz;
            /* ignore MAXGAP when doing endgaps */
            siz = (-siz < MAXGAP || endgaps)? -siz : MAXGAP;
            i1++;
30        }
        else if (siz > 0) { /* gap in first seq */
            pp[0].n[i0] = siz;
            pp[0].x[i0] = xx;
            gapx++;
            ngapx += siz;
35            /* ignore MAXGAP when doing endgaps */
            siz = (siz < MAXGAP || endgaps)? siz : MAXGAP;
            i0++;
        }
    }
40    }
    else
        break;
}

45    /* reverse the order of jumps
    */
    for (j = 0, i0--; j < i0; j++, i0--) {
        i = pp[0].n[j]; pp[0].n[j] = pp[0].n[i0]; pp[0].n[i0] = i;
        i = pp[0].x[j]; pp[0].x[j] = pp[0].x[i0]; pp[0].x[i0] = i;
50    }
    for (j = 0, i1--; j < i1; j++, i1--) {
        i = pp[1].n[j]; pp[1].n[j] = pp[1].n[i1]; pp[1].n[i1] = i;
        i = pp[1].x[j]; pp[1].x[j] = pp[1].x[i1]; pp[1].x[i1] = i;
55    }
    if (fd >= 0)
        (void) close(fd);
    if (fj) {
        (void) unlink(jname);
        fj = 0;
        offset = 0;
60    }
}

```

Table 1 (cont')

```

/*
 * write a filled jmp struct offset of the prev one (if any): nw()
 */
5  writejumps(ix)                                writejumps
    int      ix;
    {
        char  *mktemp();
10         if (!fj) {
            if (mktemp(jname) < 0) {
                fprintf(stderr, "%s: can't mktemp() %s\n", prog, jname);
                cleanup(1);
            }
15         if ((fj = fopen(jname, "w")) == 0) {
            fprintf(stderr, "%s: can't write %s\n", prog, jname);
            exit(1);
        }
20         (void) fwrite((char *)&dx[ix].jp, sizeof(struct jmp), 1, fj);
        (void) fwrite((char *)&dx[ix].offset, sizeof(dx[ix].offset), 1, fj);
    }
25
30
35
40
45
50
55
60

```


Table 2

PRO	XXXXXXXXXXXXXXXXXX	(Length = 15 amino acids)
Comparison Protein	XXXXXXXXXXXXXX	(Length = 12 amino acids)

5 % amino acid sequence identity =

(the number of identically matching amino acid residues between the two polypeptide sequences as determined by ALIGN-2) divided by (the total number of amino acid residues of the PRO polypeptide) =

10 5 divided by 15 = 33.3%

Table 3

PRO	XXXXXXXXXX	(Length = 10 amino acids)
15 Comparison Protein	XXXXXXXXXXXXZZYZ	(Length = 15 amino acids)

% amino acid sequence identity =

20 (the number of identically matching amino acid residues between the two polypeptide sequences as determined by ALIGN-2) divided by (the total number of amino acid residues of the PRO polypeptide) =

5 divided by 10 = 50%

Table 4

25 PRO-DNA	NNNNNNNNNNNNNN	(Length = 14 nucleotides)
Comparison DNA	NNNNNNLLLLLLLLLL	(Length = 16 nucleotides)

% nucleic acid sequence identity =

30

(the number of identically matching nucleotides between the two nucleic acid sequences as determined by ALIGN-2) divided by (the total number of nucleotides of the PRO-DNA nucleic acid sequence) =

6 divided by 14 = 42.9%

35

Table 5

PRO-DNA	NNNNNNNNNNNN	(Length = 12 nucleotides)
Comparison DNA	NNNNLLLVV	(Length = 9 nucleotides)

5 % nucleic acid sequence identity =

(the number of identically matching nucleotides between the two nucleic acid sequences as determined by ALIGN-2) divided by (the total number of nucleotides of the PRO-DNA nucleic acid sequence) =

10 4 divided by 12 = 33.3%

II. Compositions and Methods of the Invention

A. Full-Length PRO Polypeptides

15 The present invention provides newly identified and isolated nucleotide sequences encoding polypeptides referred to in the present application as PRO polypeptides. In particular, cDNAs encoding various PRO polypeptides have been identified and isolated, as disclosed in further detail in the Examples below. It is noted that proteins produced in separate expression rounds may be given different PRO numbers but the UNQ number is unique for any given DNA and the encoded protein, and will not be changed. However, for sake of simplicity, in the present specification the protein encoded by the full length native nucleic acid molecules disclosed herein as well as all further native homologues and variants included in the foregoing definition of PRO, will be referred to as "PRO/number", regardless of their origin or mode of preparation.

25 As disclosed in the Examples below, various cDNA clones have been deposited with the ATCC. The actual nucleotide sequences of those clones can readily be determined by the skilled artisan by sequencing of the deposited clone using routine methods in the art. The predicted amino acid sequence can be determined from the nucleotide sequence using routine skill. For the PRO polypeptides and encoding nucleic acids described herein, Applicants have identified what is believed to be the reading frame best identifiable with the sequence information available at the time.

B. PRO Polypeptide Variants

30 In addition to the full-length native sequence PRO polypeptides described herein, it is contemplated that PRO variants can be prepared. PRO variants can be prepared by introducing appropriate nucleotide changes into the PRO DNA, and/or by synthesis of the desired PRO polypeptide. Those skilled in the art will appreciate that amino acid changes may alter post-translational processes of the PRO, such as changing the number or position of glycosylation sites or altering the membrane anchoring characteristics.

35 Variations in the native full-length sequence PRO or in various domains of the PRO described herein, can be made, for example, using any of the techniques and guidelines for conservative and non-conservative

mutations set forth, for instance, in U.S. Patent No. 5,364,934. Variations may be a substitution, deletion or insertion of one or more codons encoding the PRO that results in a change in the amino acid sequence of the PRO as compared with the native sequence PRO. Optionally the variation is by substitution of at least one amino acid with any other amino acid in one or more of the domains of the PRO. Guidance in determining which amino acid residue may be inserted, substituted or deleted without adversely affecting the desired activity may be found by
5 comparing the sequence of the PRO with that of homologous known protein molecules and minimizing the number of amino acid sequence changes made in regions of high homology. Amino acid substitutions can be the result of replacing one amino acid with another amino acid having similar structural and/or chemical properties, such as the replacement of a leucine with a serine, i.e., conservative amino acid replacements. Insertions or deletions may optionally be in the range of about 1 to 5 amino acids. The variation allowed may be determined by
10 systematically making insertions, deletions or substitutions of amino acids in the sequence and testing the resulting variants for activity exhibited by the full-length or mature native sequence.

PRO polypeptide fragments are provided herein. Such fragments may be truncated at the N-terminus or C-terminus, or may lack internal residues, for example, when compared with a full length native protein. Certain fragments lack amino acid residues that are not essential for a desired biological activity of the PRO
15 polypeptide.

PRO fragments may be prepared by any of a number of conventional techniques. Desired peptide fragments may be chemically synthesized. An alternative approach involves generating PRO fragments by enzymatic digestion, e.g., by treating the protein with an enzyme known to cleave proteins at sites defined by particular amino acid residues, or by digesting the DNA with suitable restriction enzymes and isolating the desired
20 fragment. Yet another suitable technique involves isolating and amplifying a DNA fragment encoding a desired polypeptide fragment, by polymerase chain reaction (PCR). Oligonucleotides that define the desired termini of the DNA fragment are employed at the 5' and 3' primers in the PCR. Preferably, PRO polypeptide fragments share at least one biological and/or immunological activity with the native PRO polypeptide disclosed herein.

In particular embodiments, conservative substitutions of interest are shown in Table 6 under the heading
25 of preferred substitutions. If such substitutions result in a change in biological activity, then more substantial changes, denominated exemplary substitutions in Table 6, or as further described below in reference to amino acid classes, are introduced and the products screened.

Table 6

	<u>Original Residue</u>	<u>Exemplary Substitutions</u>	<u>Preferred Substitutions</u>
5	Ala (A)	val; leu; ile	val
	Arg (R)	lys; gln; asn	lys
	Asn (N)	gln; his; lys; arg	gln
	Asp (D)	glu	glu
	Cys (C)	ser	ser
10	Gln (Q)	asn	asn
	Glu (E)	asp	asp
	Gly (G)	pro; ala	ala
	His (H)	asn; gln; lys; arg	arg
	Ile (I)	leu; val; met; ala; phe;	
15		norleucine	leu
	Leu (L)	norleucine; ile; val;	
		met; ala; phe	ile
	Lys (K)	arg; gln; asn	arg
	Met (M)	leu; phe; ile	leu
20	Phe (F)	leu; val; ile; ala; tyr	leu
	Pro (P)	ala	ala
	Ser (S)	thr	thr
	Thr (T)	ser	ser
	Trp (W)	tyr; phe	tyr
25	Tyr (Y)	trp; phe; thr; ser	phe
	Val (V)	ile; leu; met; phe;	
		ala; norleucine	leu

30 Substantial modifications in function or immunological identity of the PRO polypeptide are accomplished by selecting substitutions that differ significantly in their effect on maintaining (a) the structure of the polypeptide backbone in the area of the substitution, for example, as a sheet or helical conformation, (b) the charge or hydrophobicity of the molecule at the target site, or (c) the bulk of the side chain. Naturally occurring residues are divided into groups based on common side-chain properties:

- 35 (1) hydrophobic: norleucine, met, ala, val, leu, ile;
 (2) neutral hydrophilic: cys, ser, thr;
 (3) acidic: asp, glu;
 (4) basic: asn, gln, his, lys, arg;
 (5) residues that influence chain orientation: gly, pro; and
 40 (6) aromatic: trp, tyr, phe.

Non-conservative substitutions will entail exchanging a member of one of these classes for another class. Such substituted residues also may be introduced into the conservative substitution sites or, more preferably, into the remaining (non-conserved) sites.

45 The variations can be made using methods known in the art such as oligonucleotide-mediated (site-directed) mutagenesis, alanine scanning, and PCR mutagenesis. Site-directed mutagenesis [Carter et al., Nucl. Acids Res., 13:4331 (1986); Zoller et al., Nucl. Acids Res., 10:6487 (1987)], cassette mutagenesis [Wells et al.,

Gene, 34:315 (1985)]; restriction selection mutagenesis [Wells et al., Philos. Trans. R. Soc. London Ser. A, 317:415 (1986)] or other known techniques can be performed on the cloned DNA to produce the PRO variant DNA.

5 Scanning amino acid analysis can also be employed to identify one or more amino acids along a contiguous sequence. Among the preferred scanning amino acids are relatively small, neutral amino acids. Such amino acids include alanine, glycine, serine, and cysteine. Alanine is typically a preferred scanning amino acid among this group because it eliminates the side-chain beyond the beta-carbon and is less likely to alter the main-chain conformation of the variant [Cunningham and Wells, Science, 244: 1081-1085 (1989)]. Alanine is also typically preferred because it is the most common amino acid. Further, it is frequently found in both buried and exposed positions [Creighton, The Proteins, (W.H. Freeman & Co., N.Y.); Chothia, J. Mol. Biol., 150:1
10 (1976)]. If alanine substitution does not yield adequate amounts of variant, an isoteric amino acid can be used.

C. Modifications of PRO

Covalent modifications of PRO are included within the scope of this invention. One type of covalent modification includes reacting targeted amino acid residues of a PRO polypeptide with an organic derivatizing agent that is capable of reacting with selected side chains or the N- or C- terminal residues of the PRO. Derivatization with bifunctional agents is useful, for instance, for crosslinking PRO to a water-insoluble support matrix or surface for use in the method for purifying anti-PRO antibodies, and vice-versa. Commonly used crosslinking agents include, e.g., 1,1-bis(diazoacetyl)-2-phenylethane, glutaraldehyde, N-hydroxysuccinimide esters, for example, esters with 4-azidosalicylic acid, homobifunctional imidoesters, including disuccinimidyl
15 esters such as 3,3'-dithiobis(succinimidylpropionate), bifunctional maleimides such as bis-N-maleimido-1,8-octane and agents such as methyl-3-[(p-azidophenyl)dithio]propioimide.

Other modifications include deamidation of glutaminyl and asparaginyl residues to the corresponding glutamyl and aspartyl residues, respectively, hydroxylation of proline and lysine, phosphorylation of hydroxyl groups of seryl or threonyl residues, methylation of the α -amino groups of lysine, arginine, and histidine side chains [T.E. Creighton, Proteins: Structure and Molecular Properties, W.H. Freeman & Co., San Francisco, pp. 79-86 (1983)], acetylation of the N-terminal amine, and amidation of any C-terminal carboxyl group.
25

Another type of covalent modification of the PRO polypeptide included within the scope of this invention comprises altering the native glycosylation pattern of the polypeptide. "Altering the native glycosylation pattern" is intended for purposes herein to mean deleting one or more carbohydrate moieties found in native sequence PRO (either by removing the underlying glycosylation site or by deleting the glycosylation by chemical and/or enzymatic means), and/or adding one or more glycosylation sites that are not present in the native sequence PRO. In addition, the phrase includes qualitative changes in the glycosylation of the native proteins, involving a change in the nature and proportions of the various carbohydrate moieties present.
30

Addition of glycosylation sites to the PRO polypeptide may be accomplished by altering the amino acid sequence. The alteration may be made, for example, by the addition of, or substitution by, one or more serine or threonine residues to the native sequence PRO (for O-linked glycosylation sites). The PRO amino acid sequence may optionally be altered through changes at the DNA level, particularly by mutating the DNA encoding
35

the PRO polypeptide at preselected bases such that codons are generated that will translate into the desired amino acids.

Another means of increasing the number of carbohydrate moieties on the PRO polypeptide is by chemical or enzymatic coupling of glycosides to the polypeptide. Such methods are described in the art, e.g., in WO 87/05330 published 11 September 1987, and in Aplin and Wriston, CRC Crit. Rev. Biochem., pp. 259-306 (1981).

Removal of carbohydrate moieties present on the PRO polypeptide may be accomplished chemically or enzymatically or by mutational substitution of codons encoding for amino acid residues that serve as targets for glycosylation. Chemical deglycosylation techniques are known in the art and described, for instance, by Hakimuddin, et al., Arch. Biochem. Biophys., 259:52 (1987) and by Edge et al., Anal. Biochem., 118:131 (1981). Enzymatic cleavage of carbohydrate moieties on polypeptides can be achieved by the use of a variety of endo- and exo-glycosidases as described by Thotakura et al., Meth. Enzymol., 138:350 (1987).

Another type of covalent modification of PRO comprises linking the PRO polypeptide to one of a variety of nonproteinaceous polymers, e.g., polyethylene glycol (PEG), polypropylene glycol, or polyoxyalkylenes, in the manner set forth in U.S. Patent Nos. 4,640,835; 4,496,689; 4,301,144; 4,670,417; 4,791,192 or 4,179,337.

The PRO of the present invention may also be modified in a way to form a chimeric molecule comprising PRO fused to another, heterologous polypeptide or amino acid sequence.

In one embodiment, such a chimeric molecule comprises a fusion of the PRO with a tag polypeptide which provides an epitope to which an anti-tag antibody can selectively bind. The epitope tag is generally placed at the amino- or carboxyl- terminus of the PRO. The presence of such epitope-tagged forms of the PRO can be detected using an antibody against the tag polypeptide. Also, provision of the epitope tag enables the PRO to be readily purified by affinity purification using an anti-tag antibody or another type of affinity matrix that binds to the epitope tag. Various tag polypeptides and their respective antibodies are well known in the art. Examples include poly-histidine (poly-his) or poly-histidine-glycine (poly-his-gly) tags; the flu HA tag polypeptide and its antibody 12CA5 [Field et al., Mol. Cell. Biol., 8:2159-2165 (1988)]; the c-myc tag and the 8F9, 3C7, 6E10, G4, B7 and 9E10 antibodies thereto [Evan et al., Molecular and Cellular Biology, 5:3610-3616 (1985)]; and the Herpes Simplex virus glycoprotein D (gD) tag and its antibody [Paborsky et al., Protein Engineering, 3(6):547-553 (1990)]. Other tag polypeptides include the Flag-peptide [Hopp et al., BioTechnology, 6:1204-1210 (1988)]; the KT3 epitope peptide [Martin et al., Science, 255:192-194 (1992)]; an α -tubulin epitope peptide [Skinner et al., J. Biol. Chem., 266:15163-15166 (1991)]; and the T7 gene 10 protein peptide tag [Lutz-Freyermuth et al., Proc. Natl. Acad. Sci. USA, 87:6393-6397 (1990)].

In an alternative embodiment, the chimeric molecule may comprise a fusion of the PRO with an immunoglobulin or a particular region of an immunoglobulin. For a bivalent form of the chimeric molecule (also referred to as an "immunoadhesin"), such a fusion could be to the Fc region of an IgG molecule. The Ig fusions preferably include the substitution of a soluble (transmembrane domain deleted or inactivated) form of a PRO polypeptide in place of at least one variable region within an Ig molecule. In a particularly preferred embodiment, the immunoglobulin fusion includes the hinge, CH2 and CH3, or the hinge, CH1, CH2 and CH3 regions of an IgG1 molecule. For the production of immunoglobulin fusions see also US Patent No. 5,428,130 issued June 27,

1995.

D. Preparation of PRO

The description below relates primarily to production of PRO by culturing cells transformed or transfected with a vector containing PRO nucleic acid. It is, of course, contemplated that alternative methods, which are well known in the art, may be employed to prepare PRO. For instance, the PRO sequence, or portions thereof, may be produced by direct peptide synthesis using solid-phase techniques [see, e.g., Stewart et al., Solid-Phase Peptide Synthesis, W.H. Freeman Co., San Francisco, CA (1969); Merrifield, J. Am. Chem. Soc., 85:2149-2154 (1963)]. *In vitro* protein synthesis may be performed using manual techniques or by automation. Automated synthesis may be accomplished, for instance, using an Applied Biosystems Peptide Synthesizer (Foster City, CA) using manufacturer's instructions. Various portions of the PRO may be chemically synthesized separately and combined using chemical or enzymatic methods to produce the full-length PRO.

1. Isolation of DNA Encoding PRO

DNA encoding PRO may be obtained from a cDNA library prepared from tissue believed to possess the PRO mRNA and to express it at a detectable level. Accordingly, human PRO DNA can be conveniently obtained from a cDNA library prepared from human tissue, such as described in the Examples. The PRO-encoding gene may also be obtained from a genomic library or by known synthetic procedures (e.g., automated nucleic acid synthesis).

Libraries can be screened with probes (such as antibodies to the PRO or oligonucleotides of at least about 20-80 bases) designed to identify the gene of interest or the protein encoded by it. Screening the cDNA or genomic library with the selected probe may be conducted using standard procedures, such as described in Sambrook et al., Molecular Cloning: A Laboratory Manual (New York: Cold Spring Harbor Laboratory Press, 1989). An alternative means to isolate the gene encoding PRO is to use PCR methodology [Sambrook et al., *supra*; Dieffenbach et al., PCR Primer: A Laboratory Manual (Cold Spring Harbor Laboratory Press, 1995)].

The Examples below describe techniques for screening a cDNA library. The oligonucleotide sequences selected as probes should be of sufficient length and sufficiently unambiguous that false positives are minimized. The oligonucleotide is preferably labeled such that it can be detected upon hybridization to DNA in the library being screened. Methods of labeling are well known in the art, and include the use of radiolabels like ³²P-labeled ATP, biotinylation or enzyme labeling. Hybridization conditions, including moderate stringency and high stringency, are provided in Sambrook et al., *supra*.

Sequences identified in such library screening methods can be compared and aligned to other known sequences deposited and available in public databases such as GenBank or other private sequence databases. Sequence identity (at either the amino acid or nucleotide level) within defined regions of the molecule or across the full-length sequence can be determined using methods known in the art and as described herein.

Nucleic acid having protein coding sequence may be obtained by screening selected cDNA or genomic libraries using the deduced amino acid sequence disclosed herein for the first time, and, if necessary, using conventional primer extension procedures as described in Sambrook et al., *supra*, to detect precursors and

processing intermediates of mRNA that may not have been reverse-transcribed into cDNA.

2. Selection and Transformation of Host Cells

Host cells are transfected or transformed with expression or cloning vectors described herein for PRO production and cultured in conventional nutrient media modified as appropriate for inducing promoters, selecting transformants, or amplifying the genes encoding the desired sequences. The culture conditions, such as media, temperature, pH and the like, can be selected by the skilled artisan without undue experimentation. In general, principles, protocols, and practical techniques for maximizing the productivity of cell cultures can be found in Mammalian Cell Biotechnology: a Practical Approach, M. Butler, ed. (IRL Press, 1991) and Sambrook et al., supra.

Methods of eukaryotic cell transfection and prokaryotic cell transformation are known to the ordinarily skilled artisan, for example, CaCl_2 , CaPO_4 , liposome-mediated and electroporation. Depending on the host cell used, transformation is performed using standard techniques appropriate to such cells. The calcium treatment employing calcium chloride, as described in Sambrook et al., supra, or electroporation is generally used for prokaryotes. Infection with *Agrobacterium tumefaciens* is used for transformation of certain plant cells, as described by Shaw et al., Gene, 23:315 (1983) and WO 89/05859 published 29 June 1989. For mammalian cells without such cell walls, the calcium phosphate precipitation method of Graham and van der Eb, Virology, 52:456-457 (1978) can be employed. General aspects of mammalian cell host system transfections have been described in U.S. Patent No. 4,399,216. Transformations into yeast are typically carried out according to the method of Van Solingen et al., J. Bact., 130:946 (1977) and Hsiao et al., Proc. Natl. Acad. Sci. (USA), 76:3829 (1979). However, other methods for introducing DNA into cells, such as by nuclear microinjection, electroporation, bacterial protoplast fusion with intact cells, or polycations, e.g., polybrene, polyornithine, may also be used. For various techniques for transforming mammalian cells, see Keown et al., Methods in Enzymology, 185:527-537 (1990) and Mansour et al., Nature, 336:348-352 (1988).

Suitable host cells for cloning or expressing the DNA in the vectors herein include prokaryote, yeast, or higher eukaryote cells. Suitable prokaryotes include but are not limited to eubacteria, such as Gram-negative or Gram-positive organisms, for example, Enterobacteriaceae such as *E. coli*. Various *E. coli* strains are publicly available, such as *E. coli* K12 strain MM294 (ATCC 31,446); *E. coli* X1776 (ATCC 31,537); *E. coli* strain W3110 (ATCC 27,325) and K5 772 (ATCC 53,635). Other suitable prokaryotic host cells include Enterobacteriaceae such as *Escherichia*, e.g., *E. coli*, *Enterobacter*, *Erwinia*, *Klebsiella*, *Proteus*, *Salmonella*, e.g., *Salmonella typhimurium*, *Serratia*, e.g., *Serratia marcescans*, and *Shigella*, as well as *Bacilli* such as *B. subtilis* and *B. licheniformis* (e.g., *B. licheniformis* 41P disclosed in DD 266,710 published 12 April 1989), *Pseudomonas* such as *P. aeruginosa*, and *Streptomyces*. These examples are illustrative rather than limiting. Strain W3110 is one particularly preferred host or parent host because it is a common host strain for recombinant DNA product fermentations. Preferably, the host cell secretes minimal amounts of proteolytic enzymes. For example, strain W3110 may be modified to effect a genetic mutation in the genes encoding proteins endogenous to the host, with examples of such hosts including *E. coli* W3110 strain 1A2, which has the complete genotype *tonA*; *E. coli* W3110 strain 9E4, which has the complete genotype *tonA ptr3*; *E. coli* W3110 strain 27C7 (ATCC

55,244), which has the complete genotype *tonA ptr3 phoA E15 (argF-lac)169 degP ompT kan^r*; *E. coli* W3110 strain 37D6, which has the complete genotype *tonA ptr3 phoA E15 (argF-lac)169 degP ompT rbs7 ilvG kan^r*; *E. coli* W3110 strain 40B4, which is strain 37D6 with a non-kanamycin resistant *degP* deletion mutation; and an *E. coli* strain having mutant periplasmic protease disclosed in U.S. Patent No. 4,946,783 issued 7 August 1990. Alternatively, *in vitro* methods of cloning, e.g., PCR or other nucleic acid polymerase reactions, are suitable.

5 In addition to prokaryotes, eukaryotic microbes such as filamentous fungi or yeast are suitable cloning or expression hosts for PRO-encoding vectors. *Saccharomyces cerevisiae* is a commonly used lower eukaryotic host microorganism. Others include *Schizosaccharomyces pombe* (Beach and Nurse, Nature, 290: 140 [1981]; EP 139,383 published 2 May 1985); *Kluyveromyces* hosts (U.S. Patent No. 4,943,529; Fleer et al., Bio/Technology, 9:968-975 (1991)) such as, e.g., *K. lactis* (MW98-8C, CBS683, CBS4574; Louvencourt et al., J. Bacteriol., 154(2):737-742 [1983]), *K. fragilis* (ATCC 12,424), *K. bulgaricus* (ATCC 16,045), *K. wickerhamii* (ATCC 24,178), *K. waltii* (ATCC 56,500), *K. drosophilum* (ATCC 36,906; Van den Berg et al., Bio/Technology, 8:135 (1990)), *K. thermotolerans*, and *K. marxianus*; *yarrowia* (EP 402,226); *Pichia pastoris* (EP 183,070; Sreekrishna et al., J. Basic Microbiol., 28:265-278 [1988]); *Candida*; *Trichoderma reesia* (EP 244,234); *Neurospora crassa* (Case et al., Proc. Natl. Acad. Sci. USA, 76:5259-5263 [1979]); *Schwanniomyces* such as *Schwanniomyces occidentalis* (EP 394,538 published 31 October 1990); and filamentous fungi such as, e.g., *Neurospora*, *Penicillium*, *Tolypocladium* (WO 91/00357 published 10 January 1991), and *Aspergillus* hosts such as *A. nidulans* (Ballance et al., Biochem. Biophys. Res. Commun., 112:284-289 [1983]; Tilburn et al., Gene, 26:205-221 [1983]; Yelton et al., Proc. Natl. Acad. Sci. USA, 81: 1470-1474 [1984]) and *A. niger* (Kelly and Hynes, EMBO J., 4:475-479 [1985]). Methylophilic yeasts are suitable herein and include, but are not limited to, yeast capable of growth on methanol selected from the genera consisting of *Hansenula*, *Candida*, *Kloeckera*, *Pichia*, *Saccharomyces*, *Torulopsis*, and *Rhodotorula*. A list of specific species that are exemplary of this class of yeasts may be found in C. Anthony, The Biochemistry of Methylophilic Yeasts, 269 (1982).

Suitable host cells for the expression of glycosylated PRO are derived from multicellular organisms. Examples of invertebrate cells include insect cells such as *Drosophila* S2 and *Spodoptera* Sf9, as well as plant cells. Examples of useful mammalian host cell lines include Chinese hamster ovary (CHO) and COS cells. More specific examples include monkey kidney CV1 line transformed by SV40 (COS-7, ATCC CRL 1651); human embryonic kidney line (293 or 293 cells subcloned for growth in suspension culture, Graham et al., J. Gen Virol., 36:59 (1977)); Chinese hamster ovary cells/-DHFR (CHO, Urlaub and Chasin, Proc. Natl. Acad. Sci. USA, 77:4216 (1980)); mouse sertoli cells (TM4, Mather, Biol. Reprod., 23:243-251 (1980)); human lung cells (W138, ATCC CCL 75); human liver cells (Hep G2, HB 8065); and mouse mammary tumor (MMT 060562, ATCC CCL51). The selection of the appropriate host cell is deemed to be within the skill in the art.

3. Selection and Use of a Replicable Vector

35 The nucleic acid (e.g., cDNA or genomic DNA) encoding PRO may be inserted into a replicable vector for cloning (amplification of the DNA) or for expression. Various vectors are publicly available. The vector may, for example, be in the form of a plasmid, cosmid, viral particle, or phage. The appropriate nucleic acid sequence may be inserted into the vector by a variety of procedures. In general, DNA is inserted into an

appropriate restriction endonuclease site(s) using techniques known in the art. Vector components generally include, but are not limited to, one or more of a signal sequence, an origin of replication, one or more marker genes, an enhancer element, a promoter, and a transcription termination sequence. Construction of suitable vectors containing one or more of these components employs standard ligation techniques which are known to the skilled artisan.

5 The PRO may be produced recombinantly not only directly, but also as a fusion polypeptide with a heterologous polypeptide, which may be a signal sequence or other polypeptide having a specific cleavage site at the N-terminus of the mature protein or polypeptide. In general, the signal sequence may be a component of the vector, or it may be a part of the PRO-encoding DNA that is inserted into the vector. The signal sequence may be a prokaryotic signal sequence selected, for example, from the group of the alkaline phosphatase, penicillinase, lpp, or heat-stable enterotoxin II leaders. For yeast secretion the signal sequence may be, e.g., the yeast invertase leader, alpha factor leader (including *Saccharomyces* and *Kluyveromyces* α -factor leaders, the latter described in U.S. Patent No. 5,010,182), or acid phosphatase leader, the *C. albicans* glucoamylase leader (EP 362,179 published 4 April 1990), or the signal described in WO 90/13646 published 15 November 1990. In mammalian cell expression, mammalian signal sequences may be used to direct secretion of the protein, such as signal sequences from secreted polypeptides of the same or related species, as well as viral secretory leaders.

15 Both expression and cloning vectors contain a nucleic acid sequence that enables the vector to replicate in one or more selected host cells. Such sequences are well known for a variety of bacteria, yeast, and viruses. The origin of replication from the plasmid pBR322 is suitable for most Gram-negative bacteria, the 2 μ plasmid origin is suitable for yeast, and various viral origins (SV40, polyoma, adenovirus, VSV or BPV) are useful for cloning vectors in mammalian cells.

20 Expression and cloning vectors will typically contain a selection gene, also termed a selectable marker. Typical selection genes encode proteins that (a) confer resistance to antibiotics or other toxins, e.g., ampicillin, neomycin, methotrexate, or tetracycline, (b) complement auxotrophic deficiencies, or (c) supply critical nutrients not available from complex media, e.g., the gene encoding D-alanine racemase for *Bacilli*.

25 An example of suitable selectable markers for mammalian cells are those that enable the identification of cells competent to take up the PRO-encoding nucleic acid, such as DHFR or thymidine kinase. An appropriate host cell when wild-type DHFR is employed is the CHO cell line deficient in DHFR activity, prepared and propagated as described by Urlaub et al., Proc. Natl. Acad. Sci. USA, 77:4216 (1980). A suitable selection gene for use in yeast is the *trp1* gene present in the yeast plasmid YRp7 [Stinchcomb et al., Nature, 282:39 (1979); Kingsman et al., Gene, 7:141 (1979); Tschemper et al., Gene, 10:157 (1980)]. The *trp1* gene provides a selection marker for a mutant strain of yeast lacking the ability to grow in tryptophan, for example, ATCC No. 44076 or PEP4-1 [Jones, Genetics, 85:12 (1977)].

30 Expression and cloning vectors usually contain a promoter operably linked to the PRO-encoding nucleic acid sequence to direct mRNA synthesis. Promoters recognized by a variety of potential host cells are well known. Promoters suitable for use with prokaryotic hosts include the β -lactamase and lactose promoter systems [Chang et al., Nature, 275:615 (1978); Goeddel et al., Nature, 281:544 (1979)], alkaline phosphatase, a tryptophan (*trp*) promoter system [Goeddel, Nucleic Acids Res., 8:4057 (1980); EP 36,776], and hybrid

promoters such as the tac promoter [deBoer et al., Proc. Natl. Acad. Sci. USA, 80:21-25 (1983)]. Promoters for use in bacterial systems also will contain a Shine-Dalgarno (S.D.) sequence operably linked to the DNA encoding PRO.

5 Examples of suitable promoting sequences for use with yeast hosts include the promoters for 3-phosphoglycerate kinase [Hitzeman et al., J. Biol. Chem., 255:2073 (1980)] or other glycolytic enzymes [Hess et al., J. Adv. Enzyme Reg., 7:149 (1968); Holland, Biochemistry, 17:4900 (1978)], such as enolase, glyceraldehyde-3-phosphate dehydrogenase, hexokinase, pyruvate decarboxylase, phosphofructokinase, glucose-6-phosphate isomerase, 3-phosphoglycerate mutase, pyruvate kinase, triosephosphate isomerase, phosphoglucose isomerase, and glucokinase.

10 Other yeast promoters, which are inducible promoters having the additional advantage of transcription controlled by growth conditions, are the promoter regions for alcohol dehydrogenase 2, isocytochrome C, acid phosphatase, degradative enzymes associated with nitrogen metabolism, metallothionein, glyceraldehyde-3-phosphate dehydrogenase, and enzymes responsible for maltose and galactose utilization. Suitable vectors and promoters for use in yeast expression are further described in EP 73,657.

15 PRO transcription from vectors in mammalian host cells is controlled, for example, by promoters obtained from the genomes of viruses such as polyoma virus, fowlpox virus (UK 2,211,504 published 5 July 1989), adenovirus (such as Adenovirus 2), bovine papilloma virus, avian sarcoma virus, cytomegalovirus, a retrovirus, hepatitis-B virus and Simian Virus 40 (SV40), from heterologous mammalian promoters, e.g., the actin promoter or an immunoglobulin promoter, and from heat-shock promoters, provided such promoters are compatible with the host cell systems.

20 Transcription of a DNA encoding the PRO by higher eukaryotes may be increased by inserting an enhancer sequence into the vector. Enhancers are cis-acting elements of DNA, usually about from 10 to 300 bp, that act on a promoter to increase its transcription. Many enhancer sequences are now known from mammalian genes (globin, elastase, albumin, α -fetoprotein, and insulin). Typically, however, one will use an enhancer from a eukaryotic cell virus. Examples include the SV40 enhancer on the late side of the replication origin (bp 100-270), the cytomegalovirus early promoter enhancer, the polyoma enhancer on the late side of the replication origin, and adenovirus enhancers. The enhancer may be spliced into the vector at a position 5' or 3' to the PRO coding sequence, but is preferably located at a site 5' from the promoter.

25 Expression vectors used in eukaryotic host cells (yeast, fungi, insect, plant, animal, human, or nucleated cells from other multicellular organisms) will also contain sequences necessary for the termination of transcription and for stabilizing the mRNA. Such sequences are commonly available from the 5' and, occasionally 3', untranslated regions of eukaryotic or viral DNAs or cDNAs. These regions contain nucleotide segments transcribed as polyadenylated fragments in the untranslated portion of the mRNA encoding PRO.

30 Still other methods, vectors, and host cells suitable for adaptation to the synthesis of PRO in recombinant vertebrate cell culture are described in Gething et al., Nature, 293:620-625 (1981); Mantei et al., Nature, 281:40-46 (1979); EP 117,060; and EP 117,058.

4. Detecting Gene Amplification/Expression

Gene amplification and/or expression may be measured in a sample directly, for example, by conventional Southern blotting, Northern blotting to quantitate the transcription of mRNA [Thomas, Proc. Natl. Acad. Sci. USA, 77:5201-5205 (1980)], dot blotting (DNA analysis), or *in situ* hybridization, using an appropriately labeled probe, based on the sequences provided herein. Alternatively, antibodies may be employed that can recognize specific duplexes, including DNA duplexes, RNA duplexes, and DNA-RNA hybrid duplexes or DNA-protein duplexes. The antibodies in turn may be labeled and the assay may be carried out where the duplex is bound to a surface, so that upon the formation of duplex on the surface, the presence of antibody bound to the duplex can be detected.

Gene expression, alternatively, may be measured by immunological methods, such as immunohistochemical staining of cells or tissue sections and assay of cell culture or body fluids, to quantitate directly the expression of gene product. Antibodies useful for immunohistochemical staining and/or assay of sample fluids may be either monoclonal or polyclonal, and may be prepared in any mammal. Conveniently, the antibodies may be prepared against a native sequence PRO polypeptide or against a synthetic peptide based on the DNA sequences provided herein or against exogenous sequence fused to PRO DNA and encoding a specific antibody epitope.

5. Purification of Polypeptide

Forms of PRO may be recovered from culture medium or from host cell lysates. If membrane-bound, it can be released from the membrane using a suitable detergent solution (e.g. Triton-X 100) or by enzymatic cleavage. Cells employed in expression of PRO can be disrupted by various physical or chemical means, such as freeze-thaw cycling, sonication, mechanical disruption, or cell lysing agents.

It may be desired to purify PRO from recombinant cell proteins or polypeptides. The following procedures are exemplary of suitable purification procedures: by fractionation on an ion-exchange column; ethanol precipitation; reverse phase HPLC; chromatography on silica or on a cation-exchange resin such as DEAE; chromatofocusing; SDS-PAGE; ammonium sulfate precipitation; gel filtration using, for example, Sephadex G-75; protein A Sepharose columns to remove contaminants such as IgG; and metal chelating columns to bind epitope-tagged forms of the PRO. Various methods of protein purification may be employed and such methods are known in the art and described for example in Deutscher, Methods in Enzymology, 182 (1990); Scopes, Protein Purification: Principles and Practice, Springer-Verlag, New York (1982). The purification step(s) selected will depend, for example, on the nature of the production process used and the particular PRO produced.

E. Uses for PRO

Nucleotide sequences (or their complement) encoding PRO have various applications in the art of molecular biology, including uses as hybridization probes, in chromosome and gene mapping and in the generation of anti-sense RNA and DNA. PRO nucleic acid will also be useful for the preparation of PRO polypeptides by the recombinant techniques described herein.

The full-length native sequence PRO gene, or portions thereof, may be used as hybridization probes for a cDNA library to isolate the full-length PRO cDNA or to isolate still other cDNAs (for instance, those encoding

naturally-occurring variants of PRO or PRO from other species) which have a desired sequence identity to the native PRO sequence disclosed herein. Optionally, the length of the probes will be about 20 to about 50 bases. The hybridization probes may be derived from at least partially novel regions of the full length native nucleotide sequence wherein those regions may be determined without undue experimentation or from genomic sequences including promoters, enhancer elements and introns of native sequence PRO. By way of example, a screening method will comprise isolating the coding region of the PRO gene using the known DNA sequence to synthesize a selected probe of about 40 bases. Hybridization probes may be labeled by a variety of labels, including radionucleotides such as ^{32}P or ^{35}S , or enzymatic labels such as alkaline phosphatase coupled to the probe via avidin/biotin coupling systems. Labeled probes having a sequence complementary to that of the PRO gene of the present invention can be used to screen libraries of human cDNA, genomic DNA or mRNA to determine which members of such libraries the probe hybridizes to. Hybridization techniques are described in further detail in the Examples below.

Any EST sequences disclosed in the present application may similarly be employed as probes, using the methods disclosed herein.

Other useful fragments of the PRO nucleic acids include antisense or sense oligonucleotides comprising a single-stranded nucleic acid sequence (either RNA or DNA) capable of binding to target PRO mRNA (sense) or PRO DNA (antisense) sequences. Antisense or sense oligonucleotides, according to the present invention, comprise a fragment of the coding region of PRO DNA. Such a fragment generally comprises at least about 14 nucleotides, preferably from about 14 to 30 nucleotides. The ability to derive an antisense or a sense oligonucleotide, based upon a cDNA sequence encoding a given protein is described in, for example, Stein and Cohen (*Cancer Res.* 48:2659, 1988) and van der Krol et al. (*BioTechniques* 6:958, 1988).

Binding of antisense or sense oligonucleotides to target nucleic acid sequences results in the formation of duplexes that block transcription or translation of the target sequence by one of several means, including enhanced degradation of the duplexes, premature termination of transcription or translation, or by other means. The antisense oligonucleotides thus may be used to block expression of PRO proteins. Antisense or sense oligonucleotides further comprise oligonucleotides having modified sugar-phosphodiester backbones (or other sugar linkages, such as those described in WO 91/06629) and wherein such sugar linkages are resistant to endogenous nucleases. Such oligonucleotides with resistant sugar linkages are stable *in vivo* (i.e., capable of resisting enzymatic degradation) but retain sequence specificity to be able to bind to target nucleotide sequences.

Other examples of sense or antisense oligonucleotides include those oligonucleotides which are covalently linked to organic moieties, such as those described in WO 90/10048, and other moieties that increases affinity of the oligonucleotide for a target nucleic acid sequence, such as poly-(L-lysine). Further still, intercalating agents, such as ellipticine, and alkylating agents or metal complexes may be attached to sense or antisense oligonucleotides to modify binding specificities of the antisense or sense oligonucleotide for the target nucleotide sequence.

Antisense or sense oligonucleotides may be introduced into a cell containing the target nucleic acid sequence by any gene transfer method, including, for example, CaPO_4 -mediated DNA transfection, electroporation, or by using gene transfer vectors such as Epstein-Barr virus. In a preferred procedure, an

antisense or sense oligonucleotide is inserted into a suitable retroviral vector. A cell containing the target nucleic acid sequence is contacted with the recombinant retroviral vector, either *in vivo* or *ex vivo*. Suitable retroviral vectors include, but are not limited to, those derived from the murine retrovirus M-MuLV, N2 (a retrovirus derived from M-MuLV), or the double copy vectors designated DCT5A, DCT5B and DCT5C (see WO 90/13641).

5 Sense or antisense oligonucleotides also may be introduced into a cell containing the target nucleotide sequence by formation of a conjugate with a ligand binding molecule, as described in WO 91/04753. Suitable ligand binding molecules include, but are not limited to, cell surface receptors, growth factors, other cytokines, or other ligands that bind to cell surface receptors. Preferably, conjugation of the ligand binding molecule does not substantially interfere with the ability of the ligand binding molecule to bind to its corresponding molecule or receptor, or block entry of the sense or antisense oligonucleotide or its conjugated version into the cell.

10 Alternatively, a sense or an antisense oligonucleotide may be introduced into a cell containing the target nucleic acid sequence by formation of an oligonucleotide-lipid complex, as described in WO 90/10448. The sense or antisense oligonucleotide-lipid complex is preferably dissociated within the cell by an endogenous lipase.

15 Antisense or sense RNA or DNA molecules are generally at least about 5 bases in length, about 10 bases in length, about 15 bases in length, about 20 bases in length, about 25 bases in length, about 30 bases in length, about 35 bases in length, about 40 bases in length, about 45 bases in length, about 50 bases in length, about 55 bases in length, about 60 bases in length, about 65 bases in length, about 70 bases in length, about 75 bases in length, about 80 bases in length, about 85 bases in length, about 90 bases in length, about 95 bases in length, about 100 bases in length, or more.

20 The probes may also be employed in PCR techniques to generate a pool of sequences for identification of closely related PRO coding sequences.

 Nucleotide sequences encoding a PRO can also be used to construct hybridization probes for mapping the gene which encodes that PRO and for the genetic analysis of individuals with genetic disorders. The nucleotide sequences provided herein may be mapped to a chromosome and specific regions of a chromosome using known techniques, such as *in situ* hybridization, linkage analysis against known chromosomal markers, and hybridization screening with libraries.

25 When the coding sequences for PRO encode a protein which binds to another protein (example, where the PRO is a receptor), the PRO can be used in assays to identify the other proteins or molecules involved in the binding interaction. By such methods, inhibitors of the receptor/ligand binding interaction can be identified. Proteins involved in such binding interactions can also be used to screen for peptide or small molecule inhibitors or agonists of the binding interaction. Also, the receptor PRO can be used to isolate correlative ligand(s). Screening assays can be designed to find lead compounds that mimic the biological activity of a native PRO or a receptor for PRO. Such screening assays will include assays amenable to high-throughput screening of chemical libraries, making them particularly suitable for identifying small molecule drug candidates. Small molecules contemplated include synthetic organic or inorganic compounds. The assays can be performed in a variety of formats, including protein-protein binding assays, biochemical screening assays, immunoassays and cell based assays, which are well characterized in the art.

30

35

Nucleic acids which encode PRO or its modified forms can also be used to generate either transgenic animals or "knock out" animals which, in turn, are useful in the development and screening of therapeutically useful reagents. A transgenic animal (e.g., a mouse or rat) is an animal having cells that contain a transgene, which transgene was introduced into the animal or an ancestor of the animal at a prenatal, e.g., an embryonic stage. A transgene is a DNA which is integrated into the genome of a cell from which a transgenic animal develops. In one embodiment, cDNA encoding PRO can be used to clone genomic DNA encoding PRO in accordance with established techniques and the genomic sequences used to generate transgenic animals that contain cells which express DNA encoding PRO. Methods for generating transgenic animals, particularly animals such as mice or rats, have become conventional in the art and are described, for example, in U.S. Patent Nos. 4,736,866 and 4,870,009. Typically, particular cells would be targeted for PRO transgene incorporation with tissue-specific enhancers. Transgenic animals that include a copy of a transgene encoding PRO introduced into the germ line of the animal at an embryonic stage can be used to examine the effect of increased expression of DNA encoding PRO. Such animals can be used as tester animals for reagents thought to confer protection from, for example, pathological conditions associated with its overexpression. In accordance with this facet of the invention, an animal is treated with the reagent and a reduced incidence of the pathological condition, compared to untreated animals bearing the transgene, would indicate a potential therapeutic intervention for the pathological condition.

Alternatively, non-human homologues of PRO can be used to construct a PRO "knock out" animal which has a defective or altered gene encoding PRO as a result of homologous recombination between the endogenous gene encoding PRO and altered genomic DNA encoding PRO introduced into an embryonic stem cell of the animal. For example, cDNA encoding PRO can be used to clone genomic DNA encoding PRO in accordance with established techniques. A portion of the genomic DNA encoding PRO can be deleted or replaced with another gene, such as a gene encoding a selectable marker which can be used to monitor integration. Typically, several kilobases of unaltered flanking DNA (both at the 5' and 3' ends) are included in the vector [see e.g., Thomas and Capecchi, *Cell*, 51:503 (1987) for a description of homologous recombination vectors]. The vector is introduced into an embryonic stem cell line (e.g., by electroporation) and cells in which the introduced DNA has homologously recombined with the endogenous DNA are selected [see e.g., Li et al., *Cell*, 69:915 (1992)]. The selected cells are then injected into a blastocyst of an animal (e.g., a mouse or rat) to form aggregation chimeras [see e.g., Bradley, in *Teratocarcinomas and Embryonic Stem Cells: A Practical Approach*, E. J. Robertson, ed. (IRL, Oxford, 1987), pp. 113-152]. A chimeric embryo can then be implanted into a suitable pseudopregnant female foster animal and the embryo brought to term to create a "knock out" animal. Progeny harboring the homologously recombined DNA in their germ cells can be identified by standard techniques and used to breed animals in which all cells of the animal contain the homologously recombined DNA. Knockout animals can be characterized for instance, for their ability to defend against certain pathological conditions and for their development of pathological conditions due to absence of the PRO polypeptide.

Nucleic acid encoding the PRO polypeptides may also be used in gene therapy. In gene therapy applications, genes are introduced into cells in order to achieve *in vivo* synthesis of a therapeutically effective genetic product, for example for replacement of a defective gene. "Gene therapy" includes both conventional

gene therapy where a lasting effect is achieved by a single treatment, and the administration of gene therapeutic agents, which involves the one time or repeated administration of a therapeutically effective DNA or mRNA. Antisense RNAs and DNAs can be used as therapeutic agents for blocking the expression of certain genes *in vivo*. It has already been shown that short antisense oligonucleotides can be imported into cells where they act as inhibitors, despite their low intracellular concentrations caused by their restricted uptake by the cell membrane. 5 (Zamecnik *et al.*, Proc. Natl. Acad. Sci. USA 83:4143-4146 [1986]). The oligonucleotides can be modified to enhance their uptake, e.g. by substituting their negatively charged phosphodiester groups by uncharged groups.

There are a variety of techniques available for introducing nucleic acids into viable cells. The techniques vary depending upon whether the nucleic acid is transferred into cultured cells *in vitro*, or *in vivo* in the cells of the intended host. Techniques suitable for the transfer of nucleic acid into mammalian cells *in vitro* include the use of liposomes, electroporation, microinjection, cell fusion, DEAE-dextran, the calcium phosphate precipitation 10 method, etc. The currently preferred *in vivo* gene transfer techniques include transfection with viral (typically retroviral) vectors and viral coat protein-liposome mediated transfection (Dzau *et al.*, Trends in Biotechnology 11, 205-210 [1993]). In some situations it is desirable to provide the nucleic acid source with an agent that targets the target cells, such as an antibody specific for a cell surface membrane protein or the target cell, a ligand for a receptor on the target cell, etc. Where liposomes are employed, proteins which bind to a cell surface membrane protein associated with endocytosis may be used for targeting and/or to facilitate uptake, e.g. capsid proteins or 15 fragments thereof tropic for a particular cell type, antibodies for proteins which undergo internalization in cycling, proteins that target intracellular localization and enhance intracellular half-life. The technique of receptor-mediated endocytosis is described, for example, by Wu *et al.*, J. Biol. Chem. 262, 4429-4432 (1987); and Wagner *et al.*, Proc. Natl. Acad. Sci. USA 87, 3410-3414 (1990). For review of gene marking and gene therapy protocols see Anderson *et al.*, Science 256, 808-813 (1992). 20

The PRO polypeptides described herein may also be employed as molecular weight markers for protein electrophoresis purposes and the isolated nucleic acid sequences may be used for recombinantly expressing those markers.

25 The nucleic acid molecules encoding the PRO polypeptides or fragments thereof described herein are useful for chromosome identification. In this regard, there exists an ongoing need to identify new chromosome markers, since relatively few chromosome marking reagents, based upon actual sequence data are presently available. Each PRO nucleic acid molecule of the present invention can be used as a chromosome marker.

30 The PRO polypeptides and nucleic acid molecules of the present invention may also be used diagnostically for tissue typing, wherein the PRO polypeptides of the present invention may be differentially expressed in one tissue as compared to another, preferably in a diseased tissue as compared to a normal tissue of the same tissue type. PRO nucleic acid molecules will find use for generating probes for PCR, Northern analysis, Southern analysis and Western analysis.

35 The PRO polypeptides described herein may also be employed as therapeutic agents. The PRO polypeptides of the present invention can be formulated according to known methods to prepare pharmaceutically useful compositions, whereby the PRO product hereof is combined in admixture with a pharmaceutically acceptable carrier vehicle. Therapeutic formulations are prepared for storage by mixing the active ingredient

having the desired degree of purity with optional physiologically acceptable carriers, excipients or stabilizers (Remington's Pharmaceutical Sciences 16th edition, Osol, A. Ed. (1980)), in the form of lyophilized formulations or aqueous solutions. Acceptable carriers, excipients or stabilizers are nontoxic to recipients at the dosages and concentrations employed, and include buffers such as phosphate, citrate and other organic acids; antioxidants including ascorbic acid; low molecular weight (less than about 10 residues) polypeptides; proteins, such as serum albumin, gelatin or immunoglobulins; hydrophilic polymers such as polyvinylpyrrolidone, amino acids such as glycine, glutamine, asparagine, arginine or lysine; monosaccharides, disaccharides and other carbohydrates including glucose, mannose, or dextrans; chelating agents such as EDTA; sugar alcohols such as mannitol or sorbitol; salt-forming counterions such as sodium; and/or nonionic surfactants such as TWEENTM, PLURONICSTM or PEG.

The formulations to be used for *in vivo* administration must be sterile. This is readily accomplished by filtration through sterile filtration membranes, prior to or following lyophilization and reconstitution.

Therapeutic compositions herein generally are placed into a container having a sterile access port, for example, an intravenous solution bag or vial having a stopper pierceable by a hypodermic injection needle.

The route of administration is in accord with known methods, e.g. injection or infusion by intravenous, intraperitoneal, intracerebral, intramuscular, intraocular, intraarterial or intralesional routes, topical administration, or by sustained release systems.

Dosages and desired drug concentrations of pharmaceutical compositions of the present invention may vary depending on the particular use envisioned. The determination of the appropriate dosage or route of administration is well within the skill of an ordinary physician. Animal experiments provide reliable guidance for the determination of effective doses for human therapy. Interspecies scaling of effective doses can be performed following the principles laid down by Mordenti, J. and Chappell, W. "The use of interspecies scaling in toxicokinetics" In *Toxicokinetics and New Drug Development*, Yacobi et al., Eds., Pergamon Press, New York 1989, pp. 42-96.

When *in vivo* administration of a PRO polypeptide or agonist or antagonist thereof is employed, normal dosage amounts may vary from about 10 ng/kg to up to 100 mg/kg of mammal body weight or more per day, preferably about 1 μ g/kg/day to 10 mg/kg/day, depending upon the route of administration. Guidance as to particular dosages and methods of delivery is provided in the literature; see, for example, U.S. Pat. Nos. 4,657,760; 5,206,344; or 5,225,212. It is anticipated that different formulations will be effective for different treatment compounds and different disorders, that administration targeting one organ or tissue, for example, may necessitate delivery in a manner different from that to another organ or tissue.

Where sustained-release administration of a PRO polypeptide is desired in a formulation with release characteristics suitable for the treatment of any disease or disorder requiring administration of the PRO polypeptide, microencapsulation of the PRO polypeptide is contemplated. Microencapsulation of recombinant proteins for sustained release has been successfully performed with human growth hormone (rhGH), interferon- (rhIFN-), interleukin-2, and MN rgp120. Johnson et al., *Nat. Med.*, 2:795-799 (1996); Yasuda, *Biomed. Ther.*, 27:1221-1223 (1993); Hora et al., *Bio/Technology*, 8:755-758 (1990); Cleland, "Design and Production of Single Immunization Vaccines Using Polylactide Polyglycolide Microsphere Systems," in *Vaccine Design: The Subunit*

and Adjuvant Approach, Powell and Newman, eds, (Plenum Press: New York, 1995), pp. 439-462; WO 97/03692, WO 96/40072, WO 96/07399; and U.S. Pat. No. 5,654,010.

5 The sustained-release formulations of these proteins were developed using poly-lactic-coglycolic acid (PLGA) polymer due to its biocompatibility and wide range of biodegradable properties. The degradation products of PLGA, lactic and glycolic acids, can be cleared quickly within the human body. Moreover, the degradability of this polymer can be adjusted from months to years depending on its molecular weight and composition. Lewis, "Controlled release of bioactive agents from lactide/glycolide polymer," in: M. Chasin and R. Langer (Eds.), Biodegradable Polymers as Drug Delivery Systems (Marcel Dekker: New York, 1990), pp. 1-41.

10 This invention encompasses methods of screening compounds to identify those that mimic the PRO polypeptide (agonists) or prevent the effect of the PRO polypeptide (antagonists). Screening assays for antagonist drug candidates are designed to identify compounds that bind or complex with the PRO polypeptides encoded by the genes identified herein, or otherwise interfere with the interaction of the encoded polypeptides with other cellular proteins. Such screening assays will include assays amenable to high-throughput screening of chemical libraries, making them particularly suitable for identifying small molecule drug candidates.

15 The assays can be performed in a variety of formats, including protein-protein binding assays, biochemical screening assays, immunoassays, and cell-based assays, which are well characterized in the art.

All assays for antagonists are common in that they call for contacting the drug candidate with a PRO polypeptide encoded by a nucleic acid identified herein under conditions and for a time sufficient to allow these two components to interact.

20 In binding assays, the interaction is binding and the complex formed can be isolated or detected in the reaction mixture. In a particular embodiment, the PRO polypeptide encoded by the gene identified herein or the drug candidate is immobilized on a solid phase, e.g., on a microtiter plate, by covalent or non-covalent attachments. Non-covalent attachment generally is accomplished by coating the solid surface with a solution of the PRO polypeptide and drying. Alternatively, an immobilized antibody, e.g., a monoclonal antibody, specific for the PRO polypeptide to be immobilized can be used to anchor it to a solid surface. The assay is performed by adding the non-immobilized component, which may be labeled by a detectable label, to the immobilized component, e.g., the coated surface containing the anchored component. When the reaction is complete, the non-reacted components are removed, e.g., by washing, and complexes anchored on the solid surface are detected. When the originally non-immobilized component carries a detectable label, the detection of label immobilized on the surface indicates that complexing occurred. Where the originally non-immobilized component does not carry a label, complexing can be detected, for example, by using a labeled antibody specifically binding the immobilized complex.

35 If the candidate compound interacts with but does not bind to a particular PRO polypeptide encoded by a gene identified herein, its interaction with that polypeptide can be assayed by methods well known for detecting protein-protein interactions. Such assays include traditional approaches, such as, e.g., cross-linking, co-immunoprecipitation, and co-purification through gradients or chromatographic columns. In addition, protein-protein interactions can be monitored by using a yeast-based genetic system described by Fields and co-workers (Fields and Song, Nature (London), 340:245-246 (1989); Chien et al., Proc. Natl. Acad. Sci. USA, 88:9578-9582

(1991)) as disclosed by Chevray and Nathans, Proc. Natl. Acad. Sci. USA, 89: 5789-5793 (1991). Many transcriptional activators, such as yeast GAL4, consist of two physically discrete modular domains, one acting as the DNA-binding domain, the other one functioning as the transcription-activation domain. The yeast expression system described in the foregoing publications (generally referred to as the "two-hybrid system") takes advantage of this property, and employs two hybrid proteins, one in which the target protein is fused to the DNA-binding domain of GAL4, and another, in which candidate activating proteins are fused to the activation domain. The expression of a GAL1-*lacZ* reporter gene under control of a GAL4-activated promoter depends on reconstitution of GAL4 activity via protein-protein interaction. Colonies containing interacting polypeptides are detected with a chromogenic substrate for β -galactosidase. A complete kit (MATCHMAKER™) for identifying protein-protein interactions between two specific proteins using the two-hybrid technique is commercially available from Clontech. This system can also be extended to map protein domains involved in specific protein interactions as well as to pinpoint amino acid residues that are crucial for these interactions.

Compounds that interfere with the interaction of a gene encoding a PRO polypeptide identified herein and other intra- or extracellular components can be tested as follows: usually a reaction mixture is prepared containing the product of the gene and the intra- or extracellular component under conditions and for a time allowing for the interaction and binding of the two products. To test the ability of a candidate compound to inhibit binding, the reaction is run in the absence and in the presence of the test compound. In addition, a placebo may be added to a third reaction mixture, to serve as positive control. The binding (complex formation) between the test compound and the intra- or extracellular component present in the mixture is monitored as described hereinabove. The formation of a complex in the control reaction(s) but not in the reaction mixture containing the test compound indicates that the test compound interferes with the interaction of the test compound and its reaction partner.

To assay for antagonists, the PRO polypeptide may be added to a cell along with the compound to be screened for a particular activity and the ability of the compound to inhibit the activity of interest in the presence of the PRO polypeptide indicates that the compound is an antagonist to the PRO polypeptide. Alternatively, antagonists may be detected by combining the PRO polypeptide and a potential antagonist with membrane-bound PRO polypeptide receptors or recombinant receptors under appropriate conditions for a competitive inhibition assay. The PRO polypeptide can be labeled, such as by radioactivity, such that the number of PRO polypeptide molecules bound to the receptor can be used to determine the effectiveness of the potential antagonist. The gene encoding the receptor can be identified by numerous methods known to those of skill in the art, for example, ligand panning and FACS sorting. Coligan et al., Current Protocols in Immun., 1(2): Chapter 5 (1991). Preferably, expression cloning is employed wherein polyadenylated RNA is prepared from a cell responsive to the PRO polypeptide and a cDNA library created from this RNA is divided into pools and used to transfect COS cells or other cells that are not responsive to the PRO polypeptide. Transfected cells that are grown on glass slides are exposed to labeled PRO polypeptide. The PRO polypeptide can be labeled by a variety of means including iodination or inclusion of a recognition site for a site-specific protein kinase. Following fixation and incubation, the slides are subjected to autoradiographic analysis. Positive pools are identified and sub-pools are prepared and re-transfected using an interactive sub-pooling and re-screening process, eventually yielding a single

clone that encodes the putative receptor.

As an alternative approach for receptor identification, labeled PRO polypeptide can be photoaffinity-linked with cell membrane or extract preparations that express the receptor molecule. Cross-linked material is resolved by PAGE and exposed to X-ray film. The labeled complex containing the receptor can be excised, resolved into peptide fragments, and subjected to protein micro-sequencing. The amino acid sequence obtained from micro-sequencing would be used to design a set of degenerate oligonucleotide probes to screen a cDNA library to identify the gene encoding the putative receptor.

In another assay for antagonists, mammalian cells or a membrane preparation expressing the receptor would be incubated with labeled PRO polypeptide in the presence of the candidate compound. The ability of the compound to enhance or block this interaction could then be measured.

More specific examples of potential antagonists include an oligonucleotide that binds to the fusions of immunoglobulin with PRO polypeptide, and, in particular, antibodies including, without limitation, poly- and monoclonal antibodies and antibody fragments, single-chain antibodies, anti-idiotypic antibodies, and chimeric or humanized versions of such antibodies or fragments, as well as human antibodies and antibody fragments. Alternatively, a potential antagonist may be a closely related protein, for example, a mutated form of the PRO polypeptide that recognizes the receptor but imparts no effect, thereby competitively inhibiting the action of the PRO polypeptide.

Another potential PRO polypeptide antagonist is an antisense RNA or DNA construct prepared using antisense technology, where, e.g., an antisense RNA or DNA molecule acts to block directly the translation of mRNA by hybridizing to targeted mRNA and preventing protein translation. Antisense technology can be used to control gene expression through triple-helix formation or antisense DNA or RNA, both of which methods are based on binding of a polynucleotide to DNA or RNA. For example, the 5' coding portion of the polynucleotide sequence, which encodes the mature PRO polypeptides herein, is used to design an antisense RNA oligonucleotide of from about 10 to 40 base pairs in length. A DNA oligonucleotide is designed to be complementary to a region of the gene involved in transcription (triple helix - see Lee et al., Nucl. Acids Res., 6:3073 (1979); Cooney et al., Science, 241: 456 (1988); Dervan et al., Science, 251:1360 (1991)), thereby preventing transcription and the production of the PRO polypeptide. The antisense RNA oligonucleotide hybridizes to the mRNA *in vivo* and blocks translation of the mRNA molecule into the PRO polypeptide (antisense - Okano, Neurochem., 56:560 (1991); Oligodeoxynucleotides as Antisense Inhibitors of Gene Expression (CRC Press: Boca Raton, FL, 1988). The oligonucleotides described above can also be delivered to cells such that the antisense RNA or DNA may be expressed *in vivo* to inhibit production of the PRO polypeptide. When antisense DNA is used, oligodeoxyribonucleotides derived from the translation-initiation site, e.g., between about -10 and +10 positions of the target gene nucleotide sequence, are preferred.

Potential antagonists include small molecules that bind to the active site, the receptor binding site, or growth factor or other relevant binding site of the PRO polypeptide, thereby blocking the normal biological activity of the PRO polypeptide. Examples of small molecules include, but are not limited to, small peptides or peptide-like molecules, preferably soluble peptides, and synthetic non-peptidyl organic or inorganic compounds.

Ribozymes are enzymatic RNA molecules capable of catalyzing the specific cleavage of RNA.

Ribozymes act by sequence-specific hybridization to the complementary target RNA, followed by endonucleolytic cleavage. Specific ribozyme cleavage sites within a potential RNA target can be identified by known techniques. For further details see, e.g., Rossi, Current Biology, 4:469-471 (1994), and PCT publication No. WO 97/33551 (published September 18, 1997).

5 Nucleic acid molecules in triple-helix formation used to inhibit transcription should be single-stranded and composed of deoxynucleotides. The base composition of these oligonucleotides is designed such that it promotes triple-helix formation via Hoogsteen base-pairing rules, which generally require sizeable stretches of purines or pyrimidines on one strand of a duplex. For further details see, e.g., PCT publication No. WO 97/33551, *supra*.

10 These small molecules can be identified by any one or more of the screening assays discussed hereinabove and/or by any other screening techniques well known for those skilled in the art.

Diagnostic and therapeutic uses of the herein disclosed molecules may also be based upon the positive functional assay hits disclosed and described below.

F. Anti-PRO Antibodies

15 The present invention further provides anti-PRO antibodies. Exemplary antibodies include polyclonal, monoclonal, humanized, bispecific, and heteroconjugate antibodies.

1. Polyclonal Antibodies

20 The anti-PRO antibodies may comprise polyclonal antibodies. Methods of preparing polyclonal antibodies are known to the skilled artisan. Polyclonal antibodies can be raised in a mammal, for example, by one or more injections of an immunizing agent and, if desired, an adjuvant. Typically, the immunizing agent and/or adjuvant will be injected in the mammal by multiple subcutaneous or intraperitoneal injections. The immunizing agent may include the PRO polypeptide or a fusion protein thereof. It may be useful to conjugate the immunizing agent to a protein known to be immunogenic in the mammal being immunized. Examples of such immunogenic proteins include but are not limited to keyhole limpet hemocyanin, serum albumin, bovine thyroglobulin, and soybean trypsin inhibitor. Examples of adjuvants which may be employed include Freund's complete adjuvant and MPL-TDM adjuvant (monophosphoryl Lipid A, synthetic trehalose dicorynomycolate). The immunization protocol may be selected by one skilled in the art without undue experimentation.

30 2. Monoclonal Antibodies

The anti-PRO antibodies may, alternatively, be monoclonal antibodies. Monoclonal antibodies may be prepared using hybridoma methods, such as those described by Kohler and Milstein, Nature, 256:495 (1975). In a hybridoma method, a mouse, hamster, or other appropriate host animal, is typically immunized with an immunizing agent to elicit lymphocytes that produce or are capable of producing antibodies that will specifically bind to the immunizing agent. Alternatively, the lymphocytes may be immunized *in vitro*.

35 The immunizing agent will typically include the PRO polypeptide or a fusion protein thereof. Generally, either peripheral blood lymphocytes ("PBLs") are used if cells of human origin are desired, or spleen cells or

lymph node cells are used if non-human mammalian sources are desired. The lymphocytes are then fused with an immortalized cell line using a suitable fusing agent, such as polyethylene glycol, to form a hybridoma cell [Goding, Monoclonal Antibodies: Principles and Practice, Academic Press, (1986) pp. 59-103]. Immortalized cell lines are usually transformed mammalian cells, particularly myeloma cells of rodent, bovine and human origin. Usually, rat or mouse myeloma cell lines are employed. The hybridoma cells may be cultured in a suitable culture medium that preferably contains one or more substances that inhibit the growth or survival of the unfused, immortalized cells. For example, if the parental cells lack the enzyme hypoxanthine guanine phosphoribosyl transferase (HGPRT or HPRT), the culture medium for the hybridomas typically will include hypoxanthine, aminopterin, and thymidine ("HAT medium"), which substances prevent the growth of HGPRT-deficient cells.

Preferred immortalized cell lines are those that fuse efficiently, support stable high level expression of antibody by the selected antibody-producing cells, and are sensitive to a medium such as HAT medium. More preferred immortalized cell lines are murine myeloma lines, which can be obtained, for instance, from the Salk Institute Cell Distribution Center, San Diego, California and the American Type Culture Collection, Manassas, Virginia. Human myeloma and mouse-human heteromyeloma cell lines also have been described for the production of human monoclonal antibodies [Kozbor, J. Immunol., 133:3001 (1984); Brodeur et al., Monoclonal Antibody Production Techniques and Applications, Marcel Dekker, Inc., New York, (1987) pp. 51-63].

The culture medium in which the hybridoma cells are cultured can then be assayed for the presence of monoclonal antibodies directed against PRO. Preferably, the binding specificity of monoclonal antibodies produced by the hybridoma cells is determined by immunoprecipitation or by an *in vitro* binding assay, such as radioimmunoassay (RIA) or enzyme-linked immunoabsorbent assay (ELISA). Such techniques and assays are known in the art. The binding affinity of the monoclonal antibody can, for example, be determined by the Scatchard analysis of Munson and Pollard, Anal. Biochem., 107:220 (1980).

After the desired hybridoma cells are identified, the clones may be subcloned by limiting dilution procedures and grown by standard methods [Goding, supra]. Suitable culture media for this purpose include, for example, Dulbecco's Modified Eagle's Medium and RPMI-1640 medium. Alternatively, the hybridoma cells may be grown *in vivo* as ascites in a mammal.

The monoclonal antibodies secreted by the subclones may be isolated or purified from the culture medium or ascites fluid by conventional immunoglobulin purification procedures such as, for example, protein A-Sepharose, hydroxylapatite chromatography, gel electrophoresis, dialysis, or affinity chromatography.

The monoclonal antibodies may also be made by recombinant DNA methods, such as those described in U.S. Patent No. 4,816,567. DNA encoding the monoclonal antibodies of the invention can be readily isolated and sequenced using conventional procedures (e.g., by using oligonucleotide probes that are capable of binding specifically to genes encoding the heavy and light chains of murine antibodies). The hybridoma cells of the invention serve as a preferred source of such DNA. Once isolated, the DNA may be placed into expression vectors, which are then transfected into host cells such as simian COS cells, Chinese hamster ovary (CHO) cells, or myeloma cells that do not otherwise produce immunoglobulin protein, to obtain the synthesis of monoclonal antibodies in the recombinant host cells. The DNA also may be modified, for example, by substituting the coding

sequence for human heavy and light chain constant domains in place of the homologous murine sequences [U.S. Patent No. 4,816,567; Morrison et al., supra] or by covalently joining to the immunoglobulin coding sequence all or part of the coding sequence for a non-immunoglobulin polypeptide. Such a non-immunoglobulin polypeptide can be substituted for the constant domains of an antibody of the invention, or can be substituted for the variable domains of one antigen-combining site of an antibody of the invention to create a chimeric bivalent antibody.

5 The antibodies may be monovalent antibodies. Methods for preparing monovalent antibodies are well known in the art. For example, one method involves recombinant expression of immunoglobulin light chain and modified heavy chain. The heavy chain is truncated generally at any point in the Fc region so as to prevent heavy chain crosslinking. Alternatively, the relevant cysteine residues are substituted with another amino acid residue or are deleted so as to prevent crosslinking.

10 *In vitro* methods are also suitable for preparing monovalent antibodies. Digestion of antibodies to produce fragments thereof, particularly, Fab fragments, can be accomplished using routine techniques known in the art.

3. Human and Humanized Antibodies

15 The anti-PRO antibodies of the invention may further comprise humanized antibodies or human antibodies. Humanized forms of non-human (e.g., murine) antibodies are chimeric immunoglobulins, immunoglobulin chains or fragments thereof (such as Fv, Fab, Fab', F(ab')₂ or other antigen-binding subsequences of antibodies) which contain minimal sequence derived from non-human immunoglobulin. Humanized antibodies include human immunoglobulins (recipient antibody) in which residues from a
20 complementary determining region (CDR) of the recipient are replaced by residues from a CDR of a non-human species (donor antibody) such as mouse, rat or rabbit having the desired specificity, affinity and capacity. In some instances, Fv framework residues of the human immunoglobulin are replaced by corresponding non-human residues. Humanized antibodies may also comprise residues which are found neither in the recipient antibody nor in the imported CDR or framework sequences. In general, the humanized antibody will comprise substantially
25 all of at least one, and typically two, variable domains, in which all or substantially all of the CDR regions correspond to those of a non-human immunoglobulin and all or substantially all of the FR regions are those of a human immunoglobulin consensus sequence. The humanized antibody optimally also will comprise at least a portion of an immunoglobulin constant region (Fc), typically that of a human immunoglobulin [Jones et al., Nature, 321:522-525 (1986); Riechmann et al., Nature, 332:323-329 (1988); and Presta, Curr. Op. Struct. Biol.,
30 2:593-596 (1992)].

Methods for humanizing non-human antibodies are well known in the art. Generally, a humanized antibody has one or more amino acid residues introduced into it from a source which is non-human. These non-human amino acid residues are often referred to as "import" residues, which are typically taken from an "import" variable domain. Humanization can be essentially performed following the method of Winter and co-workers
35 [Jones et al., Nature, 321:522-525 (1986); Riechmann et al., Nature, 332:323-327 (1988); Verhoeven et al., Science, 239:1534-1536 (1988)], by substituting rodent CDRs or CDR sequences for the corresponding sequences of a human antibody. Accordingly, such "humanized" antibodies are chimeric antibodies (U.S. Patent No.

4,816,567), wherein substantially less than an intact human variable domain has been substituted by the corresponding sequence from a non-human species. In practice, humanized antibodies are typically human antibodies in which some CDR residues and possibly some FR residues are substituted by residues from analogous sites in rodent antibodies.

Human antibodies can also be produced using various techniques known in the art, including phage display libraries [Hoogenboom and Winter, *J. Mol. Biol.*, 227:381 (1991); Marks et al., *J. Mol. Biol.*, 222:581 (1991)]. The techniques of Cole et al. and Boerner et al. are also available for the preparation of human monoclonal antibodies (Cole et al., *Monoclonal Antibodies and Cancer Therapy*, Alan R. Liss, p. 77 (1985) and Boerner et al., *J. Immunol.*, 147(1):86-95 (1991)]. Similarly, human antibodies can be made by introducing of human immunoglobulin loci into transgenic animals, e.g., mice in which the endogenous immunoglobulin genes have been partially or completely inactivated. Upon challenge, human antibody production is observed, which closely resembles that seen in humans in all respects, including gene rearrangement, assembly, and antibody repertoire. This approach is described, for example, in U.S. Patent Nos. 5,545,807; 5,545,806; 5,569,825; 5,625,126; 5,633,425; 5,661,016, and in the following scientific publications: Marks *et al.*, *Bio/Technology* 10, 779-783 (1992); Lonberg *et al.*, *Nature* 368 856-859 (1994); Morrison, *Nature* 368, 812-13 (1994); Fishwild *et al.*, *Nature Biotechnology* 14, 845-51 (1996); Neuberger, *Nature Biotechnology* 14, 826 (1996); Lonberg and Huszar, *Intern. Rev. Immunol.* 13 65-93 (1995).

The antibodies may also be affinity matured using known selection and/or mutagenesis methods as described above. Preferred affinity matured antibodies have an affinity which is five times, more preferably 10 times, even more preferably 20 or 30 times greater than the starting antibody (generally murine, humanized or human) from which the matured antibody is prepared.

4. Bispecific Antibodies

Bispecific antibodies are monoclonal, preferably human or humanized, antibodies that have binding specificities for at least two different antigens. In the present case, one of the binding specificities is for the PRO, the other one is for any other antigen, and preferably for a cell-surface protein or receptor or receptor subunit.

Methods for making bispecific antibodies are known in the art. Traditionally, the recombinant production of bispecific antibodies is based on the co-expression of two immunoglobulin heavy-chain/light-chain pairs, where the two heavy chains have different specificities [Milstein and Cuello, *Nature*, 305:537-539 (1983)]. Because of the random assortment of immunoglobulin heavy and light chains, these hybridomas (quadromas) produce a potential mixture of ten different antibody molecules, of which only one has the correct bispecific structure. The purification of the correct molecule is usually accomplished by affinity chromatography steps. Similar procedures are disclosed in WO 93/08829, published 13 May 1993, and in Traunecker et al., *EMBO J.*, 10:3655-3659 (1991).

Antibody variable domains with the desired binding specificities (antibody-antigen combining sites) can be fused to immunoglobulin constant domain sequences. The fusion preferably is with an immunoglobulin heavy-chain constant domain, comprising at least part of the hinge, CH2, and CH3 regions. It is preferred to have the first heavy-chain constant region (CH1) containing the site necessary for light-chain binding present in at least

one of the fusions. DNAs encoding the immunoglobulin heavy-chain fusions and, if desired, the immunoglobulin light chain, are inserted into separate expression vectors, and are co-transfected into a suitable host organism. For further details of generating bispecific antibodies see, for example, Suresh et al., Methods in Enzymology, 121:210 (1986).

5 According to another approach described in WO 96/27011, the interface between a pair of antibody molecules can be engineered to maximize the percentage of heterodimers which are recovered from recombinant cell culture. The preferred interface comprises at least a part of the CH3 region of an antibody constant domain. In this method, one or more small amino acid side chains from the interface of the first antibody molecule are replaced with larger side chains (e.g. tyrosine or tryptophan). Compensatory "cavities" of identical or similar size to the large side chain(s) are created on the interface of the second antibody molecule by replacing large
10 amino acid side chains with smaller ones (e.g. alanine or threonine). This provides a mechanism for increasing the yield of the heterodimer over other unwanted end-products such as homodimers.

Bispecific antibodies can be prepared as full length antibodies or antibody fragments (e.g. F(ab')₂ bispecific antibodies). Techniques for generating bispecific antibodies from antibody fragments have been described in the literature. For example, bispecific antibodies can be prepared using chemical
15 linkage. Brennan et al., Science 229:81 (1985) describe a procedure wherein intact antibodies are proteolytically cleaved to generate F(ab')₂ fragments. These fragments are reduced in the presence of the dithiol complexing agent sodium arsenite to stabilize vicinal dithiols and prevent intermolecular disulfide formation. The Fab' fragments generated are then converted to thionitrobenzoate (TNB) derivatives. One of the Fab'-TNB derivatives is then reconverted to the Fab'-thiol by reduction with mercaptoethylamine and is mixed with an equimolar
20 amount of the other Fab'-TNB derivative to form the bispecific antibody. The bispecific antibodies produced can be used as agents for the selective immobilization of enzymes.

Fab' fragments may be directly recovered from *E. coli* and chemically coupled to form bispecific antibodies. Shalaby et al., J. Exp. Med. 175:217-225 (1992) describe the production of a fully humanized bispecific antibody F(ab')₂ molecule. Each Fab' fragment was separately secreted from *E. coli* and subjected to
25 directed chemical coupling *in vitro* to form the bispecific antibody. The bispecific antibody thus formed was able to bind to cells overexpressing the ErbB2 receptor and normal human T cells, as well as trigger the lytic activity of human cytotoxic lymphocytes against human breast tumor targets.

Various technique for making and isolating bispecific antibody fragments directly from recombinant cell culture have also been described. For example, bispecific antibodies have been produced using leucine zippers.
30 Kostelny et al., J. Immunol. 148(5):1547-1553 (1992). The leucine zipper peptides from the Fos and Jun proteins were linked to the Fab' portions of two different antibodies by gene fusion. The antibody homodimers were reduced at the hinge region to form monomers and then re-oxidized to form the antibody heterodimers. This method can also be utilized for the production of antibody homodimers. The "diabody" technology described by Hollinger et al., Proc. Natl. Acad. Sci. USA 90:6444-6448 (1993) has provided an alternative mechanism for
35 making bispecific antibody fragments. The fragments comprise a heavy-chain variable domain (V_H) connected to a light-chain variable domain (V_L) by a linker which is too short to allow pairing between the two domains on the same chain. Accordingly, the V_H and V_L domains of one fragment are forced to pair with the complementary

V_L and V_H domains of another fragment, thereby forming two antigen-binding sites. Another strategy for making bispecific antibody fragments by the use of single-chain Fv (sFv) dimers has also been reported. See, Gruber *et al.*, *J. Immunol.* 152:5368 (1994).

Antibodies with more than two valencies are contemplated. For example, trispecific antibodies can be prepared. Tutt *et al.*, *J. Immunol.* 147:60 (1991).

5 Exemplary bispecific antibodies may bind to two different epitopes on a given PRO polypeptide herein. Alternatively, an anti-PRO polypeptide arm may be combined with an arm which binds to a triggering molecule on a leukocyte such as a T-cell receptor molecule (e.g. CD2, CD3, CD28, or B7), or Fc receptors for IgG (FcγR), such as FcγRI (CD64), FcγRII (CD32) and FcγRIII (CD16) so as to focus cellular defense mechanisms to the cell expressing the particular PRO polypeptide. Bispecific antibodies may also be used to localize cytotoxic
10 agents to cells which express a particular PRO polypeptide. These antibodies possess a PRO-binding arm and an arm which binds a cytotoxic agent or a radionuclide chelator, such as EOTUBE, DPTA, DOTA, or TETA. Another bispecific antibody of interest binds the PRO polypeptide and further binds tissue factor (TF).

5. Heteroconjugate Antibodies

15 Heteroconjugate antibodies are also within the scope of the present invention. Heteroconjugate antibodies are composed of two covalently joined antibodies. Such antibodies have, for example, been proposed to target immune system cells to unwanted cells [U.S. Patent No. 4,676,980], and for treatment of HIV infection [WO 91/00360; WO 92/200373; EP 03089]. It is contemplated that the antibodies may be prepared *in vitro* using known methods in synthetic protein chemistry, including those involving crosslinking agents. For example,
20 immunotoxins may be constructed using a disulfide exchange reaction or by forming a thioether bond. Examples of suitable reagents for this purpose include iminothiolate and methyl-4-mercaptobutyrimidate and those disclosed, for example, in U.S. Patent No. 4,676,980.

6. Effector Function Engineering

25 It may be desirable to modify the antibody of the invention with respect to effector function, so as to enhance, e.g., the effectiveness of the antibody in treating cancer. For example, cysteine residue(s) may be introduced into the Fc region, thereby allowing interchain disulfide bond formation in this region. The homodimeric antibody thus generated may have improved internalization capability and/or increased complement-mediated cell killing and antibody-dependent cellular cytotoxicity (ADCC). See Caron *et al.*, *J. Exp Med.*, 176:
30 1191-1195 (1992) and Shopes, *J. Immunol.*, 148: 2918-2922 (1992). Homodimeric antibodies with enhanced anti-tumor activity may also be prepared using heterobifunctional cross-linkers as described in Wolff *et al.* *Cancer Research*, 53: 2560-2565 (1993). Alternatively, an antibody can be engineered that has dual Fc regions and may thereby have enhanced complement lysis and ADCC capabilities. See Stevenson *et al.*, *Anti-Cancer Drug Design*,
35 3: 219-230 (1989).

7. Immunoconjugates

The invention also pertains to immunoconjugates comprising an antibody conjugated to a cytotoxic agent

by the screening assays disclosed hereinbefore, can be administered for the treatment of various disorders in the form of pharmaceutical compositions.

If the PRO polypeptide is intracellular and whole antibodies are used as inhibitors, internalizing antibodies are preferred. However, lipofections or liposomes can also be used to deliver the antibody, or an antibody fragment, into cells. Where antibody fragments are used, the smallest inhibitory fragment that specifically binds to the binding domain of the target protein is preferred. For example, based upon the variable-region sequences of an antibody, peptide molecules can be designed that retain the ability to bind the target protein sequence. Such peptides can be synthesized chemically and/or produced by recombinant DNA technology. See, *e.g.*, Marasco *et al.*, Proc. Natl. Acad. Sci. USA, 90: 7889-7893 (1993). The formulation herein may also contain more than one active compound as necessary for the particular indication being treated, preferably those with complementary activities that do not adversely affect each other. Alternatively, or in addition, the composition may comprise an agent that enhances its function, such as, for example, a cytotoxic agent, cytokine, chemotherapeutic agent, or growth-inhibitory agent. Such molecules are suitably present in combination in amounts that are effective for the purpose intended.

The active ingredients may also be entrapped in microcapsules prepared, for example, by coacervation techniques or by interfacial polymerization, for example, hydroxymethylcellulose or gelatin-microcapsules and poly-(methylmethacrylate) microcapsules, respectively, in colloidal drug delivery systems (for example, liposomes, albumin microspheres, microemulsions, nano-particles, and nanocapsules) or in macroemulsions. Such techniques are disclosed in Remington's Pharmaceutical Sciences, *supra*.

The formulations to be used for *in vivo* administration must be sterile. This is readily accomplished by filtration through sterile filtration membranes.

Sustained-release preparations may be prepared. Suitable examples of sustained-release preparations include semipermeable matrices of solid hydrophobic polymers containing the antibody, which matrices are in the form of shaped articles, *e.g.*, films, or microcapsules. Examples of sustained-release matrices include polyesters, hydrogels (for example, poly(2-hydroxyethyl-methacrylate), or poly(vinylalcohol)), polylactides (U.S. Pat. No. 3,773,919), copolymers of L-glutamic acid and γ ethyl-L-glutamate, non-degradable ethylene-vinyl acetate, degradable lactic acid-glycolic acid copolymers such as the LUPRON DEPOTTM (injectable microspheres composed of lactic acid-glycolic acid copolymer and leuprolide acetate), and poly-D-(-)-3-hydroxybutyric acid. While polymers such as ethylene-vinyl acetate and lactic acid-glycolic acid enable release of molecules for over 100 days, certain hydrogels release proteins for shorter time periods. When encapsulated antibodies remain in the body for a long time, they may denature or aggregate as a result of exposure to moisture at 37°C, resulting in a loss of biological activity and possible changes in immunogenicity. Rational strategies can be devised for stabilization depending on the mechanism involved. For example, if the aggregation mechanism is discovered to be intermolecular S-S bond formation through thio-disulfide interchange, stabilization may be achieved by modifying sulfhydryl residues, lyophilizing from acidic solutions, controlling moisture content, using appropriate additives, and developing specific polymer matrix compositions.

G. Uses for anti-PRO Antibodies

The anti-PRO antibodies of the invention have various utilities. For example, anti-PRO antibodies may be used in diagnostic assays for PRO, *e.g.*, detecting its expression (and in some cases, differential expression) in specific cells, tissues, or serum. Various diagnostic assay techniques known in the art may be used, such as competitive binding assays, direct or indirect sandwich assays and immunoprecipitation assays conducted in either heterogeneous or homogeneous phases [Zola, Monoclonal Antibodies: A Manual of Techniques, CRC Press, Inc. (1987) pp. 147-158]. The antibodies used in the diagnostic assays can be labeled with a detectable moiety. The detectable moiety should be capable of producing, either directly or indirectly, a detectable signal. For example, the detectable moiety may be a radioisotope, such as ^3H , ^{14}C , ^{32}P , ^{35}S , or ^{125}I , a fluorescent or chemiluminescent compound, such as fluorescein isothiocyanate, rhodamine, or luciferin, or an enzyme, such as alkaline phosphatase, beta-galactosidase or horseradish peroxidase. Any method known in the art for conjugating the antibody to the detectable moiety may be employed, including those methods described by Hunter et al., Nature, 144:945 (1962); David et al., Biochemistry, 13:1014 (1974); Pain et al., J. Immunol. Meth., 40:219 (1981); and Nygren, J. Histochem. and Cytochem., 30:407 (1982).

Anti-PRO antibodies also are useful for the affinity purification of PRO from recombinant cell culture or natural sources. In this process, the antibodies against PRO are immobilized on a suitable support, such as Sephadex resin or filter paper, using methods well known in the art. The immobilized antibody then is contacted with a sample containing the PRO to be purified, and thereafter the support is washed with a suitable solvent that will remove substantially all the material in the sample except the PRO, which is bound to the immobilized antibody. Finally, the support is washed with another suitable solvent that will release the PRO from the antibody.

The following examples are offered for illustrative purposes only, and are not intended to limit the scope of the present invention in any way.

All patent and literature references cited in the present specification are hereby incorporated by reference in their entirety.

EXAMPLES

Commercially available reagents referred to in the examples were used according to manufacturer's instructions unless otherwise indicated. The source of those cells identified in the following examples, and throughout the specification, by ATCC accession numbers is the American Type Culture Collection, Manassas, VA.

EXAMPLE 1: Extracellular Domain Homology Screening to Identify Novel Polypeptides and cDNA Encoding Therefor

The extracellular domain (ECD) sequences (including the secretion signal sequence, if any) from about 950 known secreted proteins from the Swiss-Prot public database were used to search EST databases. The EST databases included public databases (*e.g.*, Dayhoff, GenBank), and proprietary databases (*e.g.* LIFESEQ™, Incyte Pharmaceuticals, Palo Alto, CA). The search was performed using the computer program BLAST or

BLAST-2 (Altschul *et al.*, Methods in Enzymology, 266:460-480 (1996)) as a comparison of the ECD protein sequences to a 6 frame translation of the EST sequences. Those comparisons with a BLAST score of 70 (or in some cases 90) or greater that did not encode known proteins were clustered and assembled into consensus DNA sequences with the program "phrap" (Phil Green, University of Washington, Seattle, WA).

5 Using this extracellular domain homology screen, consensus DNA sequences were assembled relative to the other identified EST sequences using phrap. In addition, the consensus DNA sequences obtained were often (but not always) extended using repeated cycles of BLAST or BLAST-2 and phrap to extend the consensus sequence as far as possible using the sources of EST sequences discussed above.

10 Based upon the consensus sequences obtained as described above, oligonucleotides were then synthesized and used to identify by PCR a cDNA library that contained the sequence of interest and for use as probes to isolate a clone of the full-length coding sequence for a PRO polypeptide. Forward and reverse PCR primers generally range from 20 to 30 nucleotides and are often designed to give a PCR product of about 100-1000 bp in length. The probe sequences are typically 40-55 bp in length. In some cases, additional oligonucleotides are synthesized when the consensus sequence is greater than about 1-1.5kbp. In order to screen several libraries for a full-length clone, DNA from the libraries was screened by PCR amplification, as per Ausubel *et al.*, Current
15 Protocols in Molecular Biology, with the PCR primer pair. A positive library was then used to isolate clones encoding the gene of interest using the probe oligonucleotide and one of the primer pairs.

The cDNA libraries used to isolate the cDNA clones were constructed by standard methods using commercially available reagents such as those from Invitrogen, San Diego, CA. The cDNA was primed with oligo dT containing a NotI site, linked with blunt to SalI hemikinased adaptors, cleaved with NotI, sized
20 appropriately by gel electrophoresis, and cloned in a defined orientation into a suitable cloning vector (such as pRKB or pRKD; pRK5B is a precursor of pRK5D that does not contain the SfiI site; *see*, Holmes *et al.*, Science, 253:1278-1280 (1991)) in the unique XhoI and NotI sites.

EXAMPLE 2: Isolation of cDNA clones by Amylase Screening

25 1. Preparation of oligo dT primed cDNA library

mRNA was isolated from a human tissue of interest using reagents and protocols from Invitrogen, San Diego, CA (Fast Track 2). This RNA was used to generate an oligo dT primed cDNA library in the vector pRK5D using reagents and protocols from Life Technologies, Gaithersburg, MD (Super Script Plasmid System). In this procedure, the double stranded cDNA was sized to greater than 1000 bp and the SalI/NotI linked cDNA
30 was cloned into XhoI/NotI cleaved vector. pRK5D is a cloning vector that has an sp6 transcription initiation site followed by an SfiI restriction enzyme site preceding the XhoI/NotI cDNA cloning sites.

2. Preparation of random primed cDNA library

A secondary cDNA library was generated in order to preferentially represent the 5' ends of the primary
35 cDNA clones. Sp6 RNA was generated from the primary library (described above), and this RNA was used to generate a random primed cDNA library in the vector pSST-AMY.0 using reagents and protocols from Life Technologies (Super Script Plasmid System, referenced above). In this procedure the double stranded cDNA was

5 sized to 500-1000 bp, linked with blunt to NotI adaptors, cleaved with SfiI, and cloned into SfiI/NotI cleaved vector. pSST-AMY.0 is a cloning vector that has a yeast alcohol dehydrogenase promoter preceding the cDNA cloning sites and the mouse amylase sequence (the mature sequence without the secretion signal) followed by the yeast alcohol dehydrogenase terminator, after the cloning sites. Thus, cDNAs cloned into this vector that are fused in frame with amylase sequence will lead to the secretion of amylase from appropriately transfected yeast colonies.

3. Transformation and Detection

10 DNA from the library described in paragraph 2 above was chilled on ice to which was added electrocompetent DH10B bacteria (Life Technologies, 20 ml). The bacteria and vector mixture was then electroporated as recommended by the manufacturer. Subsequently, SOC media (Life Technologies, 1 ml) was added and the mixture was incubated at 37°C for 30 minutes. The transformants were then plated onto 20 standard 150 mm LB plates containing ampicillin and incubated for 16 hours (37°C). Positive colonies were scraped off the plates and the DNA was isolated from the bacterial pellet using standard protocols, e.g. CsCl-gradient. The purified DNA was then carried on to the yeast protocols below.

15 The yeast methods were divided into three categories: (1) Transformation of yeast with the plasmid/cDNA combined vector; (2) Detection and isolation of yeast clones secreting amylase; and (3) PCR amplification of the insert directly from the yeast colony and purification of the DNA for sequencing and further analysis.

20 The yeast strain used was HD56-5A (ATCC-90785). This strain has the following genotype: MAT alpha, ura3-52, leu2-3, leu2-112, his3-11, his3-15, MAL⁺, SUC⁺, GAL⁺. Preferably, yeast mutants can be employed that have deficient post-translational pathways. Such mutants may have translocation deficient alleles in *sec71*, *sec72*, *sec62*, with truncated *sec71* being most preferred. Alternatively, antagonists (including antisense nucleotides and/or ligands) which interfere with the normal operation of these genes, other proteins implicated in this post translation pathway (e.g., SEC61p, SEC72p, SEC62p, SEC63p, TDJ1p or SSA1p-4p) or the complex formation of these proteins may also be preferably employed in combination with the amylase-expressing yeast.

25 Transformation was performed based on the protocol outlined by Gietz *et al.*, Nucl. Acid. Res., 20:1425 (1992). Transformed cells were then inoculated from agar into YEPD complex media broth (100 ml) and grown overnight at 30°C. The YEPD broth was prepared as described in Kaiser *et al.*, Methods in Yeast Genetics, Cold Spring Harbor Press, Cold Spring Harbor, NY, p. 207 (1994). The overnight culture was then diluted to about 30 2 x 10⁶ cells/ml (approx. OD₆₀₀=0.1) into fresh YEPD broth (500 ml) and regrown to 1 x 10⁷ cells/ml (approx. OD₆₀₀=0.4-0.5).

35 The cells were then harvested and prepared for transformation by transfer into GS3 rotor bottles in a Sorval GS3 rotor at 5,000 rpm for 5 minutes, the supernatant discarded, and then resuspended into sterile water, and centrifuged again in 50 ml falcon tubes at 3,500 rpm in a Beckman GS-6KR centrifuge. The supernatant was discarded and the cells were subsequently washed with LiAc/TE (10 ml, 10 mM Tris-HCl, 1 mM EDTA pH 7.5, 100 mM Li₂OOCCH₃), and resuspended into LiAc/TE (2.5 ml).

Transformation took place by mixing the prepared cells (100 µl) with freshly denatured single stranded

salmon testes DNA (Lofstrand Labs, Gaithersburg, MD) and transforming DNA (1 μ g, vol. < 10 μ l) in microfuge tubes. The mixture was mixed briefly by vortexing, then 40% PEG/TE (600 μ l, 40% polyethylene glycol-4000, 10 mM Tris-HCl, 1 mM EDTA, 100 mM Li₂OOCCH₃, pH 7.5) was added. This mixture was gently mixed and incubated at 30°C while agitating for 30 minutes. The cells were then heat shocked at 42°C for 15 minutes, and the reaction vessel centrifuged in a microfuge at 12,000 rpm for 5-10 seconds, decanted and resuspended into TE (500 μ l, 10 mM Tris-HCl, 1 mM EDTA pH 7.5) followed by recentrifugation. The cells were then diluted into TE (1 ml) and aliquots (200 μ l) were spread onto the selective media previously prepared in 150 mm growth plates (VWR).

Alternatively, instead of multiple small reactions, the transformation was performed using a single, large scale reaction, wherein reagent amounts were scaled up accordingly.

The selective media used was a synthetic complete dextrose agar lacking uracil (SCD-Ura) prepared as described in Kaiser *et al.*, Methods in Yeast Genetics, Cold Spring Harbor Press, Cold Spring Harbor, NY, p. 208-210 (1994). Transformants were grown at 30°C for 2-3 days.

The detection of colonies secreting amylase was performed by including red starch in the selective growth media. Starch was coupled to the red dye (Reactive Red-120, Sigma) as per the procedure described by Biely *et al.*, Anal. Biochem., 172:176-179 (1988). The coupled starch was incorporated into the SCD-Ura agar plates at a final concentration of 0.15% (w/v), and was buffered with potassium phosphate to a pH of 7.0 (50-100 mM final concentration).

The positive colonies were picked and streaked across fresh selective media (onto 150 mm plates) in order to obtain well isolated and identifiable single colonies. Well isolated single colonies positive for amylase secretion were detected by direct incorporation of red starch into buffered SCD-Ura agar. Positive colonies were determined by their ability to break down starch resulting in a clear halo around the positive colony visualized directly.

4. Isolation of DNA by PCR Amplification

When a positive colony was isolated, a portion of it was picked by a toothpick and diluted into sterile water (30 μ l) in a 96 well plate. At this time, the positive colonies were either frozen and stored for subsequent analysis or immediately amplified. An aliquot of cells (5 μ l) was used as a template for the PCR reaction in a 25 μ l volume containing: 0.5 μ l Klentaq (Clontech, Palo Alto, CA); 4.0 μ l 10 mM dNTP's (Perkin Elmer-Cetus); 2.5 μ l Kentaq buffer (Clontech); 0.25 μ l forward oligo 1; 0.25 μ l reverse oligo 2; 12.5 μ l distilled water. The sequence of the forward oligonucleotide 1 was:

5'-TGTAACGACGCGCCAGTTAAATAGACCTGCAATTATTAATCT-3' (SEQ ID NO:611)

The sequence of reverse oligonucleotide 2 was:

5'-CAGGAAACAGCTATGACCACCTGCACACCTGCAAATCCATT-3' (SEQ ID NO:612)

PCR was then performed as follows:

- | | | | |
|----|----|--------------|------------------|
| 35 | a. | Denature | 92°C, 5 minutes |
| | b. | 3 cycles of: | |
| | | Denature | 92°C, 30 seconds |
| | | Anneal | 59°C, 30 seconds |

		Extend	72°C,	60 seconds
5	c.	3 cycles of:		
		Denature	92°C,	30 seconds
		Anneal	57°C,	30 seconds
		Extend	72°C,	60 seconds
	d.	25 cycles of:		
		Denature	92°C,	30 seconds
		Anneal	55°C,	30 seconds
		Extend	72°C,	60 seconds
10	e.	Hold	4°C	

The underlined regions of the oligonucleotides annealed to the ADH promoter region and the amylase region, respectively, and amplified a 307 bp region from vector pSST-AMY.0 when no insert was present. Typically, the first 18 nucleotides of the 5' end of these oligonucleotides contained annealing sites for the sequencing primers. Thus, the total product of the PCR reaction from an empty vector was 343 bp. However, signal sequence-fused cDNA resulted in considerably longer nucleotide sequences.

Following the PCR, an aliquot of the reaction (5 µl) was examined by agarose gel electrophoresis in a 1% agarose gel using a Tris-Borate-EDTA (TBE) buffering system as described by Sambrook *et al.*, *supra*. Clones resulting in a single strong PCR product larger than 400 bp were further analyzed by DNA sequencing after purification with a 96 Qiaquick PCR clean-up column (Qiagen Inc., Chatsworth, CA).

EXAMPLE 3: Isolation of cDNA Clones Using Signal Algorithm Analysis

Various polypeptide-encoding nucleic acid sequences were identified by applying a proprietary signal sequence finding algorithm developed by Genentech, Inc. (South San Francisco, CA) upon ESTs as well as clustered and assembled EST fragments from public (*e.g.*, GenBank) and/or private (LIFESEQ®, Incyte Pharmaceuticals, Inc., Palo Alto, CA) databases. The signal sequence algorithm computes a secretion signal score based on the character of the DNA nucleotides surrounding the first and optionally the second methionine codon(s) (ATG) at the 5'-end of the sequence or sequence fragment under consideration. The nucleotides following the first ATG must code for at least 35 unambiguous amino acids without any stop codons. If the first ATG has the required amino acids, the second is not examined. If neither meets the requirement, the candidate sequence is not scored. In order to determine whether the EST sequence contains an authentic signal sequence, the DNA and corresponding amino acid sequences surrounding the ATG codon are scored using a set of seven sensors (evaluation parameters) known to be associated with secretion signals. Use of this algorithm resulted in the identification of numerous polypeptide-encoding nucleic acid sequences.

EXAMPLE 4: Isolation of cDNA clones Encoding Human PRO Polypeptides

Using the techniques described in Examples 1 to 3 above, numerous full-length cDNA clones were identified as encoding PRO polypeptides as disclosed herein. These cDNAs were then deposited under the terms of the Budapest Treaty with the American Type Culture Collection, 10801 University Blvd., Manassas, VA 20110-2209, USA (ATCC) as shown in Table 7 below.

Table 7 (cont')

	<u>Material</u>	<u>ATCC Dep. No.</u>	<u>Deposit Date</u>
	DNA46776-1284	209721	March 31, 1998
	DNA48296-1292	209668	March 11, 1998
	DNA48306-1291	209911	May 27, 1998
5	DNA48328-1355	209843	May 6, 1998
	DNA48329-1290	209785	April 21, 1998
	DNA48334-1435	209924	June 2, 1998
	DNA49141-1431	203003	June 23, 1998
	DNA49624-1279	209655	March 5, 1998
10	DNA49647-1398	209919	June 2, 1998
	DNA49819-1439	209931	June 2, 1998
	DNA50911-1288	209714	March 31, 1998
	DNA50914-1289	209722	March 31, 1998
	DNA50919-1361	209848	May 6, 1998
15	DNA50980-1286	209717	March 31, 1998
	DNA52185-1370	209861	May 14, 1998
	DNA53906-1368	209747	April 7, 1998
	DNA53912-1457	209870	May 14, 1998
	DNA53913-1490	203162	August 25, 1998
20	DNA53977-1371	209862	May 14, 1998
	DNA53978-1443	209983	June 16, 1998
	DNA53996-1442	209921	June 2, 1998
	DNA54002-1367	209754	April 7, 1998
	DNA55737-1345	209753	April 7, 1998
25	DNA56050-1455	203011	June 23, 1998
	DNA56052-1454	203026	June 23, 1998
	DNA56107-1415	203405	October 27, 1998
	DNA56110-1437	203113	August 11, 1998
	DNA56406-1704	203478	November 17, 1998
30	DNA56409-1377	209882	May 20, 1998
	DNA56410-1414	209923	June 2, 1998
	DNA56436-1448	209902	May 27, 1998
	DNA56529-1647	203293	September 29, 1998
	DNA56855-1447	203004	June 23, 1998
35	DNA56859-1445	203019	June 23, 1998
	DNA56860-1510	209952	June 9, 1998
	DNA56865-1491	203022	June 23, 1998

Table 7 (cont')

	<u>Material</u>	<u>ATCC Dep. No.</u>	<u>Deposit Date</u>
	DNA56868-1478	203024	June 23, 1998
	DNA56869-1545	203161	August 25, 1998
	DNA56870-1492	209925	June 2, 1998
5	DNA57039-1402	209777	April 14, 1998
	DNA57253-1382	209867	May 14, 1998
	DNA57254-1477	203289	September 29, 1998
	DNA57699-1412	203020	June 23, 1998
	DNA57704-1452	209953	June 9, 1998
10	DNA57710-1451	203048	July 1, 1998
	DNA57827-1493	203045	July 1, 1998
	DNA57844-1410	203010	June 23, 1998
	DNA58723-1588	203133	August 18, 1998
	DNA58727-1474	203171	September 1, 1998
15	DNA58730-1607	203221	September 15, 1998
	DNA58732-1650	203290	September 29, 1998
	DNA58737-1473	203136	August 18, 1998
	DNA58743-1609	203154	August 25, 1998
	DNA58747-1384	209868	May 14, 1998
20	DNA58828-1519	203172	September 1, 1998
	DNA58846-1409	209957	June 9, 1998
	DNA58848-1472	209955	June 9, 1998
	DNA58849-1494	209958	June 9, 1998
	DNA58850-1495	209956	June 9, 1998
25	DNA58852-1637	203271	September 22, 1998
	DNA58853-1423	203016	June 23, 1998
	DNA58855-1422	203018	June 23, 1998
	DNA59211-1450	209960	June 9, 1998
	DNA59212-1627	203245	September 9, 1998
30	DNA59213-1487	209959	June 9, 1998
	DNA59219-1613	203220	September 15, 1998
	DNA59497-1496	209941	June 4, 1998
	DNA59602-1436	203051	July 1, 1998
	DNA59603-1419	209944	June 9, 1998
35	DNA59605-1418	203005	June 23, 1998
	DNA59607-1497	209946	June 9, 1998
	DNA59610-1556	209990	June 16, 1998

Table 7 (cont')

	<u>Material</u>	<u>ATCC Dep. No.</u>	<u>Deposit Date</u>
	DNA59612-1466	209947	June 9, 1998
	DNA59613-1417	203007	June 23, 1998
	DNA59616-1465	209991	June 16, 1998
5	DNA59619-1464	203041	July 1, 1998
	DNA59625-1498	209992	June 16, 1998
	DNA59817-1703	203470	November 17, 1998
	DNA59827-1426	203089	August 4, 1998
	DNA59828-1608	203158	August 25, 1998
10	DNA59837-2545	203658	February 9, 1999
	DNA59844-2542	203650	February 9, 1999
	DNA59853-1505	209985	June 16, 1998
	DNA59854-1459	209974	June 16, 1998
	DNA59855-1485	209987	June 16, 1998
15	DNA60278-1530	203170	September 1, 1998
	DNA60283-1484	203043	July 1, 1998
	DNA60608-1577	203126	August 18, 1998
	DNA60611-1524	203175	September 1, 1998
	DNA60619-1482	209993	June 16, 1998
20	DNA60625-1507	209975	June 16, 1998
	DNA60629-1481	209979	June 16, 1998
	DNA60740-1615	203456	November 3, 1998
	DNA61608-1606	203239	September 9, 1998
	DNA61755-1554	203112	August 11, 1998
25	DNA62809-1531	203237	September 9, 1998
	DNA62812-1594	203248	September 9, 1998
	DNA62813-2544	203655	February 9, 1999
	DNA62845-1684	203361	October 20, 1998
	DNA64849-1604	203468	November 17, 1998
30	DNA64852-1589	203127	August 18, 1998
	DNA64863-1573	203251	September 9, 1998
	DNA64881-1602	203240	September 9, 1998
	DNA64902-1667	203317	October 6, 1998
	DNA64952-1568	203222	September 15, 1998
35	DNA65403-1565	203230	September 15, 1998
	DNA65413-1534	203234	September 15, 1998
	DNA65423-1595	203227	September 15, 1998

Table 7 (cont')

	<u>Material</u>	<u>ATCC Dep. No.</u>	<u>Deposit Date</u>
	DNA66304-1546	203321	October 6, 1998
	DNA66308-1537	203159	August 25, 1998
	DNA66511-1563	203228	September 15, 1998
5	DNA66512-1564	203218	September 15, 1998
	DNA66519-1535	203236	September 15, 1998
	DNA66521-1583	203225	September 15, 1998
	DNA66658-1584	203229	September 15, 1998
	DNA66660-1585	203279	September 22, 1998
10	DNA66669-1597	203272	September 22, 1998
	DNA66674-1599	203281	September 22, 1998
	DNA68836-1656	203455	November 3, 1998
	DNA68862-2546	203652	February 9, 1999
	DNA68866-1644	203283	September 22, 1998
15	DNA68869-1610	203164	August 25, 1998
	DNA68871-1638	203280	September 22, 1998
	DNA68879-1631	203274	September 22, 1998
	DNA68880-1676	203319	October 6, 1998
	DNA68882-1677	203318	October 6, 1998
20	DNA68883-1691	203535	December 15, 1998
	DNA68885-1678	203311	October 6, 1998
	DNA71180-1655	203403	October 27, 1998
	DNA71184-1634	203266	September 22, 1998
	DNA71213-1659	203401	October 27, 1998
25	DNA71234-1651	203402	October 27, 1998
	DNA71269-1621	203284	September 22, 1998
	DNA71277-1636	203285	September 22, 1998
	DNA71286-1687	203357	October 20, 1998
	DNA71883-1660	203475	November 17, 1998
30	DNA73401-1633	203273	September 22, 1998
	DNA73492-1671	203324	October 6, 1998
	DNA73730-1679	203320	October 6, 1998
	DNA73734-1680	203363	October 20, 1998
	DNA73735-1681	203356	October 20, 1998
35	DNA73742-1662	203316	October 6, 1998
	DNA73746-1654	203411	October 27, 1998
	DNA73760-1672	203314	October 6, 1998

Table 7 (cont')

	<u>Material</u>	<u>ATCC Dep. No.</u>	<u>Deposit Date</u>
	DNA108684-2761	PTA-653	September 14, 1999
	DNA108701-2749	PTA-554	August 17, 1999
	DNA108720-2717	PTA-511	August 10, 1999
5	DNA108726-2729	PTA-514	August 10, 1999
	DNA108728-2760	PTA-654	September 14, 1999
	DNA108738-2767	PTA-862	October 19, 1999
	DNA108743-2722	PTA-508	August 10, 1999
	DNA108758-2759	PTA-655	September 14, 1999
10	DNA108765-2758	PTA-657	September 14, 1999
	DNA108783-2747	PTA-616	August 31, 1999
	DNA108789-2748	PTA-547	August 17, 1999
	DNA108806-2724	PTA-610	August 31, 1999
	DNA108936-2719	PTA-519	August 10, 1999
15	DNA119510-2771	PTA-947	November 9, 1999
	DNA119517-2778	PTA-951	November 16, 1999
	DNA119535-2756	PTA-613	August 31, 1999
	DNA119537-2777	PTA-956	November 16, 1999
	DNA119714-2851	PTA-1537	March 21, 2000
20	DNA125170-2780	PTA-953	November 16, 1999
	DNA129594-2841	PTA-1481	March 14, 2000
	DNA129793-2857	PTA-1733	April 18, 2000
	DNA130809-2769	PTA-949	November 9, 1999
	DNA131639-2874	PTA-1784	April 25, 2000
25	DNA131649-2855	PTA-1482	March 14, 2000
	DNA131652-2876	PTA-1628	April 4, 2000
	DNA131658-2875	PTA-1671	April 11, 2000
	DNA132162-2770	PTA-950	November 9, 1999
	DNA136110-2763	PTA-652	September 14, 1999
30	DNA139592-2866	PTA-1587	March 28, 2000
	DNA139608-2856	PTA-1581	March 28, 2000
	DNA143292-2848	PTA-1778	April 25, 2000
	DNA144844-2843	PTA-1536	March 21, 2000
	DNA144857-2845	PTA-1589	March 28, 2000
35	DNA145841-2868	PTA-1678	April 11, 2000
	DNA148004-2882	PTA-1779	April 25, 2000
	DNA149893-2873	PTA-1672	April 11, 2000

Table 7 (cont')

	<u>Material</u>	<u>ATCC Dep. No.</u>	<u>Deposit Date</u>
	DNA149930-2884	PTA-1668	April 11, 2000
	DNA150157-2898	PTA-1777	April 25, 2000
	DNA150163-2842	PTA-1533	March 21, 2000
5	DNA153579-2894	PTA-1729	April 18, 2000
	DNA164625-2890	PTA-1535	March 21, 2000
	DNA57838-1337	203014	June 23, 1998
	DNA59777-1480	203111	August 11, 1998
	DNA66675-1587	203282	September 22, 1998
10	DNA76532-1702	203473	November 17, 1998
	DNA105849-2704	PTA-473	August 3, 1999
	DNA83500-2506	203391	October 29, 1998

15 These deposits were made under the provisions of the Budapest Treaty on the International Recognition of the Deposit of Microorganisms for the Purpose of Patent Procedure and the Regulations thereunder (Budapest Treaty). This assures maintenance of a viable culture of the deposit for 30 years from the date of deposit. The deposits will be made available by ATCC under the terms of the Budapest Treaty, and subject to an agreement between Genentech, Inc. and ATCC, which assures permanent and unrestricted availability of the progeny of the culture of the deposit to the public upon issuance of the pertinent U.S. patent or upon laying open to the public of any U.S. or foreign patent application, whichever comes first, and assures availability of the progeny to one 20 determined by the U.S. Commissioner of Patents and Trademarks to be entitled thereto according to 35 USC § 122 and the Commissioner's rules pursuant thereto (including 37 CFR § 1.14 with particular reference to 886 OG 638).

25 The assignee of the present application has agreed that if a culture of the materials on deposit should die or be lost or destroyed when cultivated under suitable conditions, the materials will be promptly replaced on notification with another of the same. Availability of the deposited material is not to be construed as a license to practice the invention in contravention of the rights granted under the authority of any government in accordance with its patent laws.

30 EXAMPLE 5: Use of PRO as a hybridization probe

The following method describes use of a nucleotide sequence encoding PRO as a hybridization probe.

DNA comprising the coding sequence of full-length or mature PRO as disclosed herein is employed as a probe to screen for homologous DNAs (such as those encoding naturally-occurring variants of PRO) in human tissue cDNA libraries or human tissue genomic libraries.

35 Hybridization and washing of filters containing either library DNAs is performed under the following high stringency conditions. Hybridization of radiolabeled PRO-derived probe to the filters is performed in a solution of 50% formamide, 5x SSC, 0.1% SDS, 0.1% sodium pyrophosphate, 50 mM sodium phosphate, pH

6.8, 2x Denhardt's solution, and 10% dextran sulfate at 42°C for 20 hours. Washing of the filters is performed in an aqueous solution of 0.1x SSC and 0.1% SDS at 42°C.

DNAs having a desired sequence identity with the DNA encoding full-length native sequence PRO can then be identified using standard techniques known in the art.

5 **EXAMPLE 6: Expression of PRO in *E. coli***

This example illustrates preparation of an unglycosylated form of PRO by recombinant expression in *E. coli*.

The DNA sequence encoding PRO is initially amplified using selected PCR primers. The primers should contain restriction enzyme sites which correspond to the restriction enzyme sites on the selected expression vector. A variety of expression vectors may be employed. An example of a suitable vector is pBR322 (derived from *E. coli*; see Bolivar et al., Gene, 2:95 (1977)) which contains genes for ampicillin and tetracycline resistance. The vector is digested with restriction enzyme and dephosphorylated. The PCR amplified sequences are then ligated into the vector. The vector will preferably include sequences which encode for an antibiotic resistance gene, a trp promoter, a polyhis leader (including the first six STII codons, polyhis sequence, and enterokinase cleavage site), the PRO coding region, lambda transcriptional terminator, and an argU gene.

The ligation mixture is then used to transform a selected *E. coli* strain using the methods described in Sambrook et al., supra. Transformants are identified by their ability to grow on LB plates and antibiotic resistant colonies are then selected. Plasmid DNA can be isolated and confirmed by restriction analysis and DNA sequencing.

Selected clones can be grown overnight in liquid culture medium such as LB broth supplemented with antibiotics. The overnight culture may subsequently be used to inoculate a larger scale culture. The cells are then grown to a desired optical density, during which the expression promoter is turned on.

After culturing the cells for several more hours, the cells can be harvested by centrifugation. The cell pellet obtained by the centrifugation can be solubilized using various agents known in the art, and the solubilized PRO protein can then be purified using a metal chelating column under conditions that allow tight binding of the protein.

PRO may be expressed in *E. coli* in a poly-His tagged form, using the following procedure. The DNA encoding PRO is initially amplified using selected PCR primers. The primers will contain restriction enzyme sites which correspond to the restriction enzyme sites on the selected expression vector, and other useful sequences providing for efficient and reliable translation initiation, rapid purification on a metal chelation column, and proteolytic removal with enterokinase. The PCR-amplified, poly-His tagged sequences are then ligated into an expression vector, which is used to transform an *E. coli* host based on strain 52 (W3110 fuhA(tonA) lon galE rpoHts(htpRts) clpP(lacIq). Transformants are first grown in LB containing 50 mg/ml carbenicillin at 30°C with shaking until an O.D.600 of 3-5 is reached. Cultures are then diluted 50-100 fold into CRAP media (prepared by mixing 3.57 g (NH₄)₂SO₄, 0.71 g sodium citrate•2H₂O, 1.07 g KCl, 5.36 g Difco yeast extract, 5.36 g Sheffield hycase SF in 500 mL water, as well as 110 mM MPOS, pH 7.3, 0.55% (w/v) glucose and 7 mM MgSO₄) and grown for approximately 20-30 hours at 30°C with shaking. Samples are removed to verify

expression by SDS-PAGE analysis, and the bulk culture is centrifuged to pellet the cells. Cell pellets are frozen until purification and refolding.

E. coli paste from 0.5 to 1 L fermentations (6-10 g pellets) is resuspended in 10 volumes (w/v) in 7 M guanidine, 20 mM Tris, pH 8 buffer. Solid sodium sulfite and sodium tetrathionate is added to make final concentrations of 0.1M and 0.02 M, respectively, and the solution is stirred overnight at 4°C. This step results in a denatured protein with all cysteine residues blocked by sulfitolization. The solution is centrifuged at 40,000 rpm in a Beckman Ultracentrifuge for 30 min. The supernatant is diluted with 3-5 volumes of metal chelate column buffer (6 M guanidine, 20 mM Tris, pH 7.4) and filtered through 0.22 micron filters to clarify. The clarified extract is loaded onto a 5 ml Qiagen Ni-NTA metal chelate column equilibrated in the metal chelate column buffer. The column is washed with additional buffer containing 50 mM imidazole (Calbiochem, Utrol grade), pH 7.4. The protein is eluted with buffer containing 250 mM imidazole. Fractions containing the desired protein are pooled and stored at 4°C. Protein concentration is estimated by its absorbance at 280 nm using the calculated extinction coefficient based on its amino acid sequence.

The proteins are refolded by diluting the sample slowly into freshly prepared refolding buffer consisting of: 20 mM Tris, pH 8.6, 0.3 M NaCl, 2.5 M urea, 5 mM cysteine, 20 mM glycine and 1 mM EDTA. Refolding volumes are chosen so that the final protein concentration is between 50 to 100 micrograms/ml. The refolding solution is stirred gently at 4°C for 12-36 hours. The refolding reaction is quenched by the addition of TFA to a final concentration of 0.4% (pH of approximately 3). Before further purification of the protein, the solution is filtered through a 0.22 micron filter and acetonitrile is added to 2-10% final concentration. The refolded protein is chromatographed on a Poros R1/H reversed phase column using a mobile buffer of 0.1% TFA with elution with a gradient of acetonitrile from 10 to 80%. Aliquots of fractions with A280 absorbance are analyzed on SDS polyacrylamide gels and fractions containing homogeneous refolded protein are pooled. Generally, the properly refolded species of most proteins are eluted at the lowest concentrations of acetonitrile since those species are the most compact with their hydrophobic interiors shielded from interaction with the reversed phase resin. Aggregated species are usually eluted at higher acetonitrile concentrations. In addition to resolving misfolded forms of proteins from the desired form, the reversed phase step also removes endotoxin from the samples.

Fractions containing the desired folded PRO polypeptide are pooled and the acetonitrile removed using a gentle stream of nitrogen directed at the solution. Proteins are formulated into 20 mM Hepes, pH 6.8 with 0.14 M sodium chloride and 4% mannitol by dialysis or by gel filtration using G25 Superfine (Pharmacia) resins equilibrated in the formulation buffer and sterile filtered.

Many of the PRO polypeptides disclosed herein were successfully expressed as described above.

EXAMPLE 7: Expression of PRO in mammalian cells

This example illustrates preparation of a potentially glycosylated form of PRO by recombinant expression in mammalian cells.

The vector, pRK5 (see EP 307,247, published March 15, 1989), is employed as the expression vector. Optionally, the PRO DNA is ligated into pRK5 with selected restriction enzymes to allow insertion of the PRO DNA using ligation methods such as described in Sambrook et al., *supra*. The resulting vector is called pRK5-

PRO.

In one embodiment, the selected host cells may be 293 cells. Human 293 cells (ATCC CCL 1573) are grown to confluence in tissue culture plates in medium such as DMEM supplemented with fetal calf serum and optionally, nutrient components and/or antibiotics. About 10 μ g pRK5-PRO DNA is mixed with about 1 μ g DNA encoding the VA RNA gene [Thimmappaya et al., *Cell*, 31:543 (1982)] and dissolved in 500 μ l of 1 mM Tris-HCl, 0.1 mM EDTA, 0.227 M CaCl_2 . To this mixture is added, dropwise, 500 μ l of 50 mM HEPES (pH 7.35), 280 mM NaCl, 1.5 mM NaPO_4 , and a precipitate is allowed to form for 10 minutes at 25°C. The precipitate is suspended and added to the 293 cells and allowed to settle for about four hours at 37°C. The culture medium is aspirated off and 2 ml of 20% glycerol in PBS is added for 30 seconds. The 293 cells are then washed with serum free medium, fresh medium is added and the cells are incubated for about 5 days.

Approximately 24 hours after the transfections, the culture medium is removed and replaced with culture medium (alone) or culture medium containing 200 μ Ci/ml ^{35}S -cysteine and 200 μ Ci/ml ^{35}S -methionine. After a 12 hour incubation, the conditioned medium is collected, concentrated on a spin filter, and loaded onto a 15% SDS gel. The processed gel may be dried and exposed to film for a selected period of time to reveal the presence of PRO polypeptide. The cultures containing transfected cells may undergo further incubation (in serum free medium) and the medium is tested in selected bioassays.

In an alternative technique, PRO may be introduced into 293 cells transiently using the dextran sulfate method described by Somparyrac et al., *Proc. Natl. Acad. Sci.*, 12:7575 (1981). 293 cells are grown to maximal density in a spinner flask and 700 μ g pRK5-PRO DNA is added. The cells are first concentrated from the spinner flask by centrifugation and washed with PBS. The DNA-dextran precipitate is incubated on the cell pellet for four hours. The cells are treated with 20% glycerol for 90 seconds, washed with tissue culture medium, and re-introduced into the spinner flask containing tissue culture medium, 5 μ g/ml bovine insulin and 0.1 μ g/ml bovine transferrin. After about four days, the conditioned media is centrifuged and filtered to remove cells and debris. The sample containing expressed PRO can then be concentrated and purified by any selected method, such as dialysis and/or column chromatography.

In another embodiment, PRO can be expressed in CHO cells. The pRK5-PRO can be transfected into CHO cells using known reagents such as CaPO_4 or DEAE-dextran. As described above, the cell cultures can be incubated, and the medium replaced with culture medium (alone) or medium containing a radiolabel such as ^{35}S -methionine. After determining the presence of PRO polypeptide, the culture medium may be replaced with serum free medium. Preferably, the cultures are incubated for about 6 days, and then the conditioned medium is harvested. The medium containing the expressed PRO can then be concentrated and purified by any selected method.

Epitope-tagged PRO may also be expressed in host CHO cells. The PRO may be subcloned out of the pRK5 vector. The subclone insert can undergo PCR to fuse in frame with a selected epitope tag such as a poly-his tag into a Baculovirus expression vector. The poly-his tagged PRO insert can then be subcloned into a SV40 driven vector containing a selection marker such as DHFR for selection of stable clones. Finally, the CHO cells can be transfected (as described above) with the SV40 driven vector. Labeling may be performed, as described above, to verify expression. The culture medium containing the expressed poly-His tagged PRO can then be

concentrated and purified by any selected method, such as by Ni^{2+} -chelate affinity chromatography.

PRO may also be expressed in CHO and/or COS cells by a transient expression procedure or in CHO cells by another stable expression procedure.

5 Stable expression in CHO cells is performed using the following procedure. The proteins are expressed as an IgG construct (immunoadhesin), in which the coding sequences for the soluble forms (e.g. extracellular domains) of the respective proteins are fused to an IgG1 constant region sequence containing the hinge, CH2 and CH2 domains and/or is a poly-His tagged form.

10 Following PCR amplification, the respective DNAs are subcloned in a CHO expression vector using standard techniques as described in Ausubel et al., Current Protocols of Molecular Biology, Unit 3.16, John Wiley and Sons (1997). CHO expression vectors are constructed to have compatible restriction sites 5' and 3' of the DNA of interest to allow the convenient shuttling of cDNA's. The vector used expression in CHO cells is as described in Lucas et al., Nucl. Acids Res. 24:9 (1774-1779 (1996), and uses the SV40 early promoter/enhancer to drive expression of the cDNA of interest and dihydrofolate reductase (DHFR). DHFR expression permits selection for stable maintenance of the plasmid following transfection.

15 Twelve micrograms of the desired plasmid DNA is introduced into approximately 10 million CHO cells using commercially available transfection reagents Superfect[®] (Qiagen), Dosper[®] or Fugene[®] (Boehringer Mannheim). The cells are grown as described in Lucas et al., supra. Approximately 3×10^7 cells are frozen in an ampule for further growth and production as described below.

20 The ampules containing the plasmid DNA are thawed by placement into water bath and mixed by vortexing. The contents are pipetted into a centrifuge tube containing 10 mLs of media and centrifuged at 1000 rpm for 5 minutes. The supernatant is aspirated and the cells are resuspended in 10 mL of selective media (0.2 μm filtered PS20 with 5% 0.2 μm diafiltered fetal bovine serum). The cells are then aliquoted into a 100 mL spinner containing 90 mL of selective media. After 1-2 days, the cells are transferred into a 250 mL spinner filled with 150 mL selective growth medium and incubated at 37°C. After another 2-3 days, 250 mL, 500 mL and 2000 mL spinners are seeded with 3×10^5 cells/mL. The cell media is exchanged with fresh media by centrifugation and resuspension in production medium. Although any suitable CHO media may be employed, a production medium described in U.S. Patent No. 5,122,469, issued June 16, 1992 may actually be used. A 3L production spinner is seeded at 1.2×10^6 cells/mL. On day 0, the cell number pH is determined. On day 1, the spinner is sampled and sparging with filtered air is commenced. On day 2, the spinner is sampled, the temperature shifted to 33°C, and 30 mL of 500 g/L glucose and 0.6 mL of 10% antifoam (e.g., 35% polydimethylsiloxane emulsion, Dow Corning 365 Medical Grade Emulsion) taken. Throughout the production, the pH is adjusted as necessary to keep it at around 7.2. After 10 days, or until the viability dropped below 70%, the cell culture is harvested by centrifugation and filtering through a 0.22 μm filter. The filtrate was either stored at 4°C or immediately loaded onto columns for purification.

35 For the poly-His tagged constructs, the proteins are purified using a Ni-NTA column (Qiagen). Before purification, imidazole is added to the conditioned media to a concentration of 5 mM. The conditioned media is pumped onto a 6 ml Ni-NTA column equilibrated in 20 mM Hepes, pH 7.4, buffer containing 0.3 M NaCl and 5 mM imidazole at a flow rate of 4-5 ml/min. at 4°C. After loading, the column is washed with additional

equilibration buffer and the protein eluted with equilibration buffer containing 0.25 M imidazole. The highly purified protein is subsequently desalted into a storage buffer containing 10 mM Hepes, 0.14 M NaCl and 4% mannitol, pH 6.8, with a 25-ml G25 Superfine (Pharmacia) column and stored at -80°C.

Immunoadhesin (Fc-containing) constructs are purified from the conditioned media as follows. The conditioned medium is pumped onto a 5 ml Protein A column (Pharmacia) which had been equilibrated in 20 mM Na phosphate buffer, pH 6.8. After loading, the column is washed extensively with equilibration buffer before elution with 100 mM citric acid, pH 3.5. The eluted protein is immediately neutralized by collecting 1 ml fractions into tubes containing 275 μ L of 1 M Tris buffer, pH 9. The highly purified protein is subsequently desalted into storage buffer as described above for the poly-His tagged proteins. The homogeneity is assessed by SDS polyacrylamide gels and by N-terminal amino acid sequencing by Edman degradation.

Many of the PRO polypeptides disclosed herein were successfully expressed as described above.

EXAMPLE 8: Expression of PRO in Yeast

The following method describes recombinant expression of PRO in yeast.

First, yeast expression vectors are constructed for intracellular production or secretion of PRO from the ADH2/GAPDH promoter. DNA encoding PRO and the promoter is inserted into suitable restriction enzyme sites in the selected plasmid to direct intracellular expression of PRO. For secretion, DNA encoding PRO can be cloned into the selected plasmid, together with DNA encoding the ADH2/GAPDH promoter, a native PRO signal peptide or other mammalian signal peptide, or, for example, a yeast alpha-factor or invertase secretory signal/leader sequence, and linker sequences (if needed) for expression of PRO.

Yeast cells, such as yeast strain AB110, can then be transformed with the expression plasmids described above and cultured in selected fermentation media. The transformed yeast supernatants can be analyzed by precipitation with 10% trichloroacetic acid and separation by SDS-PAGE, followed by staining of the gels with Coomassie Blue stain.

Recombinant PRO can subsequently be isolated and purified by removing the yeast cells from the fermentation medium by centrifugation and then concentrating the medium using selected cartridge filters. The concentrate containing PRO may further be purified using selected column chromatography resins.

Many of the PRO polypeptides disclosed herein were successfully expressed as described above.

EXAMPLE 9: Expression of PRO in Baculovirus-Infected Insect Cells

The following method describes recombinant expression of PRO in Baculovirus-infected insect cells.

The sequence coding for PRO is fused upstream of an epitope tag contained within a baculovirus expression vector. Such epitope tags include poly-his tags and immunoglobulin tags (like Fc regions of IgG). A variety of plasmids may be employed, including plasmids derived from commercially available plasmids such as pVL1393 (Novagen). Briefly, the sequence encoding PRO or the desired portion of the coding sequence of PRO such as the sequence encoding the extracellular domain of a transmembrane protein or the sequence encoding the mature protein if the protein is extracellular is amplified by PCR with primers complementary to the 5' and 3' regions. The 5' primer may incorporate flanking (selected) restriction enzyme sites. The product is then

digested with those selected restriction enzymes and subcloned into the expression vector.

Recombinant baculovirus is generated by co-transfecting the above plasmid and BaculoGold™ virus DNA (Pharmingen) into *Spodoptera frugiperda* ("Sf9") cells (ATCC CRL 1711) using lipofectin (commercially available from GIBCO-BRL). After 4 - 5 days of incubation at 28°C, the released viruses are harvested and used for further amplifications. Viral infection and protein expression are performed as described by O'Reilley et al.,
5 Baculovirus expression vectors: A Laboratory Manual, Oxford: Oxford University Press (1994).

Expressed poly-his tagged PRO can then be purified, for example, by Ni²⁺-chelate affinity chromatography as follows. Extracts are prepared from recombinant virus-infected Sf9 cells as described by Rupert et al., Nature, 362:175-179 (1993). Briefly, Sf9 cells are washed, resuspended in sonication buffer (25 mL Hepes, pH 7.9; 12.5 mM MgCl₂; 0.1 mM EDTA; 10% glycerol; 0.1% NP-40; 0.4 M KCl), and sonicated
10 twice for 20 seconds on ice. The sonicates are cleared by centrifugation, and the supernatant is diluted 50-fold in loading buffer (50 mM phosphate, 300 mM NaCl, 10% glycerol, pH 7.8) and filtered through a 0.45 µm filter. A Ni²⁺-NTA agarose column (commercially available from Qiagen) is prepared with a bed volume of 5 mL, washed with 25 mL of water and equilibrated with 25 mL of loading buffer. The filtered cell extract is loaded onto the column at 0.5 mL per minute. The column is washed to baseline A₂₈₀ with loading buffer, at which point
15 fraction collection is started. Next, the column is washed with a secondary wash buffer (50 mM phosphate; 300 mM NaCl, 10% glycerol, pH 6.0), which elutes nonspecifically bound protein. After reaching A₂₈₀ baseline again, the column is developed with a 0 to 500 mM Imidazole gradient in the secondary wash buffer. One mL fractions are collected and analyzed by SDS-PAGE and silver staining or Western blot with Ni²⁺-NTA-conjugated to alkaline phosphatase (Qiagen). Fractions containing the eluted His₁₀-tagged PRO are pooled and dialyzed
20 against loading buffer.

Alternatively, purification of the IgG tagged (or Fc tagged) PRO can be performed using known chromatography techniques, including for instance, Protein A or protein G column chromatography.

Many of the PRO polypeptides disclosed herein were successfully expressed as described above.

25 EXAMPLE 10: Preparation of Antibodies that Bind PRO

This example illustrates preparation of monoclonal antibodies which can specifically bind PRO.

Techniques for producing the monoclonal antibodies are known in the art and are described, for instance, in Goding, supra. Immunogens that may be employed include purified PRO, fusion proteins containing PRO, and cells expressing recombinant PRO on the cell surface. Selection of the immunogen can be made by the skilled
30 artisan without undue experimentation.

Mice, such as Balb/c, are immunized with the PRO immunogen emulsified in complete Freund's adjuvant and injected subcutaneously or intraperitoneally in an amount from 1-100 micrograms. Alternatively, the immunogen is emulsified in MPL-TDM adjuvant (Ribi Immunochemical Research, Hamilton, MT) and injected into the animal's hind foot pads. The immunized mice are then boosted 10 to 12 days later with additional
35 immunogen emulsified in the selected adjuvant. Thereafter, for several weeks, the mice may also be boosted with additional immunization injections. Serum samples may be periodically obtained from the mice by retro-orbital bleeding for testing in ELISA assays to detect anti-PRO antibodies.

After a suitable antibody titer has been detected, the animals "positive" for antibodies can be injected with a final intravenous injection of PRO. Three to four days later, the mice are sacrificed and the spleen cells are harvested. The spleen cells are then fused (using 35% polyethylene glycol) to a selected murine myeloma cell line such as P3X63AgU.1, available from ATCC, No. CRL 1597. The fusions generate hybridoma cells which can then be plated in 96 well tissue culture plates containing HAT (hypoxanthine, aminopterin, and thymidine) medium to inhibit proliferation of non-fused cells, myeloma hybrids, and spleen cell hybrids.

The hybridoma cells will be screened in an ELISA for reactivity against PRO. Determination of "positive" hybridoma cells secreting the desired monoclonal antibodies against PRO is within the skill in the art.

The positive hybridoma cells can be injected intraperitoneally into syngeneic Balb/c mice to produce ascites containing the anti-PRO monoclonal antibodies. Alternatively, the hybridoma cells can be grown in tissue culture flasks or roller bottles. Purification of the monoclonal antibodies produced in the ascites can be accomplished using ammonium sulfate precipitation, followed by gel exclusion chromatography. Alternatively, affinity chromatography based upon binding of antibody to protein A or protein G can be employed.

EXAMPLE 11: Purification of PRO Polypeptides Using Specific Antibodies

Native or recombinant PRO polypeptides may be purified by a variety of standard techniques in the art of protein purification. For example, pro-PRO polypeptide, mature PRO polypeptide, or pre-PRO polypeptide is purified by immunoaffinity chromatography using antibodies specific for the PRO polypeptide of interest. In general, an immunoaffinity column is constructed by covalently coupling the anti-PRO polypeptide antibody to an activated chromatographic resin.

Polyclonal immunoglobulins are prepared from immune sera either by precipitation with ammonium sulfate or by purification on immobilized Protein A (Pharmacia LKB Biotechnology, Piscataway, N.J.). Likewise, monoclonal antibodies are prepared from mouse ascites fluid by ammonium sulfate precipitation or chromatography on immobilized Protein A. Partially purified immunoglobulin is covalently attached to a chromatographic resin such as CnBr-activated SEPHAROSE™ (Pharmacia LKB Biotechnology). The antibody is coupled to the resin, the resin is blocked, and the derivative resin is washed according to the manufacturer's instructions.

Such an immunoaffinity column is utilized in the purification of PRO polypeptide by preparing a fraction from cells containing PRO polypeptide in a soluble form. This preparation is derived by solubilization of the whole cell or of a subcellular fraction obtained via differential centrifugation by the addition of detergent or by other methods well known in the art. Alternatively, soluble PRO polypeptide containing a signal sequence may be secreted in useful quantity into the medium in which the cells are grown.

A soluble PRO polypeptide-containing preparation is passed over the immunoaffinity column, and the column is washed under conditions that allow the preferential absorbance of PRO polypeptide (e.g., high ionic strength buffers in the presence of detergent). Then, the column is eluted under conditions that disrupt antibody/PRO polypeptide binding (e.g., a low pH buffer such as approximately pH 2-3, or a high concentration of a chaotrope such as urea or thiocyanate ion), and PRO polypeptide is collected.

EXAMPLE 12: Drug Screening

This invention is particularly useful for screening compounds by using PRO polypeptides or binding fragment thereof in any of a variety of drug screening techniques. The PRO polypeptide or fragment employed in such a test may either be free in solution, affixed to a solid support, borne on a cell surface, or located intracellularly. One method of drug screening utilizes eukaryotic or prokaryotic host cells which are stably transformed with recombinant nucleic acids expressing the PRO polypeptide or fragment. Drugs are screened against such transformed cells in competitive binding assays. Such cells, either in viable or fixed form, can be used for standard binding assays. One may measure, for example, the formation of complexes between PRO polypeptide or a fragment and the agent being tested. Alternatively, one can examine the diminution in complex formation between the PRO polypeptide and its target cell or target receptors caused by the agent being tested.

Thus, the present invention provides methods of screening for drugs or any other agents which can affect a PRO polypeptide-associated disease or disorder. These methods comprise contacting such an agent with an PRO polypeptide or fragment thereof and assaying (i) for the presence of a complex between the agent and the PRO polypeptide or fragment, or (ii) for the presence of a complex between the PRO polypeptide or fragment and the cell, by methods well known in the art. In such competitive binding assays, the PRO polypeptide or fragment is typically labeled. After suitable incubation, free PRO polypeptide or fragment is separated from that present in bound form, and the amount of free or uncomplexed label is a measure of the ability of the particular agent to bind to PRO polypeptide or to interfere with the PRO polypeptide/cell complex.

Another technique for drug screening provides high throughput screening for compounds having suitable binding affinity to a polypeptide and is described in detail in WO 84/03564, published on September 13, 1984. Briefly stated, large numbers of different small peptide test compounds are synthesized on a solid substrate, such as plastic pins or some other surface. As applied to a PRO polypeptide, the peptide test compounds are reacted with PRO polypeptide and washed. Bound PRO polypeptide is detected by methods well known in the art. Purified PRO polypeptide can also be coated directly onto plates for use in the aforementioned drug screening techniques. In addition, non-neutralizing antibodies can be used to capture the peptide and immobilize it on the solid support.

This invention also contemplates the use of competitive drug screening assays in which neutralizing antibodies capable of binding PRO polypeptide specifically compete with a test compound for binding to PRO polypeptide or fragments thereof. In this manner, the antibodies can be used to detect the presence of any peptide which shares one or more antigenic determinants with PRO polypeptide.

EXAMPLE 13: Rational Drug Design

The goal of rational drug design is to produce structural analogs of biologically active polypeptide of interest (*i.e.*, a PRO polypeptide) or of small molecules with which they interact, *e.g.*, agonists, antagonists, or inhibitors. Any of these examples can be used to fashion drugs which are more active or stable forms of the PRO polypeptide or which enhance or interfere with the function of the PRO polypeptide *in vivo* (*c.f.*, Hodgson, Bio/Technology, 9: 19-21 (1991)).

In one approach, the three-dimensional structure of the PRO polypeptide, or of an PRO

polypeptide-inhibitor complex, is determined by x-ray crystallography, by computer modeling or, most typically, by a combination of the two approaches. Both the shape and charges of the PRO polypeptide must be ascertained to elucidate the structure and to determine active site(s) of the molecule. Less often, useful information regarding the structure of the PRO polypeptide may be gained by modeling based on the structure of homologous proteins. In both cases, relevant structural information is used to design analogous PRO polypeptide-like molecules or to identify efficient inhibitors. Useful examples of rational drug design may include molecules which have improved activity or stability as shown by Braxton and Wells, *Biochemistry*, 31:7796-7801 (1992) or which act as inhibitors, agonists, or antagonists of native peptides as shown by Athauda *et al.*, *J. Biochem.*, 113:742-746 (1993).

It is also possible to isolate a target-specific antibody, selected by functional assay, as described above, and then to solve its crystal structure. This approach, in principle, yields a pharmacore upon which subsequent drug design can be based. It is possible to bypass protein crystallography altogether by generating anti-idiotypic antibodies (anti-ids) to a functional, pharmacologically active antibody. As a mirror image of a mirror image, the binding site of the anti-ids would be expected to be an analog of the original receptor. The anti-id could then be used to identify and isolate peptides from banks of chemically or biologically produced peptides. The isolated peptides would then act as the pharmacore.

By virtue of the present invention, sufficient amounts of the PRO polypeptide may be made available to perform such analytical studies as X-ray crystallography. In addition, knowledge of the PRO polypeptide amino acid sequence provided herein will provide guidance to those employing computer modeling techniques in place of or in addition to x-ray crystallography.

EXAMPLE 14: Identification of PRO Polypeptides That Stimulate TNF- α Release In Human Blood (Assay 128)

This assay shows that certain PRO polypeptides of the present invention act to stimulate the release of TNF- α in human blood. PRO polypeptides testing positive in this assay are useful for, among other things, research purposes where stimulation of the release of TNF- α would be desired and for the therapeutic treatment of conditions wherein enhanced TNF- α release would be beneficial. Specifically, 200 μ l of human blood supplemented with 50mM Hepes buffer (pH 7.2) is aliquoted per well in a 96 well test plate. To each well is then added 300 μ l of either the test PRO polypeptide in 50 mM Hepes buffer (at various concentrations) or 50 mM Hepes buffer alone (negative control) and the plates are incubated at 37°C for 6 hours. The samples are then centrifuged and 50 μ l of plasma is collected from each well and tested for the presence of TNF- α by ELISA assay. A positive in the assay is a higher amount of TNF- α in the PRO polypeptide treated samples as compared to the negative control samples.

The following PRO polypeptides tested positive in this assay:

PRO1079, PRO827, PRO791, PRO1131, PRO1316, PRO1183, PRO1343, PRO1760, PRO1567, and PRO4333.

EXAMPLE 15: Promotion of Chondrocyte Redifferentiation (Assay 129)

This assay is designed to determine whether PRO polypeptides of the present invention show the ability to induce the proliferation and/or redifferentiation of chondrocytes in culture. PRO polypeptides testing positive in this assay would be expected to be useful for the therapeutic treatment of various bone and/or cartilage

disorders such as, for example, sports injuries and arthritis.

Porcine chondrocytes are isolated by overnight collagenase digestion of articular cartilage of the metacarpophalangeal joint of 4-6 month old female pigs. The isolated cells are then seeded at 25,000 cells/cm² in Ham F-12 containing 10% FBS and 4 µg/ml gentamycin. The culture media is changed every third day. On day 12, the cells are seeded in 96 well plates at 5,000 cells/well in 100 µl of the same media without serum and 100 µl of either serum-free medium (negative control), staurosporin (final concentration of 5 nM; positive control) or the test PRO polypeptide are added to give a final volume of 200 µl/well. After 5 days at 37°C, 22 µl of media containing 100 µg/ml Hoechst 33342 and 50 µg/ml 5-CFDA is added to each well and incubated for an additional 10 minutes at 37°C. A picture of the green fluorescence is taken for each well and the differentiation state of the chondrocytes is calculated by morphometric analysis. A positive result in the assay is obtained when the > 50% of the PRO polypeptide treated cells are differentiated (compared to the background obtained by the negative control).

PRO6029 polypeptide tested positive in this assay.

EXAMPLE 16: Microarray Analysis to Detect Overexpression of PRO Polypeptides in Cancerous Tumors

Nucleic acid microarrays, often containing thousands of gene sequences, are useful for identifying differentially expressed genes in diseased tissues as compared to their normal counterparts. Using nucleic acid microarrays, test and control mRNA samples from test and control tissue samples are reverse transcribed and labeled to generate cDNA probes. The cDNA probes are then hybridized to an array of nucleic acids immobilized on a solid support. The array is configured such that the sequence and position of each member of the array is known. For example, a selection of genes known to be expressed in certain disease states may be arrayed on a solid support. Hybridization of a labeled probe with a particular array member indicates that the sample from which the probe was derived expresses that gene. If the hybridization signal of a probe from a test (disease tissue) sample is greater than hybridization signal of a probe from a control (normal tissue) sample, the gene or genes overexpressed in the disease tissue are identified. The implication of this result is that an overexpressed protein in a diseased tissue is useful not only as a diagnostic marker for the presence of the disease condition, but also as a therapeutic target for treatment of the disease condition.

The methodology of hybridization of nucleic acids and microarray technology is well known in the art. In the present example, the specific preparation of nucleic acids for hybridization and probes, slides, and hybridization conditions are all detailed in U.S. Provisional Patent Application Serial No. 60/193,767, filed on March 31, 2000 and which is herein incorporated by reference.

In the present example, cancerous tumors derived from various human tissues were studied for PRO polypeptide-encoding gene expression relative to non-cancerous human tissue in an attempt to identify those PRO polypeptides which are overexpressed in cancerous tumors. Two sets of experimental data were generated. In one set, cancerous human colon tumor tissue and matched non-cancerous human colon tumor tissue from the same patient ("matched colon control") were obtained and analyzed for PRO polypeptide expression using the above described microarray technology. In the second set of data, cancerous human tumor tissue from any of a variety of different human tumors was obtained and compared to a "universal" epithelial control sample which was

prepared by pooling non-cancerous human tissues of epithelial origin, including liver, kidney, and lung. mRNA isolated from the pooled tissues represents a mixture of expressed gene products from these different tissues. Microarray hybridization experiments using the pooled control samples generated a linear plot in a 2-color analysis. The slope of the line generated in a 2-color analysis was then used to normalize the ratios of (test:control detection) within each experiment. The normalized ratios from various experiments were then compared and used to identify clustering of gene expression. Thus, the pooled "universal control" sample not only allowed effective relative gene expression determinations in a simple 2-sample comparison, it also allowed multi-sample comparisons across several experiments.

In the present experiments, nucleic acid probes derived from the herein described PRO polypeptide-encoding nucleic acid sequences were used in the creation of the microarray and RNA from the tumor tissues listed above were used for the hybridization thereto. A value based upon the normalized ratio:experimental ratio was designated as a "cutoff ratio". Only values that were above this cutoff ratio were determined to be significant. Table 8 below shows the results of these experiments, demonstrating that various PRO polypeptides of the present invention are significantly overexpressed in various human tumor tissues as compared to a non-cancerous human tissue control. As described above, these data demonstrate that the PRO polypeptides of the present invention are useful not only as diagnostic markers for the presence of one or more cancerous tumors, but also serve as therapeutic targets for the treatment of those tumors.

Table 8

	<u>Molecule</u>	<u>is overexpressed in:</u>	<u>as compared to:</u>
20	PRO276	lung tumor	universal normal control
	PRO284	colon tumor	universal normal control
	PRO284	lung tumor	universal normal control
	PRO284	breast tumor	universal normal control
	PRO193	colon tumor	universal normal control
	PRO193	lung tumor	universal normal control
25	PRO193	breast tumor	universal normal control
	PRO193	prostate tumor	universal normal control
	PRO190	colon tumor	universal normal control
	PRO190	lung tumor	universal normal control
	PRO190	breast tumor	universal normal control
30	PRO180	colon tumor	universal normal control
	PRO180	lung tumor	universal normal control
	PRO180	breast tumor	universal normal control
	PRO194	colon tumor	universal normal control
	PRO194	lung tumor	universal normal control
35	PRO194	breast tumor	universal normal control
	PRO194	cervical tumor	universal normal control
	PRO218	colon tumor	universal normal control
	PRO218	lung tumor	universal normal control
	PRO260	colon tumor	universal normal control
40	PRO260	lung tumor	universal normal control
	PRO260	breast tumor	universal normal control
	PRO260	rectal tumor	universal normal control
	PRO233	colon tumor	universal normal control
	PRO233	lung tumor	universal normal control
45	PRO233	breast tumor	universal normal control

Table 8 (cont')

	<u>Molecule</u>	<u>is overexpressed in:</u>	<u>as compared to:</u>
	PRO234	colon tumor	universal normal control
	PRO234	lung tumor	universal normal control
	PRO234	breast tumor	universal normal control
5	PRO234	liver tumor	universal normal control
	PRO236	colon tumor	universal normal control
	PRO236	lung tumor	universal normal control
	PRO236	breast tumor	universal normal control
	PRO244	colon tumor	universal normal control
10	PRO244	lung tumor	universal normal control
	PRO262	colon tumor	universal normal control
	PRO262	lung tumor	universal normal control
	PRO262	breast tumor	universal normal control
	PRO271	colon tumor	universal normal control
15	PRO271	lung tumor	universal normal control
	PRO268	colon tumor	universal normal control
	PRO268	lung tumor	universal normal control
	PRO268	breast tumor	universal normal control
	PRO270	colon tumor	universal normal control
20	PRO270	lung tumor	universal normal control
	PRO270	breast tumor	universal normal control
	PRO270	liver tumor	universal normal control
	PRO355	lung tumor	universal normal control
	PRO355	breast tumor	universal normal control
25	PRO355	prostate tumor	universal normal control
	PRO298	colon tumor	universal normal control
	PRO298	lung tumor	universal normal control
	PRO298	breast tumor	universal normal control
	PRO299	colon tumor	universal normal control
30	PRO299	lung tumor	universal normal control
	PRO299	breast tumor	universal normal control
	PRO296	colon tumor	universal normal control
	PRO296	breast tumor	universal normal control
	PRO329	colon tumor	universal normal control
35	PRO329	lung tumor	universal normal control
	PRO329	breast tumor	universal normal control
	PRO330	colon tumor	universal normal control
	PRO330	lung tumor	universal normal control
	PRO294	lung tumor	universal normal control
40	PRO294	breast tumor	universal normal control
	PRO300	colon tumor	universal normal control
	PRO300	lung tumor	universal normal control
	PRO300	breast tumor	universal normal control
	PRO307	lung tumor	universal normal control
45	PRO334	colon tumor	universal normal control
	PRO334	lung tumor	universal normal control
	PRO334	breast tumor	universal normal control
	PRO334	prostate tumor	universal normal control
	PRO352	colon tumor	universal normal control
50	PRO352	lung tumor	universal normal control
	PRO352	breast tumor	universal normal control
	PRO352	liver tumor	universal normal control
	PRO710	breast tumor	universal normal control
	PRO873	colon tumor	universal normal control
55	PRO873	lung tumor	universal normal control

Table 8 (cont')

	<u>Molecule</u>	<u>is overexpressed in:</u>	<u>as compared to:</u>
	PRO873	breast tumor	universal normal control
	PRO873	prostate tumor	universal normal control
	PRO354	colon tumor	universal normal control
5	PRO354	lung tumor	universal normal control
	PRO354	breast tumor	universal normal control
	PRO1151	lung tumor	universal normal control
	PRO1151	breast tumor	universal normal control
	PRO382	colon tumor	universal normal control
10	PRO382	lung tumor	universal normal control
	PRO382	breast tumor	universal normal control
	PRO1864	lung tumor	universal normal control
	PRO1864	breast tumor	universal normal control
	PRO1864	liver tumor	universal normal control
15	PRO386	colon tumor	universal normal control
	PRO386	lung tumor	universal normal control
	PRO386	prostate tumor	universal normal control
	PRO541	colon tumor	universal normal control
	PRO541	lung tumor	universal normal control
20	PRO541	breast tumor	universal normal control
	PRO852	breast tumor	universal normal control
	PRO700	colon tumor	universal normal control
	PRO700	lung tumor	universal normal control
	PRO700	breast tumor	universal normal control
25	PRO700	rectal tumor	universal normal control
	PRO708	colon tumor	universal normal control
	PRO708	lung tumor	universal normal control
	PRO708	breast tumor	universal normal control
	PRO707	colon tumor	universal normal control
30	PRO707	lung tumor	universal normal control
	PRO864	colon tumor	universal normal control
	PRO864	lung tumor	universal normal control
	PRO864	breast tumor	universal normal control
	PRO706	colon tumor	universal normal control
35	PRO706	lung tumor	universal normal control
	PRO706	breast tumor	universal normal control
	PRO706	liver tumor	universal normal control
	PRO732	lung tumor	universal normal control
	PRO732	breast tumor	universal normal control
40	PRO732	cervical tumor	universal normal control
	PRO537	colon tumor	universal normal control
	PRO537	lung tumor	universal normal control
	PRO537	breast tumor	universal normal control
	PRO545	lung tumor	universal normal control
45	PRO545	breast tumor	universal normal control
	PRO718	lung tumor	universal normal control
	PRO718	breast tumor	universal normal control
	PRO872	lung tumor	universal normal control
	PRO872	breast tumor	universal normal control
50	PRO872	liver tumor	universal normal control
	PRO704	colon tumor	universal normal control
	PRO704	lung tumor	universal normal control
	PRO704	breast tumor	universal normal control
	PRO705	lung tumor	universal normal control
55	PRO705	breast tumor	universal normal control

Table 8 (cont')

	<u>Molecule</u>	<u>is overexpressed in:</u>	<u>as compared to:</u>
	PRO871	lung tumor	universal normal control
	PRO871	breast tumor	universal normal control
	PRO871	liver tumor	universal normal control
5	PRO702	lung tumor	universal normal control
	PRO944	colon tumor	universal normal control
	PRO944	lung tumor	universal normal control
	PRO944	rectal tumor	universal normal control
	PRO739	lung tumor	universal normal control
10	PRO739	breast tumor	universal normal control
	PRO739	prostate tumor	universal normal control
	PRO941	colon tumor	universal normal control
	PRO941	lung tumor	universal normal control
	PRO941	breast tumor	universal normal control
15	PRO941	rectal tumor	universal normal control
	PRO1082	lung tumor	universal normal control
	PRO1082	breast tumor	universal normal control
	PRO1133	colon tumor	universal normal control
	PRO1133	lung tumor	universal normal control
20	PRO983	colon tumor	universal normal control
	PRO983	lung tumor	universal normal control
	PRO983	breast tumor	universal normal control
	PRO784	colon tumor	universal normal control
	PRO784	lung tumor	universal normal control
25	PRO784	breast tumor	universal normal control
	PRO784	prostate tumor	universal normal control
	PRO783	colon tumor	universal normal control
	PRO783	lung tumor	universal normal control
	PRO783	breast tumor	universal normal control
30	PRO783	liver tumor	universal normal control
	PRO940	colon tumor	universal normal control
	PRO940	lung tumor	universal normal control
	PRO940	breast tumor	universal normal control
35	PRO768	colon tumor	universal normal control
	PRO768	lung tumor	universal normal control
	PRO768	breast tumor	universal normal control
	PRO1079	colon tumor	universal normal control
	PRO1079	lung tumor	universal normal control
	PRO1079	breast tumor	universal normal control
40	PRO1079	rectal tumor	universal normal control
	PRO1078	colon tumor	universal normal control
	PRO1078	lung tumor	universal normal control
	PRO1018	colon tumor	universal normal control
	PRO1018	lung tumor	universal normal control
45	PRO1018	breast tumor	universal normal control
	PRO793	colon tumor	universal normal control
	PRO793	lung tumor	universal normal control
	PRO793	breast tumor	universal normal control
	PRO793	rectal tumor	universal normal control
50	PRO1773	colon tumor	universal normal control
	PRO1773	lung tumor	universal normal control
	PRO1773	prostate tumor	universal normal control
	PRO1014	lung tumor	universal normal control
	PRO1014	breast tumor	universal normal control
55	PRO1013	colon tumor	universal normal control

Table 8 (cont')

	<u>Molecule</u>	<u>is overexpressed in:</u>	<u>as compared to:</u>
	PRO1013	lung tumor	universal normal control
	PRO1013	breast tumor	universal normal control
	PRO1013	liver tumor	universal normal control
5	PRO937	colon tumor	universal normal control
	PRO937	lung tumor	universal normal control
	PRO937	breast tumor	universal normal control
	PRO937	cervical tumor	universal normal control
	PRO937	rectal tumor	universal normal control
10	PRO1477	lung tumor	universal normal control
	PRO1477	breast tumor	universal normal control
	PRO1477	rectal tumor	universal normal control
	PRO842	colon tumor	universal normal control
	PRO842	lung tumor	universal normal control
15	PRO842	breast tumor	universal normal control
	PRO839	colon tumor	universal normal control
	PRO1180	colon tumor	universal normal control
	PRO1180	lung tumor	universal normal control
	PRO1180	liver tumor	universal normal control
20	PRO1134	lung tumor	universal normal control
	PRO1134	breast tumor	universal normal control
	PRO1134	prostate tumor	universal normal control
	PRO1115	colon tumor	universal normal control
	PRO1115	lung tumor	universal normal control
25	PRO1115	breast tumor	universal normal control
	PRO1277	colon tumor	universal normal control
	PRO1277	lung tumor	universal normal control
	PRO1135	lung tumor	universal normal control
	PRO1135	breast tumor	universal normal control
30	PRO1135	cervical tumor	universal normal control
	PRO827	colon tumor	universal normal control
	PRO827	lung tumor	universal normal control
	PRO827	prostate tumor	universal normal control
	PRO827	cervical tumor	universal normal control
35	PRO1057	lung tumor	universal normal control
	PRO1057	breast tumor	universal normal control
	PRO1113	colon tumor	universal normal control
	PRO1113	lung tumor	universal normal control
	PRO1006	colon tumor	universal normal control
40	PRO1006	lung tumor	universal normal control
	PRO1006	breast tumor	universal normal control
	PRO1006	rectal tumor	universal normal control
	PRO1074	lung tumor	universal normal control
	PRO1074	rectal tumor	universal normal control
45	PRO1073	lung tumor	universal normal control
	PRO1073	breast tumor	universal normal control
	PRO1136	colon tumor	universal normal control
	PRO1136	lung tumor	universal normal control
	PRO1136	breast tumor	universal normal control
50	PRO1004	lung tumor	universal normal control
	PRO1344	colon tumor	universal normal control
	PRO1344	lung tumor	universal normal control
	PRO1344	breast tumor	universal normal control
	PRO1344	rectal tumor	universal normal control
55	PRO1110	colon tumor	universal normal control

Table 8 (cont')

	<u>Molecule</u>	<u>is overexpressed in:</u>	<u>as compared to:</u>
	PRO1110	lung tumor	universal normal control
	PRO1110	breast tumor	universal normal control
	PRO1378	colon tumor	universal normal control
5	PRO1378	lung tumor	universal normal control
	PRO1378	prostate tumor	universal normal control
	PRO1378	cervical tumor	universal normal control
	PRO1481	colon tumor	universal normal control
	PRO1481	lung tumor	universal normal control
10	PRO1109	lung tumor	universal normal control
	PRO1109	breast tumor	universal normal control
	PRO1383	colon tumor	universal normal control
	PRO1383	lung tumor	universal normal control
	PRO1383	breast tumor	universal normal control
15	PRO1072	lung tumor	universal normal control
	PRO1189	colon tumor	universal normal control
	PRO1189	lung tumor	universal normal control
	PRO1189	breast tumor	universal normal control
	PRO1189	prostate tumor	universal normal control
20	PRO1003	colon tumor	universal normal control
	PRO1003	lung tumor	universal normal control
	PRO1003	breast tumor	universal normal control
	PRO1003	liver tumor	universal normal control
	PRO1003	rectal tumor	universal normal control
25	PRO1108	colon tumor	universal normal control
	PRO1108	lung tumor	universal normal control
	PRO1108	breast tumor	universal normal control
	PRO1137	colon tumor	universal normal control
	PRO1137	lung tumor	universal normal control
30	PRO1137	breast tumor	universal normal control
	PRO1138	colon tumor	universal normal control
	PRO1138	lung tumor	universal normal control
	PRO1138	breast tumor	universal normal control
	PRO1415	colon tumor	universal normal control
35	PRO1415	lung tumor	universal normal control
	PRO1415	prostate tumor	universal normal control
	PRO1054	lung tumor	universal normal control
	PRO1054	breast tumor	universal normal control
	PRO994	colon tumor	universal normal control
40	PRO994	lung tumor	universal normal control
	PRO994	rectal tumor	universal normal control
	PRO1069	lung tumor	universal normal control
	PRO1069	breast tumor	universal normal control
	PRO1411	colon tumor	universal normal control
45	PRO1411	lung tumor	universal normal control
	PRO1129	lung tumor	universal normal control
	PRO1129	rectal tumor	universal normal control
	PRO1359	colon tumor	universal normal control
	PRO1359	lung tumor	universal normal control
50	PRO1359	breast tumor	universal normal control
	PRO1359	prostate tumor	universal normal control
	PRO1139	lung tumor	universal normal control
	PRO1065	lung tumor	universal normal control
	PRO1028	colon tumor	universal normal control
55	PRO1028	lung tumor	universal normal control

Table 8 (cont')

	<u>Molecule</u>	<u>is overexpressed in:</u>	<u>as compared to:</u>
	PRO1028	breast tumor	universal normal control
	PRO1028	cervical tumor	universal normal control
	PRO1027	colon tumor	universal normal control
5	PRO1027	lung tumor	universal normal control
	PRO1027	breast tumor	universal normal control
	PRO1140	colon tumor	universal normal control
	PRO1140	breast tumor	universal normal control
	PRO1291	colon tumor	universal normal control
10	PRO1291	breast tumor	universal normal control
	PRO1105	colon tumor	universal normal control
	PRO1105	lung tumor	universal normal control
	PRO1026	lung tumor	universal normal control
	PRO1026	prostate tumor	universal normal control
15	PRO1104	colon tumor	universal normal control
	PRO1104	lung tumor	universal normal control
	PRO1104	breast tumor	universal normal control
	PRO1100	colon tumor	universal normal control
	PRO1100	lung tumor	universal normal control
20	PRO1100	breast tumor	universal normal control
	PRO1100	rectal tumor	universal normal control
	PRO1141	lung tumor	universal normal control
	PRO1772	colon tumor	universal normal control
	PRO1772	lung tumor	universal normal control
25	PRO1772	breast tumor	universal normal control
	PRO1772	cervical tumor	universal normal control
	PRO1064	colon tumor	universal normal control
	PRO1064	lung tumor	universal normal control
	PRO1379	colon tumor	universal normal control
30	PRO1379	lung tumor	universal normal control
	PRO1379	cervical tumor	universal normal control
	PRO3573	lung tumor	universal normal control
	PRO3573	breast tumor	universal normal control
	PRO3566	colon tumor	universal normal control
35	PRO3566	lung tumor	universal normal control
	PRO1156	lung tumor	universal normal control
	PRO1156	breast tumor	universal normal control
	PRO1156	prostate tumor	universal normal control
	PRO1098	colon tumor	universal normal control
40	PRO1098	lung tumor	universal normal control
	PRO1098	rectal tumor	universal normal control
	PRO1128	colon tumor	universal normal control
	PRO1128	lung tumor	universal normal control
	PRO1128	breast tumor	universal normal control
45	PRO1248	lung tumor	universal normal control
	PRO1248	breast tumor	universal normal control
	PRO1127	colon tumor	universal normal control
	PRO1127	lung tumor	universal normal control
	PRO1127	breast tumor	universal normal control
50	PRO1316	colon tumor	universal normal control
	PRO1316	lung tumor	universal normal control
	PRO1316	breast tumor	universal normal control
	PRO1197	colon tumor	universal normal control
55	PRO1197	lung tumor	universal normal control
	PRO1197	breast tumor	universal normal control

Table 8 (cont')

	<u>Molecule</u>	<u>is overexpressed in:</u>	<u>as compared to:</u>
	PRO1125	lung tumor	universal normal control
	PRO1158	breast tumor	universal normal control
	PRO1124	colon tumor	universal normal control
5	PRO1124	lung tumor	universal normal control
	PRO1380	colon tumor	universal normal control
	PRO1380	lung tumor	universal normal control
	PRO1380	breast tumor	universal normal control
	PRO1380	liver tumor	universal normal control
10	PRO1377	colon tumor	universal normal control
	PRO1377	lung tumor	universal normal control
	PRO1287	lung tumor	universal normal control
	PRO1287	breast tumor	universal normal control
	PRO1249	lung tumor	universal normal control
15	PRO1249	breast tumor	universal normal control
	PRO1335	colon tumor	universal normal control
	PRO1335	lung tumor	universal normal control
	PRO1335	breast tumor	universal normal control
	PRO3572	lung tumor	universal normal control
20	PRO1599	colon tumor	universal normal control
	PRO1599	lung tumor	universal normal control
	PRO1599	breast tumor	universal normal control
	PRO1374	lung tumor	universal normal control
	PRO1374	breast tumor	universal normal control
25	PRO1345	lung tumor	universal normal control
	PRO1345	breast tumor	universal normal control
	PRO1311	lung tumor	universal normal control
	PRO1311	breast tumor	universal normal control
	PRO1357	colon tumor	universal normal control
30	PRO1357	lung tumor	universal normal control
	PRO1557	colon tumor	universal normal control
	PRO1557	lung tumor	universal normal control
	PRO1557	breast tumor	universal normal control
	PRO1305	colon tumor	universal normal control
35	PRO1305	lung tumor	universal normal control
	PRO1305	breast tumor	universal normal control
	PRO1302	colon tumor	universal normal control
	PRO1302	lung tumor	universal normal control
	PRO1302	breast tumor	universal normal control
40	PRO1302	rectal tumor	universal normal control
	PRO1266	colon tumor	universal normal control
	PRO1336	colon tumor	universal normal control
	PRO1336	lung tumor	universal normal control
	PRO1336	breast tumor	universal normal control
45	PRO1278	colon tumor	universal normal control
	PRO1278	lung tumor	universal normal control
	PRO1270	breast tumor	universal normal control
	PRO1298	colon tumor	universal normal control
	PRO1298	lung tumor	universal normal control
50	PRO1301	lung tumor	universal normal control
	PRO1301	breast tumor	universal normal control
	PRO1268	colon tumor	universal normal control
	PRO1268	breast tumor	universal normal control
	PRO1327	lung tumor	universal normal control
55	PRO1327	breast tumor	universal normal control

Table 8 (cont')

	<u>Molecule</u>	<u>is overexpressed in:</u>	<u>as compared to:</u>
	PRO1328	colon tumor	universal normal control
	PRO1328	lung tumor	universal normal control
	PRO1328	breast tumor	universal normal control
5	PRO1329	colon tumor	universal normal control
	PRO1329	lung tumor	universal normal control
	PRO1329	breast tumor	universal normal control
	PRO1339	colon tumor	universal normal control
	PRO1339	lung tumor	universal normal control
10	PRO1342	colon tumor	universal normal control
	PRO1342	lung tumor	universal normal control
	PRO1342	breast tumor	universal normal control
	PRO1342	rectal tumor	universal normal control
	PRO1487	colon tumor	universal normal control
15	PRO1487	breast tumor	universal normal control
	PRO3579	lung tumor	universal normal control
	PRO3579	breast tumor	universal normal control
	PRO1472	colon tumor	universal normal control
	PRO1472	lung tumor	universal normal control
20	PRO1385	lung tumor	universal normal control
	PRO1385	breast tumor	universal normal control
	PRO1461	colon tumor	universal normal control
	PRO1461	lung tumor	universal normal control
	PRO1461	breast tumor	universal normal control
25	PRO1429	colon tumor	universal normal control
	PRO1429	lung tumor	universal normal control
	PRO1429	breast tumor	universal normal control
	PRO1568	lung tumor	universal normal control
	PRO1568	breast tumor	universal normal control
30	PRO1569	colon tumor	universal normal control
	PRO1569	lung tumor	universal normal control
	PRO1569	breast tumor	universal normal control
	PRO1753	colon tumor	universal normal control
	PRO1753	lung tumor	universal normal control
35	PRO1570	colon tumor	universal normal control
	PRO1570	lung tumor	universal normal control
	PRO1570	breast tumor	universal normal control
	PRO1570	prostate tumor	universal normal control
	PRO1570	rectal tumor	universal normal control
40	PRO1559	colon tumor	universal normal control
	PRO1559	lung tumor	universal normal control
	PRO1559	breast tumor	universal normal control
	PRO1486	lung tumor	universal normal control
	PRO1486	breast tumor	universal normal control
45	PRO1433	colon tumor	universal normal control
	PRO1433	lung tumor	universal normal control
	PRO1433	breast tumor	universal normal control
	PRO1433	rectal tumor	universal normal control
	PRO1490	lung tumor	universal normal control
50	PRO1490	breast tumor	universal normal control
	PRO1482	lung tumor	universal normal control
	PRO1482	breast tumor	universal normal control
	PRO1409	colon tumor	universal normal control
	PRO1409	lung tumor	universal normal control
55	PRO1409	breast tumor	universal normal control

Table 8 (cont')

	<u>Molecule</u>	<u>is overexpressed in:</u>	<u>as compared to:</u>
	PRO1446	colon tumor	universal normal control
	PRO1446	lung tumor	universal normal control
	PRO1446	breast tumor	universal normal control
5	PRO1446	prostate tumor	universal normal control
	PRO1604	colon tumor	universal normal control
	PRO1604	lung tumor	universal normal control
	PRO1604	breast tumor	universal normal control
	PRO1491	colon tumor	universal normal control
10	PRO1491	lung tumor	universal normal control
	PRO1491	breast tumor	universal normal control
	PRO1431	colon tumor	universal normal control
	PRO1431	lung tumor	universal normal control
	PRO1563	colon tumor	universal normal control
15	PRO1563	lung tumor	universal normal control
	PRO1563	breast tumor	universal normal control
	PRO1571	colon tumor	universal normal control
	PRO1571	lung tumor	universal normal control
	PRO1571	breast tumor	universal normal control
20	PRO1572	lung tumor	universal normal control
	PRO1572	prostate tumor	universal normal control
	PRO1573	lung tumor	universal normal control
	PRO1573	breast tumor	universal normal control
	PRO1508	lung tumor	universal normal control
25	PRO1508	breast tumor	universal normal control
	PRO1485	colon tumor	universal normal control
	PRO1485	lung tumor	universal normal control
	PRO1564	colon tumor	universal normal control
	PRO1564	lung tumor	universal normal control
30	PRO1564	breast tumor	universal normal control
	PRO1550	colon tumor	universal normal control
	PRO1550	lung tumor	universal normal control
	PRO1550	breast tumor	universal normal control
	PRO1757	lung tumor	universal normal control
35	PRO1757	breast tumor	universal normal control
	PRO1757	prostate tumor	universal normal control
	PRO1758	lung tumor	universal normal control
	PRO1781	colon tumor	universal normal control
	PRO1781	lung tumor	universal normal control
40	PRO1781	breast tumor	universal normal control
	PRO1606	lung tumor	universal normal control
	PRO1606	breast tumor	universal normal control
	PRO1784	colon tumor	universal normal control
	PRO1784	lung tumor	universal normal control
45	PRO1784	breast tumor	universal normal control
	PRO1774	colon tumor	universal normal control
	PRO1774	lung tumor	universal normal control
	PRO1774	breast tumor	universal normal control
	PRO1605	colon tumor	universal normal control
50	PRO1605	lung tumor	universal normal control
	PRO1605	prostate tumor	universal normal control
	PRO1928	colon tumor	universal normal control
	PRO1928	lung tumor	universal normal control
	PRO1928	cervical tumor	universal normal control
55	PRO1865	lung tumor	universal normal control

Table 8 (cont')

	<u>Molecule</u>	<u>is overexpressed in:</u>	<u>as compared to:</u>
	PRO1865	liver tumor	universal normal control
	PRO1925	lung tumor	universal normal control
	PRO1926	liver tumor	universal normal control
5	PRO2630	colon tumor	universal normal control
	PRO2630	lung tumor	universal normal control
	PRO2630	breast tumor	universal normal control
	PRO2630	liver tumor	universal normal control
	PRO3443	colon tumor	universal normal control
10	PRO3443	lung tumor	universal normal control
	PRO3443	breast tumor	universal normal control
	PRO3301	colon tumor	universal normal control
	PRO3301	lung tumor	universal normal control
	PRO3301	breast tumor	universal normal control
15	PRO3301	rectal tumor	universal normal control
	PRO3442	colon tumor	universal normal control
	PRO3442	lung tumor	universal normal control
	PRO3442	rectal tumor	universal normal control
	PRO4978	colon tumor	universal normal control
20	PRO4978	lung tumor	universal normal control
	PRO4978	breast tumor	universal normal control
	PRO4978	rectal tumor	universal normal control
	PRO5801	colon tumor	universal normal control
	PRO5801	breast tumor	universal normal control
25	PRO19630	colon tumor	universal normal control
	PRO203	colon tumor	universal normal control
	PRO204	colon tumor	universal normal control
	PRO204	lung tumor	universal normal control
	PRO204	breast tumor	universal normal control
30	PRO204	prostate tumor	universal normal control
	PRO210	colon tumor	universal normal control
	PRO210	lung tumor	universal normal control
	PRO223	lung tumor	universal normal control
	PRO223	breast tumor	universal normal control
35	PRO247	colon tumor	universal normal control
	PRO247	lung tumor	universal normal control
	PRO247	breast	universal normal control
	PRO358	lung tumor	universal normal control
	PRO358	breast tumor	universal normal control
40	PRO358	prostate tumor	universal normal control
	PRO724	lung tumor	universal normal control
	PRO868	colon tumor	universal normal control
	PRO868	lung tumor	universal normal control
	PRO868	prostate tumor	universal normal control
45	PRO868	rectal tumor	universal normal control
	PRO740	colon tumor	universal normal control
	PRO1478	colon tumor	universal normal control
	PRO1478	lung tumor	universal normal control
	PRO162	colon tumor	universal normal control
50	PRO162	lung tumor	universal normal control
	PRO162	breast tumor	universal normal control
	PRO828	colon tumor	universal normal control
	PRO828	lung tumor	universal normal control
	PRO828	breast tumor	universal normal control
55	PRO828	cervical tumor	universal normal control

Table 8 (cont')

	<u>Molecule</u>	<u>is overexpressed in:</u>	<u>as compared to:</u>
	PRO828	liver tumor	universal normal control
	PRO819	lung tumor	universal normal control
	PRO819	breast tumor	universal normal control
5	PRO819	rectal tumor	universal normal control
	PRO813	colon tumor	universal normal control
	PRO813	lung tumor	universal normal control
	PRO813	breast tumor	universal normal control
	PRO813	prostate tumor	universal normal control
10	PRO1194	colon tumor	universal normal control
	PRO1194	lung tumor	universal normal control
	PRO1194	breast tumor	universal normal control
	PRO887	colon tumor	universal normal control
	PRO887	lung tumor	universal normal control
15	PRO887	rectal tumor	universal normal control
	PRO1071	colon tumor	universal normal control
	PRO1071	lung tumor	universal normal control
	PRO1071	breast tumor	universal normal control
	PRO1029	colon tumor	universal normal control
20	PRO1029	lung tumor	universal normal control
	PRO1029	breast tumor	universal normal control
	PRO1190	lung tumor	universal normal control
	PRO1190	breast tumor	universal normal control
	PRO4334	lung tumor	universal normal control
25	PRO1155	colon tumor	universal normal control
	PRO1155	lung tumor	universal normal control
	PRO1157	breast tumor	universal normal control
	PRO1157	cervical tumor	universal normal control
	PRO1122	lung tumor	universal normal control
30	PRO1122	breast tumor	universal normal control
	PRO1183	colon tumor	universal normal control
	PRO1183	lung tumor	universal normal control
	PRO1183	breast tumor	universal normal control
	PRO1337	colon tumor	universal normal control
35	PRO1337	lung tumor	universal normal control
	PRO1337	breast tumor	universal normal control
	PRO1480	colon tumor	universal normal control
	PRO1480	lung tumor	universal normal control
	PRO1480	breast tumor	universal normal control
40	PRO19645	colon tumor	universal normal control
	PRO9782	colon tumor	universal normal control
	PRO1419	colon tumor	universal normal control
	PRO1575	colon tumor	universal normal control
	PRO1575	lung tumor	universal normal control
45	PRO1567	colon tumor	universal normal control
	PRO1567	lung tumor	universal normal control
	PRO1567	breast tumor	universal normal control
	PRO1891	colon tumor	universal normal control
	PRO1889	colon tumor	universal normal control
50	PRO1889	lung tumor	universal normal control
	PRO1785	lung tumor	universal normal control
	PRO1785	prostate tumor	universal normal control
	PRO6003	colon tumor	universal normal control
	PRO4333	colon tumor	universal normal control
55	PRO4356	colon tumor	universal normal control

Table 8 (cont')

	<u>Molecule</u>	<u>is overexpressed in:</u>	<u>as compared to:</u>
	PRO4352	colon tumor	universal normal control
	PRO4354	colon tumor	universal normal control
	PRO4354	lung tumor	universal normal control
5	PRO4354	prostate tumor	universal normal control
	PRO4369	colon tumor	universal normal control
	PRO6030	colon tumor	universal normal control
	PRO4433	colon tumor	universal normal control
	PRO4424	colon tumor	universal normal control
10	PRO4424	breast tumor	universal normal control
	PRO6017	colon tumor	universal normal control
	PRO19563	colon tumor	universal normal control
	PRO6015	colon tumor	universal normal control
	PRO5779	colon tumor	universal normal control
15	PRO5776	colon tumor	universal normal control
	PRO4430	lung tumor	universal normal control
	PRO4421	colon tumor	universal normal control
	PRO4499	colon tumor	universal normal control
	PRO4423	colon tumor	universal normal control
20	PRO5998	colon tumor	universal normal control
	PRO5998	lung tumor	universal normal control
	PRO4501	colon tumor	universal normal control
	PRO6240	colon tumor	universal normal control
	PRO6245	colon tumor	universal normal control
25	PRO6175	colon tumor	universal normal control
	PRO9742	colon tumor	universal normal control
	PRO7179	colon tumor	universal normal control
	PRO6239	colon tumor	universal normal control
	PRO6493	colon tumor	universal normal control
30	PRO9741	colon tumor	universal normal control
	PRO9822	colon tumor	universal normal control
	PRO6244	colon tumor	universal normal control
	PRO9740	colon tumor	universal normal control
	PRO9739	colon tumor	universal normal control
35	PRO7177	colon tumor	universal normal control
	PRO7178	colon tumor	universal normal control
	PRO6246	colon tumor	universal normal control
	PRO6241	colon tumor	universal normal control
	PRO9835	colon tumor	universal normal control
40	PRO9857	colon tumor	universal normal control
	PRO7436	colon tumor	universal normal control
	PRO9856	colon tumor	universal normal control
	PRO19605	colon tumor	universal normal control
	PRO9859	colon tumor	universal normal control
45	PRO12970	colon tumor	universal normal control
	PRO19626	colon tumor	universal normal control
	PRO9883	colon tumor	universal normal control
	PRO19670	colon tumor	universal normal control
	PRO19624	colon tumor	universal normal control
50	PRO19680	colon tumor	universal normal control
	PRO19675	colon tumor	universal normal control
	PRO9834	colon tumor	universal normal control
	PRO9744	colon tumor	universal normal control
	PRO19644	colon tumor	universal normal control
55	PRO19625	colon tumor	universal normal control

Table 8 (cont')

	<u>Molecule</u>	<u>is overexpressed in:</u>	<u>as compared to:</u>
	PRO19597	colon tumor	universal normal control
	PRO16090	colon tumor	universal normal control
	PRO19576	colon tumor	universal normal control
5	PRO19646	colon tumor	universal normal control
	PRO19814	colon tumor	universal normal control
	PRO19669	colon tumor	universal normal control
	PRO19818	colon tumor	universal normal control
	PRO20088	colon tumor	universal normal control
10	PRO16089	colon tumor	universal normal control
	PRO20025	colon tumor	universal normal control
	PRO20040	colon tumor	universal normal control
	PRO1760	adrenal tumor	universal normal control
	PRO1760	breast tumor	universal normal control
15	PRO1760	cervical tumor	universal normal control
	PRO1760	colon tumor	universal normal control
	PRO1760	liver tumor	universal normal control
	PRO1760	lung tumor	universal normal control
	PRO1760	prostate tumor	universal normal control
20	PRO1760	rectal tumor	universal normal control
	PRO6029	adrenal tumor	universal normal control
	PRO6029	colon tumor	universal normal control
	PRO6029	prostate tumor	universal normal control
	PRO1801	colon tumor	universal normal control
25	PRO1801	lung tumor	universal normal control

WHAT IS CLAIMED IS:

1. Isolated nucleic acid having at least 80% nucleic acid sequence identity to a nucleotide sequence that encodes an amino acid sequence selected from the group consisting of the amino acid sequence shown in Figure 2 (SEQ ID NO:2), Figure 4 (SEQ ID NO:4), Figure 6 (SEQ ID NO:6), Figure 8 (SEQ ID NO:8), Figure 10 (SEQ ID NO:10), Figure 12 (SEQ ID NO:12), Figure 14 (SEQ ID NO:14), Figure 16 (SEQ ID NO:16), Figure 18 (SEQ ID NO:18), Figure 20 (SEQ ID NO:20), Figure 22 (SEQ ID NO:22), Figure 24 (SEQ ID NO:24), Figure 26 (SEQ ID NO:26), Figure 28 (SEQ ID NO:28), Figure 30 (SEQ ID NO:30), Figure 32 (SEQ ID NO:32), Figure 34 (SEQ ID NO:34), Figure 36 (SEQ ID NO:36), Figure 38 (SEQ ID NO:38), Figure 40 (SEQ ID NO:40), Figure 42 (SEQ ID NO:42), Figure 44 (SEQ ID NO:44), Figure 46 (SEQ ID NO:46), Figure 48 (SEQ ID NO:48), Figure 50 (SEQ ID NO:50), Figure 52 (SEQ ID NO:52), Figure 54 (SEQ ID NO:54), Figure 56 (SEQ ID NO:56), Figure 58 (SEQ ID NO:58), Figure 60 (SEQ ID NO:60), Figure 62 (SEQ ID NO:62), Figure 64 (SEQ ID NO:64), Figure 66 (SEQ ID NO:66), Figure 68 (SEQ ID NO:68), Figure 70 (SEQ ID NO:70), Figure 72 (SEQ ID NO:72), Figure 74 (SEQ ID NO:74), Figure 76 (SEQ ID NO:76), Figure 78 (SEQ ID NO:78), Figure 80 (SEQ ID NO:80), Figure 82 (SEQ ID NO:82), Figure 84 (SEQ ID NO:84), Figure 86 (SEQ ID NO:86), Figure 88 (SEQ ID NO:88), Figure 90 (SEQ ID NO:90), Figure 92 (SEQ ID NO:92), Figure 94 (SEQ ID NO:94), Figure 96 (SEQ ID NO:96), Figure 98 (SEQ ID NO:98), Figure 100 (SEQ ID NO:100), Figure 102 (SEQ ID NO:102), Figure 104 (SEQ ID NO:104), Figure 106 (SEQ ID NO:106), Figure 108 (SEQ ID NO:108), Figure 110 (SEQ ID NO:110), Figure 112 (SEQ ID NO:112), Figure 114 (SEQ ID NO:114), Figure 116 (SEQ ID NO:116), Figure 118 (SEQ ID NO:118), Figure 120 (SEQ ID NO:120), Figure 122 (SEQ ID NO:122), Figure 124 (SEQ ID NO:124), Figure 126 (SEQ ID NO:126), Figure 128 (SEQ ID NO:128), Figure 130 (SEQ ID NO:130), Figure 132 (SEQ ID NO:132), Figure 134 (SEQ ID NO:134), Figure 136 (SEQ ID NO:136), Figure 138 (SEQ ID NO:138), Figure 140 (SEQ ID NO:140), Figure 142 (SEQ ID NO:142), Figure 144 (SEQ ID NO:144), Figure 146 (SEQ ID NO:146), Figure 148 (SEQ ID NO:148), Figure 150 (SEQ ID NO:150), Figure 152 (SEQ ID NO:152), Figure 154 (SEQ ID NO:154), Figure 156 (SEQ ID NO:156), Figure 158 (SEQ ID NO:158), Figure 160 (SEQ ID NO:160), Figure 162 (SEQ ID NO:162), Figure 164 (SEQ ID NO:164), Figure 166 (SEQ ID NO:166), Figure 168 (SEQ ID NO:168), Figure 170 (SEQ ID NO:170), Figure 172 (SEQ ID NO:172), Figure 174 (SEQ ID NO:174), Figure 176 (SEQ ID NO:176), Figure 178 (SEQ ID NO:178), Figure 180 (SEQ ID NO:180), Figure 182 (SEQ ID NO:182), Figure 184 (SEQ ID NO:184), Figure 186 (SEQ ID NO:186), Figure 188 (SEQ ID NO:188), Figure 190 (SEQ ID NO:190), Figure 192 (SEQ ID NO:192), Figure 194 (SEQ ID NO:194), Figure 196 (SEQ ID NO:196), Figure 198 (SEQ ID NO:198), Figure 200 (SEQ ID NO:200), Figure 202 (SEQ ID NO:202), Figure 204 (SEQ ID NO:204), Figure 206 (SEQ ID NO:206), Figure 208 (SEQ ID NO:208), Figure 210 (SEQ ID NO:210), Figure 212 (SEQ ID NO:212), Figure 214 (SEQ ID NO:214), Figure 216 (SEQ ID NO:216), Figure 218 (SEQ ID NO:218), Figure 220 (SEQ ID NO:220), Figure 222 (SEQ ID NO:222), Figure 224 (SEQ ID NO:224), Figure 226 (SEQ ID NO:226), Figure 228 (SEQ ID NO:228), Figure 230 (SEQ ID NO:230), Figure 232 (SEQ ID NO:232), Figure 234 (SEQ ID NO:234), Figure 236 (SEQ ID NO:236), Figure 238 (SEQ ID NO:238), Figure 240 (SEQ ID NO:240), Figure 242 (SEQ ID NO:242), Figure 244 (SEQ ID NO:244), Figure 246 (SEQ ID NO:246), Figure 248 (SEQ ID NO:248), Figure 250 (SEQ ID NO:250), Figure 252 (SEQ ID NO:252), Figure 254 (SEQ ID NO:254).

NO:254), Figure 256 (SEQ ID NO:256), Figure 258 (SEQ ID NO:258), Figure 260 (SEQ ID NO:260), Figure
262 (SEQ ID NO:262), Figure 264 (SEQ ID NO:264), Figure 266 (SEQ ID NO:266), Figure 268 (SEQ ID
NO:268), Figure 270 (SEQ ID NO:270), Figure 272 (SEQ ID NO:272), Figure 274 (SEQ ID NO:274), Figure
276 (SEQ ID NO:276), Figure 278 (SEQ ID NO:278), Figure 280 (SEQ ID NO:280), Figure 282 (SEQ ID
NO:282), Figure 284 (SEQ ID NO:284), Figure 286 (SEQ ID NO:286), Figure 288 (SEQ ID NO:288), Figure
5 290 (SEQ ID NO:290), Figure 292 (SEQ ID NO:292), Figure 294 (SEQ ID NO:294), Figure 296 (SEQ ID
NO:296), Figure 298 (SEQ ID NO:298), Figure 300 (SEQ ID NO:300), Figure 302 (SEQ ID NO:302), Figure
304 (SEQ ID NO:304), Figure 306 (SEQ ID NO:306), Figure 308 (SEQ ID NO:308), Figure 310 (SEQ ID
NO:310), Figure 312 (SEQ ID NO:312), Figure 314 (SEQ ID NO:314), Figure 316 (SEQ ID NO:316), Figure
318 (SEQ ID NO:318), Figure 320 (SEQ ID NO:320), Figure 322 (SEQ ID NO:322), Figure 324 (SEQ ID
10 NO:324), Figure 326 (SEQ ID NO:326), Figure 328 (SEQ ID NO:328), Figure 330 (SEQ ID NO:330), Figure
332 (SEQ ID NO:332), Figure 334 (SEQ ID NO:334), Figure 336 (SEQ ID NO:336), Figure 338 (SEQ ID
NO:338), Figure 340 (SEQ ID NO:340), Figure 342 (SEQ ID NO:342), Figure 344 (SEQ ID NO:344), Figure
346 (SEQ ID NO:346), Figure 348 (SEQ ID NO:348), Figure 350 (SEQ ID NO:350), Figure 352 (SEQ ID
NO:352), Figure 354 (SEQ ID NO:354), Figure 356 (SEQ ID NO:356), Figure 358 (SEQ ID NO:358), Figure
15 360 (SEQ ID NO:360), Figure 362 (SEQ ID NO:362), Figure 364 (SEQ ID NO:364), Figure 366 (SEQ ID
NO:366), Figure 368 (SEQ ID NO:368), Figure 370 (SEQ ID NO:370), Figure 372 (SEQ ID NO:372), Figure
374 (SEQ ID NO:374), Figure 376 (SEQ ID NO:376), Figure 378 (SEQ ID NO:378), Figure 380 (SEQ ID
NO:380), Figure 382 (SEQ ID NO:382), Figure 384 (SEQ ID NO:384), Figure 386 (SEQ ID NO:386), Figure
388 (SEQ ID NO:388), Figure 390 (SEQ ID NO:390), Figure 392 (SEQ ID NO:392), Figure 394 (SEQ ID
20 NO:394), Figure 396 (SEQ ID NO:396), Figure 398 (SEQ ID NO:398), Figure 400 (SEQ ID NO:400), Figure
402 (SEQ ID NO:402), Figure 404 (SEQ ID NO:404), Figure 406 (SEQ ID NO:406), Figure 408 (SEQ ID
NO:408), Figure 410 (SEQ ID NO:410), Figure 412 (SEQ ID NO:412), Figure 414 (SEQ ID NO:414), Figure
416 (SEQ ID NO:416), Figure 418 (SEQ ID NO:418), Figure 420 (SEQ ID NO:420), Figure 422 (SEQ ID
NO:422), Figure 424 (SEQ ID NO:424), Figure 426 (SEQ ID NO:426), Figure 428 (SEQ ID NO:428), Figure
25 430 (SEQ ID NO:430), Figure 432 (SEQ ID NO:432), Figure 434 (SEQ ID NO:434), Figure 436 (SEQ ID
NO:436), Figure 438 (SEQ ID NO:438), Figure 440 (SEQ ID NO:440), Figure 442 (SEQ ID NO:442), Figure
444 (SEQ ID NO:444), Figure 446 (SEQ ID NO:446), Figure 448 (SEQ ID NO:448), Figure 450 (SEQ ID
NO:450), Figure 452 (SEQ ID NO:452), Figure 454 (SEQ ID NO:454), Figure 456 (SEQ ID NO:456), Figure
458 (SEQ ID NO:458), Figure 460 (SEQ ID NO:460), Figure 462 (SEQ ID NO:462), Figure 464 (SEQ ID
30 NO:464), Figure 466 (SEQ ID NO:466), Figure 468 (SEQ ID NO:468), Figure 470 (SEQ ID NO:470), Figure
472 (SEQ ID NO:472), Figure 474 (SEQ ID NO:474), Figure 476 (SEQ ID NO:476), Figure 478 (SEQ ID
NO:478), Figure 480 (SEQ ID NO:480), Figure 482 (SEQ ID NO:482), Figure 484 (SEQ ID NO:484), Figure
486 (SEQ ID NO:486), Figure 488 (SEQ ID NO:488), Figure 490 (SEQ ID NO:490), Figure 492 (SEQ ID
NO:492), Figure 494 (SEQ ID NO:494), Figure 496 (SEQ ID NO:496), Figure 498 (SEQ ID NO:498), Figure
35 500 (SEQ ID NO:500), Figure 502 (SEQ ID NO:502), Figure 504 (SEQ ID NO:504), Figure 506 (SEQ ID
NO:506), Figure 508 (SEQ ID NO:508), Figure 510 (SEQ ID NO:510), Figure 512 (SEQ ID NO:512), Figure
514 (SEQ ID NO:514), Figure 516 (SEQ ID NO:516), Figure 518 (SEQ ID NO:518), Figure 520 (SEQ ID

NO:520), Figure 522 (SEQ ID NO:522), Figure 524 (SEQ ID NO:524), Figure 526 (SEQ ID NO:526), Figure 528 (SEQ ID NO:528), Figure 530 (SEQ ID NO:530), Figure 532 (SEQ ID NO:532), Figure 534 (SEQ ID NO:534), Figure 536 (SEQ ID NO:536), Figure 538 (SEQ ID NO:538), Figure 540 (SEQ ID NO:540), Figure 542 (SEQ ID NO:542), Figure 544 (SEQ ID NO:544), Figure 546 (SEQ ID NO:546), Figure 548 (SEQ ID NO:548), Figure 550 (SEQ ID NO:550), Figure 552 (SEQ ID NO:552), Figure 554 (SEQ ID NO:554), Figure 556 (SEQ ID NO:556), Figure 558 (SEQ ID NO:558), Figure 560 (SEQ ID NO:560), Figure 562 (SEQ ID NO:562), Figure 564 (SEQ ID NO:564), Figure 566 (SEQ ID NO:566), Figure 568 (SEQ ID NO:568), Figure 570 (SEQ ID NO:570), Figure 572 (SEQ ID NO:572), Figure 574 (SEQ ID NO:574), Figure 576 (SEQ ID NO:576), Figure 578 (SEQ ID NO:578), Figure 580 (SEQ ID NO:580), Figure 582 (SEQ ID NO:582), Figure 584 (SEQ ID NO:584), Figure 586 (SEQ ID NO:586), Figure 588 (SEQ ID NO:588), Figure 590 (SEQ ID NO:590), Figure 592 (SEQ ID NO:592), Figure 594 (SEQ ID NO:594), Figure 596 (SEQ ID NO:596), Figure 598 (SEQ ID NO:598), Figure 600 (SEQ ID NO:600), Figure 602 (SEQ ID NO:602), Figure 604 (SEQ ID NO:604), Figure 606 (SEQ ID NO:606), Figure 608 (SEQ ID NO:608), and Figure 610 (SEQ ID NO:610).

2. Isolated nucleic acid having at least 80% nucleic acid sequence identity to a nucleotide sequence selected from the group consisting of the nucleotide sequence shown in Figure 1 (SEQ ID NO:1), Figure 3 (SEQ ID NO:3), Figure 5 (SEQ ID NO:5), Figure 7 (SEQ ID NO:7), Figure 9 (SEQ ID NO:9), Figure 11 (SEQ ID NO:11), Figure 13 (SEQ ID NO:13), Figure 15 (SEQ ID NO:15), Figure 17 (SEQ ID NO:17), Figure 19 (SEQ ID NO:19), Figure 21 (SEQ ID NO:21), Figure 23 (SEQ ID NO:23), Figure 25 (SEQ ID NO:25), Figure 27 (SEQ ID NO:27), Figure 29 (SEQ ID NO:29), Figure 31 (SEQ ID NO:31), Figure 33 (SEQ ID NO:33), Figure 35 (SEQ ID NO:35), Figure 37 (SEQ ID NO:37), Figure 39 (SEQ ID NO:39), Figure 41 (SEQ ID NO:41), Figure 43 (SEQ ID NO:43), Figure 45 (SEQ ID NO:45), Figure 47 (SEQ ID NO:47), Figure 49 (SEQ ID NO:49), Figure 51 (SEQ ID NO:51), Figure 53 (SEQ ID NO:53), Figure 55 (SEQ ID NO:55), Figure 57 (SEQ ID NO:57), Figure 59 (SEQ ID NO:59), Figure 61 (SEQ ID NO:61), Figure 63 (SEQ ID NO:63), Figure 65 (SEQ ID NO:65), Figure 67 (SEQ ID NO:67), Figure 69 (SEQ ID NO:69), Figure 71 (SEQ ID NO:71), Figure 73 (SEQ ID NO:73), Figures 75A-75B (SEQ ID NO:75), Figure 77 (SEQ ID NO:77), Figure 79 (SEQ ID NO:79), Figure 81 (SEQ ID NO:81), Figure 83 (SEQ ID NO:83), Figure 85 (SEQ ID NO:85), Figure 87 (SEQ ID NO:87), Figure 89 (SEQ ID NO:89), Figure 91 (SEQ ID NO:91), Figure 93 (SEQ ID NO:93), Figure 95 (SEQ ID NO:95), Figure 97 (SEQ ID NO:97), Figure 99 (SEQ ID NO:99), Figure 101 (SEQ ID NO:101), Figure 103 (SEQ ID NO:103), Figure 105 (SEQ ID NO:105), Figure 107 (SEQ ID NO:107), Figure 109 (SEQ ID NO:109), Figure 111 (SEQ ID NO:111), Figure 113 (SEQ ID NO:113), Figure 115 (SEQ ID NO:115), Figure 117 (SEQ ID NO:117), Figure 119 (SEQ ID NO:119), Figure 121 (SEQ ID NO:121), Figure 123 (SEQ ID NO:123), Figure 125 (SEQ ID NO:125), Figure 127 (SEQ ID NO:127), Figure 129 (SEQ ID NO:129), Figure 131 (SEQ ID NO:131), Figure 133 (SEQ ID NO:133), Figure 135 (SEQ ID NO:135), Figure 137 (SEQ ID NO:137), Figure 139 (SEQ ID NO:139), Figure 141 (SEQ ID NO:141), Figure 143 (SEQ ID NO:143), Figure 145 (SEQ ID NO:145), Figure 147 (SEQ ID NO:147), Figure 149 (SEQ ID NO:149), Figure 151 (SEQ ID NO:151), Figure 153 (SEQ ID NO:153), Figure 155 (SEQ ID NO:155), Figure 157 (SEQ ID NO:157), Figure 159 (SEQ ID NO:159), Figure 161 (SEQ ID NO:161), Figure 163 (SEQ ID NO:163), Figure 165 (SEQ ID

NO:165), Figure 167 (SEQ ID NO:167), Figure 169 (SEQ ID NO:169), Figure 171 (SEQ ID NO:171), Figure 173 (SEQ ID NO:173), Figure 175 (SEQ ID NO:175), Figure 177 (SEQ ID NO:177), Figure 179 (SEQ ID NO:179), Figure 181 (SEQ ID NO:181), Figure 183 (SEQ ID NO:183), Figure 185 (SEQ ID NO:185), Figure 187 (SEQ ID NO:187), Figure 189 (SEQ ID NO:189), Figure 191 (SEQ ID NO:191), Figure 193 (SEQ ID NO:193), Figure 195 (SEQ ID NO:195), Figure 197 (SEQ ID NO:197), Figure 199 (SEQ ID NO:199), Figure 201 (SEQ ID NO:201), Figure 203 (SEQ ID NO:203), Figure 205 (SEQ ID NO:205), Figure 207 (SEQ ID NO:207), Figure 209 (SEQ ID NO:209), Figure 211 (SEQ ID NO:211), Figure 213 (SEQ ID NO:213), Figure 215 (SEQ ID NO:215), Figure 217 (SEQ ID NO:217), Figure 219 (SEQ ID NO:219), Figure 221 (SEQ ID NO:221), Figure 223 (SEQ ID NO:223), Figure 225 (SEQ ID NO:225), Figure 227 (SEQ ID NO:227), Figure 229 (SEQ ID NO:229), Figure 231 (SEQ ID NO:231), Figure 233 (SEQ ID NO:233), Figure 235 (SEQ ID NO:235), Figure 237 (SEQ ID NO:237), Figure 239 (SEQ ID NO:239), Figure 241 (SEQ ID NO:241), Figure 243 (SEQ ID NO:243), Figure 245 (SEQ ID NO:245), Figure 247 (SEQ ID NO:247), Figure 249 (SEQ ID NO:249), Figure 251 (SEQ ID NO:251), Figure 253 (SEQ ID NO:253), Figure 255 (SEQ ID NO:255), Figure 257 (SEQ ID NO:257), Figure 259 (SEQ ID NO:259), Figure 261 (SEQ ID NO:261), Figure 263 (SEQ ID NO:263), Figure 265 (SEQ ID NO:265), Figure 267 (SEQ ID NO:267), Figure 269 (SEQ ID NO:269), Figure 271 (SEQ ID NO:271), Figure 273 (SEQ ID NO:273), Figure 275 (SEQ ID NO:275), Figure 277 (SEQ ID NO:277), Figure 279 (SEQ ID NO:279), Figure 281 (SEQ ID NO:281), Figure 283 (SEQ ID NO:283), Figure 285 (SEQ ID NO:285), Figure 287 (SEQ ID NO:287), Figures 289A-289B (SEQ ID NO:289), Figure 291 (SEQ ID NO:291), Figure 293 (SEQ ID NO:293), Figure 295 (SEQ ID NO:295), Figure 297 (SEQ ID NO:297), Figure 299 (SEQ ID NO:299), Figure 301 (SEQ ID NO:301), Figure 303 (SEQ ID NO:303), Figure 305 (SEQ ID NO:305), Figure 307 (SEQ ID NO:307), Figure 309 (SEQ ID NO:309), Figures 311A-311B (SEQ ID NO:311), Figure 313 (SEQ ID NO:313), Figure 315 (SEQ ID NO:315), Figure 317 (SEQ ID NO:317), Figure 319 (SEQ ID NO:319), Figure 321 (SEQ ID NO:321), Figure 323 (SEQ ID NO:323), Figure 325 (SEQ ID NO:325), Figure 327 (SEQ ID NO:327), Figure 329 (SEQ ID NO:329), Figure 331 (SEQ ID NO:331), Figure 333 (SEQ ID NO:333), Figure 335 (SEQ ID NO:335), Figure 337 (SEQ ID NO:337), Figure 339 (SEQ ID NO:339), Figure 341 (SEQ ID NO:341), Figure 343 (SEQ ID NO:343), Figure 345 (SEQ ID NO:345), Figure 347 (SEQ ID NO:347), Figure 349 (SEQ ID NO:349), Figures 351A-351B (SEQ ID NO:351), Figure 353 (SEQ ID NO:353), Figure 355 (SEQ ID NO:355), Figure 357 (SEQ ID NO:357), Figure 359 (SEQ ID NO:359), Figure 361 (SEQ ID NO:361), Figure 363 (SEQ ID NO:363), Figure 365 (SEQ ID NO:365), Figure 367 (SEQ ID NO:367), Figure 369 (SEQ ID NO:369), Figure 371 (SEQ ID NO:371), Figure 373 (SEQ ID NO:373), Figure 375 (SEQ ID NO:375), Figure 377 (SEQ ID NO:377), Figure 379 (SEQ ID NO:379), Figure 381 (SEQ ID NO:381), Figure 383 (SEQ ID NO:383), Figure 385 (SEQ ID NO:385), Figure 387 (SEQ ID NO:387), Figure 389 (SEQ ID NO:389), Figure 391 (SEQ ID NO:391), Figure 393 (SEQ ID NO:393), Figure 395 (SEQ ID NO:395), Figure 397 (SEQ ID NO:397), Figure 399 (SEQ ID NO:399), Figure 401 (SEQ ID NO:401), Figure 403 (SEQ ID NO:403), Figure 405 (SEQ ID NO:405), Figure 407 (SEQ ID NO:407), Figure 409 (SEQ ID NO:409), Figure 411 (SEQ ID NO:411), Figure 413 (SEQ ID NO:413), Figure 415 (SEQ ID NO:415), Figure 417 (SEQ ID NO:417), Figure 419 (SEQ ID NO:419), Figure 421 (SEQ ID NO:421), Figure 423 (SEQ ID NO:423), Figure 425 (SEQ ID NO:425), Figure 427 (SEQ ID NO:427), Figure 429 (SEQ ID NO:429), Figure 431 (SEQ ID

NO:431), Figure 433 (SEQ ID NO:433), Figure 435 (SEQ ID NO:435), Figure 437 (SEQ ID NO:437), Figure 439 (SEQ ID NO:439), Figure 441 (SEQ ID NO:441), Figure 443 (SEQ ID NO:443), Figure 445 (SEQ ID NO:445), Figure 447 (SEQ ID NO:447), Figure 449 (SEQ ID NO:449), Figure 451 (SEQ ID NO:451), Figure 453 (SEQ ID NO:453), Figure 455 (SEQ ID NO:455), Figure 457 (SEQ ID NO:457), Figure 459 (SEQ ID NO:459), Figure 461 (SEQ ID NO:461), Figure 463 (SEQ ID NO:463), Figure 465 (SEQ ID NO:465), Figure 467 (SEQ ID NO:467), Figure 469 (SEQ ID NO:469), Figure 471 (SEQ ID NO:471), Figure 473 (SEQ ID NO:473), Figure 475 (SEQ ID NO:475), Figure 477 (SEQ ID NO:477), Figure 479 (SEQ ID NO:479), Figure 481 (SEQ ID NO:481), Figure 483 (SEQ ID NO:483), Figure 485 (SEQ ID NO:485), Figure 487 (SEQ ID NO:487), Figure 489 (SEQ ID NO:489), Figure 491 (SEQ ID NO:491), Figure 493 (SEQ ID NO:493), Figure 495 (SEQ ID NO:495), Figure 497 (SEQ ID NO:497), Figure 499 (SEQ ID NO:499), Figure 501 (SEQ ID NO:501), Figure 503 (SEQ ID NO:503), Figure 505 (SEQ ID NO:505), Figure 507 (SEQ ID NO:507), Figure 509 (SEQ ID NO:509), Figure 511 (SEQ ID NO:511), Figure 513 (SEQ ID NO:513), Figure 515 (SEQ ID NO:515), Figure 517 (SEQ ID NO:517), Figure 519 (SEQ ID NO:519), Figure 521 (SEQ ID NO:521), Figure 523 (SEQ ID NO:523), Figures 525A-525B (SEQ ID NO:525), Figure 527 (SEQ ID NO:527), Figure 529 (SEQ ID NO:529), Figure 531 (SEQ ID NO:531), Figure 533 (SEQ ID NO:533), Figure 535 (SEQ ID NO:535), Figure 537 (SEQ ID NO:537), Figure 539 (SEQ ID NO:539), Figure 541 (SEQ ID NO:541), Figure 543 (SEQ ID NO:543), Figure 545 (SEQ ID NO:545), Figure 547 (SEQ ID NO:547), Figure 549 (SEQ ID NO:549), Figure 551 (SEQ ID NO:551), Figure 553 (SEQ ID NO:553), Figure 555 (SEQ ID NO:555), Figure 557 (SEQ ID NO:557), Figure 559 (SEQ ID NO:559), Figure 561 (SEQ ID NO:561), Figure 563 (SEQ ID NO:563), Figure 565 (SEQ ID NO:565), Figure 567 (SEQ ID NO:567), Figure 569 (SEQ ID NO:569), Figure 571 (SEQ ID NO:571), Figure 573 (SEQ ID NO:573), Figure 575 (SEQ ID NO:575), Figure 577 (SEQ ID NO:577), Figure 579 (SEQ ID NO:579), Figure 581 (SEQ ID NO:581), Figure 583 (SEQ ID NO:583), Figure 585 (SEQ ID NO:585), Figure 587 (SEQ ID NO:587), Figure 589 (SEQ ID NO:589), Figure 591 (SEQ ID NO:591), Figure 593 (SEQ ID NO:593), Figure 595 (SEQ ID NO:595), Figure 597 (SEQ ID NO:597), Figure 599 (SEQ ID NO:599), Figure 601 (SEQ ID NO:601), Figure 603 (SEQ ID NO:603), Figure 605 (SEQ ID NO:605), Figure 607 (SEQ ID NO:607), and Figure 609 (SEQ ID NO:609).

3. Isolated nucleic acid having at least 80% nucleic acid sequence identity to a nucleotide sequence selected from the group consisting of the full-length coding sequence of the nucleotide sequence shown in Figure 1 (SEQ ID NO:1), Figure 3 (SEQ ID NO:3), Figure 5 (SEQ ID NO:5), Figure 7 (SEQ ID NO:7), Figure 9 (SEQ ID NO:9), Figure 11 (SEQ ID NO:11), Figure 13 (SEQ ID NO:13), Figure 15 (SEQ ID NO:15), Figure 17 (SEQ ID NO:17), Figure 19 (SEQ ID NO:19), Figure 21 (SEQ ID NO:21), Figure 23 (SEQ ID NO:23), Figure 25 (SEQ ID NO:25), Figure 27 (SEQ ID NO:27), Figure 29 (SEQ ID NO:29), Figure 31 (SEQ ID NO:31), Figure 33 (SEQ ID NO:33), Figure 35 (SEQ ID NO:35), Figure 37 (SEQ ID NO:37), Figure 39 (SEQ ID NO:39), Figure 41 (SEQ ID NO:41), Figure 43 (SEQ ID NO:43), Figure 45 (SEQ ID NO:45), Figure 47 (SEQ ID NO:47), Figure 49 (SEQ ID NO:49), Figure 51 (SEQ ID NO:51), Figure 53 (SEQ ID NO:53), Figure 55 (SEQ ID NO:55), Figure 57 (SEQ ID NO:57), Figure 59 (SEQ ID NO:59), Figure 61 (SEQ ID NO:61), Figure 63 (SEQ ID NO:63), Figure 65 (SEQ ID NO:65), Figure 67 (SEQ ID NO:67), Figure 69 (SEQ ID NO:69), Figure

71 (SEQ ID NO:71), Figure 73 (SEQ ID NO:73), Figures 75A-75B (SEQ ID NO:75), Figure 77 (SEQ ID NO:77), Figure 79 (SEQ ID NO:79), Figure 81 (SEQ ID NO:81), Figure 83 (SEQ ID NO:83), Figure 85 (SEQ ID NO:85), Figure 87 (SEQ ID NO:87), Figure 89 (SEQ ID NO:89), Figure 91 (SEQ ID NO:91), Figure 93 (SEQ ID NO:93), Figure 95 (SEQ ID NO:95), Figure 97 (SEQ ID NO:97), Figure 99 (SEQ ID NO:99), Figure 101 (SEQ ID NO:101), Figure 103 (SEQ ID NO:103), Figure 105 (SEQ ID NO:105), Figure 107 (SEQ ID NO:107), Figure 109 (SEQ ID NO:109), Figure 111 (SEQ ID NO:111), Figure 113 (SEQ ID NO:113), Figure 115 (SEQ ID NO:115), Figure 117 (SEQ ID NO:117), Figure 119 (SEQ ID NO:119), Figure 121 (SEQ ID NO:121), Figure 123 (SEQ ID NO:123), Figure 125 (SEQ ID NO:125), Figure 127 (SEQ ID NO:127), Figure 129 (SEQ ID NO:129), Figure 131 (SEQ ID NO:131), Figure 133 (SEQ ID NO:133), Figure 135 (SEQ ID NO:135), Figure 137 (SEQ ID NO:137), Figure 139 (SEQ ID NO:139), Figure 141 (SEQ ID NO:141), Figure 143 (SEQ ID NO:143), Figure 145 (SEQ ID NO:145), Figure 147 (SEQ ID NO:147), Figure 149 (SEQ ID NO:149), Figure 151 (SEQ ID NO:151), Figure 153 (SEQ ID NO:153), Figure 155 (SEQ ID NO:155), Figure 157 (SEQ ID NO:157), Figure 159 (SEQ ID NO:159), Figure 161 (SEQ ID NO:161), Figure 163 (SEQ ID NO:163), Figure 165 (SEQ ID NO:165), Figure 167 (SEQ ID NO:167), Figure 169 (SEQ ID NO:169), Figure 171 (SEQ ID NO:171), Figure 173 (SEQ ID NO:173), Figure 175 (SEQ ID NO:175), Figure 177 (SEQ ID NO:177), Figure 179 (SEQ ID NO:179), Figure 181 (SEQ ID NO:181), Figure 183 (SEQ ID NO:183), Figure 185 (SEQ ID NO:185), Figure 187 (SEQ ID NO:187), Figure 189 (SEQ ID NO:189), Figure 191 (SEQ ID NO:191), Figure 193 (SEQ ID NO:193), Figure 195 (SEQ ID NO:195), Figure 197 (SEQ ID NO:197), Figure 199 (SEQ ID NO:199), Figure 201 (SEQ ID NO:201), Figure 203 (SEQ ID NO:203), Figure 205 (SEQ ID NO:205), Figure 207 (SEQ ID NO:207), Figure 209 (SEQ ID NO:209), Figure 211 (SEQ ID NO:211), Figure 213 (SEQ ID NO:213), Figure 215 (SEQ ID NO:215), Figure 217 (SEQ ID NO:217), Figure 219 (SEQ ID NO:219), Figure 221 (SEQ ID NO:221), Figure 223 (SEQ ID NO:223), Figure 225 (SEQ ID NO:225), Figure 227 (SEQ ID NO:227), Figure 229 (SEQ ID NO:229), Figure 231 (SEQ ID NO:231), Figure 233 (SEQ ID NO:233), Figure 235 (SEQ ID NO:235), Figure 237 (SEQ ID NO:237), Figure 239 (SEQ ID NO:239), Figure 241 (SEQ ID NO:241), Figure 243 (SEQ ID NO:243), Figure 245 (SEQ ID NO:245), Figure 247 (SEQ ID NO:247), Figure 249 (SEQ ID NO:249), Figure 251 (SEQ ID NO:251), Figure 253 (SEQ ID NO:253), Figure 255 (SEQ ID NO:255), Figure 257 (SEQ ID NO:257), Figure 259 (SEQ ID NO:259), Figure 261 (SEQ ID NO:261), Figure 263 (SEQ ID NO:263), Figure 265 (SEQ ID NO:265), Figure 267 (SEQ ID NO:267), Figure 269 (SEQ ID NO:269), Figure 271 (SEQ ID NO:271), Figure 273 (SEQ ID NO:273), Figure 275 (SEQ ID NO:275), Figure 277 (SEQ ID NO:277), Figure 279 (SEQ ID NO:279), Figure 281 (SEQ ID NO:281), Figure 283 (SEQ ID NO:283), Figure 285 (SEQ ID NO:285), Figure 287 (SEQ ID NO:287), Figures 289A-289B (SEQ ID NO:289), Figure 291 (SEQ ID NO:291), Figure 293 (SEQ ID NO:293), Figure 295 (SEQ ID NO:295), Figure 297 (SEQ ID NO:297), Figure 299 (SEQ ID NO:299), Figure 301 (SEQ ID NO:301), Figure 303 (SEQ ID NO:303), Figure 305 (SEQ ID NO:305), Figure 307 (SEQ ID NO:307), Figure 309 (SEQ ID NO:309), Figures 311A-311B (SEQ ID NO:311), Figure 313 (SEQ ID NO:313), Figure 315 (SEQ ID NO:315), Figure 317 (SEQ ID NO:317), Figure 319 (SEQ ID NO:319), Figure 321 (SEQ ID NO:321), Figure 323 (SEQ ID NO:323), Figure 325 (SEQ ID NO:325), Figure 327 (SEQ ID NO:327), Figure 329 (SEQ ID NO:329), Figure 331 (SEQ ID NO:331), Figure 333 (SEQ ID NO:333), Figure 335 (SEQ ID NO:335), Figure 337 (SEQ ID NO:337), Figure

339 (SEQ ID NO:339), Figure 341 (SEQ ID NO:341), Figure 343 (SEQ ID NO:343), Figure 345 (SEQ ID NO:345), Figure 347 (SEQ ID NO:347), Figure 349 (SEQ ID NO:349), Figures 351A-351B (SEQ ID NO:351), Figure 353 (SEQ ID NO:353), Figure 355 (SEQ ID NO:355), Figure 357 (SEQ ID NO:357), Figure 359 (SEQ ID NO:359), Figure 361 (SEQ ID NO:361), Figure 363 (SEQ ID NO:363), Figure 365 (SEQ ID NO:365), Figure 367 (SEQ ID NO:367), Figure 369 (SEQ ID NO:369), Figure 371 (SEQ ID NO:371), Figure 373 (SEQ ID NO:373), Figure 375 (SEQ ID NO:375), Figure 377 (SEQ ID NO:377), Figure 379 (SEQ ID NO:379), Figure 381 (SEQ ID NO:381), Figure 383 (SEQ ID NO:383), Figure 385 (SEQ ID NO:385), Figure 387 (SEQ ID NO:387), Figure 389 (SEQ ID NO:389), Figure 391 (SEQ ID NO:391), Figure 393 (SEQ ID NO:393), Figure 395 (SEQ ID NO:395), Figure 397 (SEQ ID NO:397), Figure 399 (SEQ ID NO:399), Figure 401 (SEQ ID NO:401), Figure 403 (SEQ ID NO:403), Figure 405 (SEQ ID NO:405), Figure 407 (SEQ ID NO:407), Figure 409 (SEQ ID NO:409), Figure 411 (SEQ ID NO:411), Figure 413 (SEQ ID NO:413), Figure 415 (SEQ ID NO:415), Figure 417 (SEQ ID NO:417), Figure 419 (SEQ ID NO:419), Figure 421 (SEQ ID NO:421), Figure 423 (SEQ ID NO:423), Figure 425 (SEQ ID NO:425), Figure 427 (SEQ ID NO:427), Figure 429 (SEQ ID NO:429), Figure 431 (SEQ ID NO:431), Figure 433 (SEQ ID NO:433), Figure 435 (SEQ ID NO:435), Figure 437 (SEQ ID NO:437), Figure 439 (SEQ ID NO:439), Figure 441 (SEQ ID NO:441), Figure 443 (SEQ ID NO:443), Figure 445 (SEQ ID NO:445), Figure 447 (SEQ ID NO:447), Figure 449 (SEQ ID NO:449), Figure 451 (SEQ ID NO:451), Figure 453 (SEQ ID NO:453), Figure 455 (SEQ ID NO:455), Figure 457 (SEQ ID NO:457), Figure 459 (SEQ ID NO:459), Figure 461 (SEQ ID NO:461), Figure 463 (SEQ ID NO:463), Figure 465 (SEQ ID NO:465), Figure 467 (SEQ ID NO:467), Figure 469 (SEQ ID NO:469), Figure 471 (SEQ ID NO:471), Figure 473 (SEQ ID NO:473), Figure 475 (SEQ ID NO:475), Figure 477 (SEQ ID NO:477), Figure 479 (SEQ ID NO:479), Figure 481 (SEQ ID NO:481), Figure 483 (SEQ ID NO:483), Figure 485 (SEQ ID NO:485), Figure 487 (SEQ ID NO:487), Figure 489 (SEQ ID NO:489), Figure 491 (SEQ ID NO:491), Figure 493 (SEQ ID NO:493), Figure 495 (SEQ ID NO:495), Figure 497 (SEQ ID NO:497), Figure 499 (SEQ ID NO:499), Figure 501 (SEQ ID NO:501), Figure 503 (SEQ ID NO:503), Figure 505 (SEQ ID NO:505), Figure 507 (SEQ ID NO:507), Figure 509 (SEQ ID NO:509), Figure 511 (SEQ ID NO:511), Figure 513 (SEQ ID NO:513), Figure 515 (SEQ ID NO:515), Figure 517 (SEQ ID NO:517), Figure 519 (SEQ ID NO:519), Figure 521 (SEQ ID NO:521), Figure 523 (SEQ ID NO:523), Figures 525A-525B (SEQ ID NO:525), Figure 527 (SEQ ID NO:527), Figure 529 (SEQ ID NO:529), Figure 531 (SEQ ID NO:531), Figure 533 (SEQ ID NO:533), Figure 535 (SEQ ID NO:535), Figure 537 (SEQ ID NO:537), Figure 539 (SEQ ID NO:539), Figure 541 (SEQ ID NO:541), Figure 543 (SEQ ID NO:543), Figure 545 (SEQ ID NO:545), Figure 547 (SEQ ID NO:547), Figure 549 (SEQ ID NO:549), Figure 551 (SEQ ID NO:551), Figure 553 (SEQ ID NO:553), Figure 555 (SEQ ID NO:555), Figure 557 (SEQ ID NO:557), Figure 559 (SEQ ID NO:559), Figure 561 (SEQ ID NO:561), Figure 563 (SEQ ID NO:563), Figure 565 (SEQ ID NO:565), Figure 567 (SEQ ID NO:567), Figure 569 (SEQ ID NO:569), Figure 571 (SEQ ID NO:571), Figure 573 (SEQ ID NO:573), Figure 575 (SEQ ID NO:575), Figure 577 (SEQ ID NO:577), Figure 579 (SEQ ID NO:579), Figure 581 (SEQ ID NO:581), Figure 583 (SEQ ID NO:583), Figure 585 (SEQ ID NO:585), Figure 587 (SEQ ID NO:587), Figure 589 (SEQ ID NO:589), Figure 591 (SEQ ID NO:591), Figure 593 (SEQ ID NO:593), Figure 595 (SEQ ID NO:595), Figure 597 (SEQ ID NO:597), Figure 599 (SEQ ID NO:599), Figure 601 (SEQ ID NO:601), Figure 603 (SEQ ID NO:603), Figure

605 (SEQ ID NO:605), Figure 607 (SEQ ID NO:607), and Figure 609 (SEQ ID NO:609).

4. Isolated nucleic acid having at least 80% nucleic acid sequence identity to the full-length coding sequence of the DNA deposited under any ATCC accession number shown in Table 7.
5. A vector comprising the nucleic acid of Claim 1.
6. A host cell comprising the vector of Claim 5.
7. The host cell of Claim 6, wherein said cell is a CHO cell.
8. The host cell of Claim 6, wherein said cell is an *E. coli*.
9. The host cell of Claim 6, wherein said cell is a yeast cell.
10. A process for producing a PRO polypeptide comprising culturing the host cell of Claim 6 under conditions suitable for expression of said PRO polypeptide and recovering said PRO polypeptide from the cell culture.
11. An isolated polypeptide having at least 80% amino acid sequence identity to an amino acid sequence selected from the group consisting of the amino acid sequence shown in Figure 2 (SEQ ID NO:2), Figure 4 (SEQ ID NO:4), Figure 6 (SEQ ID NO:6), Figure 8 (SEQ ID NO:8), Figure 10 (SEQ ID NO:10), Figure 12 (SEQ ID NO:12), Figure 14 (SEQ ID NO:14), Figure 16 (SEQ ID NO:16), Figure 18 (SEQ ID NO:18), Figure 20 (SEQ ID NO:20), Figure 22 (SEQ ID NO:22), Figure 24 (SEQ ID NO:24), Figure 26 (SEQ ID NO:26), Figure 28 (SEQ ID NO:28), Figure 30 (SEQ ID NO:30), Figure 32 (SEQ ID NO:32), Figure 34 (SEQ ID NO:34), Figure 36 (SEQ ID NO:36), Figure 38 (SEQ ID NO:38), Figure 40 (SEQ ID NO:40), Figure 42 (SEQ ID NO:42), Figure 44 (SEQ ID NO:44), Figure 46 (SEQ ID NO:46), Figure 48 (SEQ ID NO:48), Figure 50 (SEQ ID NO:50), Figure 52 (SEQ ID NO:52), Figure 54 (SEQ ID NO:54), Figure 56 (SEQ ID NO:56), Figure 58 (SEQ ID NO:58), Figure 60 (SEQ ID NO:60), Figure 62 (SEQ ID NO:62), Figure 64 (SEQ ID NO:64), Figure 66 (SEQ ID NO:66), Figure 68 (SEQ ID NO:68), Figure 70 (SEQ ID NO:70), Figure 72 (SEQ ID NO:72), Figure 74 (SEQ ID NO:74), Figure 76 (SEQ ID NO:76), Figure 78 (SEQ ID NO:78), Figure 80 (SEQ ID NO:80), Figure 82 (SEQ ID NO:82), Figure 84 (SEQ ID NO:84), Figure 86 (SEQ ID NO:86), Figure 88 (SEQ ID NO:88), Figure 90 (SEQ ID NO:90), Figure 92 (SEQ ID NO:92), Figure 94 (SEQ ID NO:94), Figure 96 (SEQ ID NO:96), Figure 98 (SEQ ID NO:98), Figure 100 (SEQ ID NO:100), Figure 102 (SEQ ID NO:102), Figure 104 (SEQ ID NO:104), Figure 106 (SEQ ID NO:106), Figure 108 (SEQ ID NO:108), Figure 110 (SEQ ID NO:110), Figure 112 (SEQ ID NO:112), Figure 114 (SEQ ID NO:114), Figure 116 (SEQ ID NO:116), Figure 118 (SEQ ID NO:118), Figure 120 (SEQ ID NO:120), Figure 122 (SEQ ID NO:122), Figure 124 (SEQ ID NO:124), Figure 126 (SEQ ID NO:126), Figure 128 (SEQ ID NO:128), Figure 130 (SEQ ID

5
10
15
20
25
30
35

NO:396), Figure 398 (SEQ ID NO:398), Figure 400 (SEQ ID NO:400), Figure 402 (SEQ ID NO:402), Figure 404 (SEQ ID NO:404), Figure 406 (SEQ ID NO:406), Figure 408 (SEQ ID NO:408), Figure 410 (SEQ ID NO:410), Figure 412 (SEQ ID NO:412), Figure 414 (SEQ ID NO:414), Figure 416 (SEQ ID NO:416), Figure 418 (SEQ ID NO:418), Figure 420 (SEQ ID NO:420), Figure 422 (SEQ ID NO:422), Figure 424 (SEQ ID NO:424), Figure 426 (SEQ ID NO:426), Figure 428 (SEQ ID NO:428), Figure 430 (SEQ ID NO:430), Figure 432 (SEQ ID NO:432), Figure 434 (SEQ ID NO:434), Figure 436 (SEQ ID NO:436), Figure 438 (SEQ ID NO:438), Figure 440 (SEQ ID NO:440), Figure 442 (SEQ ID NO:442), Figure 444 (SEQ ID NO:444), Figure 446 (SEQ ID NO:446), Figure 448 (SEQ ID NO:448), Figure 450 (SEQ ID NO:450), Figure 452 (SEQ ID NO:452), Figure 454 (SEQ ID NO:454), Figure 456 (SEQ ID NO:456), Figure 458 (SEQ ID NO:458), Figure 460 (SEQ ID NO:460), Figure 462 (SEQ ID NO:462), Figure 464 (SEQ ID NO:464), Figure 466 (SEQ ID NO:466), Figure 468 (SEQ ID NO:468), Figure 470 (SEQ ID NO:470), Figure 472 (SEQ ID NO:472), Figure 474 (SEQ ID NO:474), Figure 476 (SEQ ID NO:476), Figure 478 (SEQ ID NO:478), Figure 480 (SEQ ID NO:480), Figure 482 (SEQ ID NO:482), Figure 484 (SEQ ID NO:484), Figure 486 (SEQ ID NO:486), Figure 488 (SEQ ID NO:488), Figure 490 (SEQ ID NO:490), Figure 492 (SEQ ID NO:492), Figure 494 (SEQ ID NO:494), Figure 496 (SEQ ID NO:496), Figure 498 (SEQ ID NO:498), Figure 500 (SEQ ID NO:500), Figure 502 (SEQ ID NO:502), Figure 504 (SEQ ID NO:504), Figure 506 (SEQ ID NO:506), Figure 508 (SEQ ID NO:508), Figure 510 (SEQ ID NO:510), Figure 512 (SEQ ID NO:512), Figure 514 (SEQ ID NO:514), Figure 516 (SEQ ID NO:516), Figure 518 (SEQ ID NO:518), Figure 520 (SEQ ID NO:520), Figure 522 (SEQ ID NO:522), Figure 524 (SEQ ID NO:524), Figure 526 (SEQ ID NO:526), Figure 528 (SEQ ID NO:528), Figure 530 (SEQ ID NO:530), Figure 532 (SEQ ID NO:532), Figure 534 (SEQ ID NO:534), Figure 536 (SEQ ID NO:536), Figure 538 (SEQ ID NO:538), Figure 540 (SEQ ID NO:540), Figure 542 (SEQ ID NO:542), Figure 544 (SEQ ID NO:544), Figure 546 (SEQ ID NO:546), Figure 548 (SEQ ID NO:548), Figure 550 (SEQ ID NO:550), Figure 552 (SEQ ID NO:552), Figure 554 (SEQ ID NO:554), Figure 556 (SEQ ID NO:556), Figure 558 (SEQ ID NO:558), Figure 560 (SEQ ID NO:560), Figure 562 (SEQ ID NO:562), Figure 564 (SEQ ID NO:564), Figure 566 (SEQ ID NO:566), Figure 568 (SEQ ID NO:568), Figure 570 (SEQ ID NO:570), Figure 572 (SEQ ID NO:572), Figure 574 (SEQ ID NO:574), Figure 576 (SEQ ID NO:576), Figure 578 (SEQ ID NO:578), Figure 580 (SEQ ID NO:580), Figure 582 (SEQ ID NO:582), Figure 584 (SEQ ID NO:584), Figure 586 (SEQ ID NO:586), Figure 588 (SEQ ID NO:588), Figure 590 (SEQ ID NO:590), Figure 592 (SEQ ID NO:592), Figure 594 (SEQ ID NO:594), Figure 596 (SEQ ID NO:596), Figure 598 (SEQ ID NO:598), Figure 600 (SEQ ID NO:600), Figure 602 (SEQ ID NO:602), Figure 604 (SEQ ID NO:604), Figure 606 (SEQ ID NO:606), Figure 608 (SEQ ID NO:608), and Figure 610 (SEQ ID NO:610).

12. An isolated polypeptide having at least 80% amino acid sequence identity to an amino acid sequence encoded by the full-length coding sequence of the DNA deposited under any ATCC accession number shown in Table 7.

13. A chimeric molecule comprising a polypeptide according to Claim 11 fused to a heterologous amino acid sequence.

14. The chimeric molecule of Claim 13, wherein said heterologous amino acid sequence is an epitope tag sequence.

15. The chimeric molecule of Claim 13, wherein said heterologous amino acid sequence is a Fc region of an immunoglobulin.

5

16. An antibody which specifically binds to a polypeptide according to Claim 11.

17. The antibody of Claim 16, wherein said antibody is a monoclonal antibody, a humanized antibody or a single-chain antibody.

10

18. Isolated nucleic acid having at least 80% nucleic acid sequence identity to:

(a) a nucleotide sequence encoding the polypeptide shown in Figure 2 (SEQ ID NO:2), Figure 4 (SEQ ID NO:4), Figure 6 (SEQ ID NO:6), Figure 8 (SEQ ID NO:8), Figure 10 (SEQ ID NO:10), Figure 12 (SEQ ID NO:12), Figure 14 (SEQ ID NO:14), Figure 16 (SEQ ID NO:16), Figure 18 (SEQ ID NO:18), Figure 20 (SEQ ID NO:20), Figure 22 (SEQ ID NO:22), Figure 24 (SEQ ID NO:24), Figure 26 (SEQ ID NO:26), Figure 28 (SEQ ID NO:28), Figure 30 (SEQ ID NO:30), Figure 32 (SEQ ID NO:32), Figure 34 (SEQ ID NO:34), Figure 36 (SEQ ID NO:36), Figure 38 (SEQ ID NO:38), Figure 40 (SEQ ID NO:40), Figure 42 (SEQ ID NO:42), Figure 44 (SEQ ID NO:44), Figure 46 (SEQ ID NO:46), Figure 48 (SEQ ID NO:48), Figure 50 (SEQ ID NO:50), Figure 52 (SEQ ID NO:52), Figure 54 (SEQ ID NO:54), Figure 56 (SEQ ID NO:56), Figure 58 (SEQ ID NO:58), Figure 60 (SEQ ID NO:60), Figure 62 (SEQ ID NO:62), Figure 64 (SEQ ID NO:64), Figure 66 (SEQ ID NO:66), Figure 68 (SEQ ID NO:68), Figure 70 (SEQ ID NO:70), Figure 72 (SEQ ID NO:72), Figure 74 (SEQ ID NO:74), Figure 76 (SEQ ID NO:76), Figure 78 (SEQ ID NO:78), Figure 80 (SEQ ID NO:80), Figure 82 (SEQ ID NO:82), Figure 84 (SEQ ID NO:84), Figure 86 (SEQ ID NO:86), Figure 88 (SEQ ID NO:88), Figure 90 (SEQ ID NO:90), Figure 92 (SEQ ID NO:92), Figure 94 (SEQ ID NO:94), Figure 96 (SEQ ID NO:96), Figure 98 (SEQ ID NO:98), Figure 100 (SEQ ID NO:100), Figure 102 (SEQ ID NO:102), Figure 104 (SEQ ID NO:104), Figure 106 (SEQ ID NO:106), Figure 108 (SEQ ID NO:108), Figure 110 (SEQ ID NO:110), Figure 112 (SEQ ID NO:112), Figure 114 (SEQ ID NO:114), Figure 116 (SEQ ID NO:116), Figure 118 (SEQ ID NO:118), Figure 120 (SEQ ID NO:120), Figure 122 (SEQ ID NO:122), Figure 124 (SEQ ID NO:124), Figure 126 (SEQ ID NO:126), Figure 128 (SEQ ID NO:128), Figure 130 (SEQ ID NO:130), Figure 132 (SEQ ID NO:132), Figure 134 (SEQ ID NO:134), Figure 136 (SEQ ID NO:136), Figure 138 (SEQ ID NO:138), Figure 140 (SEQ ID NO:140), Figure 142 (SEQ ID NO:142), Figure 144 (SEQ ID NO:144), Figure 146 (SEQ ID NO:146), Figure 148 (SEQ ID NO:148), Figure 150 (SEQ ID NO:150), Figure 152 (SEQ ID NO:152), Figure 154 (SEQ ID NO:154), Figure 156 (SEQ ID NO:156), Figure 158 (SEQ ID NO:158), Figure 160 (SEQ ID NO:160), Figure 162 (SEQ ID NO:162), Figure 164 (SEQ ID NO:164), Figure 166 (SEQ ID NO:166), Figure 168 (SEQ ID NO:168), Figure 170 (SEQ ID NO:170), Figure 172 (SEQ ID NO:172), Figure 174 (SEQ ID NO:174), Figure 176 (SEQ ID NO:176), Figure 178 (SEQ ID NO:178), Figure 180 (SEQ ID NO:180), Figure 182 (SEQ ID NO:182), Figure 184 (SEQ ID NO:184), Figure 186 (SEQ ID NO:186), Figure

35

188 (SEQ ID NO:188), Figure 190 (SEQ ID NO:190), Figure 192 (SEQ ID NO:192), Figure 194 (SEQ ID NO:194), Figure 196 (SEQ ID NO:196), Figure 198 (SEQ ID NO:198), Figure 200 (SEQ ID NO:200), Figure 202 (SEQ ID NO:202), Figure 204 (SEQ ID NO:204), Figure 206 (SEQ ID NO:206), Figure 208 (SEQ ID NO:208), Figure 210 (SEQ ID NO:210), Figure 212 (SEQ ID NO:212), Figure 214 (SEQ ID NO:214), Figure 216 (SEQ ID NO:216), Figure 218 (SEQ ID NO:218), Figure 220 (SEQ ID NO:220), Figure 222 (SEQ ID NO:222), Figure 224 (SEQ ID NO:224), Figure 226 (SEQ ID NO:226), Figure 228 (SEQ ID NO:228), Figure 230 (SEQ ID NO:230), Figure 232 (SEQ ID NO:232), Figure 234 (SEQ ID NO:234), Figure 236 (SEQ ID NO:236), Figure 238 (SEQ ID NO:238), Figure 240 (SEQ ID NO:240), Figure 242 (SEQ ID NO:242), Figure 244 (SEQ ID NO:244), Figure 246 (SEQ ID NO:246), Figure 248 (SEQ ID NO:248), Figure 250 (SEQ ID NO:250), Figure 252 (SEQ ID NO:252), Figure 254 (SEQ ID NO:254), Figure 256 (SEQ ID NO:256), Figure 258 (SEQ ID NO:258), Figure 260 (SEQ ID NO:260), Figure 262 (SEQ ID NO:262), Figure 264 (SEQ ID NO:264), Figure 266 (SEQ ID NO:266), Figure 268 (SEQ ID NO:268), Figure 270 (SEQ ID NO:270), Figure 272 (SEQ ID NO:272), Figure 274 (SEQ ID NO:274), Figure 276 (SEQ ID NO:276), Figure 278 (SEQ ID NO:278), Figure 280 (SEQ ID NO:280), Figure 282 (SEQ ID NO:282), Figure 284 (SEQ ID NO:284), Figure 286 (SEQ ID NO:286), Figure 288 (SEQ ID NO:288), Figure 290 (SEQ ID NO:290), Figure 292 (SEQ ID NO:292), Figure 294 (SEQ ID NO:294), Figure 296 (SEQ ID NO:296), Figure 298 (SEQ ID NO:298), Figure 300 (SEQ ID NO:300), Figure 302 (SEQ ID NO:302), Figure 304 (SEQ ID NO:304), Figure 306 (SEQ ID NO:306), Figure 308 (SEQ ID NO:308), Figure 310 (SEQ ID NO:310), Figure 312 (SEQ ID NO:312), Figure 314 (SEQ ID NO:314), Figure 316 (SEQ ID NO:316), Figure 318 (SEQ ID NO:318), Figure 320 (SEQ ID NO:320), Figure 322 (SEQ ID NO:322), Figure 324 (SEQ ID NO:324), Figure 326 (SEQ ID NO:326), Figure 328 (SEQ ID NO:328), Figure 330 (SEQ ID NO:330), Figure 332 (SEQ ID NO:332), Figure 334 (SEQ ID NO:334), Figure 336 (SEQ ID NO:336), Figure 338 (SEQ ID NO:338), Figure 340 (SEQ ID NO:340), Figure 342 (SEQ ID NO:342), Figure 344 (SEQ ID NO:344), Figure 346 (SEQ ID NO:346), Figure 348 (SEQ ID NO:348), Figure 350 (SEQ ID NO:350), Figure 352 (SEQ ID NO:352), Figure 354 (SEQ ID NO:354), Figure 356 (SEQ ID NO:356), Figure 358 (SEQ ID NO:358), Figure 360 (SEQ ID NO:360), Figure 362 (SEQ ID NO:362), Figure 364 (SEQ ID NO:364), Figure 366 (SEQ ID NO:366), Figure 368 (SEQ ID NO:368), Figure 370 (SEQ ID NO:370), Figure 372 (SEQ ID NO:372), Figure 374 (SEQ ID NO:374), Figure 376 (SEQ ID NO:376), Figure 378 (SEQ ID NO:378), Figure 380 (SEQ ID NO:380), Figure 382 (SEQ ID NO:382), Figure 384 (SEQ ID NO:384), Figure 386 (SEQ ID NO:386), Figure 388 (SEQ ID NO:388), Figure 390 (SEQ ID NO:390), Figure 392 (SEQ ID NO:392), Figure 394 (SEQ ID NO:394), Figure 396 (SEQ ID NO:396), Figure 398 (SEQ ID NO:398), Figure 400 (SEQ ID NO:400), Figure 402 (SEQ ID NO:402), Figure 404 (SEQ ID NO:404), Figure 406 (SEQ ID NO:406), Figure 408 (SEQ ID NO:408), Figure 410 (SEQ ID NO:410), Figure 412 (SEQ ID NO:412), Figure 414 (SEQ ID NO:414), Figure 416 (SEQ ID NO:416), Figure 418 (SEQ ID NO:418), Figure 420 (SEQ ID NO:420), Figure 422 (SEQ ID NO:422), Figure 424 (SEQ ID NO:424), Figure 426 (SEQ ID NO:426), Figure 428 (SEQ ID NO:428), Figure 430 (SEQ ID NO:430), Figure 432 (SEQ ID NO:432), Figure 434 (SEQ ID NO:434), Figure 436 (SEQ ID NO:436), Figure 438 (SEQ ID NO:438), Figure 440 (SEQ ID NO:440), Figure 442 (SEQ ID NO:442), Figure 444 (SEQ ID NO:444), Figure 446 (SEQ ID NO:446), Figure 448 (SEQ ID NO:448), Figure 450 (SEQ ID NO:450), Figure 452 (SEQ ID NO:452), Figure

454 (SEQ ID NO:454), Figure 456 (SEQ ID NO:456), Figure 458 (SEQ ID NO:458), Figure 460 (SEQ ID NO:460), Figure 462 (SEQ ID NO:462), Figure 464 (SEQ ID NO:464), Figure 466 (SEQ ID NO:466), Figure 468 (SEQ ID NO:468), Figure 470 (SEQ ID NO:470), Figure 472 (SEQ ID NO:472), Figure 474 (SEQ ID NO:474), Figure 476 (SEQ ID NO:476), Figure 478 (SEQ ID NO:478), Figure 480 (SEQ ID NO:480), Figure 482 (SEQ ID NO:482), Figure 484 (SEQ ID NO:484), Figure 486 (SEQ ID NO:486), Figure 488 (SEQ ID NO:488), Figure 490 (SEQ ID NO:490), Figure 492 (SEQ ID NO:492), Figure 494 (SEQ ID NO:494), Figure 496 (SEQ ID NO:496), Figure 498 (SEQ ID NO:498), Figure 500 (SEQ ID NO:500), Figure 502 (SEQ ID NO:502), Figure 504 (SEQ ID NO:504), Figure 506 (SEQ ID NO:506), Figure 508 (SEQ ID NO:508), Figure 510 (SEQ ID NO:510), Figure 512 (SEQ ID NO:512), Figure 514 (SEQ ID NO:514), Figure 516 (SEQ ID NO:516), Figure 518 (SEQ ID NO:518), Figure 520 (SEQ ID NO:520), Figure 522 (SEQ ID NO:522), Figure 524 (SEQ ID NO:524), Figure 526 (SEQ ID NO:526), Figure 528 (SEQ ID NO:528), Figure 530 (SEQ ID NO:530), Figure 532 (SEQ ID NO:532), Figure 534 (SEQ ID NO:534), Figure 536 (SEQ ID NO:536), Figure 538 (SEQ ID NO:538), Figure 540 (SEQ ID NO:540), Figure 542 (SEQ ID NO:542), Figure 544 (SEQ ID NO:544), Figure 546 (SEQ ID NO:546), Figure 548 (SEQ ID NO:548), Figure 550 (SEQ ID NO:550), Figure 552 (SEQ ID NO:552), Figure 554 (SEQ ID NO:554), Figure 556 (SEQ ID NO:556), Figure 558 (SEQ ID NO:558), Figure 560 (SEQ ID NO:560), Figure 562 (SEQ ID NO:562), Figure 564 (SEQ ID NO:564), Figure 566 (SEQ ID NO:566), Figure 568 (SEQ ID NO:568), Figure 570 (SEQ ID NO:570), Figure 572 (SEQ ID NO:572), Figure 574 (SEQ ID NO:574), Figure 576 (SEQ ID NO:576), Figure 578 (SEQ ID NO:578), Figure 580 (SEQ ID NO:580), Figure 582 (SEQ ID NO:582), Figure 584 (SEQ ID NO:584), Figure 586 (SEQ ID NO:586), Figure 588 (SEQ ID NO:588), Figure 590 (SEQ ID NO:590), Figure 592 (SEQ ID NO:592), Figure 594 (SEQ ID NO:594), Figure 596 (SEQ ID NO:596), Figure 598 (SEQ ID NO:598), Figure 600 (SEQ ID NO:600), Figure 602 (SEQ ID NO:602), Figure 604 (SEQ ID NO:604), Figure 606 (SEQ ID NO:606), Figure 608 (SEQ ID NO:608), or Figure 610 (SEQ ID NO:610), lacking its associated signal peptide;

(b) a nucleotide sequence encoding an extracellular domain of the polypeptide shown in Figure 2 (SEQ ID NO:2), Figure 4 (SEQ ID NO:4), Figure 6 (SEQ ID NO:6), Figure 8 (SEQ ID NO:8), Figure 10 (SEQ ID NO:10), Figure 12 (SEQ ID NO:12), Figure 14 (SEQ ID NO:14), Figure 16 (SEQ ID NO:16), Figure 18 (SEQ ID NO:18), Figure 20 (SEQ ID NO:20), Figure 22 (SEQ ID NO:22), Figure 24 (SEQ ID NO:24), Figure 26 (SEQ ID NO:26), Figure 28 (SEQ ID NO:28), Figure 30 (SEQ ID NO:30), Figure 32 (SEQ ID NO:32), Figure 34 (SEQ ID NO:34), Figure 36 (SEQ ID NO:36), Figure 38 (SEQ ID NO:38), Figure 40 (SEQ ID NO:40), Figure 42 (SEQ ID NO:42), Figure 44 (SEQ ID NO:44), Figure 46 (SEQ ID NO:46), Figure 48 (SEQ ID NO:48), Figure 50 (SEQ ID NO:50), Figure 52 (SEQ ID NO:52), Figure 54 (SEQ ID NO:54), Figure 56 (SEQ ID NO:56), Figure 58 (SEQ ID NO:58), Figure 60 (SEQ ID NO:60), Figure 62 (SEQ ID NO:62), Figure 64 (SEQ ID NO:64), Figure 66 (SEQ ID NO:66), Figure 68 (SEQ ID NO:68), Figure 70 (SEQ ID NO:70), Figure 72 (SEQ ID NO:72), Figure 74 (SEQ ID NO:74), Figure 76 (SEQ ID NO:76), Figure 78 (SEQ ID NO:78), Figure 80 (SEQ ID NO:80), Figure 82 (SEQ ID NO:82), Figure 84 (SEQ ID NO:84), Figure 86 (SEQ ID NO:86), Figure 88 (SEQ ID NO:88), Figure 90 (SEQ ID NO:90), Figure 92 (SEQ ID NO:92), Figure 94 (SEQ ID NO:94), Figure 96 (SEQ ID NO:96), Figure 98 (SEQ ID NO:98), Figure 100 (SEQ ID NO:100), Figure 102 (SEQ ID NO:102), Figure 104 (SEQ ID NO:104), Figure 106 (SEQ ID NO:106), Figure 108 (SEQ

1 ID NO:108), Figure 110 (SEQ ID NO:110), Figure 112 (SEQ ID NO:112), Figure 114 (SEQ ID NO:114), Figure
116 (SEQ ID NO:116), Figure 118 (SEQ ID NO:118), Figure 120 (SEQ ID NO:120), Figure 122 (SEQ ID
NO:122), Figure 124 (SEQ ID NO:124), Figure 126 (SEQ ID NO:126), Figure 128 (SEQ ID NO:128), Figure
130 (SEQ ID NO:130), Figure 132 (SEQ ID NO:132), Figure 134 (SEQ ID NO:134), Figure 136 (SEQ ID
NO:136), Figure 138 (SEQ ID NO:138), Figure 140 (SEQ ID NO:140), Figure 142 (SEQ ID NO:142), Figure
5 144 (SEQ ID NO:144), Figure 146 (SEQ ID NO:146), Figure 148 (SEQ ID NO:148), Figure 150 (SEQ ID
NO:150), Figure 152 (SEQ ID NO:152), Figure 154 (SEQ ID NO:154), Figure 156 (SEQ ID NO:156), Figure
158 (SEQ ID NO:158), Figure 160 (SEQ ID NO:160), Figure 162 (SEQ ID NO:162), Figure 164 (SEQ ID
NO:164), Figure 166 (SEQ ID NO:166), Figure 168 (SEQ ID NO:168), Figure 170 (SEQ ID NO:170), Figure
172 (SEQ ID NO:172), Figure 174 (SEQ ID NO:174), Figure 176 (SEQ ID NO:176), Figure 178 (SEQ ID
10 NO:178), Figure 180 (SEQ ID NO:180), Figure 182 (SEQ ID NO:182), Figure 184 (SEQ ID NO:184), Figure
186 (SEQ ID NO:186), Figure 188 (SEQ ID NO:188), Figure 190 (SEQ ID NO:190), Figure 192 (SEQ ID
NO:192), Figure 194 (SEQ ID NO:194), Figure 196 (SEQ ID NO:196), Figure 198 (SEQ ID NO:198), Figure
200 (SEQ ID NO:200), Figure 202 (SEQ ID NO:202), Figure 204 (SEQ ID NO:204), Figure 206 (SEQ ID
NO:206), Figure 208 (SEQ ID NO:208), Figure 210 (SEQ ID NO:210), Figure 212 (SEQ ID NO:212), Figure
15 214 (SEQ ID NO:214), Figure 216 (SEQ ID NO:216), Figure 218 (SEQ ID NO:218), Figure 220 (SEQ ID
NO:220), Figure 222 (SEQ ID NO:222), Figure 224 (SEQ ID NO:224), Figure 226 (SEQ ID NO:226), Figure
228 (SEQ ID NO:228), Figure 230 (SEQ ID NO:230), Figure 232 (SEQ ID NO:232), Figure 234 (SEQ ID
NO:234), Figure 236 (SEQ ID NO:236), Figure 238 (SEQ ID NO:238), Figure 240 (SEQ ID NO:240), Figure
242 (SEQ ID NO:242), Figure 244 (SEQ ID NO:244), Figure 246 (SEQ ID NO:246), Figure 248 (SEQ ID
20 NO:248), Figure 250 (SEQ ID NO:250), Figure 252 (SEQ ID NO:252), Figure 254 (SEQ ID NO:254), Figure
256 (SEQ ID NO:256), Figure 258 (SEQ ID NO:258), Figure 260 (SEQ ID NO:260), Figure 262 (SEQ ID
NO:262), Figure 264 (SEQ ID NO:264), Figure 266 (SEQ ID NO:266), Figure 268 (SEQ ID NO:268), Figure
270 (SEQ ID NO:270), Figure 272 (SEQ ID NO:272), Figure 274 (SEQ ID NO:274), Figure 276 (SEQ ID
NO:276), Figure 278 (SEQ ID NO:278), Figure 280 (SEQ ID NO:280), Figure 282 (SEQ ID NO:282), Figure
25 284 (SEQ ID NO:284), Figure 286 (SEQ ID NO:286), Figure 288 (SEQ ID NO:288), Figure 290 (SEQ ID
NO:290), Figure 292 (SEQ ID NO:292), Figure 294 (SEQ ID NO:294), Figure 296 (SEQ ID NO:296), Figure
298 (SEQ ID NO:298), Figure 300 (SEQ ID NO:300), Figure 302 (SEQ ID NO:302), Figure 304 (SEQ ID
NO:304), Figure 306 (SEQ ID NO:306), Figure 308 (SEQ ID NO:308), Figure 310 (SEQ ID NO:310), Figure
312 (SEQ ID NO:312), Figure 314 (SEQ ID NO:314), Figure 316 (SEQ ID NO:316), Figure 318 (SEQ ID
30 NO:318), Figure 320 (SEQ ID NO:320), Figure 322 (SEQ ID NO:322), Figure 324 (SEQ ID NO:324), Figure
326 (SEQ ID NO:326), Figure 328 (SEQ ID NO:328), Figure 330 (SEQ ID NO:330), Figure 332 (SEQ ID
NO:332), Figure 334 (SEQ ID NO:334), Figure 336 (SEQ ID NO:336), Figure 338 (SEQ ID NO:338), Figure
340 (SEQ ID NO:340), Figure 342 (SEQ ID NO:342), Figure 344 (SEQ ID NO:344), Figure 346 (SEQ ID
NO:346), Figure 348 (SEQ ID NO:348), Figure 350 (SEQ ID NO:350), Figure 352 (SEQ ID NO:352), Figure
35 354 (SEQ ID NO:354), Figure 356 (SEQ ID NO:356), Figure 358 (SEQ ID NO:358), Figure 360 (SEQ ID
NO:360), Figure 362 (SEQ ID NO:362), Figure 364 (SEQ ID NO:364), Figure 366 (SEQ ID NO:366), Figure
368 (SEQ ID NO:368), Figure 370 (SEQ ID NO:370), Figure 372 (SEQ ID NO:372), Figure 374 (SEQ ID

- NO:374), Figure 376 (SEQ ID NO:376), Figure 378 (SEQ ID NO:378), Figure 380 (SEQ ID NO:380), Figure 382 (SEQ ID NO:382), Figure 384 (SEQ ID NO:384), Figure 386 (SEQ ID NO:386), Figure 388 (SEQ ID NO:388), Figure 390 (SEQ ID NO:390), Figure 392 (SEQ ID NO:392), Figure 394 (SEQ ID NO:394), Figure 396 (SEQ ID NO:396), Figure 398 (SEQ ID NO:398), Figure 400 (SEQ ID NO:400), Figure 402 (SEQ ID NO:402), Figure 404 (SEQ ID NO:404), Figure 406 (SEQ ID NO:406), Figure 408 (SEQ ID NO:408), Figure 410 (SEQ ID NO:410), Figure 412 (SEQ ID NO:412), Figure 414 (SEQ ID NO:414), Figure 416 (SEQ ID NO:416), Figure 418 (SEQ ID NO:418), Figure 420 (SEQ ID NO:420), Figure 422 (SEQ ID NO:422), Figure 424 (SEQ ID NO:424), Figure 426 (SEQ ID NO:426), Figure 428 (SEQ ID NO:428), Figure 430 (SEQ ID NO:430), Figure 432 (SEQ ID NO:432), Figure 434 (SEQ ID NO:434), Figure 436 (SEQ ID NO:436), Figure 438 (SEQ ID NO:438), Figure 440 (SEQ ID NO:440), Figure 442 (SEQ ID NO:442), Figure 444 (SEQ ID NO:444), Figure 446 (SEQ ID NO:446), Figure 448 (SEQ ID NO:448), Figure 450 (SEQ ID NO:450), Figure 452 (SEQ ID NO:452), Figure 454 (SEQ ID NO:454), Figure 456 (SEQ ID NO:456), Figure 458 (SEQ ID NO:458), Figure 460 (SEQ ID NO:460), Figure 462 (SEQ ID NO:462), Figure 464 (SEQ ID NO:464), Figure 466 (SEQ ID NO:466), Figure 468 (SEQ ID NO:468), Figure 470 (SEQ ID NO:470), Figure 472 (SEQ ID NO:472), Figure 474 (SEQ ID NO:474), Figure 476 (SEQ ID NO:476), Figure 478 (SEQ ID NO:478), Figure 480 (SEQ ID NO:480), Figure 482 (SEQ ID NO:482), Figure 484 (SEQ ID NO:484), Figure 486 (SEQ ID NO:486), Figure 488 (SEQ ID NO:488), Figure 490 (SEQ ID NO:490), Figure 492 (SEQ ID NO:492), Figure 494 (SEQ ID NO:494), Figure 496 (SEQ ID NO:496), Figure 498 (SEQ ID NO:498), Figure 500 (SEQ ID NO:500), Figure 502 (SEQ ID NO:502), Figure 504 (SEQ ID NO:504), Figure 506 (SEQ ID NO:506), Figure 508 (SEQ ID NO:508), Figure 510 (SEQ ID NO:510), Figure 512 (SEQ ID NO:512), Figure 514 (SEQ ID NO:514), Figure 516 (SEQ ID NO:516), Figure 518 (SEQ ID NO:518), Figure 520 (SEQ ID NO:520), Figure 522 (SEQ ID NO:522), Figure 524 (SEQ ID NO:524), Figure 526 (SEQ ID NO:526), Figure 528 (SEQ ID NO:528), Figure 530 (SEQ ID NO:530), Figure 532 (SEQ ID NO:532), Figure 534 (SEQ ID NO:534), Figure 536 (SEQ ID NO:536), Figure 538 (SEQ ID NO:538), Figure 540 (SEQ ID NO:540), Figure 542 (SEQ ID NO:542), Figure 544 (SEQ ID NO:544), Figure 546 (SEQ ID NO:546), Figure 548 (SEQ ID NO:548), Figure 550 (SEQ ID NO:550), Figure 552 (SEQ ID NO:552), Figure 554 (SEQ ID NO:554), Figure 556 (SEQ ID NO:556), Figure 558 (SEQ ID NO:558), Figure 560 (SEQ ID NO:560), Figure 562 (SEQ ID NO:562), Figure 564 (SEQ ID NO:564), Figure 566 (SEQ ID NO:566), Figure 568 (SEQ ID NO:568), Figure 570 (SEQ ID NO:570), Figure 572 (SEQ ID NO:572), Figure 574 (SEQ ID NO:574), Figure 576 (SEQ ID NO:576), Figure 578 (SEQ ID NO:578), Figure 580 (SEQ ID NO:580), Figure 582 (SEQ ID NO:582), Figure 584 (SEQ ID NO:584), Figure 586 (SEQ ID NO:586), Figure 588 (SEQ ID NO:588), Figure 590 (SEQ ID NO:590), Figure 592 (SEQ ID NO:592), Figure 594 (SEQ ID NO:594), Figure 596 (SEQ ID NO:596), Figure 598 (SEQ ID NO:598), Figure 600 (SEQ ID NO:600), Figure 602 (SEQ ID NO:602), Figure 604 (SEQ ID NO:604), Figure 606 (SEQ ID NO:606), Figure 608 (SEQ ID NO:608), or Figure 610 (SEQ ID NO:610), with its associated signal peptide; or
- (c) a nucleotide sequence encoding an extracellular domain of the polypeptide shown in Figure 2 (SEQ ID NO:2), Figure 4 (SEQ ID NO:4), Figure 6 (SEQ ID NO:6), Figure 8 (SEQ ID NO:8), Figure 10 (SEQ ID NO:10), Figure 12 (SEQ ID NO:12), Figure 14 (SEQ ID NO:14), Figure 16 (SEQ ID NO:16), Figure 18

(SEQ ID NO:18), Figure 20 (SEQ ID NO:20), Figure 22 (SEQ ID NO:22), Figure 24 (SEQ ID NO:24), Figure 26 (SEQ ID NO:26), Figure 28 (SEQ ID NO:28), Figure 30 (SEQ ID NO:30), Figure 32 (SEQ ID NO:32), Figure 34 (SEQ ID NO:34), Figure 36 (SEQ ID NO:36), Figure 38 (SEQ ID NO:38), Figure 40 (SEQ ID NO:40), Figure 42 (SEQ ID NO:42), Figure 44 (SEQ ID NO:44), Figure 46 (SEQ ID NO:46), Figure 48 (SEQ ID NO:48), Figure 50 (SEQ ID NO:50), Figure 52 (SEQ ID NO:52), Figure 54 (SEQ ID NO:54), Figure 56 (SEQ ID NO:56), Figure 58 (SEQ ID NO:58), Figure 60 (SEQ ID NO:60), Figure 62 (SEQ ID NO:62), Figure 64 (SEQ ID NO:64), Figure 66 (SEQ ID NO:66), Figure 68 (SEQ ID NO:68), Figure 70 (SEQ ID NO:70), Figure 72 (SEQ ID NO:72), Figure 74 (SEQ ID NO:74), Figure 76 (SEQ ID NO:76), Figure 78 (SEQ ID NO:78), Figure 80 (SEQ ID NO:80), Figure 82 (SEQ ID NO:82), Figure 84 (SEQ ID NO:84), Figure 86 (SEQ ID NO:86), Figure 88 (SEQ ID NO:88), Figure 90 (SEQ ID NO:90), Figure 92 (SEQ ID NO:92), Figure 94 (SEQ ID NO:94), Figure 96 (SEQ ID NO:96), Figure 98 (SEQ ID NO:98), Figure 100 (SEQ ID NO:100), Figure 102 (SEQ ID NO:102), Figure 104 (SEQ ID NO:104), Figure 106 (SEQ ID NO:106), Figure 108 (SEQ ID NO:108), Figure 110 (SEQ ID NO:110), Figure 112 (SEQ ID NO:112), Figure 114 (SEQ ID NO:114), Figure 116 (SEQ ID NO:116), Figure 118 (SEQ ID NO:118), Figure 120 (SEQ ID NO:120), Figure 122 (SEQ ID NO:122), Figure 124 (SEQ ID NO:124), Figure 126 (SEQ ID NO:126), Figure 128 (SEQ ID NO:128), Figure 130 (SEQ ID NO:130), Figure 132 (SEQ ID NO:132), Figure 134 (SEQ ID NO:134), Figure 136 (SEQ ID NO:136), Figure 138 (SEQ ID NO:138), Figure 140 (SEQ ID NO:140), Figure 142 (SEQ ID NO:142), Figure 144 (SEQ ID NO:144), Figure 146 (SEQ ID NO:146), Figure 148 (SEQ ID NO:148), Figure 150 (SEQ ID NO:150), Figure 152 (SEQ ID NO:152), Figure 154 (SEQ ID NO:154), Figure 156 (SEQ ID NO:156), Figure 158 (SEQ ID NO:158), Figure 160 (SEQ ID NO:160), Figure 162 (SEQ ID NO:162), Figure 164 (SEQ ID NO:164), Figure 166 (SEQ ID NO:166), Figure 168 (SEQ ID NO:168), Figure 170 (SEQ ID NO:170), Figure 172 (SEQ ID NO:172), Figure 174 (SEQ ID NO:174), Figure 176 (SEQ ID NO:176), Figure 178 (SEQ ID NO:178), Figure 180 (SEQ ID NO:180), Figure 182 (SEQ ID NO:182), Figure 184 (SEQ ID NO:184), Figure 186 (SEQ ID NO:186), Figure 188 (SEQ ID NO:188), Figure 190 (SEQ ID NO:190), Figure 192 (SEQ ID NO:192), Figure 194 (SEQ ID NO:194), Figure 196 (SEQ ID NO:196), Figure 198 (SEQ ID NO:198), Figure 200 (SEQ ID NO:200), Figure 202 (SEQ ID NO:202), Figure 204 (SEQ ID NO:204), Figure 206 (SEQ ID NO:206), Figure 208 (SEQ ID NO:208), Figure 210 (SEQ ID NO:210), Figure 212 (SEQ ID NO:212), Figure 214 (SEQ ID NO:214), Figure 216 (SEQ ID NO:216), Figure 218 (SEQ ID NO:218), Figure 220 (SEQ ID NO:220), Figure 222 (SEQ ID NO:222), Figure 224 (SEQ ID NO:224), Figure 226 (SEQ ID NO:226), Figure 228 (SEQ ID NO:228), Figure 230 (SEQ ID NO:230), Figure 232 (SEQ ID NO:232), Figure 234 (SEQ ID NO:234), Figure 236 (SEQ ID NO:236), Figure 238 (SEQ ID NO:238), Figure 240 (SEQ ID NO:240), Figure 242 (SEQ ID NO:242), Figure 244 (SEQ ID NO:244), Figure 246 (SEQ ID NO:246), Figure 248 (SEQ ID NO:248), Figure 250 (SEQ ID NO:250), Figure 252 (SEQ ID NO:252), Figure 254 (SEQ ID NO:254), Figure 256 (SEQ ID NO:256), Figure 258 (SEQ ID NO:258), Figure 260 (SEQ ID NO:260), Figure 262 (SEQ ID NO:262), Figure 264 (SEQ ID NO:264), Figure 266 (SEQ ID NO:266), Figure 268 (SEQ ID NO:268), Figure 270 (SEQ ID NO:270), Figure 272 (SEQ ID NO:272), Figure 274 (SEQ ID NO:274), Figure 276 (SEQ ID NO:276), Figure 278 (SEQ ID NO:278), Figure 280 (SEQ ID NO:280), Figure 282 (SEQ ID NO:282), Figure 284 (SEQ ID NO:284), Figure 286 (SEQ ID NO:286), Figure 288 (SEQ ID NO:288), Figure 290 (SEQ ID

NO:290), Figure 292 (SEQ ID NO:292), Figure 294 (SEQ ID NO:294), Figure 296 (SEQ ID NO:296), Figure 298 (SEQ ID NO:298), Figure 300 (SEQ ID NO:300), Figure 302 (SEQ ID NO:302), Figure 304 (SEQ ID NO:304), Figure 306 (SEQ ID NO:306), Figure 308 (SEQ ID NO:308), Figure 310 (SEQ ID NO:310), Figure 312 (SEQ ID NO:312), Figure 314 (SEQ ID NO:314), Figure 316 (SEQ ID NO:316), Figure 318 (SEQ ID NO:318), Figure 320 (SEQ ID NO:320), Figure 322 (SEQ ID NO:322), Figure 324 (SEQ ID NO:324), Figure 326 (SEQ ID NO:326), Figure 328 (SEQ ID NO:328), Figure 330 (SEQ ID NO:330), Figure 332 (SEQ ID NO:332), Figure 334 (SEQ ID NO:334), Figure 336 (SEQ ID NO:336), Figure 338 (SEQ ID NO:338), Figure 340 (SEQ ID NO:340), Figure 342 (SEQ ID NO:342), Figure 344 (SEQ ID NO:344), Figure 346 (SEQ ID NO:346), Figure 348 (SEQ ID NO:348), Figure 350 (SEQ ID NO:350), Figure 352 (SEQ ID NO:352), Figure 354 (SEQ ID NO:354), Figure 356 (SEQ ID NO:356), Figure 358 (SEQ ID NO:358), Figure 360 (SEQ ID NO:360), Figure 362 (SEQ ID NO:362), Figure 364 (SEQ ID NO:364), Figure 366 (SEQ ID NO:366), Figure 368 (SEQ ID NO:368), Figure 370 (SEQ ID NO:370), Figure 372 (SEQ ID NO:372), Figure 374 (SEQ ID NO:374), Figure 376 (SEQ ID NO:376), Figure 378 (SEQ ID NO:378), Figure 380 (SEQ ID NO:380), Figure 382 (SEQ ID NO:382), Figure 384 (SEQ ID NO:384), Figure 386 (SEQ ID NO:386), Figure 388 (SEQ ID NO:388), Figure 390 (SEQ ID NO:390), Figure 392 (SEQ ID NO:392), Figure 394 (SEQ ID NO:394), Figure 396 (SEQ ID NO:396), Figure 398 (SEQ ID NO:398), Figure 400 (SEQ ID NO:400), Figure 402 (SEQ ID NO:402), Figure 404 (SEQ ID NO:404), Figure 406 (SEQ ID NO:406), Figure 408 (SEQ ID NO:408), Figure 410 (SEQ ID NO:410), Figure 412 (SEQ ID NO:412), Figure 414 (SEQ ID NO:414), Figure 416 (SEQ ID NO:416), Figure 418 (SEQ ID NO:418), Figure 420 (SEQ ID NO:420), Figure 422 (SEQ ID NO:422), Figure 424 (SEQ ID NO:424), Figure 426 (SEQ ID NO:426), Figure 428 (SEQ ID NO:428), Figure 430 (SEQ ID NO:430), Figure 432 (SEQ ID NO:432), Figure 434 (SEQ ID NO:434), Figure 436 (SEQ ID NO:436), Figure 438 (SEQ ID NO:438), Figure 440 (SEQ ID NO:440), Figure 442 (SEQ ID NO:442), Figure 444 (SEQ ID NO:444), Figure 446 (SEQ ID NO:446), Figure 448 (SEQ ID NO:448), Figure 450 (SEQ ID NO:450), Figure 452 (SEQ ID NO:452), Figure 454 (SEQ ID NO:454), Figure 456 (SEQ ID NO:456), Figure 458 (SEQ ID NO:458), Figure 460 (SEQ ID NO:460), Figure 462 (SEQ ID NO:462), Figure 464 (SEQ ID NO:464), Figure 466 (SEQ ID NO:466), Figure 468 (SEQ ID NO:468), Figure 470 (SEQ ID NO:470), Figure 472 (SEQ ID NO:472), Figure 474 (SEQ ID NO:474), Figure 476 (SEQ ID NO:476), Figure 478 (SEQ ID NO:478), Figure 480 (SEQ ID NO:480), Figure 482 (SEQ ID NO:482), Figure 484 (SEQ ID NO:484), Figure 486 (SEQ ID NO:486), Figure 488 (SEQ ID NO:488), Figure 490 (SEQ ID NO:490), Figure 492 (SEQ ID NO:492), Figure 494 (SEQ ID NO:494), Figure 496 (SEQ ID NO:496), Figure 498 (SEQ ID NO:498), Figure 500 (SEQ ID NO:500), Figure 502 (SEQ ID NO:502), Figure 504 (SEQ ID NO:504), Figure 506 (SEQ ID NO:506), Figure 508 (SEQ ID NO:508), Figure 510 (SEQ ID NO:510), Figure 512 (SEQ ID NO:512), Figure 514 (SEQ ID NO:514), Figure 516 (SEQ ID NO:516), Figure 518 (SEQ ID NO:518), Figure 520 (SEQ ID NO:520), Figure 522 (SEQ ID NO:522), Figure 524 (SEQ ID NO:524), Figure 526 (SEQ ID NO:526), Figure 528 (SEQ ID NO:528), Figure 530 (SEQ ID NO:530), Figure 532 (SEQ ID NO:532), Figure 534 (SEQ ID NO:534), Figure 536 (SEQ ID NO:536), Figure 538 (SEQ ID NO:538), Figure 540 (SEQ ID NO:540), Figure 542 (SEQ ID NO:542), Figure 544 (SEQ ID NO:544), Figure 546 (SEQ ID NO:546), Figure 548 (SEQ ID NO:548), Figure 550 (SEQ ID NO:550), Figure 552 (SEQ ID NO:552), Figure 554 (SEQ ID NO:554), Figure 556 (SEQ ID

5

10

19. An isolated polypeptide having at least 80% amino acid sequence identity to:

(a) an amino acid sequence of the polypeptide shown in Figure 2 (SEQ ID NO:2), Figure 4 (SEQ ID NO:4), Figure 6 (SEQ ID NO:6), Figure 8 (SEQ ID NO:8), Figure 10 (SEQ ID NO:10), Figure 12 (SEQ ID NO:12), Figure 14 (SEQ ID NO:14), Figure 16 (SEQ ID NO:16), Figure 18 (SEQ ID NO:18), Figure 20 (SEQ ID NO:20), Figure 22 (SEQ ID NO:22), Figure 24 (SEQ ID NO:24), Figure 26 (SEQ ID NO:26), Figure 28 (SEQ ID NO:28), Figure 30 (SEQ ID NO:30), Figure 32 (SEQ ID NO:32), Figure 34 (SEQ ID NO:34), Figure 36 (SEQ ID NO:36), Figure 38 (SEQ ID NO:38), Figure 40 (SEQ ID NO:40), Figure 42 (SEQ ID NO:42), Figure 44 (SEQ ID NO:44), Figure 46 (SEQ ID NO:46), Figure 48 (SEQ ID NO:48), Figure 50 (SEQ ID NO:50), Figure 52 (SEQ ID NO:52), Figure 54 (SEQ ID NO:54), Figure 56 (SEQ ID NO:56), Figure 58 (SEQ ID NO:58), Figure 60 (SEQ ID NO:60), Figure 62 (SEQ ID NO:62), Figure 64 (SEQ ID NO:64), Figure 66 (SEQ ID NO:66), Figure 68 (SEQ ID NO:68), Figure 70 (SEQ ID NO:70), Figure 72 (SEQ ID NO:72), Figure 74 (SEQ ID NO:74), Figure 76 (SEQ ID NO:76), Figure 78 (SEQ ID NO:78), Figure 80 (SEQ ID NO:80), Figure 82 (SEQ ID NO:82), Figure 84 (SEQ ID NO:84), Figure 86 (SEQ ID NO:86), Figure 88 (SEQ ID NO:88), Figure 90 (SEQ ID NO:90), Figure 92 (SEQ ID NO:92), Figure 94 (SEQ ID NO:94), Figure 96 (SEQ ID NO:96), Figure 98 (SEQ ID NO:98), Figure 100 (SEQ ID NO:100), Figure 102 (SEQ ID NO:102), Figure 104 (SEQ ID NO:104), Figure 106 (SEQ ID NO:106), Figure 108 (SEQ ID NO:108), Figure 110 (SEQ ID NO:110), Figure 112 (SEQ ID NO:112), Figure 114 (SEQ ID NO:114), Figure 116 (SEQ ID NO:116), Figure 118 (SEQ ID NO:118), Figure 120 (SEQ ID NO:120), Figure 122 (SEQ ID NO:122), Figure 124 (SEQ ID NO:124), Figure 126 (SEQ ID NO:126), Figure 128 (SEQ ID NO:128), Figure 130 (SEQ ID NO:130), Figure 132 (SEQ ID NO:132), Figure 134 (SEQ ID NO:134), Figure 136 (SEQ ID NO:136), Figure 138 (SEQ ID NO:138), Figure 140 (SEQ ID NO:140), Figure 142 (SEQ ID NO:142), Figure 144 (SEQ ID NO:144), Figure 146 (SEQ ID NO:146), Figure 148 (SEQ ID NO:148), Figure 150 (SEQ ID NO:150), Figure 152 (SEQ ID NO:152), Figure 154 (SEQ ID NO:154), Figure 156 (SEQ ID NO:156), Figure 158 (SEQ ID NO:158), Figure 160 (SEQ ID NO:160), Figure 162 (SEQ ID NO:162), Figure 164 (SEQ ID NO:164), Figure 166 (SEQ ID NO:166), Figure 168 (SEQ ID NO:168), Figure 170 (SEQ ID NO:170), Figure 172 (SEQ ID NO:172), Figure 174 (SEQ ID NO:174), Figure 176 (SEQ ID NO:176), Figure 178 (SEQ ID NO:178), Figure 180 (SEQ ID NO:180), Figure 182 (SEQ ID NO:182), Figure 184 (SEQ ID NO:184), Figure 186 (SEQ ID NO:186), Figure 188 (SEQ ID NO:188), Figure 190 (SEQ ID NO:190), Figure 192 (SEQ ID NO:192), Figure 194 (SEQ ID NO:194).

NO:194), Figure 196 (SEQ ID NO:196), Figure 198 (SEQ ID NO:198), Figure 200 (SEQ ID NO:200), Figure 202 (SEQ ID NO:202), Figure 204 (SEQ ID NO:204), Figure 206 (SEQ ID NO:206), Figure 208 (SEQ ID NO:208), Figure 210 (SEQ ID NO:210), Figure 212 (SEQ ID NO:212), Figure 214 (SEQ ID NO:214), Figure 216 (SEQ ID NO:216), Figure 218 (SEQ ID NO:218), Figure 220 (SEQ ID NO:220), Figure 222 (SEQ ID NO:222), Figure 224 (SEQ ID NO:224), Figure 226 (SEQ ID NO:226), Figure 228 (SEQ ID NO:228), Figure 230 (SEQ ID NO:230), Figure 232 (SEQ ID NO:232), Figure 234 (SEQ ID NO:234), Figure 236 (SEQ ID NO:236), Figure 238 (SEQ ID NO:238), Figure 240 (SEQ ID NO:240), Figure 242 (SEQ ID NO:242), Figure 244 (SEQ ID NO:244), Figure 246 (SEQ ID NO:246), Figure 248 (SEQ ID NO:248), Figure 250 (SEQ ID NO:250), Figure 252 (SEQ ID NO:252), Figure 254 (SEQ ID NO:254), Figure 256 (SEQ ID NO:256), Figure 258 (SEQ ID NO:258), Figure 260 (SEQ ID NO:260), Figure 262 (SEQ ID NO:262), Figure 264 (SEQ ID NO:264), Figure 266 (SEQ ID NO:266), Figure 268 (SEQ ID NO:268), Figure 270 (SEQ ID NO:270), Figure 272 (SEQ ID NO:272), Figure 274 (SEQ ID NO:274), Figure 276 (SEQ ID NO:276), Figure 278 (SEQ ID NO:278), Figure 280 (SEQ ID NO:280), Figure 282 (SEQ ID NO:282), Figure 284 (SEQ ID NO:284), Figure 286 (SEQ ID NO:286), Figure 288 (SEQ ID NO:288), Figure 290 (SEQ ID NO:290), Figure 292 (SEQ ID NO:292), Figure 294 (SEQ ID NO:294), Figure 296 (SEQ ID NO:296), Figure 298 (SEQ ID NO:298), Figure 300 (SEQ ID NO:300), Figure 302 (SEQ ID NO:302), Figure 304 (SEQ ID NO:304), Figure 306 (SEQ ID NO:306), Figure 308 (SEQ ID NO:308), Figure 310 (SEQ ID NO:310), Figure 312 (SEQ ID NO:312), Figure 314 (SEQ ID NO:314), Figure 316 (SEQ ID NO:316), Figure 318 (SEQ ID NO:318), Figure 320 (SEQ ID NO:320), Figure 322 (SEQ ID NO:322), Figure 324 (SEQ ID NO:324), Figure 326 (SEQ ID NO:326), Figure 328 (SEQ ID NO:328), Figure 330 (SEQ ID NO:330), Figure 332 (SEQ ID NO:332), Figure 334 (SEQ ID NO:334), Figure 336 (SEQ ID NO:336), Figure 338 (SEQ ID NO:338), Figure 340 (SEQ ID NO:340), Figure 342 (SEQ ID NO:342), Figure 344 (SEQ ID NO:344), Figure 346 (SEQ ID NO:346), Figure 348 (SEQ ID NO:348), Figure 350 (SEQ ID NO:350), Figure 352 (SEQ ID NO:352), Figure 354 (SEQ ID NO:354), Figure 356 (SEQ ID NO:356), Figure 358 (SEQ ID NO:358), Figure 360 (SEQ ID NO:360), Figure 362 (SEQ ID NO:362), Figure 364 (SEQ ID NO:364), Figure 366 (SEQ ID NO:366), Figure 368 (SEQ ID NO:368), Figure 370 (SEQ ID NO:370), Figure 372 (SEQ ID NO:372), Figure 374 (SEQ ID NO:374), Figure 376 (SEQ ID NO:376), Figure 378 (SEQ ID NO:378), Figure 380 (SEQ ID NO:380), Figure 382 (SEQ ID NO:382), Figure 384 (SEQ ID NO:384), Figure 386 (SEQ ID NO:386), Figure 388 (SEQ ID NO:388), Figure 390 (SEQ ID NO:390), Figure 392 (SEQ ID NO:392), Figure 394 (SEQ ID NO:394), Figure 396 (SEQ ID NO:396), Figure 398 (SEQ ID NO:398), Figure 400 (SEQ ID NO:400), Figure 402 (SEQ ID NO:402), Figure 404 (SEQ ID NO:404), Figure 406 (SEQ ID NO:406), Figure 408 (SEQ ID NO:408), Figure 410 (SEQ ID NO:410), Figure 412 (SEQ ID NO:412), Figure 414 (SEQ ID NO:414), Figure 416 (SEQ ID NO:416), Figure 418 (SEQ ID NO:418), Figure 420 (SEQ ID NO:420), Figure 422 (SEQ ID NO:422), Figure 424 (SEQ ID NO:424), Figure 426 (SEQ ID NO:426), Figure 428 (SEQ ID NO:428), Figure 430 (SEQ ID NO:430), Figure 432 (SEQ ID NO:432), Figure 434 (SEQ ID NO:434), Figure 436 (SEQ ID NO:436), Figure 438 (SEQ ID NO:438), Figure 440 (SEQ ID NO:440), Figure 442 (SEQ ID NO:442), Figure 444 (SEQ ID NO:444), Figure 446 (SEQ ID NO:446), Figure 448 (SEQ ID NO:448), Figure 450 (SEQ ID NO:450), Figure 452 (SEQ ID NO:452), Figure 454 (SEQ ID NO:454), Figure 456 (SEQ ID NO:456), Figure 458 (SEQ ID NO:458), Figure 460 (SEQ ID

NO:460), Figure 462 (SEQ ID NO:462), Figure 464 (SEQ ID NO:464), Figure 466 (SEQ ID NO:466), Figure 468 (SEQ ID NO:468), Figure 470 (SEQ ID NO:470), Figure 472 (SEQ ID NO:472), Figure 474 (SEQ ID NO:474), Figure 476 (SEQ ID NO:476), Figure 478 (SEQ ID NO:478), Figure 480 (SEQ ID NO:480), Figure 482 (SEQ ID NO:482), Figure 484 (SEQ ID NO:484), Figure 486 (SEQ ID NO:486), Figure 488 (SEQ ID NO:488), Figure 490 (SEQ ID NO:490), Figure 492 (SEQ ID NO:492), Figure 494 (SEQ ID NO:494), Figure 496 (SEQ ID NO:496), Figure 498 (SEQ ID NO:498), Figure 500 (SEQ ID NO:500), Figure 502 (SEQ ID NO:502), Figure 504 (SEQ ID NO:504), Figure 506 (SEQ ID NO:506), Figure 508 (SEQ ID NO:508), Figure 510 (SEQ ID NO:510), Figure 512 (SEQ ID NO:512), Figure 514 (SEQ ID NO:514), Figure 516 (SEQ ID NO:516), Figure 518 (SEQ ID NO:518), Figure 520 (SEQ ID NO:520), Figure 522 (SEQ ID NO:522), Figure 524 (SEQ ID NO:524), Figure 526 (SEQ ID NO:526), Figure 528 (SEQ ID NO:528), Figure 530 (SEQ ID NO:530), Figure 532 (SEQ ID NO:532), Figure 534 (SEQ ID NO:534), Figure 536 (SEQ ID NO:536), Figure 538 (SEQ ID NO:538), Figure 540 (SEQ ID NO:540), Figure 542 (SEQ ID NO:542), Figure 544 (SEQ ID NO:544), Figure 546 (SEQ ID NO:546), Figure 548 (SEQ ID NO:548), Figure 550 (SEQ ID NO:550), Figure 552 (SEQ ID NO:552), Figure 554 (SEQ ID NO:554), Figure 556 (SEQ ID NO:556), Figure 558 (SEQ ID NO:558), Figure 560 (SEQ ID NO:560), Figure 562 (SEQ ID NO:562), Figure 564 (SEQ ID NO:564), Figure 566 (SEQ ID NO:566), Figure 568 (SEQ ID NO:568), Figure 570 (SEQ ID NO:570), Figure 572 (SEQ ID NO:572), Figure 574 (SEQ ID NO:574), Figure 576 (SEQ ID NO:576), Figure 578 (SEQ ID NO:578), Figure 580 (SEQ ID NO:580), Figure 582 (SEQ ID NO:582), Figure 584 (SEQ ID NO:584), Figure 586 (SEQ ID NO:586), Figure 588 (SEQ ID NO:588), Figure 590 (SEQ ID NO:590), Figure 592 (SEQ ID NO:592), Figure 594 (SEQ ID NO:594), Figure 596 (SEQ ID NO:596), Figure 598 (SEQ ID NO:598), Figure 600 (SEQ ID NO:600), Figure 602 (SEQ ID NO:602), Figure 604 (SEQ ID NO:604), Figure 606 (SEQ ID NO:606), Figure 608 (SEQ ID NO:608), or Figure 610 (SEQ ID NO:610), lacking its associated signal peptide;

(b) an amino acid sequence of an extracellular domain of the polypeptide shown in Figure 2 (SEQ ID NO:2), Figure 4 (SEQ ID NO:4), Figure 6 (SEQ ID NO:6), Figure 8 (SEQ ID NO:8), Figure 10 (SEQ ID NO:10), Figure 12 (SEQ ID NO:12), Figure 14 (SEQ ID NO:14), Figure 16 (SEQ ID NO:16), Figure 18 (SEQ ID NO:18), Figure 20 (SEQ ID NO:20), Figure 22 (SEQ ID NO:22), Figure 24 (SEQ ID NO:24), Figure 26 (SEQ ID NO:26), Figure 28 (SEQ ID NO:28), Figure 30 (SEQ ID NO:30), Figure 32 (SEQ ID NO:32), Figure 34 (SEQ ID NO:34), Figure 36 (SEQ ID NO:36), Figure 38 (SEQ ID NO:38), Figure 40 (SEQ ID NO:40), Figure 42 (SEQ ID NO:42), Figure 44 (SEQ ID NO:44), Figure 46 (SEQ ID NO:46), Figure 48 (SEQ ID NO:48), Figure 50 (SEQ ID NO:50), Figure 52 (SEQ ID NO:52), Figure 54 (SEQ ID NO:54), Figure 56 (SEQ ID NO:56), Figure 58 (SEQ ID NO:58), Figure 60 (SEQ ID NO:60), Figure 62 (SEQ ID NO:62), Figure 64 (SEQ ID NO:64), Figure 66 (SEQ ID NO:66), Figure 68 (SEQ ID NO:68), Figure 70 (SEQ ID NO:70), Figure 72 (SEQ ID NO:72), Figure 74 (SEQ ID NO:74), Figure 76 (SEQ ID NO:76), Figure 78 (SEQ ID NO:78), Figure 80 (SEQ ID NO:80), Figure 82 (SEQ ID NO:82), Figure 84 (SEQ ID NO:84), Figure 86 (SEQ ID NO:86), Figure 88 (SEQ ID NO:88), Figure 90 (SEQ ID NO:90), Figure 92 (SEQ ID NO:92), Figure 94 (SEQ ID NO:94), Figure 96 (SEQ ID NO:96), Figure 98 (SEQ ID NO:98), Figure 100 (SEQ ID NO:100), Figure 102 (SEQ ID NO:102), Figure 104 (SEQ ID NO:104), Figure 106 (SEQ ID NO:106), Figure 108 (SEQ ID NO:108), Figure 110 (SEQ ID NO:110), Figure 112 (SEQ ID NO:112), Figure 114 (SEQ ID NO:114), Figure 116 (SEQ

ID NO:116), Figure 118 (SEQ ID NO:118), Figure 120 (SEQ ID NO:120), Figure 122 (SEQ ID NO:122), Figure
124 (SEQ ID NO:124), Figure 126 (SEQ ID NO:126), Figure 128 (SEQ ID NO:128), Figure 130 (SEQ ID
NO:130), Figure 132 (SEQ ID NO:132), Figure 134 (SEQ ID NO:134), Figure 136 (SEQ ID NO:136), Figure
138 (SEQ ID NO:138), Figure 140 (SEQ ID NO:140), Figure 142 (SEQ ID NO:142), Figure 144 (SEQ ID
NO:144), Figure 146 (SEQ ID NO:146), Figure 148 (SEQ ID NO:148), Figure 150 (SEQ ID NO:150), Figure
5 152 (SEQ ID NO:152), Figure 154 (SEQ ID NO:154), Figure 156 (SEQ ID NO:156), Figure 158 (SEQ ID
NO:158), Figure 160 (SEQ ID NO:160), Figure 162 (SEQ ID NO:162), Figure 164 (SEQ ID NO:164), Figure
166 (SEQ ID NO:166), Figure 168 (SEQ ID NO:168), Figure 170 (SEQ ID NO:170), Figure 172 (SEQ ID
NO:172), Figure 174 (SEQ ID NO:174), Figure 176 (SEQ ID NO:176), Figure 178 (SEQ ID NO:178), Figure
180 (SEQ ID NO:180), Figure 182 (SEQ ID NO:182), Figure 184 (SEQ ID NO:184), Figure 186 (SEQ ID
10 NO:186), Figure 188 (SEQ ID NO:188), Figure 190 (SEQ ID NO:190), Figure 192 (SEQ ID NO:192), Figure
194 (SEQ ID NO:194), Figure 196 (SEQ ID NO:196), Figure 198 (SEQ ID NO:198), Figure 200 (SEQ ID
NO:200), Figure 202 (SEQ ID NO:202), Figure 204 (SEQ ID NO:204), Figure 206 (SEQ ID NO:206), Figure
208 (SEQ ID NO:208), Figure 210 (SEQ ID NO:210), Figure 212 (SEQ ID NO:212), Figure 214 (SEQ ID
NO:214), Figure 216 (SEQ ID NO:216), Figure 218 (SEQ ID NO:218), Figure 220 (SEQ ID NO:220), Figure
15 222 (SEQ ID NO:222), Figure 224 (SEQ ID NO:224), Figure 226 (SEQ ID NO:226), Figure 228 (SEQ ID
NO:228), Figure 230 (SEQ ID NO:230), Figure 232 (SEQ ID NO:232), Figure 234 (SEQ ID NO:234), Figure
236 (SEQ ID NO:236), Figure 238 (SEQ ID NO:238), Figure 240 (SEQ ID NO:240), Figure 242 (SEQ ID
NO:242), Figure 244 (SEQ ID NO:244), Figure 246 (SEQ ID NO:246), Figure 248 (SEQ ID NO:248), Figure
250 (SEQ ID NO:250), Figure 252 (SEQ ID NO:252), Figure 254 (SEQ ID NO:254), Figure 256 (SEQ ID
20 NO:256), Figure 258 (SEQ ID NO:258), Figure 260 (SEQ ID NO:260), Figure 262 (SEQ ID NO:262), Figure
264 (SEQ ID NO:264), Figure 266 (SEQ ID NO:266), Figure 268 (SEQ ID NO:268), Figure 270 (SEQ ID
NO:270), Figure 272 (SEQ ID NO:272), Figure 274 (SEQ ID NO:274), Figure 276 (SEQ ID NO:276), Figure
278 (SEQ ID NO:278), Figure 280 (SEQ ID NO:280), Figure 282 (SEQ ID NO:282), Figure 284 (SEQ ID
NO:284), Figure 286 (SEQ ID NO:286), Figure 288 (SEQ ID NO:288), Figure 290 (SEQ ID NO:290), Figure
25 292 (SEQ ID NO:292), Figure 294 (SEQ ID NO:294), Figure 296 (SEQ ID NO:296), Figure 298 (SEQ ID
NO:298), Figure 300 (SEQ ID NO:300), Figure 302 (SEQ ID NO:302), Figure 304 (SEQ ID NO:304), Figure
306 (SEQ ID NO:306), Figure 308 (SEQ ID NO:308), Figure 310 (SEQ ID NO:310), Figure 312 (SEQ ID
NO:312), Figure 314 (SEQ ID NO:314), Figure 316 (SEQ ID NO:316), Figure 318 (SEQ ID NO:318), Figure
320 (SEQ ID NO:320), Figure 322 (SEQ ID NO:322), Figure 324 (SEQ ID NO:324), Figure 326 (SEQ ID
30 NO:326), Figure 328 (SEQ ID NO:328), Figure 330 (SEQ ID NO:330), Figure 332 (SEQ ID NO:332), Figure
334 (SEQ ID NO:334), Figure 336 (SEQ ID NO:336), Figure 338 (SEQ ID NO:338), Figure 340 (SEQ ID
NO:340), Figure 342 (SEQ ID NO:342), Figure 344 (SEQ ID NO:344), Figure 346 (SEQ ID NO:346), Figure
348 (SEQ ID NO:348), Figure 350 (SEQ ID NO:350), Figure 352 (SEQ ID NO:352), Figure 354 (SEQ ID
NO:354), Figure 356 (SEQ ID NO:356), Figure 358 (SEQ ID NO:358), Figure 360 (SEQ ID NO:360), Figure
35 362 (SEQ ID NO:362), Figure 364 (SEQ ID NO:364), Figure 366 (SEQ ID NO:366), Figure 368 (SEQ ID
NO:368), Figure 370 (SEQ ID NO:370), Figure 372 (SEQ ID NO:372), Figure 374 (SEQ ID NO:374), Figure
376 (SEQ ID NO:376), Figure 378 (SEQ ID NO:378), Figure 380 (SEQ ID NO:380), Figure 382 (SEQ ID

NO:382), Figure 384 (SEQ ID NO:384), Figure 386 (SEQ ID NO:386), Figure 388 (SEQ ID NO:388), Figure 390 (SEQ ID NO:390), Figure 392 (SEQ ID NO:392), Figure 394 (SEQ ID NO:394), Figure 396 (SEQ ID NO:396), Figure 398 (SEQ ID NO:398), Figure 400 (SEQ ID NO:400), Figure 402 (SEQ ID NO:402), Figure 404 (SEQ ID NO:404), Figure 406 (SEQ ID NO:406), Figure 408 (SEQ ID NO:408), Figure 410 (SEQ ID NO:410), Figure 412 (SEQ ID NO:412), Figure 414 (SEQ ID NO:414), Figure 416 (SEQ ID NO:416), Figure 418 (SEQ ID NO:418), Figure 420 (SEQ ID NO:420), Figure 422 (SEQ ID NO:422), Figure 424 (SEQ ID NO:424), Figure 426 (SEQ ID NO:426), Figure 428 (SEQ ID NO:428), Figure 430 (SEQ ID NO:430), Figure 432 (SEQ ID NO:432), Figure 434 (SEQ ID NO:434), Figure 436 (SEQ ID NO:436), Figure 438 (SEQ ID NO:438), Figure 440 (SEQ ID NO:440), Figure 442 (SEQ ID NO:442), Figure 444 (SEQ ID NO:444), Figure 446 (SEQ ID NO:446), Figure 448 (SEQ ID NO:448), Figure 450 (SEQ ID NO:450), Figure 452 (SEQ ID NO:452), Figure 454 (SEQ ID NO:454), Figure 456 (SEQ ID NO:456), Figure 458 (SEQ ID NO:458), Figure 460 (SEQ ID NO:460), Figure 462 (SEQ ID NO:462), Figure 464 (SEQ ID NO:464), Figure 466 (SEQ ID NO:466), Figure 468 (SEQ ID NO:468), Figure 470 (SEQ ID NO:470), Figure 472 (SEQ ID NO:472), Figure 474 (SEQ ID NO:474), Figure 476 (SEQ ID NO:476), Figure 478 (SEQ ID NO:478), Figure 480 (SEQ ID NO:480), Figure 482 (SEQ ID NO:482), Figure 484 (SEQ ID NO:484), Figure 486 (SEQ ID NO:486), Figure 488 (SEQ ID NO:488), Figure 490 (SEQ ID NO:490), Figure 492 (SEQ ID NO:492), Figure 494 (SEQ ID NO:494), Figure 496 (SEQ ID NO:496), Figure 498 (SEQ ID NO:498), Figure 500 (SEQ ID NO:500), Figure 502 (SEQ ID NO:502), Figure 504 (SEQ ID NO:504), Figure 506 (SEQ ID NO:506), Figure 508 (SEQ ID NO:508), Figure 510 (SEQ ID NO:510), Figure 512 (SEQ ID NO:512), Figure 514 (SEQ ID NO:514), Figure 516 (SEQ ID NO:516), Figure 518 (SEQ ID NO:518), Figure 520 (SEQ ID NO:520), Figure 522 (SEQ ID NO:522), Figure 524 (SEQ ID NO:524), Figure 526 (SEQ ID NO:526), Figure 528 (SEQ ID NO:528), Figure 530 (SEQ ID NO:530), Figure 532 (SEQ ID NO:532), Figure 534 (SEQ ID NO:534), Figure 536 (SEQ ID NO:536), Figure 538 (SEQ ID NO:538), Figure 540 (SEQ ID NO:540), Figure 542 (SEQ ID NO:542), Figure 544 (SEQ ID NO:544), Figure 546 (SEQ ID NO:546), Figure 548 (SEQ ID NO:548), Figure 550 (SEQ ID NO:550), Figure 552 (SEQ ID NO:552), Figure 554 (SEQ ID NO:554), Figure 556 (SEQ ID NO:556), Figure 558 (SEQ ID NO:558), Figure 560 (SEQ ID NO:560), Figure 562 (SEQ ID NO:562), Figure 564 (SEQ ID NO:564), Figure 566 (SEQ ID NO:566), Figure 568 (SEQ ID NO:568), Figure 570 (SEQ ID NO:570), Figure 572 (SEQ ID NO:572), Figure 574 (SEQ ID NO:574), Figure 576 (SEQ ID NO:576), Figure 578 (SEQ ID NO:578), Figure 580 (SEQ ID NO:580), Figure 582 (SEQ ID NO:582), Figure 584 (SEQ ID NO:584), Figure 586 (SEQ ID NO:586), Figure 588 (SEQ ID NO:588), Figure 590 (SEQ ID NO:590), Figure 592 (SEQ ID NO:592), Figure 594 (SEQ ID NO:594), Figure 596 (SEQ ID NO:596), Figure 598 (SEQ ID NO:598), Figure 600 (SEQ ID NO:600), Figure 602 (SEQ ID NO:602), Figure 604 (SEQ ID NO:604), Figure 606 (SEQ ID NO:606), Figure 608 (SEQ ID NO:608), or Figure 610 (SEQ ID NO:610), with its associated signal peptide; or

(c) an amino acid sequence of an extracellular domain of the polypeptide shown in Figure 2 (SEQ ID NO:2), Figure 4 (SEQ ID NO:4), Figure 6 (SEQ ID NO:6), Figure 8 (SEQ ID NO:8), Figure 10 (SEQ ID NO:10), Figure 12 (SEQ ID NO:12), Figure 14 (SEQ ID NO:14), Figure 16 (SEQ ID NO:16), Figure 18 (SEQ ID NO:18), Figure 20 (SEQ ID NO:20), Figure 22 (SEQ ID NO:22), Figure 24 (SEQ ID NO:24), Figure 26 (SEQ ID NO:26), Figure 28 (SEQ ID NO:28), Figure 30 (SEQ ID NO:30), Figure 32 (SEQ ID NO:32), Figure

34 (SEQ ID NO:34), Figure 36 (SEQ ID NO:36), Figure 38 (SEQ ID NO:38), Figure 40 (SEQ ID NO:40),
Figure 42 (SEQ ID NO:42), Figure 44 (SEQ ID NO:44), Figure 46 (SEQ ID NO:46), Figure 48 (SEQ ID
NO:48), Figure 50 (SEQ ID NO:50), Figure 52 (SEQ ID NO:52), Figure 54 (SEQ ID NO:54), Figure 56 (SEQ
ID NO:56), Figure 58 (SEQ ID NO:58), Figure 60 (SEQ ID NO:60), Figure 62 (SEQ ID NO:62), Figure 64
(SEQ ID NO:64), Figure 66 (SEQ ID NO:66), Figure 68 (SEQ ID NO:68), Figure 70 (SEQ ID NO:70), Figure
5 72 (SEQ ID NO:72), Figure 74 (SEQ ID NO:74), Figure 76 (SEQ ID NO:76), Figure 78 (SEQ ID NO:78),
Figure 80 (SEQ ID NO:80), Figure 82 (SEQ ID NO:82), Figure 84 (SEQ ID NO:84), Figure 86 (SEQ ID
NO:86), Figure 88 (SEQ ID NO:88), Figure 90 (SEQ ID NO:90), Figure 92 (SEQ ID NO:92), Figure 94 (SEQ
ID NO:94), Figure 96 (SEQ ID NO:96), Figure 98 (SEQ ID NO:98), Figure 100 (SEQ ID NO:100), Figure 102
(SEQ ID NO:102), Figure 104 (SEQ ID NO:104), Figure 106 (SEQ ID NO:106), Figure 108 (SEQ ID NO:108),
10 Figure 110 (SEQ ID NO:110), Figure 112 (SEQ ID NO:112), Figure 114 (SEQ ID NO:114), Figure 116 (SEQ
ID NO:116), Figure 118 (SEQ ID NO:118), Figure 120 (SEQ ID NO:120), Figure 122 (SEQ ID NO:122), Figure
124 (SEQ ID NO:124), Figure 126 (SEQ ID NO:126), Figure 128 (SEQ ID NO:128), Figure 130 (SEQ ID
NO:130), Figure 132 (SEQ ID NO:132), Figure 134 (SEQ ID NO:134), Figure 136 (SEQ ID NO:136), Figure
138 (SEQ ID NO:138), Figure 140 (SEQ ID NO:140), Figure 142 (SEQ ID NO:142), Figure 144 (SEQ ID
15 NO:144), Figure 146 (SEQ ID NO:146), Figure 148 (SEQ ID NO:148), Figure 150 (SEQ ID NO:150), Figure
152 (SEQ ID NO:152), Figure 154 (SEQ ID NO:154), Figure 156 (SEQ ID NO:156), Figure 158 (SEQ ID
NO:158), Figure 160 (SEQ ID NO:160), Figure 162 (SEQ ID NO:162), Figure 164 (SEQ ID NO:164), Figure
166 (SEQ ID NO:166), Figure 168 (SEQ ID NO:168), Figure 170 (SEQ ID NO:170), Figure 172 (SEQ ID
NO:172), Figure 174 (SEQ ID NO:174), Figure 176 (SEQ ID NO:176), Figure 178 (SEQ ID NO:178), Figure
20 180 (SEQ ID NO:180), Figure 182 (SEQ ID NO:182), Figure 184 (SEQ ID NO:184), Figure 186 (SEQ ID
NO:186), Figure 188 (SEQ ID NO:188), Figure 190 (SEQ ID NO:190), Figure 192 (SEQ ID NO:192), Figure
194 (SEQ ID NO:194), Figure 196 (SEQ ID NO:196), Figure 198 (SEQ ID NO:198), Figure 200 (SEQ ID
NO:200), Figure 202 (SEQ ID NO:202), Figure 204 (SEQ ID NO:204), Figure 206 (SEQ ID NO:206), Figure
208 (SEQ ID NO:208), Figure 210 (SEQ ID NO:210), Figure 212 (SEQ ID NO:212), Figure 214 (SEQ ID
25 NO:214), Figure 216 (SEQ ID NO:216), Figure 218 (SEQ ID NO:218), Figure 220 (SEQ ID NO:220), Figure
222 (SEQ ID NO:222), Figure 224 (SEQ ID NO:224), Figure 226 (SEQ ID NO:226), Figure 228 (SEQ ID
NO:228), Figure 230 (SEQ ID NO:230), Figure 232 (SEQ ID NO:232), Figure 234 (SEQ ID NO:234), Figure
236 (SEQ ID NO:236), Figure 238 (SEQ ID NO:238), Figure 240 (SEQ ID NO:240), Figure 242 (SEQ ID
NO:242), Figure 244 (SEQ ID NO:244), Figure 246 (SEQ ID NO:246), Figure 248 (SEQ ID NO:248), Figure
30 250 (SEQ ID NO:250), Figure 252 (SEQ ID NO:252), Figure 254 (SEQ ID NO:254), Figure 256 (SEQ ID
NO:256), Figure 258 (SEQ ID NO:258), Figure 260 (SEQ ID NO:260), Figure 262 (SEQ ID NO:262), Figure
264 (SEQ ID NO:264), Figure 266 (SEQ ID NO:266), Figure 268 (SEQ ID NO:268), Figure 270 (SEQ ID
NO:270), Figure 272 (SEQ ID NO:272), Figure 274 (SEQ ID NO:274), Figure 276 (SEQ ID NO:276), Figure
278 (SEQ ID NO:278), Figure 280 (SEQ ID NO:280), Figure 282 (SEQ ID NO:282), Figure 284 (SEQ ID
35 NO:284), Figure 286 (SEQ ID NO:286), Figure 288 (SEQ ID NO:288), Figure 290 (SEQ ID NO:290), Figure
292 (SEQ ID NO:292), Figure 294 (SEQ ID NO:294), Figure 296 (SEQ ID NO:296), Figure 298 (SEQ ID
NO:298), Figure 300 (SEQ ID NO:300), Figure 302 (SEQ ID NO:302), Figure 304 (SEQ ID NO:304), Figure

[illegible]

572 (SEQ ID NO:572), Figure 574 (SEQ ID NO:574), Figure 576 (SEQ ID NO:576), Figure 578 (SEQ ID NO:578), Figure 580 (SEQ ID NO:580), Figure 582 (SEQ ID NO:582), Figure 584 (SEQ ID NO:584), Figure 586 (SEQ ID NO:586), Figure 588 (SEQ ID NO:588), Figure 590 (SEQ ID NO:590), Figure 592 (SEQ ID NO:592), Figure 594 (SEQ ID NO:594), Figure 596 (SEQ ID NO:596), Figure 598 (SEQ ID NO:598), Figure 600 (SEQ ID NO:600), Figure 602 (SEQ ID NO:602), Figure 604 (SEQ ID NO:604), Figure 606 (SEQ ID NO:606), Figure 608 (SEQ ID NO:608), or Figure 610 (SEQ ID NO:610), lacking its associated signal peptide.

20. A method for stimulating the release of TNF- α from human blood, said method comprising contacting said blood with a PRO1079, PRO827, PRO791, PRO1131, PRO1316, PRO1183, PRO1343, PRO1760, PRO1567 or PRO4333 polypeptide, wherein the release of TNF- α from said blood is stimulated.

10

21. A method for stimulating the proliferation or differentiation of chondrocyte cells, said method comprising contacting said cells with a PRO6029 polypeptide, wherein the proliferation or differentiation of said cells is stimulated.

15

22. A method for detecting the presence of tumor in an mammal, said method comprising comparing the level of expression of any PRO polypeptide shown in Table 8 in (a) a test sample of cells taken from said mammal and (b) a control sample of normal cells of the same cell type, wherein a higher level of expression of said PRO polypeptide in the test sample as compared to the control sample is indicative of the presence of tumor in said mammal.

20

23. The method of Claim 22, wherein said tumor is adrenal tumor, lung tumor, colon tumor, breast tumor, prostate tumor, rectal tumor, cervical tumor or liver tumor.

24. An oligonucleotide probe derived from any of the nucleotide sequences shown in the accompanying figures.

25

1/615

FIGURE 1

GAAGGCTGCCTCGCTGGTCCGAATTCGGTGGCGCCACGTCCGCCCGTCTCCGCCCTTCTGCATCGCGGCTTCGGCG
GCTTCCACCTAGACACCTAACAGTCGCGGAGCCGGCCCGCTCGTGAGGGGGTCCGGCACGGGGAGTCCGGCGGTCT
TGTGCATCTTGGCTACCTGTGGGTGGAAGATGTCGGACATCGGAGACTGTTTCCAGGAGCATCCCGGCGATCACGC
GCTATTGGTTCGCCGCCACCGTCGCCGTGCCCTTGGTCGGCAAACCTCGGCCTCATCAGCCCCGCTACCTCTTCC
TCTGGCCCGAAGCCTTCTTTATCGCTTTCAGATTTGGAGGCCAATCACTGCCACCTTTTATTTCCCTGTGGGT
CAGGAACCTGGATTTCTTTATTTGGTCAATTTATATTTCTTATATCAGTATTCTACGCGACTTGAAACAGGAGCTT
TTGATGGGAGGCCAGCAGACTATTTATTCATGCTCCTCTTTAACTGGATTGTCATCGTGATTACTGGCTTAGCAA
TGGATATGCAGTTGCTGATGATTCCTCTGATCATGTCACTACTTTATGTCTGGGCCCAGCTGAACAGAGACATGA
TTGTATCATTTTGGTTTGGAAACACGATTTAAGGCCTGCTATTTACCCTGGGTATCCTTGGATTCAACTATATCA
TCGGAGGCTCGGTAATCAATGAGCTTATTGGAAATCTGGTTGGACATCTTTATTTTTTCTTAATGTTTCAGATACC
CAATGGACTTGGGAGGAAGAAATTTCTATCCAACCTCAGTTTTTGTACCGCTGGCTGCCAGTAGGAGAGGAG
GAGTATCAGGATTTGGTGTGCCCCCTGCTAGCATGAGGCGAGCTGCTGATCAGAATGGCGGAGGCGGGAGACACA
ACTGGGGCCAGGGCTTTTCGACTTGGAGACCAGTGAAGGGGCGGCCTCGGGCAGCCGCTCCTCTCAAGCCACATTT
CCTCCCACTGCTGGGTGCACTTAACAACCTGCGTTCTGGCTAACACTGTTGGACCTGACCCACACTGAATGTAGTC
TTTTAGTACGAGACAAAGTTTCTTAAATCCCGAAGAAAAATATAAGTGTTCACAAGTTTTCACGATTCTCATTCA
AGTCCTTACTGCTGTGAAGAACAAATACCAACTGTGCAAAATGCAAACTGACTACATTTTTTGGTGTCTTCTCT
TCTCCCTTTCCGTCTGAATAATGGGTTTTAGCGGGTCTTAATCTGCTGGCATTGAGCTGGGGCTGGGTACACAA
ACCTTCCCAAAAGGACCTTATCTCTTTCTTGCACACATGCCCTCTCTCCCACTTTTCCCAACCCCCACATTTGCA
ACTAGAAAAAGTTGCCATAAAATTGCTCTGCCCTTGACAGGTTCTGTTATTTATTGACTTTTGCCAAGGCTGGT
CACAAACATCATATTCACGTTATTTTCCCTTTTGGTGGCAGAACTGTTACCAATAGGGGGAGAAGACAGCCACG
GATGAAGCGTTTCTCAGCTTTTGGAAATGCTTCGACTGACATCCGTTGTTAACCCTTTGCCACTCTTCAGATATT
TTTTATAAAAAAAGTACCACTGAGTTTATGAGGGCCACAGATTGGTTATTAATGAGATACGAGGGTTGGTGTCTGG
GTGTTTGTCTCTGAGCTAAGTGATCAAGACTGTAGTGGAGTTGCAGCTAACATGGGTAGGTTTAAACCATGGG
GGATGCACCCCTTTGCGTTTTCATATGTAGCCCTACTGGCTTTGTGTAGCTGGAGTAGTTGGGTTGCTTTGTGTTA
GGAGGATCCAGATCATGTTGGCTACAGGGAGATGCTCTCTTTGAGAGGTCTGGGCATTGATTTCCATTTCAATC
TCATTCTGGATATGTGTTTATTGAGTAAAGGAGGAGAGACCCTCATACGCTATTTAAATGTCACTTTTTTGCCTA
TCCCCCGTTTTTTGGTCATGTTTCAATTAATTGTGAGGAAGGCGCAGCTCCTCTCTGCACGTAGATCATTTTTTA
AAGCTAATGTAAGCACATCTAAGGGAATAACATGATTTAAGGTTGAAATGGCTTTAGAATCATTTGGGTTTGGAG
GTGTGTTATTTTGTGATCATGAATGTACAAGCTCTGTGAATCAGACCAGCTTAAATACCCACACCTTTTTTTCGTA
GGTGGGCTTTTCTATCAGAGCTTGGCTCATAACCAAATAAAGTTTTTTGAAGGCCATGGCTTTTCACACAGTTA
TTTTATTTTATGACGTTATCTGAAAGCAGACTGTTAGGAGCAGTATTGAGTGGCTGTCACACTTTGAGGCAACTA
AAAAGGCTTCAAACGTTTTGATCAGTTTCTTTTTCAGGAAACATTGTGCTCTAACAGTATGACTATTCTTTCCCC
ACTCTTAAACAGTGTGATGTGTGTTATCCTAGGAAATGAGAGTTGGCAAACAACCTTCTCATTTTGAATAGAGTTT
GTGTGTAATCTCTCATATTTAATTTATATGATAAAATAGGTGGGGAGAGTCTGAACCTTAACTGTCATGTTTGT
TGTTTCATCTGTGGCCACAATAAAGTTTACTTGTAAAAATTTAGAGGCCATTACTCCAATTATGTTGCACGTACAC
TCATTGTACAGGCGTGGAGACTCATTGTATGTATAAAGATATTTCTGACAGTGAGTGACCCGGAGTCTCTGGTGT
ACCTCTTACCAGTCAGCTGCCTGCGAGCAGTCATTTTTTCTTAAAGGTTTACAAGTATTTAGAACTTTTCAGTT
CAGGGCAAAATGTTTCATGAAGTTATTCCTCTTAAACATGGTTAGGAAGCTGATGACGTTATTGATTTTGTCTGGA
TTATGTTTCTGGAATAATTTTACCAAAACAAGCTATTTGAGTTTTGACTTGACAAGGCAAAACATGACAGTGGAT
TCTCTTTTACAATGGAAAAAAAATCCTTATTTTGTATAAAGGACTTCCCTTTTTGTAACTAATCCTTTTTAT
TGGTAAAAATGTAAATTAATGTGCAACTTG

2/615

FIGURE 2

MSDIGDWFRSIPAITRYWFAATVAVPLVGKLGKISPAYLFLWPEAFLYRFQIWRPITATFYFPVGPGTGFLYLVN
LYFLYQYSTRLETGAFDGRPADYLFMLLFNWICIVITGLAMDMQLLMIPLIMSVLYVWAQLNRDMIVSFWFGTRF
KACYLPWVILGFNYIIGGSVINELIGNLVGHLYFFLMFRYPMDLGGRNFLSTPQFLYRWLPSRRGGVSGFGVPPA
SMRRAADQNGGGGRHNWGQGFRLGDQ

Transmembrane domain:

amino acids 98-116, 152-172

N-myristoylation site.

amino acids 89-95, 168-174, 176-182, 215-221, 221-227, 237-243

Glycosaminoglycan attachment site.

amino acids 218-222

3/615

FIGURE 3

GAGCGAGGCCGGGGACTGAAGGTGTGGGTGTGCGAGCCCTCTGGCAGAGGGTTAACCTGGGTCAAATGCACGGATT
CTCACCTCGTACAGTTACGCTCTCCCGCGGCACGTCCGCGAGGACTTGAAGTCCTGAGCGCTCAAGTTTGTCCGT
AGGTGCGAGAGAAGGCCATGGAGGTGCCGCCACCGGCACCGCGGAGCTTTCTCTGTAGAGCATTGTGCCTATTTCC
CCGAGTCTTTGCTGCCGAAGCTGTGACTGCCGATTCCGAAGTCCTTGAGGAGCGTCAGAAGCGGCTTCCCTACGT
CCCAGAGCCCTATTACCCGGAATCTGGATGGGACCGCCTCCGGGAGCTGTTTGGCAAAGATGAACAGCAGAGAAT
TTCAAAGGACCTTGCTAATATCTGTAAGACGGCAGCTACAGCAGGCATCATTGGCTGGGTGTATGGGGGAATACC
AGCTTTTATTCATGCTAAACAACAATACATTGAGCAGAGCCAGGCAGAAATTTATCATAACCGGTTTGATGCTGT
GCAATCTGCACATCGTGCTGCCACACGAGGCTTCATTGCTTATGGCTGGCGCTGGGGTTGGAGAAGTGCAGTGTT
TGTGACTATATTCAACACAGTGAACACTAGTCTGAATGTATACCGAAATAAAGATGCCTTAAGCCATTTTGTAAAT
TGCAGGAGCTGTACGGGAAGTCTTTTTAGGATAAACGTAGGCCTGCGTGGCCTGGTGGCTGGTGGCATAATTGG
AGCCTTGCTGGGCACTCCTGTAGGAGGCCTGCTGATGGCATTTCAGAAGTACGCTGGTGAGACTGTTTCAAGAAAG
AAAACAGAAGGATCGAAAGGCACTCCATGAGCTAAAACCTGGAAGAGTGGAAAGGCAGACTACAAGTTACTGAGCA
CCTCCCTGAGAAAATTGAAAGTAGTTTACGGGAAGATGAACCTGAGAATGATGCTAAGAAAATTGAAGCACTGCT
AAACCTTCCTAGAAACCTTCAGTAATAGATAAACAAGACAAGGACTGAAAGTGCTCTGAACTTGAACTCACTG
GAGAGCTGAAGGGAGCTGCCATGTCCGATGAATGCCAACAGACAGGCCACTCTTTGGTCAGCCTGCTGACAAATT
TAAGTCTGCTACCTGTGGTGGCAGTGGCTTGCTCTTGTCTTTTCTTTTCTTTTAACTAAGAATGGGGCTGTT
GTACTCTCACTTTACTTATCCTTAAATTTAAATACATACTTATGTTTGTATTAACTATCAATATATGCATACAT
GGATATATCCACCCACCTAGATTTTAAGCAGTAAATAAAACATTTGCAAAAGATTAAAGTTGAATTTTACAGTTT

4/615

FIGURE 4

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA23318
><subunit 1 of 1, 285 aa, 1 stop
><MW: 32190, pI: 9.03, NX(S/T): 2
MEVPPFPAPRSFLCRALCLFPRVFAAEAVTADSEVLEERQKRLPYVPEPYYPESGWDRLRELFQKDEQQRISKDLA
NICKTAATAGIIGWVYGGIPAFIHAKQQYIEQSQAIEYHNRFDAVQSAHRAATRGFIYGWRWGWRTAVFVTIFN
TVNTSLNVYRNKDALSHFVIAGAVTGSLFRINVGLRGLVAGGIIGALLGTPVGGLLMAFQKYAGETVQERKQKDR
KALHELKLEEWKGRQLQVTEHLPEKIESSLREDEPENDAKKIEALLNLPRNPSVIDKQDKD

Important Features:**Signal Peptide:**

amino acids 1-24

Transmembrane domains:

amino acids 76-96 and 171-195

N-glycosylation site:

amino acids 153-156

5/615

FIGURE 5

CGGACGCGTGGGCGCGGGACGCCGGCAGGGTTGTGGCGCAGCAGTCTCCTTCCTGCGCGCGCGCCTGAAGTCGGC
GTGGGCGTTTGAGGAAGCTGGGATACAGCATTTAATGAAAAATTTATGCTTAAGAAGTAAAAATGGCAGGCTTCC
TAGATAAATTTTCGTTGGCCAGAATGTGAATGTATTGACTGGAGTGAGAGAAGAAATGCTGTGGCATCTGTTGTCTG
CAGGTATATTGTTTTTACAGGCTGGTGGATAATGATTGATGCAGCTGTGGTGTATCCTAAGCCAGAACAGTTGA
ACCATGCCTTTCACACATGTGGTGTATTTTCCACATTGGCTTTCTTCATGATAAATGCTGTATCCAATGCTCAGG
TGAGAGGTGATAGCTATGAAAGCGGCTGTTTAGGAAGAACAGGTGCTCGAGTTTGGCTTTTCATTGGTTTTCATGT
TGATGTTTGGGTCACTTATTGCTTCCATGTGGATTCTTTTTGGTGCATATGTTACCCAAAATACTGATGTTTTATC
CGGGACTAGCTGTGTTTTTTCAAAATGCACTTATATTTTTTTAGCACTCTGATCTACAAATTTGGAAGAACCGAAG
AGCTATGGACCTGAGATCACTTCTTAAGTCACATTTTCCTTTTGTATATTCTGTTTGTAGATAGGTTTTTTATC
TCTCAGTACACATTGCCAAATGGAGTAGATTGTACATTAAATGTTTTGTTTCTTTACATTTTTATGTTCTGAGTT
TTGAAATAGTTTTATGAAATTTCTTTATTTTTTCATTGCATAGACTGTTAATATGTATATAATACAAGACTATATG
AATTGGATAATGAGTATCAGTTTTTTTATTCCTGAGATTTAGAAGTTGATCTACTCCCTGAGCCAGGGTTACATCA
TCTTGTCATTTTAGAAGTAACCACTCTTGTCTCTCTGGCTGGGCACGGTGGCTCATGCCTGTAATCCAGCACTT
TGGGAGGCCGAGGCGGGCCGATTGCTTGAGGTCAAGTGTGTTGAGACCAGCCTGGCCAACATGGCGAAACCCCATC
TACTAAAAATACAAAAATTAGCCAGGCATGGTGGTGGGTGCCTGTAATCCAGCTACCTGGGAGGCTGAGGCAGG
AGAATCGCTTGAACCCGGGGGGCAGAGGTTGCAGTGAGCTGAGTTTGCGCCACTGCACTCTAGCCTGGGGGAGAA
AGTGAAACTCCCTCTCAAAAAAAGACCACTCTCAGTATCTCTGATTTCTGAAGATGTACAAAAAATATAGCTT
CATATATCTGGAATGAGCACTGAGCCATAAAAGGTTTTTCAGCAAGTTGTAAGTTATTTTGGCCTAAAAATGAGGT
TTTTTTGGTAAAGAAAAAATATTTGTTCTTATGTATTGAAGAAGTGACTTTTATATAATGATTTTTTAAATGCC
CAAAGGACTAGTTTGAAAGCTTCTTTTAAAAAGAAATCCTCTAATATGACTTTATGTGAGAA

6/615

FIGURE 6

MAGFLDNFRWPECECIDWSERRNAVASVVAGILFFTGWIMIDAADVYPKPEQLNHAFHTCGVFSTLAFFMINAV
SNAQVRGDSYESGCLGRTGARVWLFIFGMLMFGSLIASMWILFGAYVTQNTDVYPGLAVFFQNALIFFSTLIYKF
GRTEELWT

Important features:**Signal peptide:**

amino acids 1-44

Transmembrane domains:

amino acids 23-42 (type II), 60-80, 97-117, 128-148

7/615

FIGURE 7

CGGTGGTTTTTTGTTCTGCAATAGGCGGGCTTAGAGGGAGGGGCTTTTTCGCCTATACCTACTGTAGCTTCTCCACC
TATGGACCCATAAAGGCTACTGCTGCTACTACGGGGCTAGACAGTTACTGTCTCAGCTCTAGGATGTGCGTTCTTC
CACTAGAAGCTCTTCTGAGGGAGGTAATTAATAAACAGTGGAATGGAAAAACAGTGCTGTAGTCATCCTGTAATA
TGCTCCTTGTCAACAATGTATACATTCTGCTAGGTGCCATATTCAATTGCTTTAAGCTCAAGTCGCATCTTACTA
GTGAAGTATTCTGCCAATGAAGAAAAACAAGTATGATTATCTTCCAACCTACTGTGAATGTGTGCTCAGAACTGGTG
AAGCTAGTTTTCTGTGTGCTTGTGTCTATTCTGTGTTATAAAGAAAGATCATCAAAGTAGAAATTTGAAATATGCT
TCCTGGAAGGAATTCCTGATTTTCATGAAGTGGTCCATTCTGCTTTCTTTATTTCCCTGGATAACTTGATTGTC
TTCTATGTCCTGTCTATCTTCAACCAGCCATGGCTGTTATCTTCTCAAATTTTAGCATTATAACAACAGCTCTT
CTATTGAGGATAGTGCTGAAGAGGCGTCTAACTGGATCCAGTGGGCTTCCCTCCTGACTTTATTTTTGCTATT
GTGGCCTTGACTGCCGGGACTAAAACCTTTACAGCACAACTTGGCAGGACGTGGATTTTCATCAGCATGCCCTTTTC
AGCCCTTCCAATTCCTGCCTTCTTTTCAGAAGTGAGTGTCCAGAAAAGACAATTGTACAGCAAAGGAATGGACT
TTTCCTGAAGCTAAATGGAAACCCACAGCCAGAGTTTTTCAGTCACATCCGTCTTGGCATGGGCCATGTTCTTATT
ATAGTCCAGTGTTTTATTTCTTCAATGGCTAATATCTATAATGAAAAGATACTGAAGGAGGGGAACAGCTCACT
GAAAGCATCTTCATACAGAACAGCAAACCTCTATTTCTTTGGCATTCTGTTAATGGGCTGACTCTGGGCCTTCAG
AGGAGTAACCGTGATCAGATTAAGAACTGTGGATTTTTTATGGCCACAGTGCATTTTCAGTAGCCCTTATTTTT
GTAAGTGCATTCCAGGGCCCTTTCAGTGGCTTTCAATTCCTGAAGTTCCTGGATAACATGTTCCATGTCTTGATGGCC
CAGGTTACCACTGTCAATTATCACAAACAGTGTCTGTCTGGTCTTTGACTTCAGGCCCTCCCTGGAATTTTTCTTG
GAAGCCCCATCAGTCCCTCTCTATATTTATTTATAATGCCAGCAAGCCTCAAGTCCGGAATACGCACCTAGG
CAAGAAAGGATCCGAGATCTAAGTGGCAATCTTTGGGAGCGTTCAGTGGGGATGGAGAAGAACTAGAAAGACTT
ACCAAACCCAAGAGTGATGAGTCAGATGAAGATACTTTCTAACTGGTACCCACATAGTTTGCAGCTCTCTTGAAC
CTTATTTTTACATTTTTCAGTGTTTGTAATATTTATCTTTTCACTTTGATAAACAGAAATGTTTCTAAATCCTAA
TATTTCTTGCATATATCTAGCTACTCCCTAAATGGTTCATCCAAGGCTTAGAGTACCCAAAGGCTAAGAAATTC
TAAAGAACTGATACAGGAGTAACAATATGAAGAATTCATTAAATATCTCAGTACTTGATAAATCAGAAAGTTATAT
GTGCAGATTATTTTCTTGGCCTTCAAGCTTCCAAAAAAGTGTAAATAATCATGTTAGCTATAGCTTGTATATAC
ACATAGAGATCAATTTGCCAAATATTCACAATCATGTAGTTCTAGTTTACATGCCAAAGTCTTCCCTTTTAAACA
TTATAAAAGCTAGGTTGTCTCTTGAATTTTGAGGCCCTAGAGATAGTCATTTTGCAAGTAAAGAGCAACGGGACC
CTTTCTAAAAACGTTGGTTGAAGGACCTAAATACCTGGCCATACCATAGATTTGGGATGATGTAGTCTGTGCTAA
ATATTTTGCTGAAGAAGCAGTTTCTCAGACACAACATCTCAGAATTTTAAATTTTAGAAATTCATGGGAAATTGG
ATTTTTGTAATAATCTTTTGATGTTTTAAACATTGGTCCCTAGTCACCATAGTTACCACTTGTATTTTAAAGTCA
TTTAAACAAGCCACGGTGGGGCTTTTTTCTCCTCAGTTTGAGGAGAAAAATCTTGATGTCAATTAATCTCTGAATTA
TTACATTTTGGAGAATAAGAGGGCATTTTTATTTTATTAGTTACTAATTCAAGCTGTGACTATTGTATATCTTTCC
AAGAGTTGAAATGCTGGCTTCAGAATCATACCAGATTGTGAGTGAAGCTGATGCCTAGGAACTTTTAAAGGGATC
CTTTCAAAAGGATCACTTAGCAAACACATGTTGACTTTTAACTGATGTATGAATATTAATACTCTAAAAATAGAA
AGACCAGTAATATATAAGTCACTTTACAGTGTACTTCACACTTAAAGTGCATGGTATTTTTCATGGTATTTTG
CATGCAGCCAGTTAACTCTCGTAGATAGAGAAGTCAGGTGATAGATGATATTAATAATAGCAAACAAAAGTGAC
TTGCTCAGGGTCATGCAGCTGGGTGATGATAGAAGAGTGGGCTTTAACTGGCAGGCCCTGTATGTTTACAGACTAC
CATACTGTAAATATGAGCTTTATGGTGTCAATTCTCAGAACTTATACATTTCTGCTCTCCTTTCTCCTAAGTTTC
ATGCAGATGAATATAAGGTAATATACTATTATATAATTCAATTTGTGATATCCACAATAATATGACTGGCAAGAAT
TGGTGGAAATTTGTAATTAAAAATAATTATTAACCT

8/615

FIGURE 8

MEKQCCSHPVICSLSTMYTFLLGAIFIALSSSRILLVKYSANEENKYDYLPTTVNVCSELVKLVFCVLVSFCVIK
KDHQSRNLKYASWKEFSDFMKWSIPAFLYFLDNLIVFYVLSYLQPAMAVIFS NFSIITTALLFRIVLKRRLNWIQ
WASLLTLEFLSIVALTAGTKTLQHNLAGRGFHHDAFFSPSNSCLLFRSECPRKDNCTAKEWTFPEAKWNTTARVFS
HIRLGMGHVLIIVQCFISSMANIYNEKILKEGNQLTESIFIQNSKLYFFGILFNGLTLGLQRSNRDQIKNCGFFY
GHSAFSVALIFVTAFQGLSVAFILKFLDNMFHVLMAQVTTVIIITVSVLVFDFRPSLEFFLEAPSVLLSIFIYNA
SKPQVPEYAPRQERIRDLSGNLWERSSSGDGEELERLTKPKSDESDETF

Transmembrane domains:

amino acids 16-36 (type II), 50-74, 147-168, 229-250, 271-293, 298-318,
328-368

N-glycosylation sites.

amino acids 128-132, 204-208, 218-222, 374-378

Glycosaminoglycan attachment site.

amino acids 402-406

N-myristoylation sites.

amino acids 257-263, 275-281, 280-286, 284-290, 317-323

9/615

FIGURE 9

GGGGCTTCGGCGCCAGCGGCCAGCGCTAGTCGGTCTGGTAAGGATTTACAAAAGGTGCAGGTATGAGCAGGTCTG
AAGACTAACATTTTGTGAAGTTGTAAAACAGAAAACCTGTTAGAAATGTTGGTGGTTTCAGCAAGGCCTCAGTTTC
CTTCCTTCAGCCCTTGTAATTTGGACATCTGCTGCTTTTCATATTTTCATACATTACTGCAGTAACACTCCACCAT
ATAGACCCGGCTTTACCTTATATCAGTGACACTGGTACAGTAGCTCCAGAAAAATGCTTATTTGGGGCAATGCTA
AATATTGCGGCAGTTTTATGCATTGCTACCATTTATGTTTCGTTATAAGCAAGTTCATGCTCTGAGTCCTGAAGAG
AACGTTATCATCAAATTAACAAGGCTGGCCTTGTAAGTGGAGCTGTGCTTACCTTTGGTATGGGCTCATTATAT
AACTTCCAGAAAACAACCTTTTGTGTCACATGTAAGTGGAGCTGTGCTTACCTTTGGTATGGGCTCATTATAT
ATGTTTGTTCAGACCATCCTTTCTACCAAATGCAGCCCAAATCCATGGCAAACAAGTCTTCTGGATCAGACTG
TTGTTGGTTATCTGGTGTGGAGTAAGTGCACCTTAGCATGCTGACTTGCTCATCAGTTTTGCACAGTGGCAATTTT
GGGACTGATTTAGAACAGAACTCCATTGGAACCCCGAGGACAAAGGTTATGTGCTTCACATGATCACTACTGCA
GCAGAAATGGTCTATGTCATTTTCCTTCTTTGGTTTTTTCCTGACTTACATTCGTGATTTTCAGAAAATTTCTTTA
CGGGTGGGAAGCCAATTTACATGGATTAACCTCTATGACACTGCACCTTGCCCTATTAACAATGAACGAACACGG
CTACTTTCCAGAGATATTTGATGAAAGGATAAAATATTTCTGTAATGATTATGATTCTCAGGGATTGGGGAAAGG
TTCACAGAAGTTGCTTATCTTCTCTGAAATTTTCAACCACTTAATCAAGGCTGACAGTAACACTGATGAATGCT
GATAATCAGGAAACATGAAAGAAGCCATTTGATAGATTATTTCTAAAGGATATCATCAAGAAGACTATTAAAAACA
CCTATGCCTATACTTTTTTATCTCAGAAAATAAAGTCAAAAGACTATG

10/615

FIGURE 10

MWWFQQGLSFLPSALVIWTSAAFI FSYITAVTLHHIDPALPYISDTGTVAPEKCLFGAMLNIAAVLCIATYVRY
KQVHALSPEENVIIKLNKAGLV LGILSCLGLSIVANFQKTTLFAAHVSGAVLTFGMGSLYMFVQTILSYQMOPKI
HGKQVFWIRLLLVIWCGVSALSMLTCSSVLHSGNFGTDLEQKLHWNPEDKGYVLHMITTAAEWSMSFSFFGFFLT
YIRDFQKISLRVEANLHGLTLYDTAPCPINNERTRLLSRDI

11/615

FIGURE 11

CCCACGCGTCCGCCCCGCGCTGCGTCCCGGAGTGCAAGTGAGCTTCTCGGCTGCCCCGCGGGCCGGGGTGCGGAG
CCGACATGCGCCCCGCTTCTCGGCCTCCTTCTGGTCTTCGCCGGCTGCACCTTCGCCTTGACTTGCTGTCGACGC
GACTGCCCCGCGGGCGGAGACTGGGCTCCACCGAGGAGGCTGGAGGCAGGTCGCTGTGGTTCCCTCCGACCTGG
CAGAGCTGCGGGAGCTCTCTGAGGTCCCTCGAGAGTACCGGAAGGAGCACCAGGCCCTACGTGTTCTGCTCTTCT
GCGGCGCCTACCTCTACAAACAGGGCTTTGCCATCCCCGGCTCCAGCTTCCTGAATGTTTTAGCTGGTGCCTTGT
TTGGGCCATGGCTGGGGCTTCTGCTGTGCTGTGTGTTGACCTCGGTGGGTGCCACATGCTGCTACCTGCTCTCCA
GTATTTTTGGCAAACAGTTGGTGGTGTCTACTTTCCTGATAAAGTGGCCCTGCTGCAGAGAAAGGTGGAGGAGA
ACAGAAACAGCTTGTTTTTTTTCTTATTGTTTTTGAGACTTTTCCCATGACACCAAAGTGGTTCTTGAACCTCT
CGGCCCCAATTCTGAACATTCCCATCGTGCAGTTCTTCTTCTCAGTTCTTATCGGTTTGATCCCATATAATTTCA
TCTGTGTGCAGACAGGGTCCATCCTGTCAACCCTAACCTCTCTGGATGCTCTTTCTCCTGGGACACTGTCTTTA
AGCTGTTGGCCATTGCCATGGTGGCATTAAATCCTGGAACCCTCATTAAAAAATTTAGTCAGAAACATCTGCAAT
TGAATGAAACAAGTACTGCTAATCATATACACAGTAGAAAAGACACATGATCTGGATTTTCTGTTTGCCACATCC
CTGGACTCAGTTGCTTATTTGTGTAATGGATGTGGTCTCTAAAGCCCCCTCATTGTTTTTGATTGCCTTCTATAG
GTGATGTGGACACTGTGCATCAATGTGCAGTGTCTTTTCAGAAAGGACACTCTGCTCTTGAAGGTGTATTACATC
AGGTTTTCAAACCAGCCCTGGTGTAGCAGACACTGCAACAGATGCCTCCTAGAAAATGCTGTTTGTGGCCGGGCG
CGGTGGCTCACGCCTGTAATCCCAGCACTTTGGGAGGCCGAGGCCGGTGATTACAAAGGTGAGGAGTTCAAGACC
AGCCTGGCCAAGATGGTGAAATCCTGTCTCTAATAAAAAATACAAAAATTAGCCAGGCGTGGTGGCAGGCACCTGT
AATCCCAGCTACTCGGGAGGCTGAGGCAGGAGAATTGCTTGAACCAAGGTGGCAGAGGTTGCAGTAAGCCAAGAT
CACACCACTGCACTCCAGCCTGGGTGATAGAGTGAGACACTGTCTTGAC

12/615

FIGURE 12

MRPLLGLLLVFAGCTFALYLLSTRLPGRRLGSTEAGGRSLWFPSDLAELRELSEVLREYRKEHQAYVFLFCG
AYLYKQGFAIPGSSFLNVLGALFGPWLGLLLCCVLTSVGATCCYLLSSIFGKQLVVSYPDKVALLQRKVEENR
NSLFFFLFLRLFPMTPNWFLNLSAPILNIPVQFFSVLIGLIPYNFICVQTGSILSTLTSLDALFSWDTVFKL
LAIAMVALIPGTLIKFFSQKHLQLNETSTANHIHSRKDT

Important features:**Signal peptide:**

amino acids 1-17

Transmembrane domains:

amino acids 101-123, 189-211

N-glycosylation sites.

amino acids 172-176, 250-254

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 240-244, 261-265

N-myristoylation site.

amino acids 13-19, 104-110, 115-121, 204-210

Amidation site.

amino acids 27-31

Prokaryotic membrane lipoprotein lipid attachment site.

amino acids 4-15

Protein splicing proteins.

amino acids 25-31

Sugar transport proteins.

amino acids 162-172

13/615

FIGURE 13

CGGACGCGTGGGCGGACGCGTGGGGGAGAGCCGCGAGTCCCGGCTGCAGCACCTGGGAGAAGGCAGACCGTGTGAG
GGGGCCTGTGGCCCCAGCGTGCTGTGGCCTCGGGGAGTGGGAAGTGGAGGCAGGAGCCTTCCTTACACTTCGCCA
TGAGTTTCCTCATCGACTCCAGCATCATGATTACCTCCCAGATACTATTTTTTGGATTGGGTGGCTTTTCTTCA
TGCGCCAATTGTTTAAAGACTATGAGATACGTAGTATGTTGTACAGGTGATCTTCTCCGTGACGTTTGCATTTT
CTTGCAACCATGTTTGAGCTCATCATCTTTGAAATCTTAGGAGTATTGAATAGCAGCTCCCGTTATTTTCACTGGA
AAATGAACCTGTGTGTAATTCTGCTGATCCTGGTFTTCATGGTGCCTTTTTACATTGGCTATTTTATTGTGAGCA
ATATCCGACTACTGCATAAACAACGACTGCTTTTTTCTGTCTCTTATGGCTGACCTTTATGTATTTCTTCTGGA
AACTAGGAGATCCCTTTCCCATTCAGCCCCAAACATGGGATCTTATCCATAGAACAGCTCATCAGCCGGGTG
GTGTGATTGGAGTGACTCTCATGGCTCTTCTTTCTGGATTGGTGCTGTCAACTGCCCATACACTTACATGTCTT
ACTTCCTCAGGAATGTGACTGACACGGATATTCTAGCCCTGGAACGGCGACTGCTGCAAACCATGGATATGATCA
TAAGCAAAAAGAAAAGGATGGCAATGGCACGGAGAACAATGTTCCAGAAGGGGGAAGTGCATAACAAACCATCAG
GTTTCTGGGGAATGATAAAAAGTGTTACCACTTCAGCATCAGGAAGTGAAAATCTTACTCTTATTCAACAGGAAG
TGGATGCTTTGGAAGAATTAAGCAGGCAGCTTTTTCTGGAAACAGCTGATCTATATGCTACCAAGGAGAGAATAG
AATACTCCAAAACCTTCAAGGGGAAATATTTTAAATTTCTTGGTTACTTTTTCTCTATTTACTGTGTTTGGAAA
TTTTCATGGCTACCATCAATATTGTTTTTGATCGAGTTGGGAAAACGGATCCTGTCAAGAGGCATTGAGATCA
CTGTGAATTATCTGGGAATCCAATTTGATGTGAAGTTTGGTCCCAACACATTCCTTCATTCTTGTGGGAATAA
TCATCGTCACATCCATCAGAGGATTGCTGATCACTCTTACCAAGTTCTTTTATGCCATCTCTAGCAGTAAGTCCT
CCAATGTCATTGTCTGCTATTAGCACAGATAATGGGCATGTACTTTGTCTCCTCTGTGCTGCTGATCCGAATGA
GTATGCCTTTAGAAATACCGCACCATAATCACTGAAGTCCTTGGAGAAGTGCAGTTCAACTTCTATCACCGTTGGT
TTGATGTGATCTTCTGGTCAGCGCTCTCTCTAGCATACTCTTCTCTATTTGGCTCACAAACAGGCACCAGAGA
AGCAAATGGCACCTTGAACTTAAGCCTACTACAGACTGTTAGAGGCCAGTGGTTTCAAATTTAGATATAAGAGG
GGGGAAAATGGAACCGGGCCTGACATTTTATAAAACAAACAAATGCTATGGTAGCATTTTTTACCTTCATAGC
ATACTCCTTCCCCGTGAGGTGATACTATGACCATGAGTAGCATCAGCCAGAACATGAGAGGGAGAACTAACTCAA
GACAATACTCAGCAGAGAGCATCCCGTGTGGATATGAGGCTGGTGTAGAGGCGGAGAGGAGCCAGAACTAAAG
GTGAAAAATACACTGGAACCTCTGGGGCAAGACATGTCTATGGTAGCTGAGCCAAACACGTAGGATTTCCGTTTTA
AGGTTACATGGAAAAGGTTATAGCTTTGCCTTGAGATTGACTCATTTAAATCAGAGACTGTAAACAAAAAAAAA
AAAAAAAAAAGGGCGGCCGCGACTCTAGAGTCGACCTGCAGAAGCTTGGCCGCCATGGCCCACTTGTTTATTG
CAGCTTATAATG

14/615

FIGURE 14

MSFLIDSSIMITSQILFFGFGWLFFMRQLFKDYEIRQYVVQVIFSVTFAFSCTMFELIIFEILGVLNSSSRYPFW
KMNL CVILLILVFMVPPFYIGYFIVSNIRLLHKQRLLFSCLLWLTFMYFFWKLGDPFPILSPKHGILSIEQLISRV
GVIGVTLMALLSGFGAVNCPYTYMSYFLRNVTDTDILALERLLQTMDMIISKKKRMAMARRTMFQKGEVHNKPS
GFWGMIKSVTTSASGSENLTLIQQEVDAL EELSRQLFLETADLYATKERIEYSKTFKGKYNFLGYFFSIYCVWK
IFMATINIVFDRVGKTDVPVTRGIEITVNYLGIQFDVKFWSQHISFILVGIIIVTSIRGLLITLTKFFYAISSSKS
SNVIVLLLAQIMGMYFVSSVLLIRMSMPLEYRTIITEVLGELQFNFYHRWFDVIFLVSA LSSILFLYLAHKQAPE
KQMAP

Important features:**Signal peptide:**

amino acids 1-23

Potential transmembrane domains:

amino acids 37-55, 81-102, 150-168, 288-311, 338-356, 375-398, 425-444

N-glycosylation sites.

amino acids 67-70, 180-183 and 243-246

Eukaryotic cobalamin-binding proteins

amino acids 151-160

15/615

FIGURE 15

GACGGAAGAACAGCGCTCCCGAGGCCGCGGGAGCCTGCAGAGAGGACAGCCGGCCTGCGCCGGGACATGCGGCC
CAGGAGCTCCCCAGGCTCGCGTTCCCGTTGCTGCTGTTGCTGTTGCTGCTGCTGCCGCCGCCGCGTGCCTGCC
CACAGCGCCACGCGCTTCGACCCACCTGGGAGTCCCTGGACGCCGCCAGCTGCCCGCGTGGTTTGACCAGGCC
AAGTTCGGCATCTTCATCCACTGGGGAGTGTTCCTCGTGCCAGCTTCGGTAGCGAGTGGTTCTGGTGGTATTGG
CAAAAGGAAAAGATACCGAAGTATGTGGAATTTATGAAAGATAATTACCTCCTAGTTTCAAATATGAAGATTTT
GGACCACTATTTACAGCAAAATTTTTTAATGCCAACCAGTGGGCAGATATTTTTCAGGCCTCTGGTGCCAAATAC
ATTGTCTTAACTTCCAAACATCATGAAGGCTTTACCTTGTGGGGGTCAGAATATTCGTGGAAGTGAATGCCATA
GATGAGGGGCCCCAAGAGGGACATTGTCAAGGAACCTGAGGTAGCCATTAGGAACAGAAGTACCTGCGTTTTGGA
CTGTACTATTTCCCTTTTTGAATGGTTTCATCCGCTCTTCCTTGAGGATGAATCCAGTTCATTCCATAAGCGGCAA
TTTCCAGTTTCTAAGACATTGCCAGAGCTCTATGAGTTAGTGAACAACATATCAGCCTGAGGTTCTGTGGTCCGAT
GGTGACGGAGGAGCACCGGATCAATACTGGAACAGCACAGGCTTCTTGGCCTGGTTATATAATGAAAGCCCAGTT
CGGGGACAGTAGTCACCAATGATCGTTGGGGAGCTGGTAGCATCTGTAAGCATGGTGGCTTCTATACCTGCAGT
GATCGTTATAACCCAGGACATCTTTTGCCACATAAATGGGAAAACATGCATGACAATAGACAAACTGTCTGGGGC
TATAGGAGGGAAGCTGGAATCTCTGACTATCTTACAATTGAAGAATTGGTGAAGCAACTTGTAGAGACAGTTTCA
TGTGGAGGAAATCTTTTGATGAATATTGGGCCCCACACTAGATGGCACCATTCTGTAGTTTTTGAGGAGCGACTG
AGGCAAGTGGGGTCTGGCTAAAAGTCAATGGAGAAGCTATTTATGAAACCTATACCTGGCGATCCCAGAATGAC
ACTGTCAACCCAGATGTGTGGTACACATCCAAGCCTAAAGAAAAATTAGTCTATGCCATTTTTCTTAAATGGCCC
ACATCAGGACAGCTGTTCCCTTGCCCATCCCAAAGCTATTCTGGGGCAACAGAGGTGAAACTACTGGGCCATGGA
CAGCCACTTAACTGGATTTCTTTGGAGCAAAATGGCATTATGGTAGAACTGCCACAGCTAACCATTCATCAGATG
CCGTGTAATGGGGCTGGGCTCTAGCCCTAACTAATGTGATCTAAAGTGCAGCAGAGTGGCTGATGCTGCAAGTT
ATGTCTAAGGCTAGGAACTATCAGGTGTCTATAATTGTAGCACATGGAGAAAGCAATGTAACTGGATAAGAAAA
TTATTTGGCAGTTTCAAGCCTTTCCCTTTTTCCCACTAAATTTTTCTTAAATTACCCATGTAACCATTTTAACTCT
CCAGTGCATTTGCCATTAAAGTCTCTTACATTGATTTGTTTCCATGTGTGACTCAGAGGTGAGAATTTTTTCA
CATTATAGTAGCAAGGAATTGGTGGTATTATGGACCGAAGTGAATTTTTATGTTGAAGCCATATCCCCCATGAT
TATATAGTTATGCATCACTTAATATGGGGATATTTTCTGGGAAATGCATTGCTAGTCAATTTTTTTTTGTGCCAA
CATCATAGAGTGTATTTACAAAATCCTAGATGGCATAGCCTACTACACACCTAATGTGTATGGTATAGACTGTTG
CTCCTAGGCTACAGACATATACAGCATGTTACTGAATACTGTAGGCAATAGTAACAGTGGTATTTGTATATCGAA
ACATATGGAACATAGAGAAGGTACAGTAAAAATACTGTAAATAAATGGTGCACCTGTATAGGGCACTTACCAC
GAATGGAGCTTACAGGACTGGAAGTTGCTCTGGGTGAGTCAGTGAGTGAATGTGAAGGCCTAGGACATTATTGAA
CACTGCCAGACGTTATAAATACTGTATGCTTAGGCTACACTACATTTATAAAAAAAGTTTTTCTTCTTCAATT
ATAAATTAACATAAGTGTACTGTAACCTTTACAAACGTTTTAATTTTTTAAACCTTTTTGGCTCTTTTGTAAATAAC
ACTTAGCTTAAACATAAAGTCAATGTGCAATGTAA

16/615

FIGURE 16

MRPQELPRLAFPLLLLLLLLLLPPPPCPAHSATRFDPWTWESLDARQLPAWFDQAKFGIFIHGVSFVSPSFGSEWFW
WYWQKEKIPKYVEFMKDNYPSPFKYEDFGPLFTAKFFNANQWADIFQASGAKYIVLTSKHHEGFTLWGSEYSWNW
NAIDEGPKRDIVKELEVAIRNRTDLRFGLYSLFEWFHPLFLEDESSSFHKRQFPVSKTLPELYELVNNYQPEVL
WSDGDGGAPDQYWNSTGFLAWLYNESPVRGTVVTNDRWGAGSICKHGGFYTCSDRYNPGHLLPHKWENCMTIDKL
SWGyrREAGISDYLTIIEELVKQLVETVSCGGNLLMNIGPTLDGTISVVEERLRQVGSWLKVNGEAIYETYWRS
QNDTVTPDVWYTSKPKEKLVYAIFLKWPTSGQLFLGHPKAILGATEVKLLGHGQPLNWISLEQNGIMVELPQLTI
HQMPCXKWGWALALTNVI

Signal sequence:

amino acids 1-28

N-glycosylation site.

amino acids 171-175, 239-243, 377-381

Casein kinase II phosphorylation site.

amino acids 32-36, 182-186, 209-213, 227-231, 276-280, 315-319, 375-375

Tyrosine kinase phosphorylation site.

amino acids 361-369, 389-397

N-myristoylation site.

amino acids 143-149, 178-184, 255-261, 272-278, 428-434

Leucine zipper pattern.

amino acids 410-432

Alpha-L-fucosidase putative active site.

amino acids 283-295

18/615

FIGURE 18

MKFLLDILLLLPLLIIVCSLESFVKLFIPKRRKSVTGEIVLITGAGHGIGRLTAYEFAKLKSKL
VLWDINKHGLEETAACKCKGLGAKVHTFVVDCSNREDIYSSAKKVKAIEIGDVSILVNNAGVVYT
SDLFATQDPQIEKTFEVNVLAFHWTTKAFLPAMTKNNHGHIVTVASAAGHVSVPFLLAYCSSK
FAAVGFHKTLTDELAALQITGVKTTCLCPNFVNTGFIKNPSTSLGPTLEPEEVVNRLMHGILT
EQKMIFIPSSIAFLTTLERILPERFLAVLKRKISVKFDAVIGYKMQ

Signal sequence:

amino acids 1-19

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 30-34, 283-287

Casein kinase II phosphorylation site.

amino acids 52-56, 95-99, 198-202, 267-271

N-myristoylation site.

amino acids 43-49, 72-78, 122-128, 210-216

19/615

FIGURE 19

CCCACGCGTCCGCTCCGCGCCCTCCCCCGCCTCCCGTGCGGGTCCGTCGGTGGCCTAGAGAT
GCTGCTGCCGCGGTTGCAGTTGTCGCGCACGCCTCTGCCCCGCCAGCCCGCTCCACCGCCGTAG
CGCCCCAGTGTGCGGGGGCGCACCCGAGTCGGGGCCATGAGGCGCGGAACCGCGCTACAGGCCG
TGCTGCTGGCCGTGCTGCTGGTGGGGCTGCGGGCCGCGACGGGTGCGCTGCTGAGTGCCTCGG
ATTTGGACCTCAGAGGAGGGCAGCCAGTCTGCCGGGGAGGGACACAGAGGCCTTGTTATAAAG
TCATTTACTTCCATGATACTTCTCGAAGACTGAACTTTGAGGAAGCCAAAGAAGCCTGCAGGA
GGGATGGAGGCCAGCTAGTCAGCATCGAGTCTGAAGATGAACAGAACTGATAGAAAAGTTCA
TTGAAAACCTCTTGCCATCTGATGGTGACTTCTGGATTGGGCTCAGGAGCGTGAGGAGAAAC
AAAGCAATAGCACAGCCTGCCAGGACCTTTATGCTTGGACTGATGGCAGCATATCACAATTTA
GGAAGTGGTATGTGGATGAGCCGTCTGCGGCAGCGAGGTCTGCGTGGTTCATGTACCATCAGC
CATCGGCACCCGCTGGCATCGGAGGCCCTACATGTTCCAGTGGAATGATGACCGGTGCAACA
TGAAGAACAATTTCAATTTGCAAATATTCTGATGAGAAACCAGCAGTTCCTTCTAGAGAAGCTG
AAGGTGAGGAAACAGAGCTGACAACACCTGTACTTCCAGAAGAAACACAGGAAGAAGATGCCA
AAAAAACATTTAAAGAAAGTAGAGAAGCTGCCTTGAATCTGGCCTACATCCTAATCCCCAGCA
TTCCCCTTCTCCTCCTCCTTGTGGTCACACAGTTGTATGTTGGGTTTGGATCTGTAGAAAAA
GAAACGGGAGCAGCCAGACCCTAGCACAAAGAAGCAACACACCATCTGGCCCTCTCCTCACC
AGGGAAACAGCCCGGACCTAGAGGTCTACAATGTCATAAGAAAACAAAGCGAAGCTGACTTAG
CTGAGACCCGCGCCAGACCTGAAGAATATTTCAATTCAGAGTGTGTTGCGGGAGAAGCCACTCCCG
ATGACATGTCTTGTGACTATGACAACATGGCTGTGAACCCATCAGAAAGTGGGTTTGTGACTC
TGGTGAGCGTGGAGAGTGGATTTGTGACCAATGACATTTATGAGTTCTCCCCAGACCAAATGG
GGAGGAGTAAGGAGTCTGGATGGGTGGAAAATGAAATATATGGTTATTAGGACATATAAAAAA
CTGAAACTGACAACAATGGAAAAGAAATGATAAGCAAAATCCTCTTATTTTCTATAAGGAAAA
TACACAGAAGGTCTATGAACAAGCTTAGATCAGGTCCTGTGGATGAGCATGTGGTCCCCACGA
CCTCCTGTTGGACCCCCACGTTTTGGCTGTATCCTTTATCCCAGCCAGTCATCCAGCTCGACC
TTATGAGAAGGTACCTTGCCAGGTCTGGCACATAGTAGAGTCTCAATAAATGTCACTTGGTT
GGTTGTATCTAACTTTTAAGGGACAGAGCTTTACCTGGCAGTGATAAAGATGGGCTGTGGAGC
TTGGAAAACCACTCTGTTTTCTTGCTCTATACAGCAGCACATATTATCATACAGACAGAAA
ATCCAGAATCTTTTCAAAGCCCACATATGGTAGCACAGGTTGGCCTGTGCATCGGCAATTCTC
ATATCTGTTTTTTTCAAAGAATAAAATCAAATAAAGAGCAGGAAAAAAAAA

20/615

FIGURE 20

MRPGTALQAVLLAVLLVGLRAATGRLLSASDLDLRGGQPVCRRGGTQRPCYKVIYFHDTSRRLN
FEEAKEACRRDGGQLVSI ESEDEQK LIEKF IENLLPSDGD F WIGLR RREEKQSNSTACQDLYA
WTDGSISQFRNWYVDEPSCGSEVCVVMYHQPSAPAGIGGPYMFQWNDDRCNMKNNFICKYSDE
KPAVPSREAEGEETELTPVLPEETQEEDAKKTFKESREAALNLAYILIPSIPLLLLLLVVTTV
VCWVWICRKRKREQPD PSTKKQHTIWPSPHQGN SPDL E VYNVIRKQSEADLAETRPDLKNISF
RVCSGEATPDDMSCDYDNMAVNPSESGFVTLVSVESGFVTNDIYEFSPDQMGRSKESGWVENE
IYGY

Signal sequence:

amino acids 1-21

Transmembrane domain:

amino acids 235-254

N-glycosylation site.

amino acids 117-121, 312-316

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 296-300

Casein kinase II phosphorylation site.amino acids 28-32, 30-34, 83-87, 100-104, 214-218, 222-226,
299-303, 306-310, 323-327**N-myristoylation site.**

amino acids 18-24, 37-43, 76-82, 146-152

FIGURE 21

AGGCTCCCGCGCGCGGCTGAGTGCGGACTGGAGTGGGAACCCGGGTCCCGCGCTTAGAGAACACGCGATGACCA
CGTGGAGCCTCCGGCGGAGGCCGCGCCGACGCTGGGACTCTGCTGGTGGTCTTGGGCTTCTGGTGCTCC
GACGGCTGGACTGGAGCACCTTGGTCTCTCGGGCTCCGCCATCGACAGCTGGGGCTGCAGGCCAAGGGCTGGA
CTTTTCATGCTGGAGGATCCACCTTCTGGATCTTCGGGGCTCCATCCACTATTTCCGTGTGCCAGGGGAGTACT
GGAGGGACCGCCTGCTGAAGATGAAGGCCTGTGGCTTGAACACCTCACCCCTATGTTCCGTGGAACCTGCATG
AGCCAGAAAGAGGCAAAATTTGACTTCTCTGGGAACCTGGACCTGGAGGCCCTTCGTCTGATGGCCGAGAGATCG
GGCTGTGGGTGATTCTGCGTCAGGCCCTACATCTGCAGTGAGATGGACCTCGGGGCTTGGCCAGCTGGCTAC
TCCAAGACCTGGCATGAGGCTGAGGACAACATTACAAGGCTTACCAGAACGAGTGGACCTTTATTTTGGACACC
TGATGTCCAGGGTGGTGCCACTCCAGTACAAGCGTGGGGGACCTATCATTGCCGTGCAGGTGGAGAATGAATATG
GTTCTTATAATAAAGACCCCGCATACATGCCCTACGTCAAGAAGGCACCTGGAGGACCGTGGCATTGTGGAACCTGC
TCCTGACTTTCAGACAACAGGATGGGCTGAGCAAGGGGATTGTCCAGGGAGTCTTGGCCACCATCAACTTGCAGT
CAACACACGAGCTGCAGTACTGACACCTTTCTCTTCAACGTCAGGGGACTCAGCCCAAGATGGTGTGAGT
ACTGGACGGGGTGGTTTGAAGTCTGGGGGAGGCCCTACAATATCTTGGATTCTTCTGAGGTTTTGAAAACCGTGT
CTGCCATTGTGGACGCCGGCTCCTCCATCAACCTCTACATGTTCCACGGAGGCACCAACTTTGGCTTCATGAATG
GAGCCATGCATTCATGACTACAAGTCAGATGTACCAGCTATGACTATGATGCTGTGCTGCAGAGAAGCCGGCG
ATTACACGGCCAAGTACATGAAGCTTCGAGACTTCTCGGCTCCATCTCAGGACTCCTCTCCCTCCCCACCTG
ACCTTCTTCCCAAGATGCCGTATGAGCCCTTAACGCCAGTCTTGACCTGTCTCTGTGGGACGCCCTCAAGTACC
TGGGGGAGCCAATCAAGTCTGAAAAGCCCATCAACATGGAGAACCTGCCAGTCAATGGGGGAAATGGACAGTCTCT
TCGGGTACATTCTCTATGAGACCGATCACCCTCGTCTGGCATCCTCAGTGGCCACGTGCATGATCGGGGGCAGG
TGTTTGTGAACACAGTATCCATAGGATCTTGGACTAGACACCTTCTGAAGCTGGAGGGCTGGGAGAGGGGGTGTATTGA
ACACCGTGTGAGGATCTTGGTGGAGAATCGTGGGCGAGTCAACTATGGGGAGAATATTGATGACACGCGCAAG
GCTTAATTGGAATCTCTATCTGAATGATTACCCCTGAAAACTTCAGAATCTATAGCCTGGATATGAAGAAGA
GCTTCTTTTCAGAGGTTCCGCTCGGACAAATGGNGTTCCCTCCCAAGAACCCACATTACCTGCTTCTTCTTGG
GTAGCTTGTCTCAGCTCAGCTCCACGCCCTTGTGACACCTTCTGAAGCTGGAGGGCTGGGAGAGGGGGTGTATTGA
TCAATGGCCAGAACCTTGGACGTTACTGGAACATTGGACCCAGAAGACGCTTTACCTCCAGGTCCTGTGTTGA
GCAGCGGAATCAACCAGGTCTCGTTTTTGAGGAGACGATGGCGGGCCCTGCATTACAGTTTACGGAAACCCCC
ACCTGGGCGAGGAACAGTACGATTAAGTGAGCGGTGGCACCCCTCCTGCTGGTGGCAGTGGGAGACTGCCGCCTC
CTCTTGACCTGAAGCCTGGTGGCTGCTGCCCCACCCCTCACTGCAAAAGCATCTCCTTAAGTAGCAACCTCAGGG
ACTGGGGCTACAGTCTGCCCTGTCTCAGCTCAAAACCTTAAGCTCGAGGAGGAAGGTGGATGGCTCTGGGCC
TGGCTTTGTTGATGATGGCTTTCCTACAGCCCTGCTCTGTGCGGAGGCTGTGCGGCTGTCTCTAGGGTGGGAGC
AGCTAATCAGATCGCCAGCCTTTGGCCCTCAGAAAAAGTGTGAAACGTGCCCTTGACACCGGACGTACAGCCC
TGCGAGCATCTGCTGGACTCAGGCGTGTCTTTGCTGGTTCTGGGAGGCTTGGCCACATCCCTCATGGCCCCAT
TTTATCCCGAAATCTGGGTGTACCAGTGTAGAGGTGGGAAGGGTGTCTCACCTGAGCTGACTTGTGTT
CTTCTTCCACAACCTTCTGAGCCTTCTTTGGGATTCTGGAAGAACTCGGCGTGAGAAACATGTGACTTCCCCTT
TCCCTTCCCACTCGCTGCTTCCCACAGGCTGACAGGCTGGGCTGGAGAAACAGAAATCTCACCCCTGCGTCTTCC
CAAGTTAGCAGGTGTCTGTGTTCAGTGAGGAGGACATGTGAGTCTTGGCAGAAGCCATGGCCCCATGTCTGCA
CATTCAGGGAGGAGGACAGAGGCCAGCTCACATGTGAGTCTTGGCAGAAGCCATGGCCCCATGTCTGCACATCCAGGGA
GGAGGACAGAAGGCCAGCTCACATGTGAGTCTTGGCAGAAGCCATGGCCCCATGTCTGCACATCCAGGGAGGAGG
ACAGAAGGCCCATGCTGATGGCCCCGCTCCCCACCCCCACGCCGGAACAGCAGGGGCGAGAGCAGCCCTCCTTC
GAAGTGTGTCCAAGTCCGATTTGAGCCTTGTCTGGGGCCAGCCCAACACCTGGCTTGGGCTCACTGTCTGTA
GTTGCAGTAAAGCTATAACCTTGAATCACAA

22/615

FIGURE 22

MTTWSLRRRPARTLGLLLLLVVLGFLVLRRLDWSTLVPLRLRHRQLGLQAKGWNFMLEDSTFWI
FGGSIHYFRVPREYWRDRLLKMKACGLNTLTITYVPWNLHEPERGKFDFSGNLDLEAFVLMMAE
IGLWVILRPGPYICSEMDLGGLPSWLLQDPGMRLRTTYKGFTEAVDLYFDHLMRSRVVPLQYKR
GGPIIAVQVENEYGSYNKDPAYMPYVKKALEDRGIVELLTSDNKGGLSKGIVQGVLATINLQ
STHELQLLTTFLFNVQGTQPKMVMEYWTGWFDSWGPHNILDSEVLKTVSAIVDAGSSINLY
MFHGGTNFGFMNGAMHFHDYKSDVTSYDYDAVLTEAGDYTAKYMKLRDFFGSISGIPLPPPPD
LLPKMPYEPLTPVLYLSLWDALKYLGEPIKSEKPINMENLPVNGGNGQSFGYILYETSITSSG
ILSGHVHDRGQVFVNTVSIQFLDYKTTKIAVPLIQGYTVLRILVENRGRVNYGENIDQKGL
IGNLYLNDSPKKNFRIYSLDMKKSFFQRFGLDKWXSLPETPTLPAPFLGSLSSISSTPCDTFLK
LEGWEKGVVFINGQNLGRYWNIGPQKTLYLPGPWLSSGINQVIVFEETMAGPALQFTETPHLG
RNQYIK

Signal sequence:
amino acids 1-27

Casein kinase II phosphorylation site.
amino acids 141-118, 253-257, 340-344, 395-399, 540-544, 560-564

N-myristoylation site.
amino acids 146-152, 236-242, 240-246, 244-250, 287-293, 309-315,
320-326, 366-372, 423-429, 425-431, 441-447, 503-509, 580-586

23/615

FIGURE 23

[illegible]

24/615

FIGURE 24

MNSSKSSETQCTERGCFSQMFLLTVAGIPIFLSACFITRCVVTFRI FQTCDEKKFQLPENF
TELSCYNYGSGSVKNCCPLNWEYFQSSCYFFSTDTISWALSLKNCSAMGAHLVVINSQEEQEF
LSYKKPKMREFFIGLSDQVVEGQWQWVDGTP LTKSLSFWDVGEPNNIATLED CATMRDSSNPR
QNWNDVTCFLNYFRICEMVGINPLNKGKSL

Signal sequence:

amino acids 1-42

N-glycosylation site.

amino acids 2-6, 62-66, 107-111

Casein kinase II phosphorylation site.

amino acids 51-55, 120-124, 163-167, 175-179, 181-185

N-myristoylation site.

amino acids 15-21, 74-80, 155-161

Prokaryotic membrane lipoprotein lipid attachment site.

amino acids 27-38

25/615

FIGURE 25

GGGGACGCGGAGCTGAGAGGCTCCGGGCTAGCTAGGTGTAGGGGTGGACGGGTCCCAGGACCC
TGGTGAGGGTTCTCTACTTGGCCTTCGGTGGGGGTCAAGACGCAGGCACCTACGCCAAAGGGG
AGCAAAGCCGGGCTCGGCCCCGAGGCCCCCAGGACCTCCATCTCCCAATGTTGGAGGAATCCGA
CACGTGACGGTCTGTCCGCCGTCTCAGACTAGAGGAGCGCTGTAAACGCCATGGCTCCCAAGA
AGCTGTCTGCTTTCGTTCCCTGCTGCTGCCGTGACGCTACTGCTGCCCCAGGCAG
ACACTCGGTCGTTTCGTAGTGGATAGGGGTCATGACCGGTTTCTCCTAGACGGGGCCCCGTTCC
GCTATGTGTCTGGCAGCCTGCACTACTTTCGGGTACCGCGGGTGCTTTGGGCCGACCGGCTTT
TGAAGATGCGATGGAGCGGCCTCAACGCCATACAGTTTTATGTGCCCTGGAACACCACGAGC
CACAGCCTGGGGTCTATAACTTTAATGGCAGCCGGGACCTCATTGCCTTTCTGAATGAGGCAG
CTCTAGCGAACCTGTTGGTCATACTGAGACCAGGACCTTACATCTGTGCAGAGTGGGAGATGG
GGGGTCTCCCATCCTGGTTGCTTCGAAAACCTGAAATTCATCTAAGAACCTCAGATCCAGACT
TCCTTGCCGCAGTGGACTCCTGGTTCAAGGTCTTGCTGCCCAAGATATATCCATGGCTTTATC
ACAATGGGGGCAACATCATTAGCATTGAGGTGGAGAATGAATATGGTAGCTACAGAGCCTGTG
ACTTCAGCTACATGAGGCACTTGGCTGGGCTCTTCCGTGCACTGCTAGGAGAAAAGATCTTGC
TCTTCACCACAGATGGGCCTGAAGGACTCAAGTGTGGCTCCCTCCGGGGACTCTATACCACTG
TAGATTTTGGCCCAGCTGACAACATGACCAAATCTTTACCCTGCTTCGGAAGTATGAACCCC
ATGGGGCATTGGTAAACTCTGAGTACTACACAGGCTGGCTGGATTACTGGGGCCAGAATCACT
CCACACGGTCTGTGTGCTGTAACCAAAGGACTAGAGAACATGCTCAAGTTGGGAGCCAGTG
TGAACATGTACATGTTCCATGGAGGTACCAACTTTGGATATTGGAATGGTGCCGATAAGAAGG
GACGCTTCCTTCCGATTACTACCAGCTATGACTATGATGCACCTATATCTGAAGCAGGGGACC
CCACACCTAAGCTTTTGGCTCTTCGAGATGTCATCAGCAAGTTCAGGAAGTTCCTTTGGGAC
CTTTACCTCCCCCGAGCCCCAAGATGATGCTTGACCTGTGACTCTGCACCTGGTTGGGCATT
TACTGGCTTTCTAGACTTGCTTTGCCCCCGTGGGCCCATTCATTCAATCTTGCCAATGACCT
TTGAGGCTGTCAAGCAGGACCATGGCTTCATGTTGTACCGAACCTATATGACCCATACCATTT
TTGAGCCAACACCATTCTGGGTGCCAAATAATGGAGTCCATGACCGTGCCTATGTGATGGTGG
ATGGGGTGTTCAGGGTGTGTTGGAGCGAAATATGAGAGACAACTATTTTTGACGGGGAAAC
TGGGGTCCAACTGGATATCTTGGTGGAGAACATGGGGAGGCTCAGCTTTGGGTCTAACAGCA
GTGACTTCAAGGGCCTGTTGAAGCCACCAATTCTGGGGCAAACAATCCTTACCCAGTGGATGA
TGTTCCCTCTGAAAATTGATAACCTTGTGAAGTGGTGGTTTCCCCTCCAGTTGCCAAAATGGC
CATATCCTCAAGCTCCTTCTGGCCCCACATTCTACTCCAAAACATTTCCAATTTTAGGCTCAG
TTGGGGACACATTTCTATATCTACCTGGATGGACCAAGGGCCAAGTCTGGATCAATGGGTTTA
ACTTGGGGCCGGTACTGGACAAAGCAGGGGCCACAACAGACCCTCTACGTGCCAAGATTCTCTGC
TGTTTCCTAGGGGAGCCCTCAACAAAATTACATTGCTGGAAGTAGAAGATGTACCTCTCCAGC
CCCAAGTCCAATTTTTGGATAAGCCTATCCTCAATAGCACTAGTACTTTGCACAGGACACATA
TCAATTCCCTTTCAGCTGATACACTGAGTGCCTCTGAACCAATGGAGTTAAGTGGGCACTGAA
AGGTAGGCCGGGCATGGTGGCTCATGCCTGTAATCCCAGCACTTTGGGAGGCTGAGACGGGTG
GATTACCTGAGGTGAGGACTTCAAGACCAGCCTGGCCAACATGGTGAAACCCCGTCTCCACTA
AAAATACAAAATTAGCCGGGCGTGATGGTGGGCACCTCTAATCCCAGCTACTTGGGAGGCTG
AGGGCAGGAGAATTGCTTGAATCCAGGAGGCAGAGGTTGCAGTGAGTGGAGGTTGTACCACTG
CACTCCAGCCTGGCTGACAGTGAGACACTCCATCTCAAAAAAAAAAAAA

26/615

FIGURE 26

MAPKKLSCLRSLLLPLSLTLLLPQADTRSFVVDRGHDRLDLAGAPFRYVSGSLHYFRVPRVLW
ADRLKMRWSGLNAIQFYVPWNYHEPQPGVYNFNGSRDLIAFLNEAALANLLVILRPGPYICA
EWEMGGLPSWLLRKPEIHLRTSDPDFLAAVDSWFKVLLPKIYPWLYHNGGNIISIQVENEYGS
YRACDFS YMRHLAGLFRALLGEKILLETTDGPGLKCGSLRGLYTTVDFGPADNMTKI FTLLR
KYEPHGPLVNSEYYTGWLDYWGQNHSTRSVSAVTKGLENMLKLGASVNM YMFHGGTNFGYWNG
ADKKGRFLPITTSYDYDAPISEAGDPTPKLFALRDVISKFQEVPLGPLPPSPKMMLGPVTLH
LVGHLLAFLDLLCPRGPIHSILPMTFEAVKQDHGFMLYRTYMTHTIFEPTPFWVPNNGVHDRA
YVMVDGVFQGVVERNMRDKLFLTGKLGSKLDILVENMGRLSFGSNSSDFKGLLKPPILGQTIL
TQWMMFPLKIDNLVKWWFPLQLPKWPYPQAPSGPTFYSKTFPILGSVGD TFLYLPGWTKGQVW
INGFNLGRYWTQGPQQTL YVPRFLLFPRGALNKITLLELEDVPLQPQVQFLDKPILNSTSTL
HRTHINSLSADTLSASEPMELSGH

Signal sequence:

amino acids 1-27

N-glycosylation site.

amino acids 97-101, 243-247, 276-280, 486-490, 625-629

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 4-8

Casein kinase II phosphorylation site.amino acids 148-152, 234-238, 327-331, 423-427, 469-473, 550-554,
603-607, 644-648**Tyrosine kinase phosphorylation site.**

amino acids 191-198

N-myristoylation site.amino acids 131-137, 176-182, 188-194, 203-209, 223-229, 227-233,
231-237, 274-280, 296-300, 307-313, 447-453, 484-490

FIGURE 27

[illegible]

28/615

FIGURE 28

MGLLLLVLPLLLLPGSYGLPFYNGFYYSNSANDQNLGNGHGKDLLNGVKLVVETPEETLFTYQG
ASVILPCRYRYEPALVSPRRVRVKWWKLENGAPEKDVLVAIGLRHRSFGDYQGRVHLRQDKE
HDVSLEIQDLRLLEDYGRYRCEVIDGLEDESGLVELELRGVVFPYQSPNGRYQFNFHEGQQVCA
EQAAVVASFEQLFRAWEEGLDWCNAGWLQDATVQYPIMLPRQPCGGPGLAPGVRSYGPRHRL
HRYDVFCFATALKGRVYYLEHPEKLTITEAREACQEDDATIAKVGQLFAAWKFHGLDRCDAGW
LADGSVRYPVVHPHPNCGPPEPGVRSFGFPDQSRLYGVYCYRQH

Signal sequence:

amino acids 1-17

Casein kinase II phosphorylation site.

amino acids 29-33, 53-57, 111-115, 278-282

Tyrosine kinase phosphorylation site.

amino acids 137-145

N-myristoylation site.amino acids 36-42, 184-190, 208-214, 237-243, 297-303,
307-313

29/615

FIGURE 29

GCAAGCGGCGAAATGGCGCCCTCCGGGAGTCTTGCAAGTCCCTGGCAGTCCTGGTGCTGTTG
CTTTGGGGTGCTCCCTGGACGCACGGGCGGCGGAGCAACGTTTCGCGTCATCACGGACGAGAAC
TGGAGAGAACTGCTGGAAGGAGACTGGATGATAGAATTTTATGCCCGTGGTGCCCTGCTTGT
CAAAATCTTCAACCGGAATGGGAAAGTTTTGCTGAATGGGGAGAAGATCTTGAGGTTAATATT
GCGAAAGTAGATGTCACAGAGCAGCCAGGACTGAGTGGACGGTTTATCATAACTGCTCTTCCT
ACTATTTATCATTGTAAAGATGGTGAATTTAGGCGCTATCAGGGTCCAAGGACTAAGAAGGAC
TTCATAAACTTTATAAGTGATAAAGAGTGGAAGAGTATTGAGCCCGTTTCATCATGGTTTGGT
CCAGGTTCTGTTCTGATGAGTAGTATGTCAGCACTCTTTCAGCTATCTATGTGGATCAGGACG
TGCCATAACTACTTTATTGAAGACCTTGGATTGCCAGTGTGGGGATCATATACTGTTTTTGCT
TTAGCAACTCTGTTTTCCGGACTGTTATTAGGACTCTGTATGATATTTGTGGCAGATTGCCTT
TGTCCTTCAAAAAGGCGCAGACCACAGCCATAACCCATAACCCTTCAAAAAAATTATTATCAGAA
TCTGCACAACCTTTGAAAAAGTGGAGGAGGAACAAGAGGCGGATGAAGAAGATGTTTCAGAA
GAAGAAGCTGAAAGTAAAGAAGGAACAAACAAAGACTTTCACAGAATGCCATAAGACAACGC
TCTCTGGGTCCATCATTGGCCACAGATAAATCCTAGTTAAATTTTATAGTTATCTTAATATTA
TGATTTTGTATAAAACAGAAGATTGATCATTTTGTGTTGGTTGAAGTGAAGTGTGACTTTTTT
GAATATTGCAGGGTTCAGTCTAGATTGTCATTAAATTGAAGAGTCTACATTCAGAACATAAAA
GCACTAGGTATACAAGTTTGAATATGATTTAAGCACAGTATGATGGTTTAAATAGTTCTCTA
ATTTTTGAAAAATCGTGCCAAGCAATAAGATTTATGTATATTTGTTTAATAATAACCTATTTTC
AAGTCTGAGTTTTGAAAATTTACATTTCCCAAGTATTGCATTATTGAGGTATTTAAGAAGATT
ATTTTAGAGAAAAATATTTCTCATTTGATATAATTTTTCTCTGTTTCACTGTGTGAAAAAAG
AAGATATTTCCCATAAATGGGAAGTTTGCCCATTTGTCTCAAGAAATGTGTATTTTCAGTGACAA
TTTCGTGGTCTTTTTTAGAGGTATATTCCAAAATTTCTTGTATTTTAGGTTATGCAACTAAT
AAAACTACCTTACATTAATTAATTACAGTTTTCTACACATGGTAATACAGGATATGCTACTG
ATTTAGGAAGTTTTTAAGTTCATGGTATTCTCTTGATTCCAACAAAGTTTGATTTTCTCTTGT
ATTTTTCTTACTTACTATGGGTACATTTTTTATTTTTCAAATTGGATGATAATTTCTTGAA
ACATTTTTTATGTTTTAGTAAACAGTATTTTTTTTGTGTTTCAAAGTGAAGTTTACTGAGAGA
TCCATCAAATTGAACAATCTGTTGTAATTTAAAATTTTGCCACTTTTTTCAGATTTTACATC
ATTCTTGCTGAACTTCAACTTGAAATTGTTTTTTTTTTCTTTTTGGATGTGAAGGTGAACATT
CCTGATTTTTGTCTGATGTGAAAAAGCCTTGGTATTTTACATTTTGAAAATTCAAAGAAGCTT
AATATAAAAGTTTGCATTCTACTCAGGAAAAAGCATCTTCTGTATATGTCTTAAATGTATTT
TTGTCCTCATATACAGAAAGTTCTTAATTGATTTTACAGTCTGTAATGCTTGATGTTTTAAAA
TAATAACATTTTTATATTTTTTAAAAGACAACTTCATATTATCCTGTGTTCTTTCCTGACTG
GTAATATTGTGTGGGATTTTACAGGTAAAAGTCAGTAGGATGGAACATTTTAGTGTATTTTTA
CTCCTTAAAGAGCTAGAATACATAGTTTTTACCTTAAAAGAAGGGGGAAAATCATAAATACAA
TGAATCAACTGACCATTACGTAGTAGACAATTTCTGTAATGTCCCCTTCTTTCTAGGCTCTGT
TGCTGTGTGAATCCATTAGATTTACAGTATCGTAATATACAAGTTTTCTTTAAAGCCCTCTCC
TTTAGAATTTAAAATATTGTACCATTAAAGAGTTTGGATGTGTAAGTGTGATGCCTTAGAAA
AATATCCTAAGCACAAAATAAACCTTTCTAACCCTTCATTAAAGCTGAAAAAAAAAAAAAA
AAA

30/615

FIGURE 30

MAPSGSLAVPLAVLVLLLWGAPWTHGRRSNVRVITDENWRELLEGDWMIEFYAPWCPACQNLQ
PEWESFAEWGEDLEVNIKVDVTEQPGLSGRFIITALPTIYHCKDGEFRRYQGPRTKKDFINF
ISDKEWKSIEPVSSWFGPGSVLMSSMSALFQLSMWIRTCHNYFIEDLGLPVWGSYTVFALATL
FSGLLLGLCMIFVADCLCPSKRRRPQYPYPYPSKLLSESAQPLKKVEEEQEAEDEEDVSEEEAE
SKEGTNKDFPQNAIRQRS LGPSLATDKS

Signal sequence:

amino acids 1-26

Transmembrane domain:

amino acids 182-201

Casein kinase II phosphorylation site.

amino acids 68-72, 119-123, 128-132, 247-251, 257-261

Tyrosine kinase phosphorylation site.

amino acids 107-115

N-myristoylation site.

amino acids 20-26, 192-198

Amidation site.

amino acids 25-29

31/615

FIGURE 31

AGATGCGGGTCTTGGCACCTCTAATTGCTCTCGTGTATTTCGGTGCCGCGACTTTCACGATGGC
TCGCCCCAACCTTACTACCTTCTGTGCGGCCCTGCTCTCTGCTGCCTTTCCTACTCGTGAGGAAAC
TGCCCGCGCTCTGCCACGGTCTGCCCACCCAACGCGAAGACGGTAACCCGTGTGACTTTGACT
GGAGAGAAGTGGAGATCCTGATGTTTCTCAGTGCCATTGTGATGATGAAGAACCGCAGATCCA
TCACTGTGGAGCAACATATAGGCAACATTTTCATGTTTAGTAAAGTGGCCAACACAATTCTTT
TCTTCCGCTTGGATATTTCGCATGGGCCTACTTTACATCACACTCTGCATAGTGTTCTTGATGA
CGTGCAAACCCCCCTATATATGGGCCCTGAGTATATCAAGTACTTCAATGATAAAACCATTG
ATGAGGAAGTAGAACGGGACAAGAGGGTCACTTGGATTGTGGAGTTCTTTGCCAATTGGTCTA
ATGACTGCCAATCATTTGCCCCCTATCTATGCTGACCTCTCCCTTAAATACAACGTGTACAGGGC
TAAATTTTGGGAAGGTGGATGTTGGACGCTATACTGATGTTAGTACGCGGTACAAAGTGAGCA
CATCACCCCTCACCAAGCAACTCCCTACCCTGATCCTGTTCCAAGGTGGCAAGGAGGCAATGC
GGCGGCCACAGATTGACAAGAAAGGACGGGCTGTCTCATGGACCTTCTCTGAGGAGAATGTGA
TCCGAGAATTTAACTTAAATGAGCTATACCAGCGGGCCAAGAACTATCAAAGGCTGGAGACA
ATATCCCTGAGGAGCAGCCTGTGGCTTCAACCCCCACCACAGTGTGAGATGGGGAAAACAAGA
AGGATAAATAAGATCCTCACTTTGGCAGTGCTTCCCTCTCCTGTCAATTCCAGGCTCTTTCCAT
AACCACAAGCCTGAGGCTGCAGCCTTTNATTNATGTTTTCCCTTTGGCTGNGACTGGNTGGGG
CAGCATGCAGCTTCTGATTTTAAAGAGGCATCTAGGGAATTGTCAGGCACCCCTACAGGAAGGC
CTGCCATGCTGTGGCCAACTGTTTTCACTGGAGCAAGAAAGAGATCTCATAGGACGGAGGGGGA
AATGGTTTCCCTCCAAGCTTGGGTGAGTGTGTTAACTGCTTATCAGCTATTCAGACATCTCCA
TGGTTTCTCCATGAACTCTGTGGTTTCATCATTCCTTCTTAGTTGACCTGCACAGCTTGGTT
AGACCTAGATTTAACCCTAAGGTAAGATGCTGGGGTATAGAACGCTAAGAATTTTCCCCAAG
GACTCTTGCTTCCTTAAGCCCTTCTGGCTTCGTTTATGGTCTTCATTAAAAGTATAAGCCTAA
CTTTGTCGCTAGTCCTAAGGAGAAACCTTTAACCACAAAGTTTTATCATTGAAGACAATATT
GAACAACCCCTATTTTGTGGGGATTGAGAAGGGGTGAATAGAGGCTTGAGACTTTCCTTGT
GTGGTAGGACTTGGAGGAGAAATCCCCTGGACTTTCACCTAACCTCTGACATACTCCCCACAC
CCAGTTGATGGCTTTCGTAATAAAAAGATTGGGATTTCCCTTTTG

32/615

FIGURE 32

MAVLAPLIAIVYSVPRLSRWLAQPYLLSALLSAAFLLRKLPPLCHGLPTQREDGNPCDFDW
REVEILMFLSAIVMMKNRRSITVEQHIGNIFMFSKVANTILFFRLDIRMGLLYITLCIVFLMT
CKPPLYMGPEYIKYFNDKTIDEELERDKRVTWIVEFFANWSNDCQSFAPIYADLSLKYNCTGL
NFGKVDVGRYTDVSTRYKVSTSPLTKQLPTLILFQGGKEAMRRPQIDKKGRAVSWTFSEENVI
REFNLNELYQRAKKLSKAGDNIPEEQPVASTPTTVSDGENKKDK

Signal sequence:

amino acids 1-48

Transmembrane domain:

amino acids 111-125

N-glycosylation site.

amino acids 165-169, 185-189

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 154-158, 265-269

Casein kinase II phosphorylation site.

amino acids 51-55, 145-149, 245-249, 286-290, 288-292

N-myristoylation site.

amino acids 188-194, 225-231

Myb DNA-binding domain repeat signature 1.

amino acids 244-253

33/615

FIGURE 33

CGGACGCGTGGGGTGCCCGACATGGCGAGTG TAGTGCTGCCGAGCGGATCCCAGTGTGCGGCG
GCAGCGGCGGGCGGGCGGCCTCCCGGGCTCCGGCTTCTGCTGTTGCTCTTCTCCGCCGCGGCA
CTGATCCCCACAGGTGATGGGCAGAACTCTGTTTACGAAAGACGTGACAGTGATCGAGGGAGAG
GTTGCGACCATCAGTTGCCAAGTCAATAAGAGTGACGACTCTGTGATTCAGCTACTGAATCCC
AACAGGCAGACCATTTATTTTCAGGGACTTCAGGCCTTTGAAGGACAGCAGGTTTTCAGTTGCTG
AATTTTTCTAGCAGTGAAC TCAAAGTATCATTGACAAACGTCTCAATTTCTGATGAAGGAAGA
TACTTTTGCCAGCTCTATACCGATCCCCACAGGAAAGTTACACCACCATCACAGTCCTGGTC
CCACCACGTAATCTGATGATCGATATCCAGAAAGACACTGCGGTGGAAGGTGAGGAGATTGAA
GTCAACTGCACTGCTATGGCCAGCAAGCCAGCCACGACTATCAGGTGGTTCAAAGGGAACACA
GAGCTAAAAGGCAAATCGGAGGTGGAAGAGTGGTCAGACATGTACACTGTGACCAGTCAGCTG
ATGCTGAAGGTGCACAAGGAGGACGATGGGGTCCCAGTGATCTGCCAGGTGGAGCACCCCTGCG
GTCACTGGAACCTGCAGACCCAGCGGTATCTAGAAGTACAGTATAAGCCTCAAGTGCACATT
CAGATGACTTATCCTCTACAAGGCTTAACCCGGGAAGGGGACGCGCTTGAGTTAACATGTGAA
GCCATCGGGAAGCCCCAGCCTGTGATGGTAACTTGGGTGAGAGTCGATGATGAAATGCCTCAA
CACGCCGTACTGTCTGGGCCCAACCTGTTCAATCAATAACCTAAACAAAACAGATAATGGTACA
TACCGCTGTGAAGCTTCAAACATAGTGGGGAAAGCTCACTCGGATTATATGCTGTATGTATAC
GATCCCCCACAAC TATCCCTCCTCCCACAACAACCACCACCACCACCACCACCACCACCACC
ACCATCCTTACCATCATCACAGATTCCCGAGCAGGTGAAGAAGGCTCGATCAGGGCAGTGGAT
CATGCCGTGATCGGTGGCGTCGTGGCGGTGGTGGTGTTCGCCATGCTGTGCTTGCTCATCATT
CTGGGGCGCTATTTTGCCAGACATAAAGGTACATACTTCACTCATGAAGCCAAAGGAGCCGAT
GACGCAGCAGACGCAGACACAGCTATAATCAATGCAGAAGGAGGACAGAACAAC TCCGAAGAA
AAGAAAGAGTACTTCATCTAGATCAGCCTTTTTGTTTCAATGAGGTGTCCAAC TGGCCCTATT
TAGATGATAAAGAGACAGTGATATTGG

34/615

FIGURE 34

</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA39518

<subunit 1 of 1, 440 aa, 1 stop

<MW: 48240, pI: 4.93, NX(S/T): 7

MASVVLPSSGSCAAAAAAPPGLRLLLLLFSAAALIPITGDGQNLFTKDVTVIEGEVATISCQ
VNKSDDSVIQLLNPNRQTIYFRDFRPLKDSRFQLLNFSSSELKVSLTNVSISDEGRYFCQLYT
DPPQESYTTITVLVPPRNLMDIQKDTAVEGEEIEVNCTAMASKPATTIRWFKGNTELKKGSE
VEEWSDMYTVTSQMLMLKVHKEDDGVPVICQVEHPAVTGNLQTQRYLEVQYKPQVHIQMTYPLQ
GLTREGDALELTCEAIGKPQPMVMTWVRVDDEMPQHAVLSGPNLFINNLNKTDNGTYRCEASN
IVGKAHSDYMLYVYDPPTTIPPTTTTTTTTTTTTTILTIITDSRAGEEGSIRAVDHAIVIGGV
VAVVVFAMLCLLIILGRYFARHKGTYFTHEAKGADDAADADTAIINAEGGQNNSEEKKEYFI

Signal sequence.

amino acids 1-36

Transmembrane domain.

amino acids 372-393

N-glycosylation sites.amino acids 65-69, 99-103, 111-115, 163-167, 302-306, 306-310,
430-434**Tyrosine kinase phosphorylation sites.**

amino acids 233-240, 319-328

N-myristoylation sites.amino acids 9-15, 227-233, 307-313, 365-371, 376-382, 402-408,
411-417, 427-433, 428-432

35/615

FIGURE 35

GGTTGCCACAGCTGGTTTAGGGCCCCGACCACTGGGGCCCCCTTGTCAGGAGGAGACAGCCTCCCGGCCCGGGGAG
GACAAGTCGCTGCCACCTTTGGCTGCCGACGTGATTCCCTGGGACGGTCCGTTTCCTGCCGTGACCTGCCGGCCG
AGTTGGGTCTCCGTGTTTCAGGCCGGCTCCCCCTTCTCGTCTCCCTTCTCCCGCTGGGCCGGTTTATCGGGAGG
AGATTGTCTTCCAGGGCTAGCAATTGGACTTTTGATGATGTTTGACCCAGCGGCAGGAATAGCAGGCAACGTGAT
TTCAAAGCTGGGCTCAGCCTCTGTTTCTTCTCTCGTGTAATCGCAAAACCCATTTTGAGCAGGAATTCCAATCA
TGTCTGTGATGGTGGTGAGAAAGAAGGTGACACGGAAATGGGAGAACTCCCAGGCAGGAACACCTTTTGCTGTG
ATGGCCCGCTCATGATGGCCCCGGCAAAAGGGCATTCTTCTACCTGACCCTTTTCCTCATCCTGGGGACATGTACAC
TCTTCTTCGCCTTTGAGTGCCGCTACCTGGCTGTTTCAGCTGTCTCCTGCCATCCCTGTATTGTGCTGCCATGCTCT
TCCTTTTCTCCATGGCTACACTGTTGAGGACCAGCTTCAGTGACCCTGGAGTGATTCTCGGGCGCTACAGATG
AAGCAGCTTTCATAGAAATGGAGATAGAAGCTACCAATGGTGCGGTGCCCCAGGGCCAGCGACCACCGCCTCGTA
TCAAGAATTTCCAGATAAACAACCAGATTGTGAACTGAAATACTGTTACACATGCAAGATCTTCCGGCCTCCCC
GGGCCTCCCATTGCAGCATCTGTGACAACTGTGTGGAGCGCTTCGACCATCACTGCCCTGGGTGGGGAATTGTG
TTGGAAAGAGGAACCTACCGCTACTTCTACCTCTTCATCCTTTCTCTCTCCCTCCTCACAATCTATGTCTTCGCCT
TCAACATCGTCTATGTGGCCCTCAAATCTTTGAAAATTGGCTTCTTGGAGACATTGAAAGAACTCCTGGAACCTG
TTCTAGAAGTCCTCATTGCTTCTTTACACTCTGGTCCGTCTGGGACTGACTGGATTTCATACTTTCTCGTGG
CTCTCAACCAGACAACCAATGAAGACATCAAGGATCATGGACAGGGAAGAATCGCGTCCAGAATCCCTACAGCC
ATGGCAATATTGTGAAGAACTGCTGTGAAGTGCTGTGTGGCCCTTGCCCCCAGTGTGCTGGATCGAAGGGGTA
TTTTGCCACTGGAGGAAAGTGGAACTCGACCTCCAGTACTCAAGAGACCAGTAGCAGCCTCTTGCCACAGAGCC
CAGCCCCACAGAACACCTGAACTCAAATGAGATGCCGGAGGACAGCAGCACTCCCGAAGAGATGCCACCTCCAG
AGCCCCCAGAGCCACCACAGGAGGCAGCTGAAGCTGAGAAGTAGCCTATCTATGGAAGAGACTTTTGTGTTGTGTT
TAATTAGGGCTATGAGAGATTTAGGTGAGAAGTTAAACCTGAGACAGAGAGCAAGTAAGCTGTCCCTTTTAACT
GTTTTTCTTTGGTCTTTAGTCAACCCAGTTGCACACTGGCATTFTTCTTGCTGCAAGCTTTTTTAAATTTCTGAAC
CAAGGCAGTGGCAGAAGATGTCAGTCACTCTGATAACTGGAAAAATGGGTCTCTTGGGCCCTGGCACTGGTTCT
CCATGGCCTCAGCCACAGGGTCCCCCTTGGACCCCCCTCTCTCCCTCCAGATCCCAGCCCTCCTGCTTGGGGTCA
TGGTCTCATTCTGGGGCTAAAAGTTTTTGAGACTGGCTCAAATCCTCCCAAGCTGCTGCAGTGTCTGAGTCCAGA
GGCAGTCACAGAGACCTCTGGCCAGGGGATCCTAACTGGGTCTTGGGGTCTTCAGGACTGAAGAGGAGGGAGAG
TGGGGTCAGAAGATTCTCCTGGCCACCAAGTGCCAGCATGCCCAAAATCCTTTTAGGAATGGGACAGGTACCT
TCCACTTGTTGTANNNNNNNNNNNNNNNNNNNNNNNNNNNNTTGTTTTCTTTTACTCCTGCTCCCATTAGGAG
CAGGAATGGCAGTAATAAAAGTCTGCACTTTGGTCATTTCTTTTCTCAGAGGAAGCCCCGAGTGTCTACTTAAAC
ACTATCCCCCTCAGACTCCCTGTGTGAGGCCTGCAGAGGCCCTGAATGCACAAATGGGAAACCAAGGCACAGAGAG
GCTCTCCTCTCCTCTCCTCTCCCCGATGTACCCTCAAAAAAAAAAAAAATGCTAACCCAGTTCTTCCATTAAGCCT
CGGCTGAGTGAGGGAAAGCCAGCACTGCTGCCCTCTCGGGTAACTCACCTAAGGCCTCGGCCACCTCTGGCT
ATGGTAACCACACTGGGGGCTTCTCCAAGCCCCGCTCTCCAGCACTTCCACCGGCAGAGTCCCAGAGCCACTT
CACCTGGGGGTGGGCTGTGGCCCCAGTCAGCTCTGCTCAGGACCTGCTCTATTTTCAGGGAAGAAGATTTATGT
ATTATATGTGGCTATATTTCTAGAGCACCTGTGTTTTCTCTTTCTAAGCCAGGGTCTGTCTGGATGACTTAT
GCGGTGGGGAGTGTAACCGGAACCTTTTCATCTATTTGAAGGCGATTAACTGTGTCTAATGCA

36/615

FIGURE 36

MSVMVVRKKVTRKWEKLPGRNTFCCDGRVMMARQKGIFYLTFLILGTCTLFFAFECRYLAVQ
LSPAIPVFAAMLFLFSMATLLRTSFSDPGVIPRALPDEAAFIEMEIEATNGAVPQGQRPPPRI
KNFQINNQIVKLKYCYTCKIFRPPRASHCSICDNCVERFDHHC PWVGNCVGKRNYRYFYLFIL
SLSLLTIYVFAFNIVYVALKSLKIGFLET LKETPGTVLEVLI CFFTLWSVVGLTGFHTFLVAL
NQT TNEDIKGSWTGKNRVQNPYSHGNIVKNCCEVLCGPLPPSVLD RRGILPLEESGSRPPSTQ
ETSSSLLPQSPAPTEHLNSNEMPEDSSTPEEMPPPEPPEPPQEAAEAEK

Putative transmembrane domains:

amino acids 36-55 (type II TM), 65-84, 188-208, 229-245

37/615

FIGURE 37

GGCGGAGCAGCCCTAGCCGCCACCGTCGCTCTCGCAGCTCTCGTCGCCACTGCCACCGCCGCCCGGTCACTGCG
TCCTGGCTCCGGCTCCCGCGCCCTCCCGGCCGCCATGAGCCCGCCCGCGCCAGGCGCCCGGTGCGCAGCTGC
TGCCCGCGCTGGCCCTGCTGCTGCTGCTGCTCGGAGCGGGGCCCCGAGGCAGCTCCCTGGCCAACCCGGTGCCCG
CCGCGCCCTTGTCTGCGCCCGGGCCGTGCGCCGCGCAGCCCTGCCGGAATGGGGGTGTGTGCACCTCGCGCCCTG
AGCCGGACCCGAGCACCCGGCCCCCGCGCGCAGCCTGGCTACAGCTGCACCTGCCCGCCGGGATCTCCGGCG
CCAAGTGCCAGCTTGTGTGAGATCCTTGTGCCAGCAACCCTTGTCAACATGGCAACTGCAGCAGCAGCAGCA
GCAGCAGCAGTGGTACCTCTGCATTTGCAATGAAGGTCCCAACTGTGAACAGGCACTTCCAGTC
TCCAGCCACTGGCTGGACCGAATCCATGGCACCCCGACAGCTTCAGCCTGTTCTGCTACTCAGGAGCCTGACA
AAATCCTGCCTCGCTCTCAGGCAACGGTGACACTGCCTACCTGGCAGCCGAAAACAGGGCAGAAAGTTGTAGAAA
TGAAATGGGATCAAGTGGAGGTGATCCCAGATATTGCCTGTGGGAATGCCAGTTCTAACAGCTCTGCGGGTGGCC
GCCTGGTATCCTTTGAAGTGCCACAGAACACCTCAGTCAAGATTCCGCAAGATGCCACTGCCTCACTGATTTTGC
TCTGGAAGGTACGGCCACAGGATTCCAACAGTGCTCCCTCATAGATGGACGAAGTGTGACCCCTTCAGGCTT
CAGGGGGACTGGTCTCTGGAGGAGATGCTCGCCTTGGGGAATAATCACTTTATTGGTTTTGTGAATGATTCTG
TGACTAAGTCTATTGTGGCTTTGCGCTTAACCTCTGGTGGTGAAGGTGAGCAGCTGTGTGCCGGGGGAGAGTCAG
CAAATGACTTGGAGTGTTCAGGAAAAGGAAAATGCACCACGAAGCCGTGAGAGGCAACTTTTTCTGTACCTGTG
AGGAGCAGTACGTGGGTACTTTCTGTGAAGAATACGATGCTTGCCAGAGGAAACCTTGCCAAAACAACCGAGCT
GTATTGATGCAAAATGAAAAGCAAGATGGGAGCAATTTCACTGTGTTTGCCTTCTGGTTATCTGGAGAGCTTT
GCCAGTCCAAGATTGATTACTGCATCCTAGACCCATGCAGAAATGGAGCAACATGCATTTCCAGTCTCAGTGGAT
TCACTGCCAGTGTCCAGAAGGATACTTCGGATCTGCTTGTGAAGAAAAGGTGGACCCCTGCGCTCGTCTCCGT
GCCAGAACAACGGCACCTGCTATGTGGACGGGGTACACTTTACCTGCAACTGCAGCCCGGGCTTCACAGGGCCGA
CCTGTGCCAGCTTATTGACTTCTGTGCCCTCAGCCCTGTGCTCATGGCACGTGCCGACGCTGGGACACAGCT
ACAAATGCCTCTGTGATCCAGGTTACCATGGCCTCTACTGTGAGGAGGAATATAATGAGTGCCTCTCCGCTCCAT
GCCTGAATGCAGCCACCTGCAGGGACCTCGTTAATGGCTATGAGTGTGTGTGCCTGGCAGAATACAAAGGAACAC
ACTGTGAATTGTACAAGGATCCCTGCGCTAACGTGAGCTGTCTGAACGGAGCCACCTGTGACAGCGACGGCCTGA
ATGGCACGTGCATCTGTGCACCCGGGTTTACAGGTGAAGAGTGCACATTGACATAAATGAATGTGACAGTAACC
CCTGCCACCATGGTGGGAGCTGCCTGGACACGCCCAGTGGTTATAACTGCCACTGCCCGCATGGTTGGGTGGGAG
CAAAGTGTGAGATCCACCTCCAATGGAAGTCCGGGCACATGGCGGAGAGCCTCACCAACATGCCACGGCACTCCC
TCTACATCATATTGGAGCCCTCTGCGTGGCCTTCATCCTTATGCTGATCATCCTGATCGTGGGGATTTGCCGCA
TCAGCCGCATTGAATACCAGGGTCTTCCAGGCCAGCCTATGAGGAGTCTACAACATGCCGACGATCGACAGCG
AGTTGAGCAATGCCATTGCATCCATCCGGCATGCCAGGTTTGGAAAAGAAATCCCGCCCTGCAATGTATGATGTGA
GCCCCATCGCCTATGAAGATTACAGTCTGATGACAAACCCTTGGTCACACTGATTAAAACTAAAGATTTGTAAAT
CTTTTTTTGGATTATTTTTCAAAAAGATGAGATACTACACTCATTAAATATTTTTAAGAAAATAAAAAGCTTAA
GAAATTTAAATGCTAGCTGCTCAAGAGTTTTCACTAGAATATTTAAGAACTAATTTCTGCAGCTTTTAGTTTG
GAAAAATATTTAAAAACAAAATTTGTGAAACCTATAGACGATGTTTTAATGTACCTTCAGCTCTCTAACTGT
GTGCTTCTACTAGTGTGTGCTCTTTTCACTGTAGACACTATCACGAGACCCAGATTAATTTCTGTGGTTGTTACA
GAATAAGTCTAATCAAGGAGAAGTTTCTGTTTGACGTTTGAGTGCCGGCTTCTGAGTAGAGTTAGGAAAACCAC
GTAACGTAGCATATGATGTATAATAGAGTATACCCGTTACTTAAAAGAAAGTCTGAAATGTTCTGTTTTGTGAAA
AGAACTAGTTAAATTTACTATTCCTAACCCGAATGAAATAGCCTTTGCCTTATTCTGTGCATGGGTAAAGTAA
TTATTTCTGCAGTGTGTTGTTGAACCTTGTGGAACATTCTTTTCGAGTTTGTGTTTGTGCTTTTTCGTAACAGTCG
TCGAACTAGGCCTCAAAAACATACGTAACGAAAAGGCCTAGCGAGGCAAAATCTGATTGATTTGAATCTATATTT
TTCTTTAAAAGTCAAGGGTTCTATATTGTGAGTAAATTAATTTACATTTGAGTTGTTTGTGCTAAGAGGTAG
TAAATGTAAGAGAGTACTGGTTCTTTCAGTAGTGAATTTCTCATAGTGCAGCTTTATTTATCTCCAGGATGTT
TTTGTGGCTGTATTTGATTGATATGTGCTTCTTCTGATTCTTGCTAATTTCCAACCATATTGAATAAATGTGATC
AAGTCA

38/615

FIGURE 38

><subunit 1 of 1, 737 aa, 1 stop
><MW: 78475, pI: 5.09, NX(S/T): 11
MQPRRAQAPGAQQLLPALALLLLLLLGAGPRGSSLANPVPAAPLSAPGPCAAQPCRNGGVCTSRP
EPDPQHPAPAGEPGYSCTCPAGISGANCOLVADPCASNPCHHGNCSSSSSSSSSDGYLCICNEG
YEGPNCEQALPSLPATGWTESMAPRQLQVPATQEPDKILPRSQATVTLPTWQPKTGQKVVEM
KWDQVEVIPDIACGNASSNSSAGGRLVSFEVPQNTSVKIRQDATASLILLWKVTATGFQQCSL
IDGRSVTPLQASGGLVLLLEMLALGNNHFIGFVNDVSVTKSIVALRLTLVVKVSTCVPGESHAN
DLECSGKGKCTTKPSEATFSCCTEEQYVGTFCEEYDACQRKPCQNNASCIDANEKQDGSNFTC
VCLPGYTGELCQSKIDYCIDLPCRNGATCISSLSGFTCQCPEGYFGSACEEKVDPCASSPCQN
NGTCYVDGVHFTCNCSPGFTGPTCAQLIDFCALSPCAHGTCRSVGTSTYKCLDPPGYHGLYCEE
EYNECLSAAPCLNAATCRDLVNGYECVCLAEYKGTCHCELYKDPCANVSCLNGATCDSDGLNGTC
ICAPGFTGEECDIDINECDSPCHHGGSCLDQPNGYNCHCPHGWWGANCEIHLQWKS GHMAES
LTNMPRHSLYIIIGALCVAFILMLIILIVGICRISRIEYQGSSRPAYEEFYNCRSIDSEFSNA
IASIRHARFGKKS RPAMYDVSP IAYEDYSPDDKPLVTLIKTKDL

Signal sequence.

amino acids 1-28

Transmembrane domain.

amino acids 641-660

N-glycosylation sites.amino acids 107-111, 204-208, 208-212, 223-227, 286-290, 361-365,
375-379, 442-446, 549-553, 564-568**Glycosaminoglycan attachment site.**

amino acids 320-324

Tyrosine kinase phosphorylation sites.

amino acids 490-498, 674-682

N-myristoylation sites.amino acids 30-36, 56-62, 57-63, 85-91, 106-112, 203-209,
373-379, 449-455, 480-486, 562-568, 565-571**Amidation site.**

amino acids 702-706

Aspartic acid and asparagine hydroxylation site.

amino acids 520-532, 596-608

EGF-like domain cysteine pattern signatures.amino acids 80-92, 121-133, 336-348, 378-390, 416-428, 454-466,
491-503, 529-541, 567-579, 605-617

FIGURE 39

GAGCGCGCGCGCGCGCGCGCGCGCGCACTGCAGCCCCAGGCCCCCGGCCCCCCACCCACGTCTG
CGTTGCTGCCCGCCTGGGCCAGGCCCAAAGGCAAGGACAAAGCAGCTGTCAGGGAACCTCC
GCCGAGTCGAATTTACGTGCAGCTGCCGGCAACCACAGGTTCCAAGATCGTTTGCGGGGGCT
TCGCGTGTTCCAAGAACTGCCTGTGCGCCCTCAACCTGCTTTACACCTTGGTTAGTCTGCTGC
TAATTGGAATTGCTGCGTGGGGCATTGGCTTCGGGCTGATTTCCAGTCTCCGAGTGGTCGGCG
TGGTCATTGCAGTGGGCATCTTCTTGTTCTGATTGCTTTAGTGGGTCTGATTGGAGCTGTAA
AACATCATCAGGTGTTGCTATTTTTTTTATATGATTATTCTGTACTTGTATTTATTGTTCACT
TTTCTGTATCTTGCGCTTGTTTAGCCCTGAACCAGGAGCAACAGGGTCAGCTTCTGGAGGTTG
GTTGGAACAATACGGCAAGTGCTCGAAATGACATCCAGAGAAATCTAACTGCTGTGGGTTC
GAAGTGTTAAACCAAATGACACCTGTCTGGCTAGCTGTGTTAAAGTGACCACTCGTGCTCGC
CATGTGCTCCAATCATAGGAGAATATGCTGGAGAGGTTTTGAGATTTGTTGGTGGCATTGGCC
TGTTCTTCAGTTTTACAGAGATCCTGGGTGTTGGCTGACCTACAGATACAGGAACCAAGAAAG
ACCCCGCGCGAATCCTAGTGCATTCCTTTGATGAGAAAACAAGGAAGATTTCTTTCTGTAAT
ATGATCTTGTTCACTTTCTGTAATTTCTGTTAAGCTCCATTTGCCAGTTTAAGGAAGGAAC
ACTATCTGGAAGGTACCTTATTGATAGTGGAATTATATATTTTTACTCTATGTTTCTCTACA
TGTTTTTTTTCTTTCCGTTGCTGAAAAATATTTGAAACTTGTGGTCTCTGAAGCTCGGTGGCAC
CTGGAATTTACTGTATTCATTGTGCGGCACCTGTCCACTGTGGCCTTTCTTAGCATTTTTACCT
GCAGAAAAACTTTGTATGGTACCACTGTGTTGGTTATATGGTGAATCTGAACGTACATCTCAC
TGGTATAATTATATGTAGCACTGTGCTGTGTAGATAGTTTCTACTGGAAGAGAGTGGAATTT
TATTTAAATCAGAAAGTATGAGATCCTGTTATGTTAAGGGAAATCCAAATTTCCCAATTTTTTT
TGGTCTTTTTTAGGAAAGATTGTTGTGGTAAAAAGTGTTAGTATAAAAAATGATAATTTACTTGT
AGTCTTTTATGATTACACCAATGTATTCTAGAAATAGTTATGTCTTAGGAAATTGTGGTTTTAA
TTTTTGACTTTTACAGGTAAGTGCAAAGGAGAAAGTGTTTTCATGAAATGTTCTAATGTATAAT
AACATTTACCTTCAGCCTCCATCAGAATGGAACGAGTTTTTGAGTAATCAGGAAGTATATCTAT
ATGATCTTGATATTGTTTTTATAATAAATTTGAAGTCTAAAAGACTGCATTTTTTAAACAAGTTAG
TATTAATGCGTTGGCCCACTAGCAAAAAGATATTTTGATTATCTTAAAAATTTGTTAAATACCG
TTTTTCATGAAATTTCTCAGTATTGTGAACGCAACTTGTCAAACCTAAGCATATTTGAATATGA
TCTCCCATAAATTTGAAATTGAAATCGTATTGTGTGGCTCTGTATATTCTGTTAAAAAATTAA
GGACAGAAACCTTTCTTTGTGTATGCATGTTTGAATTAAAAAGAAAGTAATGGAAG

40/615

FIGURE 40

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA39979

><subunit 1 of 1, 204 aa, 1 stop

><MW: 22147, pI: 8.37, NX(S/T): 3

MVCGGFACSKNCLCALNLLYTLVSLLLIGIAAWGIGFGLISSLRVVGVVIAVGIFLFLIALVG
LIGAVKHHQVLLFFYMIILLLVFIVQFSVSCACLALNQEQQGQLLEVGNNTASARNDIQRNL
NCCGFRSVNPNDTCLASCVKSDHSCSPCAPIIGEYAGEVLRVFGGIGLFFSFTEILGVWLTyr
YRNQKDPRANPSAFL

Signal Peptide:

amino acids 1-34

Transmembrane domains:

amino acids 47-63, 72-95 and 162-182

41/615

FIGURE 41

CAGTCACCATGAAGCTGGGCTGTGTCTCATGGCCTGGGCCCTCTACCTTTCCCTTGGTGTGC
TCTGGGTGGCCCAGATGCTACTGGCTGCCAGTTTTGAGACGCTGCAGTGTGAGGGACCTGTCT
GCACTGAGGAGAGCAGCTGCCACACGGAGGATGACTTGACTGATGCAAGGGAAGCTGGCTTCC
AGGTCAAGGCCTACACTTTTCACTGAACCTTCCACCTGATTGTGTCTTATGACTGGCTGATCC
TCCAAGGTCCAGCCAAGCCAGTTTTTGAAGGGGACCTGCTGGTTCTGCGCTGCCAGGCCTGGC
AAGACTGGCCACTGACTCAGGTGACCTTCTACCGAGATGGCTCAGCTCTGGGTCCCCCGGGC
CTAACAGGGAATTCTCCATCACCGTGGTACAAAAGGCAGACAGCGGGCACTACCACTGCAGTG
GCATCTTCCAGAGCCCCTGGTCCCTGGGATCCCAGAAAACAGCATCTGTTGTGGCTATCACAGTCC
AAGAACTGTTTTCCAGCGCCAATTCTCAGAGCTGTACCCTCAGCTGAACCCCAAGCAGGAAGCC
CCATGACCCTGAGTTGTCTAGACAAAGTTGCCCTGCAGAGGTCAGCTGCCCGCCTCCTCTTCT
CCTTCTACAAGGATGGAAGGATAGTGCAAAGCAGGGGGCTCTCCTCAGAATTCCAGATCCCCA
CAGCTTCAGAAGATCACTCCGGGTCTACTGGTGTGAGGCAGCCACTGAGGACAACCAAGTTT
GGAAACAGAGCCCCCAGCTAGAGATCAGAGTGCAGGGTGCTTCCAGCTCTGCTGCACCTCCCA
CATTGAATCCAGCTCCTCAGAAATCAGCTGCTCCAGGAAGTCTCCTGAGGAGGCCCTGGGC
CTCTGCCTCCGCCGCCAACCCCATCTTCTGAGGATCCAGGCTTTTCTTCTCCTCTGGGGATGC
CAGATCCTCATCTGTATCACCAGATGGGCCTTCTTCTCAAACACATGCAGGATGTGAGAGTCC
TCCTCGGTCACCTGCTCATGGAGTTGAGGGAATTATCTGGCCACCAGAAGCCTGGGACCACAA
AGGCTACTGCTGAATTGAAGTAAACAGTTCATCCATGATCTCACTTAACCACCCCAATAAATC
TGATTCTTTATTTTCTCTTCTCCTGTCCTGCACATATGCATAAGTACTTTTACAAGTTGTCCAG
TGTTTTGTTAGAATAATGTAGTTAGGTGAGTGTAATAAATTTATATAAAGTGAGAATTAGAG
TTTAGCTATAATTGTGTATTCTCTCTTAACACAACAGAATTCTGCTGTCTAGATCAGGAATT
CTATCTGTTATATCGACCAGAATGTTGTGATTTAAAGAGAACTAATGGAAGTGGATTGAATAC
AGCAGTCTCAACTGGGGGCAATTTGCCCCCAGAGGACATTGGGCAATGTTTGGAGACATTT
TGGTCATTATACTTGGGGGGTTGGGGGATGGTGGGATGTGTGTCTACTGGCATCCAGTAAATA
GAAGCCAGGGGTGCCGCTAAACATCCTATAATGCACAGGGCAGTACCCCAACGAAAAATAA
TCTGGCCCCAAAATGTCAGTTGTACTGAGTTTGAGAAACCCCAAGCCTAATGAAACCCTAGGTGT
TGGGCTCTGGAATGGGACTTTGTCCCTTCTAATTATTATCTCTTTCCAGCCTCATTTCAGCTAT
TCTTACTGACATACCAGTCTTTAGCTGGTGCTATGGTCTGTTCTTTAGTTCTAGTTTGTATCC
CCTCAAAGCCATTATGTTGAAATCCTAATCCCCAAGGTGATGGCATTAAAGAAGTGGGCCTTT
GGGAAGTGATTAGATCAGGAGTGCAGAGCCCTCATGATTAGGATTAGTGCCCTTATTTAAAAA
GGCCCCAGAGAGCTAACTCACCTTCCACCATATGAGGACGTGGCAAGAAGATGACATGTATG
AGAACCAAAAAACAGCTGTCGCCAAACACCGACTCTGTCGTTGCCTTGATCTTGAACCTCCAG
CCTCCAGAACTATGAGAAATAAAATTCTGGTTGTTTGTAGCCTAA

42/615

FIGURE 42

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA40594
><subunit 1 of 1, 359 aa, 1 stop
><MW: 38899, pI: 5.21, NX(S/T): 0
MKLGCVLMAWALYLSLGV LWVAQMLLAASFETLQCEGPVCTEESSCHTEDDLTDAREAGFQVK
AYTFSEPFHLIVSYDWLILQGPAKPVFEGDLLVLRQAWQDWPLTQVTFYRDGSALGPPGPNR
EFSITVVQKADSGHYHCSGIFQSPGPGIPETASVVAITVQELFPAPILRAVPSAEPQAGSPMT
LSCQTKLPLQRSAARLLFSFYKDGRIVQSRGLSSEFQIPTASEDHSGSYWCEAATEDNQVWKQ
SPQLEIRVQGASSSAAPPTLNPA PQKSAAPGTAPEEAPGPLPPPPTPSSDPGFSSPLGMPDP
HLYHQMGLLLKHMQDVRVLLGHLLMELRELSGHQKPGTTKATAE

Signal sequence:
amino acids 1-17

Leucine zipper pattern sequence:
amino acids 12-33

Protein kinase C phosphorylation site:
amino acids 353-355

43/615

FIGURE 43

GCGAGTGTCCAGCTGCGGAGACCCGTGATAATTCGTTAACTAATTCAACAAACGGGACCCTTC
TGTGTGCCAGAAACCGCAAGCAGTTGCTAACCCAGTGGGACAGGCGGATTGGAAGAGCGGGAA
GGTCCTGGCCCAGAGCAGTGTGACACTTCCCTCTGTGACCATGAACTCTGGGTGTCTGCATT
GCTGATGGCCTGGTTTGGTGTCTGAGCTGTGTGCAGGCCGAATTCTTCACCTCTATTGGGCA
CATGACTGACCTGATTTATGCAGAGAAAGAGCTGGTGCAGTCTCTGAAAGAGTACATCCTTGT
GGAGGAAGCCAAGCTTTCCAAGATTAAGAGCTGGGCCAACAAAATGGAAGCCTTGACTAGCAA
GTCAGCTGCTGATGCTGAGGGCTACCTGGCTCACCTGTGAATGCCTACAACTGGTGAAGCG
GCTAAACACAGACTGGCCTGCGCTGGAGGACCTTGTCTGTCAGGACTCAGCTGCAGGTTTTAT
CGCCAACCTCTCTGTGCAGCGGCAGTTCTTCCCCACTGATGAGGACGAGATAGGAGCTGCCAA
AGCCCTGATGAGACTTCAGGACACATACAGGCTGGACCCAGGCACAATTTCCAGAGGGGAAC
TCCAGGAACCAAGTACCAGGCAATGCTGAGTGTGGATGACTGCTTTGGGATGGGCCGCTCGGC
CTACAATGAAGGGGACTATTATCATACGGTGTGTGGATGGAGCAGGTGCTAAAGCAGCTTGA
TGCCGGGGAGGAGGCCACCACAACCAAGTCACAGGTGCTGGACTACCTCAGCTATGCTGTCTT
CCAGTTGGGTGATCTGCACCGTGCCCTGGAGCTACCCGCCGCTGCTCTCCCTTGACCCAAG
CCACGAACGAGCTGGAGGGAATCTGCGGTACTTTGAGCAGTTATTGGAGGAAGAGAGAGAAAA
AACGTTAACAAATCAGACAGAAGCTGAGCTAGCAACCCCAGAAGGCATCTATGAGAGGCCTGT
GGACTACCTGCCTGAGAGGGATGTTTACGAGAGCCTCTGTCTGTTGGGGAGGGTGTCAAACCTGAC
ACCCCGTAGACAGAAGAGGCTTTTCTGTAGGTACCACCATGGCAACAGGGCCCCACAGCTGCT
CATTGCCCCCTTCAAAGAGGAGGACGAGTGGGACAGCCCGCACATCGTCAGGTACTACGATGT
CATGTCTGATGAGGAAATCGAGAGGATCAAGGAGATCGCAAAACCTAAACTTGCACGAGCCAC
CGTTCGTGATCCCAAGACAGGAGTCCTCACTGTGCGCAGCTACCGGGTTTCCAAAAGCTCCTG
GCTAGAGGAAGATGATGACCCTGTTGTGGCCCGAGTAAATCGTCGGATGCAGCATATCACAGG
GTTAACAGTAAAGACTGCAGAATTGTTACAGGTTGCAAATTATGGAGTGGGAGGACAGTATGA
ACCGCACTTCGACTTCTCTAGGCGACCTTTTGACAGCGGCCTCAAACAGAGGGGAATAGGTT
AGCGACGTTTCTTAACTACATGAGTGTAGTAGAAGCTGGTGGTGGCACCCTCTTCCCTGATCT
GGGGGCTGCAATTTGGCCTAAGAAGGGTACAGCTGTGTTCTGGTACAACCTCTTGCGGAGCGG
GGAAGGTGACTACCGAACAAGACATGCTGCCTGCCCTGTGCTTGTGGGCTGCAAGTGGGTCTC
CAATAAGTGGTTCCATGAACGAGGACAGGAGTTCTTGAGACCTTGTGGATCAACAGAAGTTGA
CTGACATCCTTTTCTGTCTTCCCCTTCCCTGGTCTTCAGCCCATGTCAACGTGACAGACACC
TTTGTATGTTCTTTGTATGTTCTTATCAGGCTGATTTTTGGAGAAATGAATGTTTGTCTGGA
GCAGAGGGAGACCATACTAGGGCGACTCCTGTGTGACTGAAGTCCCAGCCCTTCCATTCAGCC
TGTGCCATCCCTGGCCCCAAGGCTAGGATCAAAGTGGCTGCAGCAGAGTTAGCTGTCTAGCGC
CTAGCAAGGTGCCTTTGTACCTCAGGTGTTTTAGGTGTGAGATGTTTCAGTGAACCAAAGTTC
TGATACCTTGTTTACATGTTTGTGTTTTATGGCATTCTATCTATTGTGGCTTTACCAAAAAT
AAAATGTCCCTACCAGAAAAA

44/615

FIGURE 44

MKLWVSALLMAWFGVLSCVQAEFFTSIGHMTDLIYA EKELVQSLKEYILVEEAKLSKIKSWAN
KMEALTSKSAADAEGYLAHPVNAYKLVKRLNTDWPAL EDLVLQDSAAGFIANLSVQRQFFPTD
EDEIGA AKALMRLQD TYRLDPGTISR GELPGTKYQAMLSVDDCFGMGRSAYNEG DYHTVLWM
EQVLKQLDAGEEATTTKSQVLDYLSYAVFQLGDLHRALELTRRLSLDPSHERAGGNLRYFEQ
LLEEEEREKTLTNQTEAELATPEGIYERPVDYLP ERDVYESLCRGEGVKLT PRRQKRLFCRYHH
GNRAPQLLIAPFKEEDEWDSPHIVRYD VMSDEEIERIKEIAKPKLARATVRDPKTGVLTVAS
YRVSKSSWLEEDDDPVVARVNRRMQHITGLTVKTAELLQVANYGVGGQYEPHFDFSRRPFD SG
LKTEGNRLATFLNYMSDVEAGGATVFPDLGAAIWPKKGTAVFWYNLLRS GEGDYRTRHAACP V
LVGCKWVS NKWFHERGQEF LRPCGST EVD

Signal sequence:

amino acids 1-17

N-glycosylation site.

amino acids 115-119, 264-268

Glycosaminoglycan attachment site.

amino acids 490-494

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 477-481

Casein kinase II phosphorylation site.amino acids 43-47, 72-76, 125-129, 151-155, 165-169, 266-270,
346-350, 365-369, 385-389, 457-461, 530-534**Tyrosine kinase phosphorylation site.**

amino acids 71-80, 489-496

N-myristoylation site.

amino acids 14-20, 131-137, 171-177, 446-452

Prokaryotic membrane lipoprotein lipid attachment site.

amino acids 8-19

Leucine zipper pattern.

amino acids 213-235

45/615

FIGURE 45

GGGGCCTTGCCTTCCGCACTCGGGCGCAGCCGGGTGGATCTCGAGCAGGTGCGGAGCCCCGGG
CGGCGGGGCGCGGGTGCGAGGGATCCCTGACGCCTCTGTCCCTGTTTCTTTGTGCTCCCCAGCC
TGTCTGTGCTCGTTTTGGCGCCCCCGCCTCCCCGCGGTGCGGGGTGACACCCGATCCTGGGC
TTCGCTCGATTTGCCGCCGAGGCGCCTCCAGACCTAGAGGGGCGCTGGCCTGGAGCAGCGGG
TCGTCTGTGCTCCTCTCTCCTCTGCGCCGCGCCCGGGGATCCGAAGGGTGCGGGGCTCTGAGGA
GGTGACGCGCGGGGCTCCCGCACCTTGGCCTTGCCCGCATTCTCCCTCTCTCCAGGTGTGA
GCAGCCTATCAGTCACCATGTCCGCAGCCTGGATCCCGGCTCTCGGCCTCGGTGTGTGTCTGC
TGCTGCTGCCGGGGCCCCGCGGCAGCGAGGGAGCCGCTCCCATTTGCTATCACATGTTTTACCA
GAGGCTTGGACATCAGGAAAGAGAAAGCAGATGTCTCTGCCAGGGGGCTGCCCTCTTGAGG
AATTCTCTGTGTATGGGAACATAGTATATGCTTCTGTATCGAGCATATGTGGGGCTGCTGTCC
ACAGGGGAGTAATCAGCAACTCAGGGGGACCTGTACGAGTCTATAGCCTACCTGGTCGAGAAA
ACTATTCCTCAGTAGATGCCAATGGCATCCAGTCTCAAATGCTTTCTAGATGGTCTGCTTCTT
TCACAGTAACTAAAGGCAAAAGTAGTACACAGGAGGCCACAGGACAAGCAGTGTCCACAGCAC
ATCCACCAACAGGTAAACGACTAAAGAAAACACCCGAGAAGAAAACCTGGCAATAAAGATTGTA
AAGCAGACATTGCATTTCTGATTGATGGAAGCTTTAATATTGGGCAGCGCCGATTTAATTTAC
AGAAGAATTTTGTTGGAAAAGTGGCTCTAATGTTGGGAATTGGAACAGAAGGACCACATGTGG
GCCTTGTTCAAGCCAGTGAACATCCCAAAATAGAATTTTACTTGAAAACTTTACATCAGCCA
AAGATGTTTTGTTTGCCATAAAGGAAGTAGGTTTTCAGAGGGGGTAATTCCAATACAGGAAAAG
CCTTGAAGCATACTGCTCAGAAATTCCTCACGGTAGATGCTGGAGTAAGAAAAGGGATCCCCA
AAGTGGTGGTGGTATTTATTGATGGTTGGCCTTCTGATGACATCGAGGAAGCAGGCATTGTGG
CCAGAGAGTTTGGTGTCAATGTATTTATAGTTTCTGTGGCCAAGCCTATCCCTGAAGAACTGG
GGATGGTTCAGGATGTCACATTTGTTGACAAGGCTGTCTGTGCGGAATAATGGCTTCTTCTCTT
ACCACATGCCCAACTGGTTTGGCACCACAAAATACGTAAAGCCTCTGGTACAGAAGCTGTGCA
CTCATGAACAAATGATGTGCAGCAAGACCTGTTATAACTCAGTGAACATTGCCCTTCTAATTG
ATGGCTCCAGCAGTGTGGAGATAGCAATTTCCGCCTCATGCTTGAATTTGTTTCCAACATAG
CCAAGACTTTTGAAATCTCGGACATTGGTGCCAAGATAGCTGCTGTACAGTTTACTTATGATC
AGCGCACGGAGTTCAGTTTCACTGACTATAGCACCAAGAGAATGTCTAGCTGTCATCAGAA
ACATCCGCTATATGAGTGGTGGAACAGCTACTGGTGATGCCATTTCTTCACTGTTAGAAATG
TGTTTGGCCCTATAAGGGAGAGCCCCAACAAGAACTTCCTAGTAATTGTCACAGATGGGCAGT
CCTATGATGATGTCCAAGGCCCTGCAGCTGCTGCACATGATGCAGGAATCACTATCTTCTCTG
TTGGTGTGGCTTGGGCACCTCTGGATGACCTGAAAGATATGGCTTCTAAACCGAAGGAGTCTC
ACGCTTTCTTCACAAGAGAGTTTACAGGATTAGAACCAATTGTTTCTGATGTCATCAGAGGCA
TTTGTAGAGATTTCTTAGAATCCCAGCAATTAATGGTAACATTTTGACAACCTGAAAGAAAAAGT
ACAAGGGGATCCAGTGTGTAAATTGTATTCTCATAATACTGAAATGCTTTAGCATACTAGAAT
CAGATACAAAACCTATTAAGTATGTCAACAGCCATTTAGGCAAATAAGCACTCCTTTAAAGCCG
CTGCCCTTCTGGTTACAATTTACAGTGTACTTTGTTAAAAACACTGCTGAGGCTTCATAATCAT
GGCTCTTAGAACTCAGGAAAGAGGAGATAATGTGGATTAAACCTTAAGAGTTCTAACCATG
CCTACTAAATGTACAGATATGCAAATTCATAGCTCAATAAAAGAATCTGATACTTAGACCAA
AAAAA

46/615

FIGURE 46

MSAAWIPALGLGVCLLLLPGPAGSEGAAPIAITCFTRGLDIRKEKADVLCPPGGCPLEEFVSVYG
NIVYASVSSICGAAVHRGVISNSGGPVRVYSLPGRENYSSVDANGIQSQMLSRWSASFTVTKG
KSSTQEATGQAVSTAHPTGKRLKKTPEKKTGNKDCKADIAFLIDGSFNIGQRRFNLQKNFVG
KVALMLGIGTEGPHVGLVQASEHPKIEFYLNFTSAKDVLFAIKEVGFRGNSNTGKALKHTA
QKFFTVDAGVRKGIPKVVVVFIDGWPSDDIEEAGIVAREFGVNVFIVSVAKPIPEELGMVQDV
TFVDKAVCRNNGFFSYHMPNWFGTTKYVKPLVQKLCTHEQMMCSKTCYNSVNIAFLIDGSSSV
GDSNFRMLLEFVSNIAKTFEISDIGAKIAAVQFTYDQRTFESFTDYSTKENVLAVIRNIRYMS
GGTATGDAISFTVRNVFGPIRESPNKNFLVIVTDGQSYDDVQGPAAAAHDAGITIFSVGVAWA
PLDDLKDMASKPKESHAFFTREFTGLEPIVSDVIRGICRDFLESQQ

Signal sequence:

amino acids 1-24

N-glycosylation site.

amino acids 100-104, 221-225

Casein kinase II phosphorylation site.amino acids 102-106, 129-133, 224-228, 316-320, 377-381, 420-424,
425-429, 478-482, 528-532**N-myristoylation site.**amino acids 10-16, 23-29, 81-87, 135-141, 158-164, 205-211,
239-245, 240-246, 261-267, 403-409, 442-448, 443-449**Amidation site.**

amino acids 145-149

47/615

FIGURE 47

GCCCCGCGCCCGGCGCCGGGCGCCCCGAAGCCGGGAGCCACCGCCATGGGGGCGCTGCCTGGGAG
CCTGCTCCCTGCTCAGCTGCGCGTCCTGCCTCTGCGGCTCTGCCCCCTGCATCCTGTGCAGCT
GCTGCCCCGCCAGCCGCAACTCCACCGTGAGCCGCTCATCTTCACGTTCTTCCTCTTCCTGG
GGGTGCTGGTGTCCATCATTATGCTGAGCCCGGGCGTGGAGAGTCAGCTCTACAAGCTGCCCT
GGGTGTGTGAGGAGGGGGCGGGATCCCCACCGTCTGTCAGGGCCACATCGACTGTGGCTCCC
TGCTTGGCTACCGCGCTGTCTACCGCATGTGCTTCGCCACGGCGGCCTTCTTCTTCTTCTTTT
TCACCCTGCTCATGCTCTGCGTGAGCAGCAGCCGGGACCCCCGGGCTGCCATCCAGAATGGGT
TTTGGTTCTTTAAGTTCTGATCCTGGTGGGCCTCACCGTGGGTGCCTTCTACATCCCTGACG
GCTCCTTCACCAACATCTGGTTCTACTTCGGCGTCGTGGGCTCCTTCTTCTTCATCCTCATCC
AGCTGGTGCTGCTCATCGACTTTGCGCACTCCTGGAACCAGCGGTGGCTGGGCAAGGCCGAGG
AGTGCGATTCCCGTGCTGGTACGCAGGCCTCTTCTTCTTCACTCTCCTCTTCTACTTGCTGT
CGATCGCGGCCGTGGCGCTGATGTTTCATGTACTACACTGAGCCAGCGGTGCCACGAGGGCA
AGGTCTTCATCAGCCTCAACCTCACCTTCTGTGTCTGCGTGTCCATCGCTGCTGTCTGCCCCA
AGGTCCAGGACGCCCAGCCCAACTCGGGTCTGCTGCAGGCCTCGGTTCATCACCTCTACACCA
TGTTTGTACCTGGTCAGCCCTATCCAGTATCCCTGAACAGAAATGCAACCCCCATTTGCCAA
CCCAGCTGGGCAACGAGACAGTTGTGGCAGGCCCCGAGGGCTATGAGACCCAGTGGTGGGATG
CCCCGAGCATTGTGGGCCTCATCATCTTCCTCCTGTGCACCCTCTTCATCAGTCTGCGCTCCT
CAGACCACCGGCAGGTGAACAGCCTGATGCAGACCGAGGAGTGCCACCTATGCTAGACGCCA
CACAGCAGCAGCAGCAGCAGGTGGCAGCCTGTGAGGGCCGGGCCTTTGACAACGAGCAGGACG
GCGTCACCTACAGCTACTCCTTCTTCCACTTCTGCCTGGTGCTGGCCTCACTGCACGTCTATGA
TGACGCTCACCAACTGGTACAAGCCCGGTGAGACCCGGAAGATGATCAGCACGTGGACCGCCG
TGTGGGTGAAGATCTGTGCCAGCTGGGCAGGGCTGCTCCTCTACCTGTGGACCCTGGTAGCCC
CACTCCTCCTGCGCAACCGCGACTTCAGCTGAGGGAGCCTCACAGCCTGCCATCTGGTGCCTC
CTGCCACCTGGTGCCTCTCGGCTCGGTGACAGCCAACCTGCCCCCTCCCCACACCAATCAGCC
AGGCTGAGCCCCACCCCTGCCCCAGCTCCAGGACCTGCCCCCTGAGCCGGGCCTTCTAGTCGT
AGTGCCCTTCAGGGTCCGAGGAGCATCAGGCTCCTGCAGAGCCCCATCCCCCGCCACACCCAC
ACGGTGAGCTGCCTCTTCCTTCCCCCTCCTCCCTGTTGCCATACTCAGCATCTCGGATGAAA
GGGCTCCCTTGTCTCAGGCTCCACGGGAGCGGGGCTGCTGGAGAGAGCGGGGAACTCCCACC
ACAGTGGGGCATCCGGCACTGAAGCCCTGGTGTTCCTGGTCACGTCCCCCAGGGGACCCTGCC
CCCTTCTGACTTCGTGCCTTACTGAGTCTCTAAGACTTTTTCTAATAAACAAGCCAGTGCG
TGTAATAAAAAA

48/615

FIGURE 48

MGACLGACSLSCASCLCGSAPCILCSCCPASRNSTVSRLIFTFFLFLGVLVSIIMLSPGVES
QLYKLPWVCEEAGIPTVLQGHIDCGSLLGYRAVYRMCFATAAFFFFFFFFTLLMLCVSSSRDPR
AAIQNGFWFFKFLILVGLTVGAFYIPDGSFTNIWFYFGVVGSFLFILIQLVLLIDFAHSWNQR
WLGKAEECDSRAWYAGLFFFTLLFYLLSIAAVALMFMYYTEPSGCHEGKVFISLNLTFVCVCS
IAAVLPKVQDAQPNSGLLQASVITLYTMFVTWSALSSIPEQKCNPHLPTQLGNETVVAGPEGY
ETQWWDAPSIVGLIIFLLCTLFISLRSSDHRQVNSLMQTEECPPMLDATQQQQQQVAACEGRA
FDNEQDGVITYSYSFFHFCLVLASLHVMMTLTNWYKPGETRKMISTWTAVWVKICASWAGLLLY
LWTLVAPLLLRNRDFS

Signal sequence:

amino acids 1-20

Transmembrane domains:amino acids 40-58, 101-116, 134-150, 162-178, 206-223, 240-257,
272-283, 324-340, 391-406, 428-444

FIGURE 49

[illegible]

50/615

FIGURE 50

MAGIPGLLFLLFFLLCAVGQVSPYSAPWKPTWPAYRLPVVLPQSTLNLAKPDFGAEAKLEVSS
SCGPQCHKGTPLPTYEEAKQYLSYETLYANGSRTETQVGIYILSSSGDGAQHRDSGSSGKSRR
KRQIYGYDSRFSIFGKDFLLNYPFSTSVKLTSGCTGTLVAEKHVLTAAHCIHDGKTYVKGTQK
LRVGFLKPKFKDGGRGANDSTSAMPEQMKFQWIRVKRTHVPKGWIKGNANDIGMDYDYALLEL
KKPHKRRKFMKIGVSPPAKQLPGGRIHFSGYDNDRPGNLVYRFCDVKDETYDLLYQQCDAQPGA
SGSGVYVRMWKRQQQKWERKIIGIFSGHQWVDMNGSPQDFNVAVRITPLKYAQICYWIKGNYL
DCREG

Signal sequence:

amino acids 1-19

N-glycosylation site.

amino acids 93-97, 207-211

Glycosaminoglycan attachment site.

amino acids 109-113, 316-320

Casein kinase II phosphorylation site.

amino acids 77-81, 95-99, 108-112, 280-284, 351-355

N-myristoylation site.

amino acids 159-165, 162-168, 202-208, 205-211, 314-320, 338-344

Serine proteases, trypsin family, histidine active site.

amino acids 171-177

51/615

FIGURE 51

GGGAGGGGGCTCCGGGCGCCGCGCAGCAGACCTGCTCCGGCCGCGCGCCTCGCCGCTGTCTCCGGGAGCGGCAG
CAGTAGCCCGGGCGGCGAGGGCTGGGGGTTCCCTCGAGACTCTCAGAGGGGCGCCTCCCATCGGCGCCACCACCC
CAACCTGTTCCCTCGCGCGCCACTGCGCTGCGCCCCAGGACCCGCTGCCCAACATGGATTTCCTCGGCGCTGGT
GCTGGTATCCTCGCTCTACCTGCAGGCGGCGCCGAGTTCGACGGGAGGTGGCCAGGCAAATAGTGTATCGAT
TGGCCTATGTCTGTTATGGTGGGAGGATTGACTGCTGCTGGGGCTGGGCTCGCCAGTCTTGGGGACAGTGTACGCC
TGTGTGCCAACACGATGCAAACATGGTGAATGTATCGGGCCAAACAAGTGCAAGTGTATCCTGGTTATGCTGG
AAAAACCTGTAATCAAGATCTAAATGAGTGTGGCCTGAAGCCCCGGCCCTGTAAGCACAGGTGCATGAACACTTA
CGGCAGCTACAAGTGCTACTGTCTCAACGGATATATGCTCATGCCGGATGGTTCCTGCTCAAGTGCCCTGACCTG
CTCCATGGCAAACCTGTGAGTATGGCTGTGATGTTGTTAAAGGACAAATACGGTGCCAGTGCCCATCCCCTGGCCT
GCACCTGGCTCCTGATGGGAGGACCTGTGTAGATGTTGATGAATGTGCTACAGGAAGAGCCTCCTGCCCTAGATT
TAGGCAATGTGTCAACACTTTTGGGAGCTACATCTGCAAGTGTCTATAAGGCTTCGATCTCATGTATATTGGAGG
CAAATATCAATGTCTAGACATAGACGAATGCTCATCTGGTCAGTATCAGTGCAGCAGCTTGGCTCGATGTTATAA
CGTACGTGGGTCTTACAAGTGCAAATGTAAAGAAGGATACCAGGGTGATGGACTGACTTGTGTGTATATCCCAA
AGTTATGATTGAACCTTCAGGTCCAATTCATGTACCAAAGGAAATGGTACCATTTTAAAGGGTGACACAGGAAA
TAATAATTGGATTCTGATGTTGGAAGTACTTGGTGGCTCCGAAAGACACCATATATTCTCTCTATCATTACCAA
CAGGCTACTTCTAAGCCAACAACAAGACCTACACCAAAGCCAACACCAATTCTACTCCACCACCACCACCACC
CCTGCCAACAGAGCTCAGAACACCTCTACCACCTACAACCCCAAGAAAGGCCAACCCAGGACTGACAACTATAGC
ACCAGCTGCCAGTACACCTCCAGGAGGGATTACAGTTGACAACAGGGTACAGACAGACCCCTCAGAAACCCAGAGG
AGATGTGTTTCAGTGTCTGGTACACAGTTGTAATTTTGACCATGGACTTTGTGGATGGATCAGGGAGAAAGACAA
TGACTTGCAGTGGGAACCAATCAGGGACCCAGCAGGTGGACAATATCTGACAGTGTGGCGAGCCAAAGCCCCAGG
GGGAAAAGCTGCACGCTTGGTGCTACCTCTCGGCCGCTCATGCATTACAGGGACCTGTGCCTGTCTCATTACGGCA
CAAGGTGACGGGGCTGCACTCTGGCACACTCCAGGTGTTTGTGAGAAAACACGGTGCCACGGAGCAGCCCTGTG
GGGAAGAAATGGTGGCCATGGCTGGAGGCAAACACAGATCACCTTGCGAGGGGCTGACATCAAGAGCGAATCACA
AAGATGATTAAAGGGTTGGAAAAAAGATCTATGATGGAAAATTAAGGAAGTGGGATTATTGAGCCTGGAGAAG
AGAAGACTGAGGGGCAAACCATTTGATGGTTTTCAAGTATATGAAGGGTTGGCACAGAGAGGGTGGCGACCAGCTG
TTCTCCATATGCACTAAGAATAGAACAAAGAGGAACTGGCTTAGACTAGAGTATAAGGGAGCATTTCCTGGCAGG
GGCCATTGTTAGAATACTTCATAAAAAAAGAAGTGTGAAAATCTCAGTATCTCTCTCTCTTTCTAAAAAATTAGA
TAAAAATTTGTCTATTTAAGATGGTTAAAGATGTTCTTACCCAAGGAAAAGTAACAAATTTATAGAATTTCCCAA
AGATGTTTTGATCCTACTAGTAGTATGCAGTGAAAATCTTTAGAACTAAATAATTTGGACAAGGCTTAATTTAGG
CATTTCCCTCTTGACCTCCTAATGGAGAGGGATTGAAAGGGGAAGAGCCCAACCAATGCTGAGCTCACTGAAATA
TCTCTCCCTTATGGCAATCCTAGCAGTATTAAAGAAAAAAGGAACTATTTATTCCAAATGAGAGTATGATGGAC
AGATATTTTAGTATCTCAGTAATGTCTAGTGTGGCGGTGGTTTTCAATGTTTCTTCATGGTAAAGGTATAAGCC
TTTCATTTGTTCAATGGATGATGTTTCAGATTTTTTTTTTTTTTAAAGAGATCCTTCAAGGAACACAGTTTCAGAGAG
ATTTTCATCGGGTGCATTCTCTCTGCTTCGTGTGTGACAAGTTATCTTGGCTGCTGAGAAAGAGTGCCCTGCCCC
ACACCGGCAGACCTTTCCCTTCACCTCATCAGTATGATTCAGTTTCTCTTATCAATTGGACTCTCCAGGTTCCAC
AGAACAGTAATATTTTTTGAACAATAGGTACAATAGAAGGTCTTCTGTCAATTTAACCTGGTAAAGGCAGGGCTGG
AGGGGGAAAATAAATCATTAAGCCTTTGAGTAACGGCAGAATATATGGCTGTAGATCCATTTTAAATGGTTTCATT
TCCTTTATGGTCAATAAAGTGCACAGCTGAAGATGAAAGGGGAAAATAAATGAAAATTTTACTTTTCGATGCCAA
TGATACATTGCACTAAAGTATGGAAGAAGTTATCCAAAGTACTGTATAACATCTGTTTATTATTTAATGTTTT
CTAAATAAAAAATGTTAGTGGTTTTCCAAATGGCCTAATAAAAAACAATTATTTGTAAATAAAACACTGTAGTAAT

52/615

FIGURE 52

MDPELLALVLVSSSLYLQAAAEFDGRWPRQIVSSIGLCRYGGRIDCCWGWARQSWGQCQPVCQPR
CKHGECIGPNKCKCHPGYAGKTCNQDLNECGLKPRPCKHRCMNTYGSYKCYCLNGYMLMPDGS
CSSALTCSMANCQYGCDVVKGQIRCQCPSPGLHLAPDGRTCVDDVDECATGRASCPFRQCNT
FGSYICKCHKGFDLMYIGGKYQCHDIDECSLGQYQCSSFARCYNVRGSYKCKCKEGYQGDGLT
CVYIPKVMIEPSGPIHVPKNGTILKGDGTGNNNWIPDVGSTWWPPKTPYIPPIITNRPTSKPT
TRPTPKPTPIPTPPPPPLPTELRTPLPPTTPERPTTGLTTIAPAASTPPGGITVDNRVQTD
QKPRGDVFSVLVHSCNFDHGLCGWIREKDNDLHWEPIRDPAGGQYLTVSAAKAPGGKAARLVL
PLGRLMHSGDLCLSFHRHKVTGLHSGTLQVFVRKHGAHGAALWGRNGGHGWRQTQITLRGADIK
SESQR

Signal sequence:
amino acids 1-17

N-glycosylation site.
amino acids 273-277

Casein kinase II phosphorylation site.
amino acids 166-170, 345-349

Tyrosine kinase phosphorylation site.
amino acids 199-206

N-myristoylation site.
amino acids 109-115, 125-131, 147-153, 191-197, 221-227, 236-242,
421-427, 433-439, 462-468, 476-482

Aspartic acid and asparagine hydroxylation site.
amino acids 104-116, 186-198, 231-243

Cell attachment sequence.
amino acids 382-385

EGF-like domain cysteine pattern signature.
amino acids 75-87

53/615

FIGURE 53

CGGGCCGCCCCCGGCCCCCATTCGGGGCCGGGCCTCGCTGCGGCGGGCGACTGAGCCAGGCTGGG
CCGCGTCCCTGAGTCCCAGAGTCGGCGCGGGCGCGGCAGGGGCAGCCTTCCACCACGGGGAGCC
CAGCTGTCAGCCGCCTCACAGGAAGATGCTGCGTCGGCGGGGCAGCCCTGGCATGGGTGTGCA
TGTGGGTGCAGCCCTGGGAGCACTGTGGTTCTGCCTCACAGGAGCCCTGGAGGTCCAGGTCCC
TGAAGACCCAGTGGTGGCACTGGTGGGCACCGATGCCACCCTGTGCTGCTCCTTCTCCCCTGA
GCCTGGCTTCAGCCTGGCACAGCTCAACCTCATCTGGCAGCTGACAGATAACAAACAGCTGGT
GCACAGCTTTGCTGAGGGCCAGGACCAGGGCAGCGCCTATGCCAACCGCACGGCCCTCTTCCC
GGACCTGCTGGCACAGGGCAACGCATCCCTGAGGCTGCAGCGCGTGCCTGTGGCGGACGAGGG
CAGCTTCACCTGCTTCGTGAGCATCCGGGATTTTCGGCAGCGCTGCCGTGAGCCTGCAGGTGGC
CGCTCCCTACTCGAAGCCCAGCATGACCCTGGAGCCCAACAAGGACCTGCGGCCAGGGGACAC
GGTGACCATCACGTGCTCCAGCTACCAGGGCTACCCTGAGGCTGAGGTGTTCTGGCAGGATGG
GCAGGGTGTGCCCCCTGACTGGCAACGTGACCACGTGCGCAGATGGCCAACGAGCAGGGCTTGTT
TGATGTGCACAGCGTCCTGCGGGTGGTGTGCTGGGTGCGAATGGCACCTACAGCTGCCTGGTGGC
CAACCCCGTGTGTCAGCAGGATGCGCACRGCTCTGTCAACATCACAGGGCAGCCTATGACATT
CCCCCAGAGGCCCTGTGGGTGACCGTGGGGCTGTCTGTCTGTCTCATTGCACTGCTGGTGGC
CCTGGCTTTTCGTGTGCTGGAGAAAGATCAAACAGAGCTGTGAGGAGGAGAATGCAGGAGCTGA
GGACCAGGATGGGGAGGGAGAAGGCTCCAAGACAGCCCTGCAGCCTCTGAAACACTCTGACAG
CAAAGAAGATGATGGACAAGAAATAGCCTGCAACCATGAGGACCAGGGAGCTGCTACCCCTCCCT
ACAGCTCCTACCCTCTGGCTGCAATGGGGCTGCACTGTGAGCCCTGCCCCCAACAGATGCATC
CTGCTCTGACAGGTGGGCTCCTTCTCCAAAGGATGCGATACACAGACCACTGTGCAGCCTTAT
TTCTCCAATGGACATGATTCCCAAGTCATCCTGCTGCCTTTTTTCTTATAGACACAATGAACA
GACCACCCACAACCTTAGTTCTCTAAGTCATCCTGCCTGCTGCCTTATTTACAGTACATACA
TTTCTTAGGGACACAGTACACTGACCACATCACCACCCTCTTCTTCCAGTGCTGCGTGGACCA
TCTGGCTGCCTTTTTTCTCCAAAAGATGCAATATTGAGACTGACTGACCCCTGCCTTATTT
ACCAAAGACACGATGCATAGTCACCCCGGCCTTGTTTCTCCAATGGCCGTGATACACTAGTGA
TCATGTTTACGCCCTGCTTCCACCTGCATAGAATCTTTTCTTCTCAGACAGGGACAGTGCGGCC
TCAACATCTCCTGGAGTCTAGAAGCTGTTTCCTTTCCCCTCCTTCCCTGCCCCAAGTGAA
GACAGGGCAGGGCCAGGAATGCTTTGGGGACACCGAGGGGACTGCCCCCACCACCATGG
TGCTATTCTGGGGCTGGGGCAGTCTTTTCCTGGCTTGCTCTGGCCAGCTCCTGGCCTCTGGT
AGAGTGAGACTTCAGACGTTCTGATGCCTTCCGGATGTCATCTCTCCCTGCCCCAGGAATGGA
AGATGTGAGGACTTCTAATTTAAATGTGGGACTCGGAGGGATTTTGTAACACTGGGGGTATATT
TTGGGGAAAATAAATGTCTTTGTAAAAA

54/615

FIGURE 54

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA41386
><subunit 1 of 1, 316 aa, 1 stop, 1 unknown
><MW: -1, pI: 4.62, NX(S/T): 4
MLRRRGSPGMGVHVGAAALGALWFCLTGALEVQVPEDPVVALVGTDATLCCSFSPPEPGFSLAQL
NLIWQLTDTKQLVHSFAEGQDQGSAYANRTALFPDLLAQGNASRLRQVRVADEGSFTCFVSI
RDFGSAAVSLQVAAPYSKPSMTLEPNKDLRPGDTVTITCSSYQGYPEAEVFWQDGQGVPLTGN
VTTSQMANEQGLFDVHSVLRVVLGANGTYSCLVRNPVLQQDAHXSVTITGQPMTFPPEALWVT
VGLSVCLIALLLVALAFVCWRKIKQSCEEENAGAEDQDGEGESESKTALQPLKHSDDSKEDDGQEIA

Important features:**Signal peptide:**

amino acids 1-28

Transmembrane domain:

amino acids 251-270

N-glycosylation site.

amino acids 91-94, 104-107, 189-192 and 215-218

Homologous region to Immunoglobulins and MHC

amino acids 217-234

55/615

FIGURE 55

GAGTCTTGACCGCCGCGGGCTCTTGGTACCTCAGCGCGAGCGCCAGGCGTCCGGCCGCGCGTG
GCTATGTTTCGTGTCCGATTTCCGCAAAGAGTTCTACGAGGTGGTCCAGAGCCAGAGGGTCCTT
CTCTTCGTGGCCTCGGACGTGGATGCTCTGTGTGCGTGCAAGATCCTTCAGGCCTTGTTCCAG
TGTGACCACGTGCAATATACGCTGGTTCCAGTTTCTGGGTGGCAAGAACTTGAAACTGCATTT
CTTGAGCATAAAGAACAGTTTCATTATTTTATTCTCATAACTGTGGAGCTAATGTAGACCTA
TTGGATATTCTTCAACCTGATGAAGACACTATATTCTTTGTGTGTGACTCCCATAGGCCAGTC
AATGTCGTCAATGTATACAACGATACCCAGATCAAATTACTCATTAAACAAGATGATGACCTT
GAAGTTCCCGCCTATGAAGACATCTTCAGGGATGAAGAGGAGGATGAAGAGCATTGAGGAAAT
GACAGTGATGGGTGAGAGCCTTCTGAGAAGCGCACACGGTTAGAAGAGGAGATAGTTGGAGCAA
ACCATGCGGAGGAGGCGAGCGGCGAGAGTGGGAGGCCCGGAGAAGAGACATCCTCTTTGACTAC
GAGCAGTATGAATATCATGGGACATCGTCAGCCATGGTGATGTTTGAGCTGGCTTGATGCTG
TCCAAGGACCTGAATGACATGCTGTGGTGGGCCATCGTTGGACTAACAGACCAGTGGGTGCAA
GACAAGATCACTCAAATGAAATACGTGACTGATGTTGGTGTCTGTCAGCGCCACGTTTCCCGC
CACAACCACCGGAACGAGGATGAGGAGAACACACTCTCCGTGGACTGCACACGGATCTCCTTT
GAGTATGACCTCCGCCTGGTGCTCTACCAGCACTGGTCCCTCCATGACAGCCTGTGCAACACC
AGCTATACCGCAGCCAGGTTCAAGCTGTGGTCTGTGCATGGACAGAAGCGGCTCCAGGAGTTC
CTTGCAGACATGGGTCTTCCCCTGAAGCAGGTGAAGCAGAAGTTCAGGCCATGGACATCTCC
TTGAAGGAGAATTTGCGGGAAATGATTGAAGAGTCTGCAAATAAATTTGGGATGAAGGACATG
CGCGTGCAGACTTTTACGATTCATTTTGGGTTCAGCACAAAGTTTCTGGCCAGCGACGTGGTC
TTTGCCACCATGTCTTTGATGGAGAGCCCCGAGAAGGATGGCTCAGGGACAGATCACTTCATC
CAGGCTCTGGACAGCCTCTCCAGGAGTAACCTGGACAAGCTGTACCATGGCCTGGAACCTCGCC
AAGAAGCAGCTGCGAGCCACCCAGCAGACCATTGCCAGCTGCCTTTGCACCAACCTCGTCATC
TCCAGGGGCTTTTCTGTACTGCTCTCTCATGGAGGGCACTCCAGATGTCATGCTGTTCTCT
AGGCCGGCATCCCTAAGCCTGCTCAGCAAACACCTGCTCAAGTCCTTTGTGTGTTTCGACAAAG
AACCGGCGCTGCAAACCTGCTGCCCCCTGGTGATGGCTGCCCCCCTGAGCATGGAGCATGGCACA
GTGACCGTGGTGGGCATCCCCCAGAGACCGACAGCTCGGACAGGAAGAACTTTTTTGGGAGG
GCGTTTGAGAAGGCAGCGGAAAGCACCAGCTCCCGGATGCTGCACAACCATTTTGACCTCTCA
GTAATTGAGCTGAAAGCTGAGGATCGGAGCAAGTTTCTGGACGCACTTATTTCCCTCCTGTCC
TAGGAATTTGATTCTTCCAGAATGACCTTCTTATTTATGTAAGTGGCTTTTATTTAGATTGTA
AGTTATGGACATGATTTGAGATGTAGAAGCCATTTTTTATTAAATAAAATGCTTATTTTAGGAAA

56/615

FIGURE 56

MFVSDFRKEFYEVVQSQRVLLFVASDVDALCACKILOALFQCDHVQYTLVPVSGWQELET AFL
EHKEQFHYFILINCGANVDLLDILQPDEDITIFFVCDSHRPVNVVNVYNDTQIKLLIKQDDDL E
VPAYEDIFRDEEEDEEHSGNDS DGSEPSEKTRLEEEIVEQTMRRRQRREWEARRRDILFDYE
QYEHGTSSAMVMFELAWMLSKDLNDMLWWAIVGLTDQWVQDKITQMKYVTDVGV LQRHVSRH
NHRNEDEENTLSVDCTRISFEYDLRLVLYQHWSLHDSL CNTSYTAARFKLWSVHGQKRLQEFL
ADMGLPLKQVKQKFQAMDISLKENLREMIEESANKFGMKDMRVQTF SIHFGFKHKFLASDVVF
ATMSLMESPEKDGSGTDHFIQALDSLRSRNL DKLYHGLELAKKQLRATQQT IASCLCTNLVIS
QGPFLYCSLMEGTPDVMLFSRPASLSLLSKHLLKS FVCSTKNRRCKLLPLVMAAPLSMEHGT V
TVVGIPPETDSSDRKNFFGRAFEKAAESTSSRMLHNF DLSVIELKAEDRSKFLDALISLS

57/615

FIGURE 57

CGCCGCCGTTGGGGCTGGAAGTTCCCGCCAGGTCCGTGCCGGGCGAGAGAGATGCTGCCCGGC
CCGCTCGGCTTTGAGGCGAGAGAAAGTGTCCAGACCCATTTGCCTTGCTGACGGCGTCGAG
CCCTGGCCAGACATGTCCACAGGGTTCTCCTTCGGGTCCGGGACTCTGGGCTCCACCACCGTG
GCCGCCGGCGGGACCAGCACAGGCGGCGTTTTCTCCTTCGGAACGGGAACGTCTAGCAACCCT
TCTGTGGGGCTCAATTTTGGAATCTTGGAAGTACTTCAACTCCAGCAACTACATCTGCTCCT
TCAAGTGGTTTTTGGAACCGGGCTCTTTGGATCTAAACCTGCCACTGGGTTCACCTTAGGAGGA
ACAAATACAGGTGCCTTGACACCAAGAGGCCTCAAGTGGTCACCAAATATGGAACCCCTGCAA
GGAAAACAGATGCATGTGGGGAAGACACCCATCCAAGTCTTTTTAGGAGTCCCCTTCTCCAGA
CCTCCTCTAGGTATCCTCAGGTTTGACCTCCAGAACCCCCGGAGCCCTGGAAAGGAATCAGA
GATGCTACCACCTACCCGCTGGATGGAGTCTCGCTCTGTGCGCCAGGCTGGAGTGCAGTGGCA
CGATCTCGGCTCACTGCAACCTCCGCCTCCCGGGTTCAAGCGAGTCTCCTGCCTCAGCCTCTG
AGTGTCTGGGGCTACAGGTGCCTGCAGGAGTCTGGGGCCAGCTGGCCTCGATGTACGTACGC
ACGCGGGAACGGTACAAGTGGCTGCGCTTCAGCGAGGACTGTCTGTACCTGAACGTGTACGCG
CCGGCGCGCGCGCCCGGGGATCCCCAGCTGCCAGTGATGGTCTGGTTCCCGGGAGGCGCCTTC
ATCGTGGGCGCTGCTTCTTCGTACGAGGGCTCTGACTTGCCCGCCCGCGAGAAAGTGGTGCTG
GTGTTTCTGCAGCACAGGCTCGGCATCTTCGGCTTCCTGAGCACGGACGACAGCCACGCGCGC
GGGAACCTGGGGGCTGCTGGACCAGATGGCGGCTCTGCGCTGGGTGCAGGAGAACATCGCAGCC
TTCGGGGGAGACCCAGGAAATGTGACCCTGTTTCGGCCAGTCCGGCGGGGGCCATGAGCATCTCA
GGACTGATGATGTCACCCCTAGCCTCGGGTCTCTTCCATCGGGCCATTTCCCAGAGTGGCACC
GCGTTATTCAGACTTTTCATCACTAGTAACCCACTGAAAGTGGCCAAGAAGGTTGCCACCTG
GCTGGATGCAACCACAACAGCACACAGATCCTGGTAAACTGCCTGAGGGCACTATCAGGGACC
AAGGTGATGCGTGTGTCCAACAAGATGAGATTCCTCCAAGTGAACCTCCAGAGAGACCCGGAA
GAGATTATCTGGTCCATGAGCCCTGTGGTGGATGGTGTGGTATCCAGATGACCCTTTGGTG
CTCCTGACCCAGGGGAAGGTTTCATCTGTGCCCTACCTTCTAGGTGTCAACAACCTGGAATTC
AATTGGCTCTTGCTTTATAATATCACCAAGGAGCAGGTACCACTTGTGGTGGAGGAGTACCTG
GACAATGTCAATGAGCATGACTGGAAGATGCTACGAAACCGTATGATGGACATAGTTCAAGAT
GCCACTTTCGTGTATGCCACACTGCAGACTGCTCACTACCACCGAGAAACCCCAATGATGGGA
ATCTGCCCTGCTGGCCACGCTACAACAAGGATGAAAAGTACCTGCAGCTGGATTTTACCACAA
GAGTGGGCAATGAAGCTCAAGGAGAAGAAGATGGCTTTTTGGATGAGTCTGTACCAGTCTCAA
GACCTGAGAAGCAGAGGCAATTCTAAGGGTGGCTATGCAGGAAGGAGCCAAAGAGGGGTTTGC
CCCCACCATCCAGGCCCTGGGGAGACTAGCCATGGACATACCTGGGGACAAGAGTTCTACCCA
CCCCAGTTTAGAACTGCAGGAGCTCCCTGCTGCCTCCAGGCCAAAGCTAGAGCTTTTGCCTGT
TGTGTGGGACCTGCACTGCCCTTTCCAGCCTGACATCCCATGATGCCCTCTACTTCACTGTT
GACATCCAGTTAGGCCAGGCCCTGTCAACACCACACTGTGCTCAGCTCTCCAGCCTCAGGACA
ACCTCTTTTTTTCCCTTCTTCAAATCCTCCCACCCTTCAATGTCTCCTTGTGACTCCTTCTTA
TGGGAGGTCGACCCAGACTGCCACTGCCCTGTCACTGCACCCAGCTTGGCATTACCATCCA
TCCTGCTCAACCTTGTTCCTGTCTGTTACATTGGCCTGGAGGCCTAGGGCAGGTTGTGACAT
GGAGCAAACTTTTGGTAGTTTGGGATCTTCTCTCCCACCCACACTTATCTCCCCAGGGCCAC
TCCAAAGTCTATACACAGGGGTGGTCTTCAATAAAGAAGTGTGATTAGAAAAA

58/615

FIGURE 58

</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA44179

<subunit 1 of 1, 545 aa, 1 stop

<MW: 58934, pI: 9.45, NX(S/T): 4

MSTGFSFGSGTLGSTTVAAGGTSTGGVFSFGTGTSSNPSVGLNFGNLGSTSTPATTSSAPSSGF
GTGLFGSKPATGFTLGGTNTGALHTKRPQVVTKYGTLOGKQMHVGKTPIQVFLGVPPFSRPPLG
ILRFAPPEPPEPWKGIRDATTYPGWSLALSPGWSAVARSRLTATSASRVQASLLPQPLSVWG
YRCLQESWGQLASMYVSTRERYKWLRFSEDCLYLNYYAPARAPGDPQLPVMVWFPGGAFIVGA
ASSYEGSDLAAREKVVLVFLQHRLGIFGFLSTDDSHARGNWGLLDQMAALRWVQENIAAFGGD
PGNVTLFGQSAGAMSISGLMMSPLASGLFHRAISQSGTALFRLFITSNPLKVAKKVAHLAGCN
HNSTQILVNCRLALSGTKVMRVSNNKMRFLQLNFQRPDEEIIWSMSPVVDGVVIPPDDPLVLLTQ
GKVSSVPYLLGVNNLEFNWLLPYNITKEQVPLVVEEYLDNVNEHDWKMLRNRMMDIVQDATFV
YATLQTAHYHRETPMMGICPAGHATTRMKSTCSWILPQEWA

Important features:**Signal peptide:**

amino acids 1-29

Carboxylesterases type-B serine active site.

amino acids 312-327

Carboxylesterases type-B signature 2.

amino acids 218-228

N-glycosylation sites.

amino acids 318-321, 380-383 and 465-468

59/615

FIGURE 59

CGGACGCGTGGGCTGGGCGCTGCAAAGCGTGTCCCGCCGGGTCCCCGAGCGTCCCGCGCCCTC
GCCCCGCC**ATG**CTCCTGCTGCTGGGGCTGTGCCTGGGGCTGTCCCTGTGTGTGGGGTTCGCAGG
AAGAGGCGCAGAGCTGGGGCCACTCTTCGGAGCAGGATGGACTCAGGGTCCCGAGGCAAGTCA
GACTGTTGCAGAGGCTGAAAACCAACCTTTGATGACAGAATTCTCAGTGAAGTCTACCATCA
TTTCCCGTTATGCCTTCACTACGGTTTCCTGCAGAATGCTGAACAGAGCTTCTGAAGACCAGG
ACATTGAGTTCAGATGCAGATTCCAGCTGCAGCTTTCATCACCAACTTCACTATGCTTATTG
GAGACAAGGTGTATCAGGGCGAAATTACAGAGAGAGAGAAAAGAAGAGTGGTGATAGGGTAAAAG
AGAAAAGGAATAAAACCACAGAAGAAAATGGAGAGAAGGGGACTGAAATATTCAGAGCTTCTG
CAGTGATTCCCAAGCAAGGACAAAGCCGCTTTTTCTGAGTTATGAGGAGCTTCTGCAGAGGC
GCCTGGGCAAGTACGAGCACAGCATCAGCGTGCGGCCCCAGCAGCTGTCCGGGAGGCTGAGCG
TGGACGTGAATATCCTGGAGAGCGCGGGCATCGCATCCCTGGAGGTGCTGCCGCTTCACAACA
GCAGGCAGAGGGGCGAGTGGGCGCGGGGAAGATGATTCTGGGCCCTCCCCATCTACTGTCATTA
ACCAAAATGAAACATTTGCCAACATAATTTTAAACCTACTGTAGTACAACAAGCCAGGATTG
CCCAGAATGGAATTTTGGGAGACTTTATCATTAGATATGACGTCAATAGAGAACAGAGCATTG
GGGACATCCAGGTTCTAAATGGCTATTTTGTGCACTACTTTGCTCCTAAAGACCTTCTCCTT
TACCCAAGAATGTGGTATTTCGTGCTTGACAGCAGTGCTTCTATGGTGGGAACCAAACTCCGGC
AGACCAAGGATGCCCTCTTCACAATTCTCCATGACCTCCGACCCAGGACCGTTTCAGTATCA
TTGGATTTTCCAACCGGATCAAAGTATGGAAGGACCACTTGATATCAGTCACTCCAGACAGCA
TCAGGGATGGGAAAGTGATTCACCATATGTCACCCACTGGAGGCACAGACATCAACGGGG
CCCTGCAGAGGGCCATCAGGCTCCTCAACAAGTACGTGGCCACAGTGGCATTGGAGACCGGA
GCGTGTCCCTCATCGTCTTCTGACGGATGGGAAGCCCACGGTCGGGGAGACGCACACCCTCA
AGATCCTCAACAACACCCGAGAGGCCCGCCGAGGCCAAGTCTGCATCTTCACCATTTGGCATCG
GCAACGACGTGGACTTCAGGCTGCTGGAGAACTGTCTGCTGGAGAACTGTGGCCTCACACGGC
GCGTGCACGAGGAGGAGGACGCAGGCTCGCAGCTCATCGGGTTCTACGATGAAATCAGGACCC
CGCTCCTCTCTGACATCCGCATCGATTATCCCCCAGCTCAGTGGTGCAGGCCACCAAGACCC
TGTTCCCCAACTACTTCAACGGCTCGGAGATCATCATTGCGGGGAAGCTGGTGGACAGGAAGC
TGGATCACCTGCACGTGGAGGTCACCGCCAGCAACAGTAAGAAATTCATCATCCTGAAGACAG
ATGTGCCTGTGCGGCCTCAGAAGGCAGGGAAAGATGTCACAGGAAGCCCCAGGCCTGGAGGCG
ATGGAGAGGGGGACACCAACCACATCGAGCGTCTCTGGAGCTACCTCACCACAAAGGAGCTGC
TGAGCTCCTGGCTGCAAAGTGACGATGAACCGGAGAAGGAGCGGCTGCGGCAGCGGGCCAGG
CCCTGGCTGTGAGCTACCGCTTCTCACTCCCTTCACCTCCATGAAGCTGAGGGGGCCGGTCC
CACGCATGGATGGCCTGGAGGAGGCCACGGCATGTCTGGCTGCCATGGGACCCGAACCGGTGG
TGCAGAGCGTGCAGGAGCTGGCACGCAGCCAGGACCTTTGCTCAAGAAGCCAAACTCCGTCA
AAAAAAAAACAAAACAAAACAAAAAAGACATGGGAGAGATGGTGTTTTTCTCTCCACCACC
TGGGGATACGAT**TC**GAAGATGGCCACCTGCAAGCCAGGAAGACGGCCCTCACCAGACACCATG
TCTGCTGGCACCTTGATCTTGGACCTCCCAGCCTCCAGAACTGTGAGAAATAAATGTGTTTTG
TTTAAGCTAAA

60/615

FIGURE 60

```
</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA44192
<subunit 1 of 1, 694 aa, 1 stop
<MW: 77400, pI: 9.54, NX(S/T): 6
MLLLGLCLGLSLCVGSQEEAQSWGHSSEQDGLRVPRQVRLQLKTKPLMTEFSVKSTIISR
YAFTTVSCRMLNRRASEDQDIEFQMQIPAAAFITNFTMLIGDKVYQGEITEREKKSGDRVKEKR
NKTTEENGEKGTEIFRASAVIPSKDKAAFFLSYEELLQRRLGKYEHSISVRPQQLSGRLSVDV
NILESAGIASLEVLPLHNSRQSGSGRGEEDSGPPPSTVINQNETFANIIFKPTVVQQARIAQN
GILGDFIIRYDVNREQSIGDIQVLNGYFVHYFAPKDLPLPKNVVFLDSSASMVGTKLRQTK
DAFTILHDLRPQDRFSIIGFSNRIKVVWKDHLISVTPDSIRDGKVYIHHMSPTGGTDINGALQ
RAIRLLNKYVAHSGIGDRSVSLIVFLTDGKPTVGETHTLKLNNNTREAARGQVCIFTIGIGND
VDFRLLLEKLSLENCGLTRRVHEEEDAGSQLIGFYDEIRTPLLSDIRIDYPPSSVVQATKTLFP
NYFNGSEIIIIAGKLVDRLDHLHVEVTASNSKKFIILKTDVPVRPQKAGKDVTGSPRPGGDGE
GDTNHIERLWSYLTTKELLSSWLQSDDEPEKERLRQRAQALAVSYRFLTPFTSMKLRGPVPRM
DGLEEAHGMSAAMGPEPVVQSVRGAGTQPGPLLKKPNSVKKKQNKTKKRHGRDGVFPLHHLGIR
```

Signal sequence.

amino acids 1-14

N-glycosylation sites.

amino acids 97-101, 127-131, 231-235, 421-425, 508-512, 674-678

Glycosaminoglycan attachment sites.

amino acids 213-217, 391-395

N-myristoylation sites.

amino acids 6-12, 10-16, 212-218, 370-376, 632-638, 638-644

61/615

FIGURE 61

CAGGAACCCCTCTCTTTGGGTCTGGATTGGGACCCCTTTCCAGTACCATTTTTTCTAGTGAACC
ACGAAGGGACGATACCAGAAAAACACCCTCAACCCAAAGGAAATAGACTACAGCCCCAATTGGC
TGACTTTGGCTATAGAAAAAAGAAAGGAACGAAAAGAGACAGTTTTTTTTTGGAAAGCTAAGTC
TTCCCTTTTATCGAGTCAAGAAACCCCCCTTCTTGAGCTATTTACAGCTTTTAAACAATTGAGT
AAAGTACGCTCCGGTCACCATGGTGACAGCCGCCCTGGGTCCCGTCTGGGCAGCGCTCCTGCT
CTTTCTCCTGATGTGTGAGATCCGTATGGTGGAGCTCACCTTTGACAGAGCTGTGGCCAGCGG
CTGCCAACGGTGCTGTGACTCTGAGGACCCCTGGATCCTGCCCATGTATCCTCAGCCTCTTC
CTCCGGCCGCCCCACGCCCTGCCTGAGATCAGACCCTACATTAATATCACCATCCTGAAGGG
TGACAAAGGGGACCCAGGCCCAATGGGCCTGCCAGGGTACATGGGCAGGGAGGGTCCCCAAGG
GGAGCCTGGCCCTCAGGGCAGCAAGGGTGACAAGGGGGAGATGGGCAGCCCCGGCGCCCCGTG
CCAGAAGCGCTTCTTCGCCCTTCTCAGTGGCGCCGACGAGCCCTGCACAGCGGCGAGGACTT
CCAGACGCTGCTCTTCGAAAGGGTCTTTGTGAACCTTGATGGGTGCTTTGACATGGCGACCGG
CCAGTTTGCTGCTCCCTGCGTGGCATCTACTTCTTCAGCCTCAATGTGCACAGCTGGAATTA
CAAGGAGACGTACGTGCACATTATGCATAACCAGAAAGAGGCTGTCTATCCTGTACGCGCAGCC
CAGCGAGCTCAGCATCATGCAGAGCCAGAGTGGTGATGCTGGACCTGGCCTACGGGGACCCGCT
CTGGGTGCGGCTCTTCAAGCGCCAGCGCGAGAACGCCATCTACAGCAACGACTTCGACACCTA
CATCACCTTCAGCGGCCACCTCATCAAGGCCGAGGACGACTGAGGGCCTCTGGGCCACCCTCC
CGGCTGGAGAGCTCAGGTGCTGGTCCCGTCCCTGCAGGGCTCAGTTTGCACTGCTGTGAAGC
AGGAAGGTCAGGGAGGTCCCCGGGGACCTGGCATTCTGGGGAGACCCTGCTTCTATCTTGGCT
GCCATCATCCCTCCCAGCCTATTTCTGCTCCTCTCTTCTCTCTTGGACCTATTTTAAAGAGCT
TGCTAACCTAAATATTCTAGAACTTTCCCAGCCTCGTAGCCAGCACTTCTCAAACCTTGGAAA
TGCATGCGAATCACCCGGGGTTCGTGTTAAATGCAGATTCTGACTCAGCAGGTCTGAGTGGGT
CCAGGATTCGTGTTTCTCATATGTTCTGCTGGGATTACAGGCGCCTGCTACCATGCTGGCTAAT
CTGGAGCAACCAGGTTCTAGGACTTTCTCAATATTCTAGTACTTTCTGAACATTCTGGAATCC
TCCCCACATTCTAGAAATTCTCCCAACATTTTTTTTTTCTTGAGACAGAGTCTTGCTCTGTTGCC
CAGGCTAGAGTGCAGTGGTGCAATCTCAGTTCACTGCAACCTCTGCCTCCCGGGTTCAAGCGA
TTCTTCTGCCCTCAGCCTCCCTAGTGGCTGGGATTACAGGCGCCTGCTACCATGCTGGCTAAT
TTTTGTATTTTTAGTAGAGATGGGGTTTACCATATTGGCCAGGCTGGTCTTGAACCTCCTGAC
TTCAGGTGACCCACCCGCCCTCGGCCTCTCAAAATGCTGGGATTACAGGTGTGAGCCACCGTGC
CTGGCCAATTCCAACATTCTTAAATTCTCTCATCCCTCCAGGGCTCCCGTGCTATGTTCTCT
TTACCCCTTCCCCCTCTTCTCTTGCTCAGGCCTGCACCACTGCAGCCACCGTTCATTTATTCA
TTCATTAAACACTGAGCACTCACTCTGTGCTGGGTCCCGGAAGGGTGAGGGGGTCAGACACA
GGCCCTGCCCTGCCCTCAGTGAAGTGGCCAGTCCAGCCCAGGCGGGGAGAGATGTGTACATAG
GTTTTAAAGCAGACCCAGAGCTCATGGGGGCTGTGTTCTGGGTGTTAGGTGCTGCTGGTCC
TCCATTACCCACTGCTCCCCAAGGCTGGTGGGACGGGGTCCCGGTGGCAGGGGCGAGGTATCTC
CTTCCCGTTCCCTCATCCACCTGCCAGTGTCTCATCGTTACAGCAAACCCAGGGGGCCTTGGC
CAGGTCAAGGGTTCTGTGAGGAGAGGACCCAGGAGTGTGGGGGCATTGGGGGGTGAAGTGGC
CCCCGAAGAATGGAACCCACACCCATAGCTCTCCCCACAGCTGATACGGCATCCTGCGAGAAG
ACCTGCCCTCCTCACTGGGATCCCCCTTCTGCTCCTTCCAGGGCTCTGCCAGGGCCTTGCTC
AGTCCCTTCCACCAAAGTCATCTGAACCTTCCGTTTCCCCAGGGCCTCCAGCTGCCCTCAGACA
CTGATGTCTGTCCCCAGGTGCTCTCTGCCCCCTCATGCCCCCTCTCACCGGCCAGTGCCCCGAC
TCTCCAGGCTTTATCAAGGTGCTAAGGCCCGGGTGGGCAGCTCCTCGTCTCAGAGCCCTCCTC
CGGCTGGTGCTGCCTTTACAAACACCTGCAGGAGAAGGGCCACGGAAGCCCCAGGCTTTAGA
GCCCTCAGCAGGTCTGGGGAGCTAGAGCAAAGGAGGGACCTCAGGCCTTCCGTTTCTTCTTCC
AGGGTGGGGTGGCCTGGTGTTCCTTAGCCTTCCAAACCCAGGTGGCCTGCCCTTCTCCCCAG
AGGGAGGCGGCCTCCGCCCATTTGGTGCTCATGCAGACTCTGGGGCTGAGGTGCCCGGGGGGT
GATCTCTGGTGCTCACAGCCGAGGGAGCCGTGGCTCCATGGCCAGATGACGGAAACAGGGTCT
GACCAAGTGCCAGGAAGACCTGTGCTATAAACCACCCTGCCTGATCCTGCCCTGCCTGACCC
CGCCACGCCCTGCCGTCCAGCATGATTAAAGAATGCTGTCTCCTCTTGAAAAA

62/615

FIGURE 62

MVTAALGPVWAALLLFLLMCEIRMVELTFDRAVASGCQRCCDSEDPLDPAHVSSASSSSGRPHA
LPEIRPYINITILKGDKGDPGPMGLPGYMGREGPGEPGPGQSGDKGEMGSPGAPCQKRFFA
FSVGRKTALHSGEDFQTLLFERVFVNLDGCFDMATGQFAAPLRGIYFFSLNVHSWNYKETVH
IMHNQKEAVILYAQPSESRIMSQSVMLDLAYGDRVWVRLFKRQRENAIYSNDFDTYITFSGH
LIKAEDD

Important features:**Signal peptide:**

amino acids 1-20

N-glycosylation site.

amino acids 72-75

Clq domain proteins.

amino acids 144-178, 78-111 and 84-117

63/615

FIGURE 63

ATGGGAAGCCAGTAACACTGTGGCCTACTATCTCTTCCGTGGTGCCATCTACATTTTTTGGGAC
TCGGGAATTATGAGGTAGAGGTGGAGGCCGAGCCGGATGTCAGAGGTCTGAAATAGTCACCA
TGGGGGAAAAATGATCCGCCTGCTGTTGAAGCCCCCTTCTCATTCCGATCGCTTTTTTGGCCTTG
ATGATTTGAAAAATAAGTCCTGTTGCACCAGATGCAGATGCTGTTGCTGCACAGATCCTGTCAC
TGCTGCCATTGAAGTTTTTTCCAATCATCGTCATTGGGATCATTGCATTGATATTAGCACTGG
CCATTGGTCTGGGCATCCACTTCGACTGCTCAGGGAAGTACAGATGTCGCTCATCCTTTAAGT
GTATCGAGCTGATAGCTCGATGTGACGGAGTCTCGGATTGCAAAGACGGGGAGGACGAGTACC
GCTGTGTCCGGGTGGGTGGTCAGAATGCCGTGCTCCAGGTGTTACAGCTGCTTCGTGGAAGA
CCATGTGCTCCGATGACTGGAAGGGTCACTACGCAAATGTTGCCTGTGCCAACTGGGTTTCC
CAAGCTATGTGAGTTCAGATAACCTCAGAGTGAGCTCGCTGGAGGGGACGTTCCGGGAGGAGT
TTGTGTCCATCGATCACCTCTTGCCAGATGACAAGGTGACTGCATTACACCACTCAGTATATG
TGAGGGAGGGATGTGCCTCTGGCCACGTGGTTACCTTGCAAGTGCACAGCCTGTGGTCATAGAA
GGGGCTACAGCTCACGCATCGTGGGTGGAAACATGTCCTTGCTCTCGCAGTGGCCCTGGCAGG
CCAGCCTTCAGTTCCAGGGCTACCACCTGTGCGGGGGCTCTGTCATCACGCCCCCTGTGGATCA
TCACTGCTGCACACTGTGTTTATGACTTGTACCTCCCCAAGTCATGGACCATCCAGGTGGGTC
TAGTTTCCCTGTTGGACAATCCAGCCCCATCCCACTTGGTGGAGAAGATTGTCTACCACAGCA
AGTACAAGCCAAAGAGGCTGGGCAATGACATCGCCCTTATGAAGCTGGCCGGGCCACTCACGT
TCAATGAAATGATCCAGCCTGTGTGCCTGCCAACTCTGAAGAGAACTTCCCCGATGGAAAAG
TGTGCTGGACGTCAGGATGGGGGGCCACAGAGGATGGAGGTGACGCCTCCCCTGTCTCTGAACC
ACGCGGCCGTCCCTTTGATTTCCAACAAGATCTGCAACCACAGGGACGTGTACGGTGGCATCA
TCTCCCCCTCCATGCTCTGCGCGGGCTACCTGACGGGTGGCGTGGACAGCTGCCAGGGGGACA
GCGGGGGGCCCCCTGGTGTGTCAAGAGAGGAGGCTGTGGAAGTTAGTGGGAGCGACCACTTTG
GCATCGGCTGCGCAGAGGTGAACAAGCCTGGGGTGTACACCCGTGTACCTCCTTCTGGACT
GGATCCACGAGCAGATGGAGAGAGACCTAAAAACCTTGAAGAGGAAGGGGACAAGTAGCCACCT
GAGTTCCTGAGGTGATGAAGACAGCCCGATCCTCCCCTGGACTCCCGTGTAGGAACCTGCACA
CGAGCAGACACCCTTGGAGCTCTGAGTTCCGGCACCAGTAGCAGGCCCCGAAAGAGGCACCCTT
CCATCTGATTCCAGCACAACTTCAAGCTGCTTTTTTGTTTTTTTGTTTTTTTGGAGGTGGAGTCT
CGCTCTGTTGCCCAGGCTGGAGTGCAGTGGCGAAATCCCTGCTCACTGCAGCCTCCGCTTCCC
TGGTTCAAGCGATTCTCTTGCCCTCAGCTTCCCCAGTAGCTGGGACCACAGGTGCCCGCCACCA
CACCCAACTAATTTTTTGTATTTTTTAGTAGAGACAGGGTTTACCATGTTGGCCAGGCTGCTCT
CAAACCCCTGACCTCAAATGATGTGCCTGCTTCAGCCTCCCACAGTGCTGGGATTACAGGCAT
GGGCCACCACGCCTAGCCTCACGCTCCTTTCTGATCTTCACTAAGAACAAAAGAAGCAGCAAC
TTGCAAGGGCGGCCTTTCCCACTGGTCCATCTGGTTTTCTCTCCAGGGTCTTGCAAAATTCCT
GACGAGATAAGCAGTTATGTGACCTCACGTGCAAAGCCACCAACAGCCACTCAGAAAAGACGC
ACCAGCCCAGAAGTGCAGAACTGCAGTCACTGCACGTTTTTCATCTCTAGGGACCAGAACCAAA
CCCACCCTTCTACTTCCAAGACTTATTTTACATGTGGGGAGGTTAATCTAGGAATGACTCG
TTTAAGGCCATTTTTTCATGATTTCTTTGTAGCATTTGGTGCTTGACGTATTATTGTCCTTTGA
TTCCAAATAATATGTTTCCTTCCCTCATTGTCTGGCGTGTCTGCGTGGACTGGTGACGTGAAT
CAAAATCATCCACTGAAA

64/615

FIGURE 64

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA45234
><subunit 1 of 1, 453 aa, 1 stop
><MW: 49334, pI: 6.32, NX(S/T): 1
MGENDPPAVEAPFSFRSLFGLDDLKISPVAPDADAVAAQILSLLPLKFFPIIVIGIIALILAL
AIGLGIHFDCSGKYRCRSSFKCIELIARCDGVSDCKDGEDEYRCVVRVGGQNAVLOVFTAASWK
TMCSDDWKGHYANVACAQLGFPSYVSSDNLRVSSLEGQFREEFVSIHLLPDDKVLTALHHSVY
VREGCASGHVVTLQCTACGHRRGYSSRIVGGNMSLLSQWPWQASLQFQGYHLCGGSVITPLWI
ITAAHCVDLYLPKSWTIQVGLVSLDNPAPSHLVEKIVYHSKYKPKRLGNDIALMKLAGPLT
FNEMIQPVCLPNSEENFPDGKVCWTSGWGATEDGGDASPVLNHAAVPLISNKICNHRDVYGGI
ISPSMLCAGYLTGGVDSCQGDSCGGPLVCQERRLWKLVGATSFQIGCAEVNKPQVYTRVTSFLD
WIHEQMERDLKT
```

Signal Peptide:

amino acids 1-20

Transmembrane domain:

amino acids 240-284

66/615

FIGURE 66

MNHLPEDMENALTGSQSSHASLRNIHSINPTQLMARIESYEGREKKGISDVRRTFCLEVTFDL
LFVTLLWIIELNVNGGIENLEKEVMQYDYYSSYFDIFLLAVFRFKVLILAYAVCRLRHWWAI
ALTTAVTSAFLLAKVILSKLFSQGAFGYVLPPIISFILAWIETWFLDFKVLQPQEAEEENRLLIV
QDASERAALIPGGLSDGQFYSPPESEAGSEEAEEKQDSEKPLEL

Important features of the protein:**Signal peptide:**

amino acids 1-20

Transmembrane domains:

amino acids 54-72, 100-118, 130-144, 146-166

N-myristoylation sites.

amino acids 14-20, 78-84, 79-85, 202-208, 217-223

67/615

FIGURE 67

AATAAAGCTTCCTTAATGTTGTATATGTCTTTGAAGTACATCCGTGCATTTTTTTTTTAGCATC
CAACCATTCCTCCCTTGTAGTTCTCGCCCCCTCAAATCACCTCTCCCGTAGCCACCCGACT
AACATCTCAGTCTCTGAAAATGCACAGAGATGCCTGGCTACCTCGCCCTGCCTTCAGCCTCAC
GGGGCTCAGTCTCTTTTTCTCTTTGGTGCCACCAGGACGGAGCATGGAGGTCACAGTACCTGC
CACCTCAACGTCCTCAATGGCTCTGACGCCCGCCTGCCCTGCACCTTCAACTCCTGCTACAC
AGTGAACCACAAACAGTTCTCCCTGAACTGGACTTACCAGGAGTGCAACAACCTGCTCTGAGGA
GATGTTCTCAGGGAACCCAGCAAGTACGATGTGTCTGGTGATGCTGAGAAACGTGCAGCCGGA
GGATGAGGGGATTTACAACCTGCTACATCATGAACCCCCCTGACCGCCACCGTGGCCATGGCAA
GATCCATCTGCAGGTCTCATGGAAGAGCCCCCTGAGCGGGACTCCACGGTGGCCGTGATTGT
GGGTGCCTCCGTGCGGGGGCTTCTGGCTGTGGTCATCTTGGTGCTGATGGTGGTCAAGTGTGT
GAGGAGAAAAAAGAGCAGAAGCTGAGCACAGATGACCTGAAGACCGAGGAGGAGGGCAAGAC
GGACGGTGAAGGCAACCCGGATGATGGCGCCAAGTAGTGGGTGGCCGGCCCTGCAGCCTCCCG
TGTCCCGTCTCCTCCCTCTCCGCCCTGTACAGTGACCCTGCCTGCTCGCTCTTGGTGTGCTT
CCCGTGACCTAGGACCCAGGGCCACCTGGGGCCTCCTGAACCCCCGACTTCGTATCTCCCA
CCCTGCACCAAGAGTGACCCACTCTCTCCATCCGAGAAACCTGCCATGCTCTGGGACGTGTG
GGCCCTGGGGAGAGGAGAGAAAGGGCTCCACCTGCCAGTCCCTGGGGGAGGCAGGAGGCAC
ATGTGAGGGTCCCCAGAGAGAAGGGAGTGGGTGGGCAGGGGTAGAGGAGGGGCCGCTGTCACC
TGCCCAGTGCTTGCCTGGCAGTGGCTTCAGAGAGGACCTGGTGGGGAGGGAGGGCTTTCCTGT
GCTGACAGCGCTCCCTCAGGAGGGCCTTGGCCTGGCACGGCTGTGCTCCTCCCCTGCTCCAG
CCCAGAGCAGCCATCAGGCTGGAGGTGACGATGAGTTCCTGAAACTTGGAGGGGCATGTTAAA
GGGATGACTGTGCATTCCAGGGCACTGACGGAAGCCAGGGCTGCAGGCAAAGCTGGACATGT
GCCCTGGCCCAGGAGGCCATGTTGGGCCCTCGTTTCCATTGCTAGTGGCCTCCTTGGGGCTCC
TGTTGGCTCCTAATCCCTTAGGACTGTGGATGAGGCCAGACTGGAAGAGCAGCTCCAGGTAGG
GGGCCATGTTTCCAGCGGGGACCCACCAACAGAGGCCAGTTTCAAAGTCAGCTGAGGGGGCTG
AGGGGTGGGGCTCCATGGTGAATGCAGGTGCTGCAGGCTCTGCCTTCTCCATGGGGTAACCA
CCCTCGCCTGGGCAGGGGCAGCCAAGGCTGGGAAATGAGGAGGCCATGCACAGGGTGGGGCAG
CTTTCTTTGGGGCTTCAGTGAGAACTCTCCAGTTGCCCTTGGTGGGGTTTCCACCTGGCTTT
TGGCTACAGAGAGGGAAGGGAAAGCCTGAGGCCGGCATAAGGGGAGGCCTTGGAACCTGAGCT
GCCAATGCCAGCCCTGTCCATCTGCGGCCACGCTACTCGCTCCTCTCCCAACAACCTCCCTTC
GTGGGGACAAAAGTGACAATTGTAGGCCAGGCACAGTGGCTCACGCCTGTAATCCCAGCACTT
TGGGAGGCCAAGGCGGGTGGATTACCTCCATCTGTTTAGTAGAAATGGGCAAAACCCCATCTC
TACTAAAAATACAAGAATTAGCTGGGCGTGGTGGCGTGTGCCTGTAATCCCAGCTATTTGGGA
GGCTGAGGCAGGAGAATCGCTTGAGCCCGGGAAGCAGAGGTTGCAGTGAAGTGAATAGTGTAT
AGTGCCACTGCAATTCAGCCTGGGTGACATAGAGAGACTCCATCTCAAAAAAA

69/615

FIGURE 69

GGCGCCTGGTTCTGCGCGTACTGGCTGTACGGAGCAGGAGCAAGAGGTGCGCCGCCAGCCTCCGCCGCCGAGCCTC
GTTTCGTGTCCCCGCCCTCGCTCCTGCAGCTACTGCTCAGAAACGCTGGGGCGCCACCCTGGCAGACTAACGAA
GCAGCTCCCTTCCCACCCCAACTGCAGGTCTAATTTTGGACGCTTTGCCTGCCATTTCTTCCAGGTTGAGGGAGC
CGCAGAGGGCGGAGGCTCGCGTATTCTTGCAGTCAGCACCCACGTCGCCCCCGGACGCTCGGTGCTCAGGCCCTTC
GCGAGCGGGGCTCTCCGTCTGCGGTCCCTTGTGAAGGCTCTGGGCGGCTGCAGAGGCCGGCCGTCCGGTTTGGCT
CACCTCTCCCAGGAACTTCACACTGGAGAGCCAAAGGAGTGGGAAGAGCCTGTCTTGGAGATTTTCTGGGGAA
ATCCTGAGGTCATTTCATTATGAAGTGTACCGCGCGGGAGTGGCTCAGAGTAACCACAGTGTCTTCATGGCTAGA
GCAATTCAGCCATGGTGGTTCCCAATGCCACTTTATTGGAGAAAATTTTGGAAAAATACATGGATGAGGATGGT
GAGTGGTGGATAGCCAAACAACGAGGGAAAAGGGCCATCACAGACAATGACATGCAGAGTATTTTGGACCTTCAT
AATAAATTACGAAGTCAGGTGTATCCAACAGCCTCTAATATGGAGTATATGACATGGGATGTAGAGCTGGAAAGA
TCTGCAGAATCCTGGGCTGAAAGTTGCTTGTGGGAACATGGACCTGCAAGCTTGCTTCCATCAATTGGACAGAAT
TTGGGAGCACACTGGGGAAGATATAGGCCCCCGACGTTTCATGTACAATCGTGGTATGATGAAGTGAAGACTTT
AGCTACCCATATGAACATGAATGCAACCCATATTGTCCATTGAGGTGTTCTGGCCCTGTATGTACACATTATACA
CAGGTGCTGTGGGCAACTAGTAACAGAATCGGTTGTGCCATTAATTTGTGTACATAACATGAACATCTGGGGGCAG
ATATGGCCCAAAGCTGTCTACCTGGTGTGCAATTACTCCCCAAAGGGAACTGGTGGGGCCATGCCCTTACAAA
CATGGGCGGCCCTGTTCTGCTTGCCACCTAGTTTTGGAGGGGCTGTAGAGAAAATCTGTGCTACAAAGAAGGG
TCAGACAGGTATTATCCCCCTCGAGAAGAGGAAACAAATGAAATAGAACGACAGCAGTCACAAGTCCATGACACC
CATGTCCGGACAAGATCAGATGATAGTAGCAGAAATGAAGTCATAAGCGCACAGCAAATGTCCCAAATGTCTTCT
TGTGAAGTAAGATTAAGAGATCAGTGCAAGGAACAACCTGCAATAGGTACGAATGTCTGCTGGCTGTTTGGAT
AGTAAAGCTAAAGTTATTGGCAGTGTACATTATGAAATGCAATCCAGCATCTGTAGAGCTGCAATTCATTATGGT
ATAATAGACAATGATGGTGGCTGGGTAGATATCACTAGACAAGGAAGAAAGCATTATTTTCATCAAGTCCAATAGA
AATGGTATTCAAACAATTGGCAAATATCAGTCTGCTAATTCCTTCACAGTCTCTAAAGTAACAGTTCAGGCTGTG
ACTTGTGAAACAACCTGTGGAACAGCTCTGTCCATTTACATAAGCCTGCTTCACATTGCCCAAGAGTACTGTCTCT
CGTAACTGTATGCAAGCAAATCCACATTATGCTCGTGAATTTGGAACCTCGAGTTTATCTGTCTGTCCAGTATC
TGCAGAGCAGCAGTACATGCTGGAGTGGTTCGAAATCACGGTGGTTATGTTGATGTAATGCCGTGTGGACAAAAGA
AAGACCTACATTGCTTCTTTTCAGAAATGGAATCTTCTCAGAAAGTTTACAGAATCCTCCAGGAGGAAAGGCATT
AGAGTGTGTTGCTGTTGTGTTGAAGTGAATACTTGAAGAGGACCATAAAGACTATTCCAAATGCAATATTTCTGA
ATTTTGTATAAACTGTAACTTACTGTACAGAGTACATCAACTATTTTCAGCCCAAAAAGTGCCAAATGCATA
TAAATCTTGATAAACAAAGTCTATAAAATAAAACATGGGACATTAGCTTTGGGAAAAGTAATGAAAATATAATGG
TTTTAGAAATCCTGTGTTAAATATTGCTATATTTTCTTAGCAGTTATTTCTACAGTTAATTACATAGTCATGATT
GTTCTACGTTTCATATATTATATGGTGCTTTGTATATGCCACTAATAAAATGAATCTAAACATTGAATGTGAATG
GCCCTCAGAAAATCATCTAGTGCATTTAAAAATAATCGACTCTAAACTGAAAGAAACCTTATCACATTTTCCCC
AGTTCAATGCTATGCCATTACCAACTCCAAATAATCTCAATAATTTTCCACTTAATACTGTAAAGTTTTTTTC
TGTTAATTTAGGCATATAGAATATTAAATCTGATATTGCACCTTCTATTTTATATAAAATAATCCTTTAATATC
CAAATGAATCTGTTAAATGTTTGATTCTTGGGAATGGCCTTAAAAATAAATGTAATAAAGTCAGAGTGGTGGT
ATGAAAACATTCTAGTGATCATGTAGTAAATGTAGGGTTAAGCATGGACAGCCAGAGCTTTCTATGTACTGTTA
AAATTGAGGTCACATATTTTCTTTTGTATCCTGGCAAATACTCCTGCAGGCCAGGAAGTATAATAGCAAAAAGTT
GAACAAAGATGAACATAATGTATTACATTACCATTGCCACTGATTTTTTTTAAATGGTAAATGACCTTGTATATA
ATATTGCCATATCATGGTACCTATAATGGTGATATATTTGTTTCTATGAAAAATGTATTGTGCTTTGATACTAAA
AATCTGTAAATGTTAGTTTTTGGTAATTTTTTTTCTGCTGGTGGATTACATATTAATTTTTTTCTGCTGGTGGTA
TAAACATTAAAAATTAATCATGTTTCAAAAAA

70/615

FIGURE 70

```
</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA45417
<subunit 1 of 1, 500 aa, 1 stop
<MW: 56888, pI: 8.53, NX(S/T): 2
MKCTAREWLRVTTVLFMARAI PAMVVPNATLLEKLLEKYMDEEDGEWWIAKQRGKRAITDNDMQ
SILDLHNKLR SQVYPTASNMEYMTWDVELERSAESWAESCLWEHGPASLLPSIGQNLGAHWGR
YRPPTFHVQSWYDEVKDFSYPYEHECNPYCPFRCSGPVCTHYTQVWATSNRIGCAINLCHNM
NIWGQIWPKAVYLV CNYS PKGNWWGHAPYKHGRPCSACPPSFGGGCRENL CYKEGSDRYYP PR
EEETNEIERQQSQVHDTHVRTRSDDSSRNEVISAQQMSQIVSCEVRLRDQCKGTT CNRYECPA
GCLDSKAKVIGSVHYEMQSSICRAAIHYGIIDNDGGWVDITRQGRKH YFIKSNRNGIQTIGKY
QSANSFTVSKVTVQAVTCETTVEQLCPFHKPASHCPRVYCPRNCMQANPHYARVIGTRVYSDL
SSICRAAVHAGVVRNHGGYVDVMPVDKRKTYIASFQNGIFSESLQNPPGGKA FRVFAVV
```

Important features:**Signal peptide:**

amino acids 1-20

Extracellular proteins SCP/Tpx-1/Ag5/PR-1/Sc7 protein

amino acids 165-186, 196-218, 134-146, 96-108 and 58-77

N-glycosylation site

amino acids 28-31

72/615

FIGURE 72

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA45493
><subunit 1 of 1, 518 aa, 1 stop
><MW: 56180, pI: 5.08, NX(S/T): 2
MGALARALLPLLAQWLLRAAPELAPAPFTLPLRVAAATNRVVAPTGGPGTPAERHADGLALA
LEPALASPAGAAANFLAMVDNLQGDSEGRGYYLEMLIGTPPQKLQILVDTGSSNFAVAGTPHSYI
DTYFDTERSSTYRSKGFDTVKYTQGSWTGFGEDLVTIPKGFNTSFLVNIATIFESENFLLP
GIKWNGILGLAYATLAKPSSSLETFDLSLVTQANIPNVFSMQMCGAGLPVAGSGTNGGSLVLG
GIEPSLYKGDIWYTPIKEEWYYQIEILKLEIGGQSLNLDREYNADKAIVDSGTTLLRLPQKV
FDAVVEAVARASLIPEFSDGFWTGSQACWTNSETPWSYFPKISYLRDENSSRSFRITILPQ
LYIQPMMGAGLNYECYRFGISPSTNALVIGATVMEGFYVIFDRAQKRVGFAASPCAEIAGAAV
SEISGPFSTEDVASNCVPAQSLSEPILWIVSYALMSVCGAILLVLLVLLLLPFRRCQRRPRDPE
VVNDESSLVRHRWK
```

Important features:**Signal peptide:**

amino acids 1-20

Transmembrane domain:

amino acids 466-494

N-glycosylation sites.

amino acids 170-173 and 366-369

Leucine zipper pattern.

amino acids 10-31 and 197-118

Eukaryotic and viral aspartyl proteases

amino acids 109-118, 252-261 and 298-310

74/615

FIGURE 74

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA46776
><subunit 1 of 1, 432 aa, 1 stop
><MW: 47629, pI: 5.90, NX(S/T): 0
MPARPGRLLPLLARPAALTALLLLLLLGHGGGGRWGARAQEAAAAAADGPPAADGEDGQDPHSK
HLYTADMFTHG IQSAAHFVMFFAPWCGHCQRLQPTWNDLGDKYNSMEDAKVYVAKVDCTAHS
VCSAQGVRGYPTLKLFKPGQEAVKYQGPRDFQTLNWNMLQTLNEEPVTPEPEVEPPSAPELKQ
GLYELASNFELHVAQGDHFIKFFAPWCGHCKALAPTWEQLALGLEHSETVKIGKVDCTQH YE
LCSGNQVRGYPTLLWFRDGKKVDQYKGKRDLESLEYVESQLQRTETGATETVTPSEAPVLAA
EPEADKGTVLALTENNFD DDTIAEGITFIK FYAPWCGHCKTLAPTWEELSKKEFPGLAGVKIAE
VDCTAERNICSKYSVRGYPTLLLFRGGKKVSEHSGGRDLDLSLHRFVLSQAKDEL
```

Signal sequence:
amino acids 1-32

75/615

FIGURE 75A

CGGACGCGTGGGCGGACGCGTGGGCAAAGAAC TCGGAGTGCCAAAGCTAAATAAGTTAGCTGAGAAAACGCACG
CAGTTTGCAGCGCCTGCGCCGGGTGCGCCAACTACGCAAAGACCAAGCGGGCTCCGCGCGGACCGGCCGCGGGGC
TAGGGACCCGGCTTTGGCCTTCAGGCTCCCTAGCAGCGGGGAAAGGAATTGCTGCCCGGAGTTTCTGCGGAGGT
GGAGGGAGATCAGGAAACGGCTTCTCTCACTTCGCGCCTGGTGAGTGTGCGGGGAGATTGGCAAACGCCTAGG
AAAGGACTGGGGAAATAGCCCTGGGAAAGTGGAGAAGGTGATCAGGAGGCCGGTCCACTACGGCAGTTTATCTG
TCTGATCAGAGCCAGACGCGACGCGTCCACTTCGCAGTTCTTCCAGGTGTGGGGACCGCAGGACAGACGCGCGA
TCCCGCCGCCCTCCGTACCAGCACTCCCAGGAGAGTCAGCCTCGCTCCCCAACGTCGAGGGCGCTCTGGCCACGA
AAAGTTCTGTCCACTGTGATTCTCAATTCTTGCTTGGTTTTTTTCTCCAGAGAACTTTGGGTGGAGATATTA
ACTTTTTTCTTTTTTTTTTCTTGGTGGAAAGCTGCTCTAGGGAGGGGGAGGAGGAGGAGAAAGTGAATGTGC
TGGAGAAGAGCGAGCCCTCCTTGTTCTTCCGGAGTCCCATTACCTAAGCCATCACTTCTGGAAGATTAAAGTTGT
CGGACATGGTGACAGCTGAGAGGAGAGGAGGATTTCTTGCCAGGTGGAGAGTCTTCACCGTCTGTTGGGTGCATG
TGTGCGCCCGCAGCGCGCGCGGGCGGTGTTCTCCGCGTGGAGTCTCACCTGGGACCTGAGTGAATGGCTCCCA
GGGGCTGTGCGGGGCATCCGCTCCGCTTCTCCACAGGCTGTGTCTGTCTGGAAGATGCTAGCAATGGGG
CGCTGGCAGGATTCTGGATCCTCTGCTCCTCACTTATGGTTACCTGTCTGGGGCCAGGCCCTAGAAGAGGAGG
AAGAAGGGGCCTTACTAGCTCAAGCTGGAGAGAACTAGAGCCAGCACAACTTCCACCTCCCAGCCCCATCTCA
TTTTCATCTAGCGGATGATCAGGGATTTAGAGATGTGGGTACCACGGATCTGAGATTAACACCTACTCTTG
ACAAGCTCGTGCAGGAGGAGTTAACTGGAGAATACTATGTCCAGCCTATTTGCACACCATCCAGGAGTCAGT
TTATTACTGGAAGTATCAGATACACCCGGACTTCAACATTTCTATCATAAGACCTACCCAACCACTGTTTAC
CTCTGGACAATGCCACCTACCTCAGAACTGAAGGAGGTTGGATATTCAACGCATATGGTCGGAATATGGCACT
TGGGTTTTTAACAGAAAAGTATGATGCCCCACAGAGGATTTGATACCTTTTTTGGTTCCCTTTTGGGAAGTG
GGGATTACTATACACTACAAATGTGACAGTCTGGGATGTGTGGCTATGACTTGTATGAAAACGACAATGCTG
CCTGGGACTATGACAATGGCATATATACTCCACACAGATGTACACTCAGAGAGTACAGCAAATCTTAGCTTCCCAT
ACCCACAAAGCCTATATTTTTATATACTGCCTATCAAGCTGTTCACTACCAGTGAAGCTCCTGGCAGGTATT
TCGAACACTACCGATCCATTATCAACATAAAGAGAGATATGCTGCCATGCTTTCCTGCTTAGATGAAGCAA
TCAACAACGTGACATTGGCTCTAAAGACTTATGGTTTTCTATAACACAGCATTATCATTTACTCTTCAGATAATG
GTGGCCAGCCTACGGCAGGAGGGAGTAAGTGGCCTCTCAGAGGTAGCAAAGGAACATATTGGGAAGGAGGGATCC
GGGCTGTAGGCTTTGTGCATAGCCCACTTCTGAAAAACAAGGGAACAGTGTGTAAGGAACCTGTGCACATCACTG
ACTGGTACCCCACTCTCATTTCACTGGCTGAAGGACAGATTGATGAGGACATTCAACTAGATGGCTATGATATCT
GGGAGACCAATAAGTGAGGGTCTTCGCTCACCCCGAGTAGATATTTTGCATAACATTGACCCCTATACACCAAGGC
AAAAATGGCTCCTGGGCAGCAGGCTATGGGATCTGGAACACTGCAATCCAGTCAGCCATCAGAGTGCAGCACTG
GAAATTGCTTACAGGAAATCCTGGCTACAGCACTGGTCCCCCTCAGTCTTTTACGCAACCTGGGACCGAACC
GTGGCACAATGAACGGATCACCTGTCAACTGGCAAAGTGTATGGCTTTTCAACATCAGAGCCGACCCATATGA
GAGGGTGGACCTATCTAACAGGTATCCAGGAATCGTGAAGAAGCTCCTACGGAGGCTCTCACAGTTCAACAAAAC
TGCAGTGCCGGTCAGGTATCCCCCAAGACCCAGAAAGTAACCTAGGCTCAATGGAGGGGTCTGGGGACCATG
GTATAAAGAGGAAACCAAGAAAAGCAAGCAAAATCAGGCTGAGAAAAAGCAAAAGAAAGCAAAAAA
GAAGAAGAAACAGCAGAAAGCAGTCTCAGGTAACACGCAAAATTTGGCTCGATAATATCGCTGGCCTAAGCGTCA
GGCTTGTTCATGCTGTGCCACTCCAGAGACTTCTGCCACCTGGCGCCCACTGAAAACGTCTGCTCAGTG
CCAAGGTGCTACTCTTGCAAGCCACACTTAGAGAGAGTGGAGATGTTTATTTCTCTCGCTCCTTTAGAAAACGTG
GTGAGTCTGAGTTCCACTGCTGTGCTTCACTGACCAAAACACTGCTTTGAATTATAGGAGGAGAACATA
ACCTACCATCCGCAAGCATGCTAATTTGATGGAAGTTACAGGGTAGCATGATTAAACTACCTTTGATAAATTAC
AGTCAAAGATTGTGTACCTCAAAGGCCTTGAAGAATATATTTCTTGGTGAATTTTGTATGTCTGTCTATATGA
CACTTGGGTTTTTAAATTAATTCTATTTTATATATATAAATATATGTTTCTTTCTGTGAAAAGCTGTTTTCT
CACATGTGAACAGCTTGACCTCATTTTACCATGCGTGAGGGAATGGCAAATAAGAATGTTTGAGCACACTGCC
ACAATGAATGTAATATTTTCTAAACACTTTACTAGAAGAACATTTTCAGTATAAAAAACCTAATTTATTTTACA
GAAAAATATTTTGTGTTTTTATAAAAAGTTATGCAATGACTTTTATTTTATTTCTGCAATACCATTAGAAGA
ATTTTATTTCAATTTCTTCAAATTATCAAGCACTGTAATACTATAAATTAATGTAATACTGTGTGAATTCAGACTA
TAAAAACATCATTCAGAAAACCTTTATAATCGTCATTGTTCAATCAAGATTTTGAATGTAATAAGATGAATATAT
ATTACTTGGAAATTCAATGTTTGTGAGAGTTGAGACAACCTTTATGTTTCTATCATAACTATTTATGTATCTT
AATTATTAATGATTACTTTATGGCACTAGAAAATTTACTGTGGCTTTTCTGATCTAACTTCTAGCTAAAAT
GTATCATTGGTCTTAAAAATAAAAATCTTTACTAATAGGCAATTGAAGGAATGGTTTGCTAACCAACCAAGTAA
TATAATATGATTTTACAGATAGATGCTTCCCTTGGCTATGACATGGAGAAAGATTTTCCATAATAATAACTAA
TATTTATATTAGGTTGGTGCAAAACTAGTTGCGGTTTTTCCCATTAAGTAATAACCTTACTCTTATACAAAGT
GGACACTGTGGGGAGATACAGAGAAATGGAAGATACGGATCCTGCTGGAGTAGGTAACCTTGCTTGGAAACCCC
ACATGCAACGTCTAGAGGAGAAATTAAGGAGTATTATCAGTAATGAAGTTTATCATGGGTCTCAATGAGCATA
GATTGGTGTGGATCCTGTAGACCCTGGTGTCTTTTCTTGAAGTGCCTCTCCTAATGCAGAGGCCTTGAAGCTTAC

77/615

FIGURE 76

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA48296
><subunit 1 of 1, 515 aa, 1 stop
><MW: 56885, pI: 6.49, NX(S/T): 5
MAPRGCAGHPPPPSPQACVCPGKMLAMGALAGFWILCLLTGYLSWGQALEEEEEEGALLAQAGEKLEPSTTSTSQ
PHLIFILADDQGFRDVGYPHGSEIKTPTLDKLAAGVVKLENYYVQPICTPSRSQFITGKYQIHTGLQHSIIRPTQP
NCLPLDNATLPQKLKEVGYSTHVMVGKWHLGFNRKECMPTRRGFDTFFGSLLGSGDYTHYKCDSPGMCYDLYEN
DNAAWDYDNGIYSTQMYTQRVQQILASHNPTKPIFLYTAYQAVHSPLQAPGRYFEHYRSIININRRRYAAMLSC
DEAINNVTLALKTYGFYNNSSIIYSSDNGGQPTAGGSNWPLRGSKGTYWEGGIRAVGFVHSPLLKNKGTVCVELV
HITDWYPTLISLAEGQIDEDIQLDGYDIWETISEGLRSPRVDILHNIDPYTPRQKMAPGQQAMGSGTLQSSQPSE
CSTGNCLQEILATATGSPLSLSATWDRTGGTMNGSPCQLAKVYGFSTSQPTHMRGWTYLTGIQES
```

Important Features:**Signal Peptide:**

amino acids 1-37

Sulfatases signature 1.

amino acids 120-132

Sulfatases signature 2.

amino acids 168-177

Tyrosine kinase phosphorylation site.

amino acids 163-169

N-glycosylation sites.

amino acids 157-160, 306-309 and 318-321

78/615

FIGURE 77

AAAAAAGCTCACTAAAGTTTCTATTAGAGCGAATACGGTAGATTTCATCCCCTTTTGAAGAACAGTACTGTGGA
GCTATTTAAGAGATAAAAAACGAAATATCCTTTCTGGGAGTTCAAGATTGTGCAGTAATTGGTTAGGACTCTGAGC
GCCGCTGTTACCAATCGGGGAGAGAAAAGCGGAGATCCTGCTCGCCTTGACGCGCCTGAAGCACAAAGCAGAT
AGCTAGGAATGAACCATCCCTGGGAGTATGTGGAAACAACGGAGGAGCTCTGACTTCCCACTGTCCCATTCTAT
GGGCGAAGGAAC TGCTCCTGACTTCAGTGGTTAAGGGCAGAATTGAAAATAATTCTGGAGGAAGATAAGAATGAT
TCCTGCGCGACTGCACCGGGACTACAAAGGGCTTGCTCCTGCTGGGAATCCTCCTGGGGACTCTGTGGGAGACCGG
ATGCACCCAGATACGCTATTTCAGTTCCGGAAGAGCTGGAGAAAGGCTCTAGGGTGGGCGACATCTCCAGGGACCT
GGGGCTGGAGCCCCGGGAGCTCGCGGAGCGCGGAGTCCGCATCATCCCCAGAGGTAGGACGCAGCTTTTCGCCCT
GAATCCGCGCAGCGGCAGCTTGGTCACGGCGGGCAGGATAGACCGGGAGGAGCTCTGTATGGGGGCCATCAAGTG
TCAATTAAATCTAGACATTCTGATGGAGGATAAAGTGAAAATATATGGAGTAGAAGTAGAAGTAAGGGACATTAA
CGACAATGCGCCTTACTTTTCGTGAAAGTGAATTAGAAATAAAAATTAGTGAAAATGCAGCCACTGAGATCGGGT
CCCTCTACCCACGCTGGGATCCGGATATCGGGAAGAACTCTCTGCAGAGCTACGAGCTCAGCCCCGAACACTCA
CTTCTCCCTCATCGTGCAAAATGGAGCCGACGGTAGTAAGTACCCGAATTGGTGCTGAAACGCGCCCTGGACCG
CGAAGAAAAGGCTGCTCACCACCTGGTCCTTACGGCCTCCGACGGGGCGACCCGGTGCGCACAGGCACCGCGCG
CATCCGCGTGATGGTTCTGGATGCGAACGACAACGCACCAGCGTTTGCTCAGCCCCGAGTACCGCGCGAGCGTTCC
GGAGAATCTGGCCTTGGGCACGCGAGCTGCTTGATGTAACGCTACCGACCCTGACGAAGGAGTCAATGCGGAAGT
GAGGTATTCTTCCGGTATGTGGACGACAAGGCGGCCCAAGTTTTCAAAGTATAGATTGTAATTCAGGGACAATATC
AACAATAGGGGAGTTGGACCACGAGGAGTCAGGATTCTACCAGATGGAAGTGCAAGCAATGGATAATGCAGGATA
TTCTGCGCGAGCCAAAGTCTTGATCACTGTTCTGGACGTGAACGACAATGCCCCAGAAGTGGTCTCACCTCTCT
CGCCAGCTCGGTTCCCGAAAACCTCTCCAGAGGGACATTAAATGCCCCTTTTAAATGTAATGACCAAGATTCTGA
GGAAAACGGACAGGTGATCTGTTTCATCCAAGGAAATCTGCCCTTTAAATTAGAAAAATCTTACGGAAATTACTA
TAGTTTAGTCACAGACATAGTCTTGGATAGGGAACAGGTTCTTAGCTACAACATCACAGTGACCGCCACTGACCG
GGGAACCCCGCCCTATCCACGGAAACTCATATCTCGCTGAACGTGGCAGACACCAACGACAACCCGCGCGGTCTT
CCCTCAGGCCTCCTATTCCGCTTATATCCCAGAGAACAATCCCAGAGGAGTTTCCCTCGTCTCTGTGACCGCCCA
CGACCCCGACTGTGAAGAGAACGCCCCAGATCACTTATTCCCTGGCTGAGAACACCATCCAAGGGGCAAGCCTATC
GTCCTACGTGTCCATCAACTCCGACACTGGGGTACTGTATGCGCTGAGCTCCTTCGACTACGAGCAGTTCCGAGA
CTTGCAAGTGAAAGTGATGGCGCGGGACAACGGGCACCCGCCCTCAGCAGCAACGTGTGCTTGAGCCTGTTTCGT
GCTGGACCAGAACGACAATGCGCCGAGATCCTGTACCCCGCCCTCCCCACGGACGGTTCCACTGGCGTGGAGCT
GGCTCCCCGCTCCGACAGACCCGGCTACCTGGTGACCAAGGTGGTGGCGGTGGACAGAGACTCCGCCCAGAACGC
CTGGCTGTCTACCGTCTGCTCAAGGCCAGCGAGCCGGGACTCTTCTCGGTGGGTCTGCACACGGGCGAGGTGCG
CACGGCGCGAGCCCTGCTGGACAGAGACGCGCTCAAGCAGAGCCTCGTAGTGGCCGTCCAGGACCACGGCCAGCC
CCCTCTCTCCGCCACTGTACGCTCACCGTGGCCGTGGCCGACAGCATCCCCAAGTCTGCGCGGACCTCGGCAG
CCTCGAGTCTCCAGCTAACTCTGAAACCTCAGACCTCACTCTGTACCTGGTGGTAGCGGTGGCCGCGGTCTCCTG
CGTCTTCTGGCCTTCGTCACTTGTGCTGGCGCTCAGGCTGCGGCGCTGGCACAAAGTCAAGCCTGCTGCAGGC
TTCAGGAGGCGGCTTGACAGGAGCGCCGGCGTGCACCTTTGTGGGCGTGACGGGGTGACGGCTTTCTGCAGAC
CTATTTCCACGAGGTTTCCCTCACCACGGAAGTCTCGCGGAAGTCACTGATCTTCCCCAGCCCAACTATGCAGA
CATGCTCGTCAGCCAGGAGAGCTTTGAAAAAGCGAGCCCTTTTGTCTGTCAGGTGATTCGGTATTTTCTAAAGA
CAGTCATGGGTTAATTGAGGTGAGTTTATATCAAATCTTCTTTTCTTTTAAATTGCTCTGTCTCCCAAGC
TGGAGTGCAGCGGTACGATCATAGCTCACTGCGGCCTCAAACCTCCTAGGCTCAAGCAATTATCCACCTTGCCT
CCGCTGTACAGGGACTACAGGTGCAAGCCACCTACTGTCTGCCTATCTATCTATCTATCTATCTATCTATCTAT
CTATCTATCTATCTATCTATTACTTTCTGTACAGACGGGAGTCTCACGCCTGTAATCCAGTACTTTGGGAGGC
CGAGGCGGGTGGATCACCTGAGGTTGGGAGTTTGAGACCAGCCTGACCAACATGGAGAAACCCGCTCTATACTAA
AAAAATACAAATTAGCCGGGCGTGGTGGTGCATGTCTGTAATCCCAGCTACTTGGGAGGCTGAGTCAGGAGAAT
TGCTTTAACTGGGAGGTGGAGGTGCAATGAGCTGAGATTGTGCCATTGCACTCCAGCCTGGGCAACAAGAGTG
AAACTCTATCTCA

79/615

FIGURE 78

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA48306
><subunit 1 of 1, 916 aa, 1 stop
><MW: 100204, pI: 4.92, NX(S/T): 4
MIPARLHRDYKGLVLLGILLGTLWETGCTQIRYSVP EELEKGSRVGDISRDLGLEPRELAERGVRRIIPRGRTQLF
ALNPRSGSLVTAGRIDREELCMGAIKCQLNLDILMEDKVKIYGVEVEVRDINDNAPYFRESELEIKISENAATEM
RFPLPHAWDPDIGKNSLQSYELSPNTHFSLIVQNGADGSKYPELVLKRALDREEKAAHHLVLTASDGGDPVRTGT
ARIRVMVLDANDNAPAFAPQPEYRASVPENLALGTQLLVVNATDPDEGVNAEVRYSFYVDDKAAQVFKLDCNSGT
ISTIGELDHEESGFYQMEVQAMDNAGYSARAKVLITVLDVNDNAPEVVLTSLASSVPENSPRGTLIALLNVDNQD
SEENGQVICFIQGNLPFKLEKSYGNYISLVTDIVLDREQVPSYNITVTATDRGTPPLSTETHISLNVADTNDNPP
VFPQASYSAYIPENNPRGVSLSVTAHDPDCEENAQITYSLAENTIQGASLSSYVSINSDTGVLYALSSFDYEQF
RDLQVKVMARDNGHPPLSSNVSLSLFVLDQNDNAPEILYPALPTDGSTGVELAPRSAEPGYLVTKVAVDRDSGQ
NAWLSYRLKASEPGLFSVGLHTGEVRTARALLDRDALKQSLVVAVQDHGQPPLSATVTLTVAVADSIPQVLADL
GSLESPANSETSDLTLYLVVAVAAVSCVFLAFVILLALRLRRWHKSRLLQASGGGLTGAPASHFVGVDGVQAFL
QTYSHVSLTTDSRKSHLIFPQPNYADMLVSQESFEKSEPLLLSGDSVFSKDSHGLIEVSLYQIFFLFFFCNSVS
QAGVQRYDHSSLRPQTPRLKQLSHLCLRCNRDYRCKPPTVCLSIYLSIYLSIYLSIYLLLSCTDGS�TPVIPVLW
EAEAGGSPEVGSLRPA
```

Signal sequence:

amino acids 1-30

Transmembrane domains:

amino acids 693-711, 809-823, 869-888

81/615

FIGURE 80

</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA48328
<subunit 1 of 1, 351 aa, 1 stop
<MW: 39052, pI: 8.97, NX(S/T): 2
MSPRSCLRSLRLLVFAVFSAAASNWLYLAKLSSVGSISEEETCEKLKGLIQRQVQMCKRNLEVMDSVRRGAQLAI
EECQYQFRNRWNCSTLDSLPLVFGKVVTQGTREAAFVYAISSAGVAFVTRACSSGELEKCGCDRTVHGVSPQGF
QWSGCSDNIAYGVAFSQSFDVREERSKGASSSRALMNLHNNEAGRKAILTHMRVECKCHGVSGSCEVKTWCWRAVP
PFRQVGHALKEKFDGATEVEPRRVGSSRALVPRNAQFKPHTDEDLVYLEPSPDFCEQDMRSGVLGTRGRTCNKTS
KAIDGCELLCCGRGFHTAQVELAERCCKFWCCFVKCRQCQRLVELHTCR

Important features:**Signal peptide:**

amino acids 1-22

N-glycosylation sites.

amino acids 88-91 and 297-300

Wnt-1 family signature.

amino acids 206-215

Homologous region to Wnt-1 family proteins

amino acids 183-235, 305-350, 97-138, 53-92 and 150 -174

82/615

FIGURE 81

CCGAGCCGGGCGCGCAGCGACGGAGCTGGGGCCGGCCTGGGACCATGGGCGTGAGTGCAATCTACGGATCAGTCT
CTGATGGTGGGTCGTTAACCTCAGTGGGGACTCCAAGATTTCCATGAAGAAAATCAGTTGTCTTCATTCAAGAAT
TGGGGTCTGGCTCAGAATTCCTGCAGCTGGTGAAAATCTGTTTTCTAGAAGAGGTTTAATTAATGCCTGCAGTCT
GACATGTTCCCGATTTGAGGTGAAACCATGAAGAGAAAATAGAATACTTAATAATGCTTTTCCGCAACCGCTTCT
TGCTGCTGCTGGCCCTGGCTGCGCTGCTGGCCTTTGTGAGCCTCAGCCTGCAGTTCTTCCACCTGATCCCGGTGT
CGACTCCTAAGAATGGAATGAGTAGCAAGAGTCGAAAGAGAATCATGCCCGACCTGTGACGGAGCCCCCTGTGA
CAGACCCCGTTTATGAAGCTCTTTTGTACTGCAACATCCCCAGTGTGGCCGAGCGCAGCATGGAAGGTCATGCCC
CGCATCATTTTAAGCTGGTCTCAGTGCATGTGTTCAATCGCCACGGAGACAGGTACCCACTGTATGTCATTCCCA
AAACAAAGCGACCAAGAAATTGACTGCACTCTGGTGGCTAACAGGAAACCGTATCACCCAAAACCTGGAAGCTTTCA
TTAGTCACATGTCAAAAGGATCCGGAGCCTCTTTCGAAAGCCCCTTGAACCTCCTTGCTCTTTACCCAAATCACC
CATTGTGTGAGATGGGAGAGCTCACACAGACAGGAGTTGTGCAGCATTTGCAGAACGGTCAGCTGCTGAGGGATA
TCTATCTAAAGAAAACAAAACCTCTGCCCCAATGATTGGTCTGCAGACCAGCTCTATTTAGAGACCACTGGGAAAA
GCCGGACCTACAAAGTGGGCTGGCCTTGCTTTATGGCTTTCTCCAGATTTTGAAGTGAAGAAGATTTATTTCA
GGCACCAGCCAAAGTGGCTGCTGCTGCTGGAAGCTGCTATTGCCCGGTAAAGAACAGTATCTGGAAAAGGAGC
AGCGTCGTGAGTACCTCCTACGTTTGAAGAACAGCCAGCTGGAGAAGACCTACGGGGAGATGGCCAAGATCGTGG
ATGTCCCCACCAAGCAGCTTAGAGCTGCCAACCCCATAGACTCCATGCTCTGCCACTTCTGCCACAATGTCAGCT
TTCCCTGTACCAGAAATGGCTGTGTTGACATGGAGCACTTCAAGGTAATTAAGACCCATCAGATCGAGGATGAAA
GGGAAAGACGGGAGAAGAAATTGTACTTCGGGTATCTCTCTGGGTGCCACCCCATCCTGAACCAACCATCG
GCCGGATGCAGCGTGCCACCCGAGGGCAGGAAAGAAGAGCTCTTTGCCCTCTACTCTGCTCATGATGTCACCTCTGT
CACCAGTTCTCAGTGCCCTTGGGCCTTTCAAGAGCCAGGTTCCCAAGGTTGCAGCCAGGTTGATCTTTGAGCTTT
GGCAAGACAGAGAAAAGCCAGTGAACATTCCGTCGGGATTTCTTACAATGGCGTCGATGTCACATTCACACCT
CTTTCTGCCAAGACCACCAAGCGTTCTCCCAAGCCCATGTGCCCGCTTGAAAACCTTGGTCCGCTTTGTGAAA
GGGACATGTTTGTAGCCCTGGGTGGCAGTGGTACAAATTATTATGATGCATGTCACAGGGAAGGATTC~~TAAA~~AGG
TATGCAGTACAGCAGTATAGAATCCATGCCAATACAGAGCATAGGGAAAGGTCCACTTCTAGTTTTGTCTGTTAC
TAAGGGTAGAAGATTATTGCTTTTTTAAAGGCTAAATATTGTTTGTGGGAACCACAGATGGTTGGGTTGAACAGT
AAGCACATTGCTGCAATGTGGTACGTGAATTGCTTGGTACAAAATGGCCAGTTCACAGAGGAATAGAAGGTACTT
TATCATAGCCAGACTTCGCTTAGAATGCCAGAATAATATAGTTCAAGACCTGAAGTTGCCAATCCAAGTTTGCAC
TCTTCTGGCCTGCCCCATGTTACTATGTGATGGAACCAGCACACCTCAACCAAAATTTTTTTAATCTTAGACATT
TTTACCTTGTCTTGTAAAGAAATTTCTTGAAGTGATTATCTAAAATAAAGGTTGGCAAACCTTTTTCTGTAAAGG
GCCAGATTGTAAATATTTTCACTGTGTGGACCAAAAGGCCACATACAGTCTCTGTCTATACTACTCAACTCTGT
TTCTGAAGCAGGAAAGCCACCACAGACAGTACATAAAGGAATATGTGTAGCTGGGTTCCAGGCCAGACAAAACA
GATGGTGACCAGACTTGGCCCTGGGCTGTAGTTTGCTGACCCCTCATCTAAAAAATAGGCTATACATAAATTGC
ACTTCAGCACTTTGAGAACGAGTTGAATACCAAGAATTATTCAATGGTTTCTCCAGTAACCTCTGCTAGAAACA
CAGAATTTGGTCTGTATCTGACACTAGAACAAAACCTTGAGGGTAAATAAACATTGAATTAGAATGAATCATAGAA
AACTGATTAGAAGAATACTTGATGTTTATGATGATTGTGGTACAAGATAGTTTTAAGTATGTTCTAAATATTTGT
CTGCTGAGTCTATTTGCTGTATATGCTGAAATTTTTGTATGCCATTTAGTATTTTTATAGTTTAGGAAAATATT
TTCTAAGACAGTTTTAGATGACTCTTATTCCTGTAGTAATATTCAATTTGCTGTACCTGCTTGGTGGTTAGAAG
GAGGCTAGAAGATGAATTCAGGCACCTTCTTCCAATAAACTAATTATGGCTCATTCCCTTTGACAAGCTGTAGA
ACTGGATTCATTTTTAAACATTTTCATCAGTTTCAAATGGTAAATTTCTGATTGATTTTTTAAATGCGTTTTTGGG
AGAACTTTGCTATTAGGTAGTTTACAGATCTTTATAAGGTGTTTTATATATTAGAAGCAATTATAATTACATCTG
TGATTTCTGAACATAATGGTGCTAATTAGAGAAATGGAAAGTGAAAGTGAGATTCTCTGTTGTATCGGCATTCC
AACTTTTTCTCTTTGTTTTGTCCAGTGTTGCATTTGAATATGTCTGTTTCTATAAATAAATTTTTTAAGAATAA

83/615

FIGURE 82

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA48329
><subunit 1 of 1, 480 aa, 1 stop
><MW: 55240, pI: 9.30, NX(S/T): 2
MLFRNRFLLLALLAALLAFVSLSLQFFHLIPVSTPKNGMSSKSRKRIMPDPVTEPPVTDPVYEALLYCNIPSVAE
RSMEGHAPHHFKLVSVHVFIRHGDRYPLYVIPKTKRPEIDCTLVANRKPYPHPKLEAFISHMSKSGSGASFESPLNS
LPPLYPNHPLCEMGELTQTGVVQHLQNGQLLRDIYLLKKHLLPNDWSADQLYLETTGKSRTLQSGLLALLYGFLPDF
DWKKIYFRHOPSALFCSGSCYCPVRNQYLEKEQRRQYLLRLKNSQLEKTYGEMAKIVDVPTKQLRAANPIDSMIC
HFCHNVSFPCRNGCVDMEHFVKIKTHQIEDERERREKKLYFGYSLLGAHPILNQITIGRMQRATEGRKEELFALY
SAHDVTLSPVLSALGLSEARFPRFAARLIFELWQDREKPSEHSVRILYNGVDVTFHTSFCQDHHKRSPKPMCPL
NLVRFVVKRDMFVALGGSGTNYYDACHREGF
```

Signal sequence:
amino acids 1-18

84/615

FIGURE 83

TCTCGCAGATAGTAAATAATCTCGGAAAGGCGAGAAAGAAGCTGTCTCCATCTTGTCTGTATCCGCTGCTCTTGT
GACGTTGTGGAGATGGGGAGCGTCCTGGGGCTGTGCTCCATGGCGAGCTGGATACCATGTTTGTGTGGAAGTGCC
CCGTGTTTGTCTATGCCGATGCTGTCTAGTGGAAACAACCTCCACTGTAACCTAGATTGATCTATGCACCTTTTCTTG
CTTGTTGGAGTATGTGTAGCTTGTGTAATGTTGATACCAGGAATGGAAGAACAACTGAATAAGATTCTGGATT
TGTGAGAATGAGAAAGGTGTTGTCCCTTGTAAACATTTTGGTTGGCTATAAAGCTGTATATCGTTTGTGCTTTGGT
TTGGCTATGTTCTATCTTCTCTCTCTTTACTAATGATCAAAGTGAAGAGTAGCAGTGATCCTAGAGCTGCAGTG
CACAAATGGATTTTGGTTCTTTAAATTTGCTGCAGCAATTGCAATTATTATTGGGGCATTCTTCATTCCAGAAGGA
ACTTTTACAACCTGTGTGGTTTTATGTAGGCATGGCAGGTGCCTTTTGTTCATCCTCATACAACCTAGTCTTACTT
ATTGATTTTGCACATTATGGAATGAATCGTGGGTGAAAAATGGAAGAAGGGAACCTCGAGATGTTGGTATGCA
GCCTTGTATCAGCTACAGCTCTGAATTATCTGCTGTCTTAGTTGCTATCGTCCTGTTCTTTGTCTACTACACT
CATCCAGCCAGTTGTTTCAAGAAACAAGGCGTTTCACTAGTCAACATGCTCCTCTGCGTTGGTGCTTCTGTAAATG
TCTATACTGCCAAAAATCCAAGAATCACAACCAAGATCTGGTTTGTACAGTCTTCAGTAATTACAGTCTACACA
ATGTATTTGACATGGTCAGCTATGACCAATGAACCAAGAAACAAATTGCAACCCAAGTCTACTAAGCATAATTGGC
TACAATACAACAAGCACTGTCCCAAGGAAGGGCAGTCAGTCCAGTGGTGGCATGTCAAGGAATTATAGGACTA
ATTCTCTTTTTTGTGTGTGTTTATTCCAGCATCCGTACTTCAAACAATAGTCAGGTTAATAAACTGACTCTA
ACAAGTGATGAATCTACATTAATAGAAGATGGTGGAGCTAGAAGTGATGGATCACTGGAGGATGGGGACGATGTT
CACCGAGCTGTAGATAATGAAAGGGATGGTGTCACTTACAGTTATTTCTTTCACTTCATGCTTTTCTGGCT
TCACCTTATATCATGATGACCTTACCAACTGGTCAGGTATGAACCTCTCGTGAGATGAAAAGTCAGTGGACA
GCTGTCTGGGTGAAAATCTCTCCAGTTGGATTGGCATCGTGCTGTATGTTTGGACACTCGTGGCACCACCTGTT
CTTACAAATCGTGATTTTGAAGTGAAGTGAAGCTTCTAGCATGAAAGTCCCACCTTTGATTATTGCTTATTTGAAAC
AGTATTTCCCACTTTTGTAAAGTTGTGTATGTTTTGCTTCCCATGTAACCTTCTCCAGTGTTCTGGCATGAATTA
GATTTTACTGCTTGTCATTTTGTTATTTTCTTACCAAGTGCATTGATATGTGAAGTAGAATGAATTGCAGAGGAA
AGTTTTATGAATATGGTGATGAGTTAGTAAAAGTGGCCATTATTGGGCTTATTCTCTGCTCTATAGTTGTGAAAT
GAAGAGTAAAAACAAATTTGTTTGAAGTATTTTAAATTTATATTAGACCTTAAGCTGTTTTAGCAAGCATTAAAGC
AAATGTATGGCTGCCTTTTGAATATTTGATGTGTGCTGGCAGGATACTGCAAAGAACATGGTTTTATTTTAA
ATTTATAAACAAAGTCACTTAAATGCCAGTTGTCTGAAAAATCTTATAAGGTTTTACCCTTGATACGGAAATTTACA
CAGGTAGGGAGTGTGTTAGTGGACAATAGTGTAGGTTATGGATGGAGGTGTGCGTACTAAATTGAATAACGAGTAA
ATAATCTTACTTGGGTAGAGATGGCCTTTGCCAACAAAGTGAAGTGTGTTTTGGTTGTTTTAAACTCATGAAGTATG
GGTTCAGTGGAAATGTTTGAAGTCTGAAGGATTTAGACAAGGTTTTGAAAAGGATAATCATGGGTTAGAAAGGAA
GTGTTTTGAAAGTCACTTTGAAAGTGTGTTTTGGGCCCAGCAGGTCAGCTCACCCTTGGTAATCCCAGCACTTTG
GGAGCTTAAGTGGGTAGATTACTTGAGCCCAGGAATTCAGACCAGCTTGGCACATGGTGAACCTGTTCTATAAAA
ATAATCTGGCTTTGAGCATATGCCTGTGGTCCAGCACTGAGAGGCTAGTGAAGATTGCTGAGCCCAGAGCCAAAG
GTTGCAGTGAGCAAGTCACCTCACTGCACTCTAGCTGGCACAGAGTAAGCCAAAAAATATATATATATTGAAAT
CAAGGAGGCAAAATTTGACAGGGGAAGGAAGTAAGTCAAAACCCTAGGCTTTAGTAGGTACTTATATAAAATC
TAGTCCAGTTCTCTCATTTAAAAAATGAAGACACTGAAATACAGACTTAAATAGCTCAGATAGCTAATTAGGAA
ATTTCAAGTTGGCCAATAATAGCATTTCTCTGACATTTAAAAATAATTTCTATTCAAAATACATGCATATTGAT
TTACACCTCATACTGTGATAATTAATGTGATGTGGATTGCTGGTGTCCAGCATGACCCATAAACAGGTCAGAAGA
ATGATGGAATGTTTTAGAATAAACTCCTGCTTATAGTATACTACACAGTTCAAAAGATGTTTAAATGCTTTTGT
ATTTACTGCCATGTAATTGAAATATATAGATTATTGTAACCTTTCAACCTGAAAAATCAAGCAGTATGAGAGTTTA
GTTATTTGTATGTGTCACTAGTGTCTAATGAAGCTTTTAAATCTACAATTTCTTCTTTAAAAATATTTATTAAT
GTGAATGGAATATAACAATTCAGCTTAATCCCCAACCTTATTCTGTGTGTAGACATTGTATTCCACAATTTTGA
ATGGCTGTGTTTTACCTCTAAATAAATGAATTCAGAGAAAAA

85/615

FIGURE 84

MGSVLGLCSMASWIPCLCGSAPCLLCRCCPSGNNSTVTRLIYALFLLVGVCVACVMLIPGMEEQLNKIPGFCENE
KGVVPCNILVGKAVYRLCFGLAMFYLLLSLLMIKVKSSSDPRAAVHNGFWFFKFAAAIAIIIGAFFIPEGTFTT
VWFYVGMAGAFCFILIQVLVLLIDFAHSWNESWVEKMEEGNSRCWYAALLSATALNYLLSLVAIVLFFVYYTHPAS
CSENKAFISVNMLLCVGASVMSILPKIQESQPRSGLLQSSVITVYTMYLTSWAMTNEPETNCNPSLLSIIGYNTT
STVPKEGQSVQWWHAQGIIGLILFLLCVFYSSIRTSNNSQVNKLTLSDESTLIEDGGARSDGSLEDGDDVHRAV
DNERDGVITYSYSFFHFMLFLASLYIMMTLTNWSRYEPSREMKSQWTAVVWKISSSWIGIVLYVWTLVAPLVLTNRDFD

87/615

FIGURE 86

MLGLLGSTALVGWITGAAVAVLLLLLLLLLATCLFHGRQDCDVERNRTAAGGNRVRRRAQPWPFRRRGHLGIFHHHRH
PGHVSHVPNVGLHHHHHPRHTPHHLLLLHHHHHPRHHPRHAR

89/615

FIGURE 88

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA49624

><subunit 1 of 1, 735 aa, 1 stop

><MW: 80177, pI: 7.08, NX(S/T): 5

MAARPLPVSPARALLLALAGALLAPCEARGVSLWNQGRADEVVVSASVRSGLWIPVKSFDSKNHPEVLNIRLORE
SKELIINLERNEGLIASSFTETHYLQDGTDVSLARNYTGHCYYHGHVRGYSDSAVSLSTCSGLRGLIVFENESYV
LEPMKSATNRYKLFPAKKLKSVRGSCGSHHNTPNLAAKNVFPPPSQTWARRHKRETLKATKYVELVIVADNREFQ
RQGDLEKVKQRLIEIANHVDKFYRPLNIRIVLVGVEVWVNDMDKCSVSQDPFTSLHEFLDWRKMKLLPRKSHDNA
QLVSGVYFQGTITIGMAPIMSMCTADQSGGIVMDHSDNPLGAAVTLAHELGHNFGMNHDTLDRGCSCQMAVEKGGC
IMNASTGYPFPMVFSSCSRKDLETSLEKGMGVCLFNLPEVRESFSGGQKCGNRFVEEGEECDCEPEECMNRCCNA
TTCTLKPDCAVCAHGLCCEDCQLKPAGTACRDSSNSCDLPEFCTGASPHCPANVYLHDGHSCQDQVDGYCYNGICQT
HEQQCVTLWGPGAKPAPGICFERVNSAGDPYGNCGKVSXSSFAKCEMRDAKCGKIQCQGGASRPVIGTNAVSIET
NIPLQQGGRILCRGTHVYLGDDMPDPGLVLAGTKADGKICLNRCQONISVFGVHECAMQCHGRGVCNNRKNCHC
EAHWAPPFCDFGFGGSTDSGPIRQAEARQEAESNRERGGQEPVGSQEHASTSLTI

Signal peptide:

amino acids 1-28

94/615

FIGURE 93

GGGAAAGATGCGGCGACTCTGGGACCCCTTGGGTCTGGGCAGCAGTGGCGGCGATGTTTGTGCGGCTCGGGATGG
GTCCAGGATGTTACTCCTTCTTCTTTTGTGGGCTCTGGGCAGGGGCCACAGCAAGTCGGGGCGGGTCAAACGTT
CGAGTACTTGAAACGGGAGCACTCGCTGTGAAGCCCTACCAGGGTGTGGGCACAGGCAGTTTCTCACTGTGGAA
TCTGATGGGCAATGCCATGGTGATGACCCAGTATATCCGCCTTACCCAGATATGCAAAGTAAACAGGGTGCCTT
GTGGAACCGGGTGCCATGTTTCCTGAGAGACTGGGAGTTGCAGGTGCACTTCAAATCCATGGACAAGGAAAGAA
GAATCTGCATGGGGATGGCTTGGCAATCTGGTACACAAAGGATCGGATGCAGCCAGGGCCTGTGTTTGGAAACAT
GGACAAATTTGTGGGGCTGGGAGTATTTGTAGACACCTACCCCAATGAGGAGAAGCAGCAAGAGCGGGTATTCCC
CTACATCTCAGCCATGGTGAACAACGGCTCCCTCAGCTATGATCATGAGCGGGATGGGCGGCTACAGAGCTGGG
AGGCTGCACAGCCATTGTCCGCAATCTTCATTACGACACCTTCTCGGTGATTCTGCTACGTCAAGAGGCATTTGAC
GATAATGATGGATATTGATGGCAAGCATGAGTGGAGGGACTGCATTGAAGTCCCCGGAGTCCGCTGCCCGCGG
CTACTACTTCGGCACCTCCTCCATCACTGGGGATCTCTCAGATAATCATGATGTCATTTCTTGAAGTTGTTTGA
ACTGACAGTGGAGAGAACCCAGAGAGGAAAAGCTCCATCGAGATGTGTTCTTGCCCTCAGTGGACAATATGAA
GCTGCCGTGAGATGACAGCTCCACTGCCGCCCCTGAGTGGCTGGCCCTCTTCTCATCGTCTTTTTCTCCCTGGT
GTTTTCTGTATTTGCCATAGTCATTGGTATCATACTCTACAACAAATGGCAGGAACAGAGCCGAAAGCGCTTCTA
CTGAGCCCTCCTGCTGCCACCCTTTTGTGACTGTACCCATGAGGTATGGAAGGAGCAGGCCTGGCCTGAGCA
TGCAGCCTGGAGAGTGTCTTGTCTCTAGCAGCTGGTTGGGGACTATATTCTGTCACTGGAGTTTTGAATGCAGG
GACCCCGCATTCCCATGGTTGTGCATGGGGACATCTAACTCTGGTCTGGGAAGCCACCCACCCAGGGCAATGCT
GCTGTGATGTGCCTTTCCCTGCAGTCCTTCCATGTGGGAGCAGAGGTGTGAAGAGAATTTACGTGGTTGTGATGC
CAAAATCACAGAACAGAAATTTATAGCCCAGGCTGCCGTGTTGTTTACTCAGAAGGCCCTTCTACTTCAGTTTT
GAATCCACAAAGAATTAATAAAGTGGTAACACCACAGGCTTTCTGACCATCCATTCTGTTGGGTTTTGCATTTGACC
CAACCTCTGCCTACCTGAGGAGCTTTCTTTGGAAACCAGGATGGAACTTCTTCCCTGCCTTACCTTCTTTCA
CTCCATTCAATTGTCCTCTCTGTGTGCAACCTGAGCTGGGAAAGGCATTTGGATGCCTCTCTGTTGGGGCCTGGGG
CTGCAGAACACACCTGCGTTTCACTGGCCTTCATTAGGTGGCCCTAGGGAGATGGCTTTCTGCTTTGGATCACTG
TTCCCTAGCATGGGTCTTGGGTCTATTGGCATGTCCATGGCCTTCCCAATCAAGTCTCTTCAGGCCCTCAGTGAA
GTTTGGCTAAAGGTTGGTGTAATAAATCAAGAGAAGCCTGGAAGACATCATGGATGCCATGGATTAGCTGTGCAAC
TGACCAGCTCCAGGTTTGATCAAACCAAAAGCAACATTTGTCAATGTTGCTGACCATGTGGAGATGTTTCTGGAC
TTGCTAGAGCCTGCTTAGCTGCATGTTTGTAGTTACGATTTTTGGAATCCCACTTTGAGTGCTGAAAGTGTAAAG
GAAGCTTTCTTCTTACACCTTGGGCTTGGATATTGCCAGAGAAGAAATTTGGCTTTTTTTTTCTTAATGGACAA
GAGACAGTTGCTGTTCTCATGTTCCAAGTCTGAGAGCAACAGACCCTCATCATCTGTGCCTGGAAGAGTTCAGTG
TCATTGAGCAGCACAGCCTGAGTGTGCTGGCCTCTGTCAACCCTTATTCCACTGCCTTATTTGACAAGGGGTTACAT
GCTGCTCACCTTACTGCCCTGGGATTAAATCAGTTACAGGCCAGAGTCTCCTTGGAGGGCCTGGAAGTCTGAGTC
CTCCTATGAACCTCTGTAGCCTAAATGAAATCTTAAATACCGATGGAACCAAAAAAAAAAAAAAAAAAGGGCG
GCCGCGACTCTAGAGTCGACCTGCAGTAGGGATAACAGGGTAATAAGCTTGGCCGCCATGG

95/615

FIGURE 94

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA50911
><subunit 1 of 1, 348 aa, 1 stop
><MW: 39711, pI: 8.70, NX(S/T): 1
MAATLGPLGSWQQWRRCLSARDGSRMLLLLLLLGSGQGQPQVGAGQTFEYLKREHSLSKPYQGVGTGSSSIWNLM
GNAMVMTQYIRLTPDMQSKQGALWNRVPCFLRDWELQVHFQIHGQGKKNLHGDGLAIWYTKDRMQPGPVFGNMDK
FVGLGVFVDTPNEEKQQERVFPYISAMVNNGSLSYDHERDGRPTELGGCTAIVRNLYDTFLVIRYVKRHLTIM
MDIDGKHEWRDCIEVPGVRLPRGYFFGTSSITGDLSDNHDVISLKLFEFTVERTPEEEKLHRDVFLPSVDNMKLP
EMTAPLPPLSGLALFLIVFFSLVFSVFAIVIGIILYNKWQEQRKRFY
```

Signal sequence:
amino acids 1-38

Transmembrane domain:
amino acids 310-329

96/615

FIGURE 95

CCTGTGTTAAGCTGAGGTTTTCCCTAGATCTCGTATATCCCCAACACATACCTCCACGCACACACATCCCCAAGA
ACCTCGAGCTCACACCAACAGACACACGCGCGCATACACACTCGCTCTCGCTTGTCCATCTCCCTCCCGGGGGAG
CCGGCGCGCGCTCCACCTTTGCCGCACACTCCGGCGAGCCGAGCCCGCAGCGCTCCAGGATTCTGCGGCTCGGA
ACTCGGATTGCAGCTCTGAACCCCCATGGTGGTTTTTTTAAACACTTCTTTTCCTTCTCTTCCTCGTTTTTGATTGC
ACCGTTTCCATCTGGGGGCTAGAGGAGCAAGGCAGCAGCCTTCCCAGCCAGCCCTTGTGGCTTGCCATCGTCCA
TCTGGCTTATAAAAGTTTGCTGAGCGCAGTCCAGAGGGCTGCGCTGCTCGTCCCCTCGGCTGGCAGAAGGGGGTG
ACGCTGGGCAGCGGCGAGGAGCGCGCCGCTGCTCTGGCGGGCTTTCCGGCTTGAGGGGAAGGTGAAGAGCGCAC
CGGCCGTGGGGTTTTACCGAGCTGGATTTGTATGTTGCACCATGCTTCTTGGATCGGGGCTGTGATTCTTCCCCT
CTTGGGGCTGCTGCTCTCCCTCCCCGCCGGGGCGGATGTGAAGGCTCGGAGCTGCGGAGAGGTCCGCCAGGCGTA
CGGTGCCAAGGGATTACGCTGGCGGACATCCCCTACCAGGAGATCGCAGGGGAACACTTAAGAATCTGTCTCA
GGAATATACATGCTGCACCACAGAAATGGAAGACAAGTTAAGCCAACAAAGCAAACCTCGAATTTGAAAACCTTGT
GGAAGAGACAAGCCATTTTGTGCGCACCCTTTTGTGTCCAGGCATAAGAAATTTGACGAATTTTTCCGAGAGCT
CCTGGAGAATGCAGAAAAGTCACTAAATGATATGTTTGTACGGACCTATGGCATGCTGTACATGCAGAAATTCAGA
AGTCTTCCAGGACCTCTTACAGAGCTGAAAAGGTAACACTGGGGGTAATGTGAATCTGGAGGAAATGCTCAA
TGACTTTTTGGGCTCGGCTCCTGGAACGGATGTTTCAGCTGATAAACCCCTCAGTATCACTTCAGTGAAGACTACCT
GGAATGTGTGAGCAAATACACTGACCAGCTCAAGCCATTTGGAGACGTGCCCCGAAACTGAAGATTCAGGTTAC
CCGCGCCTTCATTGCTGCCAGGACCTTTGTCCAGGGGCTGACTGTGGGCAGAGAAGTTGCAAACCGAGTTTCCAA
GGTCAGCCCAACCCAGGGTGTATCCGTGCCCTCATGAAGATGCTGTACTGCCCATACTGTCCGGGGCTTCCCAC
TGTGAGGCCCTGCAACAACACTACTGTCTCAACGTCATGAAGGGCTGCTTGGCAAATCAGGCTGACCTCGACACAGA
GTGGAATCTGTTTATAGATGCAATGCTCTTGGTGGCAGAGCGACTGGAGGGGCCATTCAACATTGAGTCGGTCAT
GGACCCGATAGATGTCAAGATTTCTGAAGCCATTATGAACATGCAAGAAAACAGCATGCAGGTGTCTGCAAAGGT
CTTTTCAGGGATGTGGTCAGCCCAACCTGCTCCAGCCCTCAGATCTGCCCGCTCAGCTCCTGAAAATTTTAATAC
ACGTTTCAGGCCCTACAATCCTGAGGAAAGACCAACAACCTGCTGCAGGCACAAGCTTGGACCGGCTGGTCACAGA
CATAAAAGAGAAATTGAAGCTCTCTAAAAAGGTCTGGTCAGCATTACCCTACACTATCTGCAAGGACGAGAGCGT
GACAGCGGGCACGTCACACGAGGAGGAATGCTGGAACGGGCACAGCAAAGCCAGATACTTGCCTGAGATCATGAA
TGATGGGCTCACCAACCAGATCAACAATCCCGAGGTGGATGTGGACATCACTCGGCCTGACACTTTCATCAGACA
GCAGATTATGGCTCTCCGTGTGATGACCAACAACTAAAAACGCCTACAATGGCAATGATGTCAATTTCCAGGA
CACAAGTGATGAATCCAGTGGCTCAGGGAGTGGCAGTGGGTGCATGGATGACGTGTGTCCACGGAGTTTGAGTT
TGTCAACACAGAGGCCCCCGCAGTGGATCCCGACCGAGAGAGGTGGACTCTTCTGCAGCCCAAGCGTGGCCACTC
CCTGCTCTCCTGGTCTCTCACCTGCATTGTCTTGGCACTGCAGAGACTGTGCAGATTAATCTTGGGTTTTTGGTCA
GATGAACTGCATTTTAGCTATCTGAATGGCCAACCTCACTTCTTTTCTTACACTCTTGGACAATGGACCATGCCA
CAAAACTTACCGTTTTCTATGAGAAGAGAGCAGTAATGCAATCTGCCTCCCTTTTTGTTTTCCCAAAGAGTACC
GGGTGCCAGACTGAACTGCTTCTTCTTTCCTTACGCTATCTGTGGGGACCTTGTATTCTAGAGAGAATTCTTA
CTCAAATTTTTTCGTACCAGGAGATTTTCTTACCTTCATTTGCTTTTATGCTGCAGAAGTAAAGGAATCTCACGTT
GTGAGGGTTTTTTTTTTCTCATTTAAAT

97/615

FIGURE 96

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA50914
><subunit 1 of 1, 555 aa, 1 stop
><MW: 62736, pI: 5.36, NX(S/T): 0
MPSWIGAVILPLLGLLLSLPAGADVKA RSCGEVRQAYGAKGFS LADIPYQEIAGEHLRICPQEYTCCTTEMEDKL
SQQSKLEFENLVEETSHFVRTTFVSRHKKFDEFFRELLENAEKSLNDMFVRTYGM LYMQNSEVFQDLFTELK RYY
TGGNVNLEEMLNDEFWARLLERMFQLINPQYHFS EDYLECVSKYTDQLKPFGDVPRK LKIQVTRAFIAARTFVQGL
TVGREVANRVSKVSPTPGCIRALMKMLYCPYCRGLPTVRPCNNYCLNVMKGCLANQADLDTEWNL FIDAMLLVAE
RLEGPFNIESVMDPIDVKISEAIMNMQENSMQVS AKVFQGCQPKPAPALRSARSAPENFNTFRPYNPEERPTT
AAGTSLDRLVTDIKEKLKLSKKVWSALPYTICKDES VTAGTSNEEECWNGH SKARYLPEIMNDGLTNQINNPEVD
VDITRPDTFIRQQIMALRVMTNKLKNAYNGNDVNFQDTSDESSGSGSGSGCMDDVCPT EFEFVTTTEAPAVDPDRR
EVDSSAAQRGHSLLSWSLT CIVLALQRLCR
```

Signal peptide:
amino acids 1-23

FIGURE 98

amino acids 96-140, 49-89 and 22-51

102/615

FIGURE 101

CAACCTCAGCTTCTAGTATCCAGACTCCAGCGCCGCCCCGGGCGCGGACCCCAACCCCGACCCAGAGCTTCTCC
BCGGCGGGCGCAGCGAGCAGGGCTCCCCGCTTAACCTTCTCCGCGGGGCCAGCCACCTTCGGGAGTCCGGGTT
CCCACTGCAAACTCTCCGCCTTCTGCACCTGCCACCCCTGAGCCAGCGCGGGCCCCGAGCGAGTCA~~ATG~~GCCA
CGCGGGGCTGCAGCTGTTGGGCTTCATTCTCGCCTTCCCTGGGATGGATCGGCGCCATCGTCAGCACTGCCCTGC
CCAGTGGAGGATTTACTCCTATGCCGGCGACAACATCGTGACCGCCCAGGCCATGTACGAGGGGCTGTGGATGT
CTGCGTGTGCGAGAGCACCGGGCAGATCCAGTGCAAAGTCTTTGACTCCTTGCTGAATCTGAGCAGCACATTGC
AGCAACCCGTGCCTTGATGGTGGTTGGCATCCTCCTGGGAGTGATAGCAATCTTTGTGGCCACCGTTGGCATGA
GTGTATGAAGTGCTTGAAGACGATGAGGTGCAGAAGATGAGGATGGCTGTCTATTGGGGTGGCATATTTCTTC
TGCAGGTCTGGCTATTTTAGTTGCCACAGCATGGTATGGCAATAGAATCGTTCAAGAATTCATGACCCCTATGA
CCCAGTCAATGCCAGGTACGAATTTGGTCAGGCTCTCTTCACTGGCTGGGCTGCTGCTTCTCTGCTTCTGCGCTTCTGG
AGGTGCCCTACTTTGCTGTTCCTGTCCCCGAAAAACAACCTCTTACCCAACACCAAGGCCCTATCCAAAACCTG
ACCTTCCAGCGGGGAAAGACTACGTG~~GA~~CACAGAGGCAAAAGGAGAAAATCATGTTGAAACAAACCGAAAAATGG
CATTGAGATACTATCATTAAACATTAGGACCTTAGAATTTGGGTATTGTAATCTGAAGTATGGTATTACAAAAC
AACAAACAAACAAAAAACCCATGTGTTAAATACTCAGTGCTAAACATGGCTTAATCTTATTTTATCTTCTTTC
TCAATATAGGAGGGAAGATTTTTCCATTTGTATTACTGCTTCCCATTGAGTAATCATACTCAAATGGGGGAAGG
GTGCTCCTTAAATATATATAGATATGTATATATACATGTTTTTCTATTAAAAATAGACAGTAAATACTATTCT
ATTATGTTGATACTAGCATACTTAAATATCTCTAAAATAGGTAAATGTATTTAATTCATATTGATGAAGATG
TTATTGGTATATTTCTTTTTCGTCCTTAAATACATATGTAACAGTCAAATATCATTTACTCTTCTTCTATTAGC
TTGGGTGCCTTTGCCACAAGACCTAGCCTAATTTACCAAGGATGAATTCTTTCAATTCTTCATGCGTGCCCTTT
CATATACTTATTTTATTTTTTACCATAATCTTATAGCACTTGCATCGTTATTAAGCCCTTATTTGTTTTGTGTT
CATTGGTCTCTATCTCCTGAATCTAACACATTCATAGCCTACATTTTAGTTTCTAAAGCCAAGAAGAATTTAT
ACAAATCAGAACTTTGGAGGCAAATCTTCTGCATGACCAAAGTGATAAATTCCTGTTGACCTTCCCACACAAT
CCTGTACTCTGACCCATAGCACTCTTGTTTGCTTTGAAAATATTTGTCCAATTGAGTAGCTGCATGCTGTTCCC
CAGGTGTTGTAACACAACCTTTATTGATTGAATTTTTAAGCTACTTATTTCATAGTTTTATATCCCCCTAAACTAC
TTTTTGTTCCTTCCCTAATTGATTGTTTTTCCCAAGTGTAATTATCATGCGTTTTATATCTTCTCTAATAAG
TGTGGTCTGTTTGTCTGAACAAAGTGCTAGACTTTCTGGAGTGATAATCTGGTGACAAATATTCTCTCTGTAGC
GTAAGCAAGTCACTTAATCTTTCTACCTCTTTTTCTATCTGCCAAATTGAGATAATGATACTTAACCAGTTAG
AGAGGTAGTGTGAATATTAATTAGTTTATATTACTCTTATTCTTTGAACATGAAGTATGCCTATGTAGTGTCTT
ATTTGCTCAGCTGGCTGAGACACTGAAGAAGTCACTGAACAAAACCTACACACGTACCTTCATGTGGTTCACTG
CTTCTCTCTCTACCACTGATTTTCCACTGAACAAAACCTACACACATACCTTCATGTGGTTCACTGCTTCTCT
TCTCTACCACTGATTTTCCACTGAACAAAACCTACGCACATACCTTCATGTGGCTCAGTGCCTTCTCTCTCTA
CAGTCTATTTCCATTCTTTGAGCTGTGTCTGACATGTTTGTGCTCTGTTCCATTTTAAACAACTGCTCTTACTTT
CCAGTCTGTACAGAATGCTATTTCACTTGAGCAAGATGATGTAATGGAAGGGTGTGGCACTGGTGTCTGGAG
CCTGGATTGAGTCTTGGTGCTATCAATCACCGTCTGTGTTGAGCAAGGCATTTGGCTGCTGTAAGCTTATTG
TTCATCTGTAAGCGGTGGTTTGTAAATTCCTGATCTTCCACCTCACAGTGATGTTGTGGGGATCCAGTGAGATA
AATACATGTAAGTGTGGTTTGTAAATTTAAAAAGTGCTATACTAAGGGGAAAGAATTGAGGAATTAAGTGCATAC
TTTTGGTGTGCTTTTCAATGTTTGAATAAAAAAATGTTAAG

VATT
CAT
ATC
AGT
TAC
GTT
GAA
TAC
GAT
GGA
TTG
AAT
GAA
AAC
GAT
TTT
GTG
CTA
ATC
ATT
SAC
TTT
ACA
GTG
TTT
ATA
ACC
TTT
CTT
CA
TG
GA
GA
AA
GA
AA
AT
TT

107/615

FIGURE 106

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA53906
><subunit 1 of 1, 772 aa, 1 stop
><MW: 87002, pI: 4.64, NX(S/T): 8
MNCYLLLRFMLGIPLLWPCLGATENSQTKKVQPVRSHLRVKRGWVWNQFFVPEEMNTTSHHIGQLRSDLDNGNN
SFQYKLLGAGAGSTFIIDERTGDIYAIQKLDREERSLYILRAQVIDIATGRAVEPESEFVIKVSNDINDNEPKFLD
EPYEAIVPEMSPEGLTVIQVTASDADDPSSGNNARLLYSLLQGQPYFSVEPTTGIVIRISSKMDRELQDEYWVIIQ
AKDMIGQPGALSGTTSVLIKLSDVNDNKPIFKESLYRLTVSESAPTGTSIGTIMAYDNDIGENAEMDYSIEEDDS
QTFDIITNHETQEGIVILKKKVDFEHQNHYGIRAKVKNHHVPEQLMKYHTEASTTFIKIQVEDVDEPPLFLLPY
VFEVFEETPQGSFVGVVSATDPDNRKSPIRYSITRSKVFNINDNGTITTSNSLDREISAWYNLSITATEKYNIEQ
ISSIPLYVQVLNINDHAPEFSQYYETYVCENAGSGQVIQTISAVDRDESIEHHFYFNLSVEDTNNSSFTIIDNQ
DNTAVILTNRGTGNLQEEPVFYISILIADNGIPSLTSTNTLTIHVCDGDSGSTQTCQYQELVLSMGFKTEVIA
ILICIMIIFGFIFLTLGLKQRRKQILFPEKSEDFRENIFQYDDEGGGEEDTEAFDIAELRSSTIMRERKTRKTT
AEIRSLYRQSLQVGPDSAIFRKFILEKLEEANTDPCAPPFDLSQTYAFEGTGSLSLSSLESASVSDQDESYDYL
NELGPRFKRLACMFGSAVQSN
```

Important features:**Signal peptide:**

amino acids 1-21

Transmembrane domain:

amino acids 597-617

N-glycosylation sites.

amino acids 57-60, 74-77, 419-423, 437-440, 508-511, 515-518, 516-519 and 534-537

Cadherins extracellular repeated domain signature.

amino acids 136-146 and 244-254

110/615

FIGURE 109

CTGCAAGTTGTTAAACGCCTAACACACAAGTATGTTAGGCTTCCACCAAAGTCCTCAATATACCTGAATACGCACA
ATATCTTAACTCTTCATATTTGGTTTTGGGATCTGCTTTGAGGTCCCATCTTCATTTAAAAAATAACAGAGAC
CTACCTACCCGTACGCATACATACATATGTGTATATATATGTAACTAGACAAAGATCGCAGATCATAAAGCAAG
CTCTGCTTTAGTTTCCAAGAAGATTACAAAGAATTTAGAGATGATTTTGTCAAGATCCCTGTGCGATTCATGCCCT
TTGGGTTACGGTGTCTCAGTGATGCAGCCCTACCCTTTGGTTTGGGGACATTATGATTTGTGAAGACTCAGAT
TTACACGGAAGAAGGGAAAGTTTGGGATTACATGGCCCTGCCAGCCGGAATCCACGGACATGACAAAATATCTGAA
AGTGAAACTCGATCCTCCGGATATTACCTGTGGAGACCCTCCTGAGACGTTCTGTGCAATGGGCAATCCCTACAT
GTGCAATAATGAGTGTGATGCGAGTACCCCTGAGCTGGCACACCCCTGAGCTGATGTTTGATTTTGAAGGAAG
ACATCCCTCCACATTTTGGCAGTCTGCCACTTGAAGGAGTATCCCAAGCCTCTCCAGGTTAACATCACTCTGTC
TTGGAGCAAAACCATTGAGCTAACAGACAACATAGTTATTACCTTTGAATCTGGGCGTCCAGACCAATGATCCT
GGAGAAGTCTCTCGATTATGGACGAACATGGCAGCCCTATCAGTATTATGCCACAGACTGCTTAGATGCTTTTCA
CATGGATCCTAAATCCGTGAAGGATTTATCACAGCATACGGTCTTAGAAATCATTTGCACAGAAGAGTACTCAAC
AGGGTATACAACAAATAGCAAAATAATCCACTTTGAAATCAAAGACAGGTTGCGGCTTTTGTCTGGACCTCGCCT
ACGCAATATGGCTTCCCTCTACGGACAGCTGGATACAACCAAGAACTCAGAGATTTCTTTACAGTCACAGACCT
GAGGATAAGGCTGTTAAGACCAGCCGTTGGGGAAATATTTGTAGATGAGCTACACTTGGCAGCTACTTTTACGC
GATCTCAGACATAAAGGTGCGAGGAAGGTGCAAGTGAATCTCCATGCCACTGTATGTGTGATGACAACAGCAA
ATTGACATGCGAATGTGAGCACAACTACAGTCCAGACTGTGGGAAATGCAAGAAGAATTATCAGGGCCGACC
TTGGAGTCCAGGCTCCTATCTCCCCATCCCCAAGGCAGTGCAAATACCTGTATCCCCAGTATTTCCAGTATTGG
TACGAATGTCTGCGACAACGAGCTCCTGCACTGCCAGAACGGAGGACGTGCCACAACAACGTGCGCTGCCTGTG
CCCGCCCGCATACACGGGCATCCTCTGCGAGAAGCTGCGGTGCGAGGAGGCTGGCAGCTGCGGCTCCGACTCTGG
CCAGGGCGCGCCCCCGCACGGCACCCAGCGCTGCTGCTGCTGACCACGCTGCTGGGAACCGCCAGCCCCCTGGT
GTTCTAGGTGTACCTCCAGCCACACCGGACGGGCTGTGCCGTGGGGAAGCAGACACAACCCAAACATTTGCTA
CTAACATAGGAAACACACACATACAGACACCCCACTCAGACAGTGTACAAACTAAGAAGGCCTAACTGAACTAA
GCCATATTTATCACCCGTGGACAGCACATCCGAGTCAAGACTGTTAATTTCTGACTCCAGAGGAGTTGGCAGCTG
TTGATATTATCACTGCAAAATCACATTGCCAGCTGCAGAGCATATTGTGGATTGGAAAGGCTGCGACAGCCCCCA
AACAGGAAAGACAAAAACAACAAATCAACCGACCTAAAAACATTGGCTACTCTAGCGTGGTGCGCCCTAGTAC
GACTCCGCCCCAGTGTGTGGACCAACCAATAGCATTTCTTTGCTGTGAGGTGCATTGTGGGCATAAGGAAATCTGT
TACAAGCTGCCATATTGGCCTGCTTCCGTCCCTGAATCCCTTCCAACCTGTGCTTTAGTGAACGTTGCTCTGTAA
CCCTCGTTGGTTGAAAGATTTCTTTGTCTGATGTTAGTGATGCACATGTGTAACAGCCCCCTCTAAAAGCGCAAG
CCAGTCATACCCCTGTATATCTTAGCAGCACTGAGTCCAGTGCGAGCACACCCCACTATACAAGAGTGGCTATA
GGAAAAAGAAAGTGTATCTATCTTTTGTATTCAAATGAAGTTATTTTCTTGAACACTGTAAATATGTAGATT
TTTTGTATTATTGCCAATTTGTGTTACCAGACAATCTGTTAATGTATCTAATTCGAATCAGCAAGACTGACATT
TTATTTGTCTCTTTCTGTTCTGTTTTGTTTCACTGTGCAGAGATTTCTCTGTAAGGGCAACGAACGTGCTGGCA
TCAAAGAATATCAGTTTACATATATAACAAGTGAATAAGATTCCACCAAAGGACATTTCTAAATGTTTTCTTGTT
GCTTTAACTGGAAGATTTAAGAATAAAAACTCCTGCATAAACGATTTTCAAGGAATTTGTATTGCAATTTCTTA
AGATGAAAGGAACAGCCACCAAGCAGTTTCACTCACTTTACTGATTTCTGTGTGAGTACATTTCAGCTG
ACGAATTTAGTTCCAGGAAGATGGATTGATGTTCACTAGCTTGGACAACCTTCTGCAAAATATGAGACTATTTCC
ACTTGGGAAAATTACAACAGCAAAAAAAAAAAAAAAAAAAAAA

111/615

FIGURE 110

MYLSRSLSIHALWVTVSSVMQPYPLVWGHYDLCKTQIYTEEGKVWDYMACQPESTDMTKYLKVKLDPDITCGDP
PETFCAMGNPYMCNNECDASTPELAHPPELMFDFEGRHPSTFWQSATWKEYPKPLQVNITLSWSKTIELTDNIVI
TFESGRPDQMILEKSLDYGRTWQPYQYYATDCLDAFHMDPKSVKDLSQHTVLEIICTEEYSTGYTTNSKIIHFEI
KDRFALFAGPRLRNMASLYGQLDTTKKLRDFFTVDLRIRLLRPVGEIFVDELHLARYFYAISDIKVRGRCKCN
LHATVCVYDNSKLTCECEHNTTGPDGCKCKKNYQGRPWSPGSYLPKPGTANTCIPSISISGNTVCDNELLHCQN
GGTCHNNVRCLCPAAYTGILCEKLRCEEAGSCGSDSGQAPPHGTPALLLTLLGTASPLVF

112/615

FIGURE 111

GCCTGCCGTCAGCTCGCCGGGCACCGCGGCCTCGCCCTCGCCCTCCGCCCTGCGCCTGCACCGCGTAGACCGAC
CCCCCCTCCAGCGCGCCACCCGGTAGAGGACCCCGCCCGTGCCCCGACCGGTCCCCGCCTTTTTGTAAACT
TAAAGCGGGCGCAGCATTAAAGCTTCCCGCCCCGGTGACCTCTCAGGGGTCTCCCGCCAAAGGTGCTCCGCCGC
TAAGGAACATGGCGAAGGTGGAGCAGGTCTGAGCCTCGAGCCGACGACGAGCTCAAATTCGAGGTCCCTTCA
CCGATGTTGTCAACCAACCTAAAGCTTGGCAACCCGACAGACCGAAATGTGTGTTTAAGGTGAAGACTACAG
CACCACGTAGGTACTGTGTGAGGCCAACAGCGGAATCATCGATGCAGGGGCCTCAATTAATGTATCTGTGATGT
TACAGCCTTTGATTATGATCCCAATGAGAAAAGTAAACACAAGTTTATGGTTCAGTCTATGTTTGCTCCAACGT
ACACTTCAGATATGGAAGCAGTATGGAAGGAGGCAAAACCGGAAGACCTTATGGATTCAAACTTAGATGTGTGT
TTGAATTGCCAGCAGAGAATGATAAACCATGATGTAGAAATAAATAAATTATATCCACAACCTGCATCAAAGA
CAGAAACACCAATAGTGTCTAAGTCTCTGAGTTCTTCTTTGGATGACACCGAAGTTAAGAAGGTTATGGAAGAAT
GTAAGAGGCTGCAAGGTGAAGTTCAGAGGCTACGGGAGGAGAACAAGCAGTTCAAGGAAGAAGATGGACTGCGGA
TGAGGAAGACAGTGCAGAGCAACAGCCCCATTTACGCATTAGCCCCAAGTGGGAAGGAAGAAGGCCTTAGCACCC
GGCTCTTGGCTCTGGTGGTTTTGTTCTTTATCGTTGGTGTAATTATTGGGAAGATTGCCTTGAGAGGTAGCATG
CACAGGATGGTAAATTGGATTGGTGGATCCACCATATCATGGGATTTAAATTTATCATAACCATGTGTAAAAAGA
AATTAATGTATGATGACATCTCACAGGTCTTGCTTTAAATTACCCCTCCCTGCACACACATACAGATACACA
CACACAAATATAATGTAACGATCTTTTAGAAAAGTTAAAAATGTATAGTAACTGATTGAGGGGGAAAAAGAATGAT
CTTTATTAATGACAAGGGAAACCATGAGTAATGCCACAATGGCATATTGTAAATGTCATTTTAAACATTGGTAGG
CCTTGGTACATGATGCTGGATTACCTCTCTTAAATGACACCCTTCCTCGCCTGTTGGTGTGGCCCTTGGGGAG
CTGGAGCCCAGCATGCTGGGGAGTGCGGTGAGCTCCACACAGTAGTCCCCACGTGGCCCACTCCCGGCCAGGCT
GCTTTCCGTGTCTTCAGTTCTGTCCAAGCCATCAGCTCCTTGGGACTGATGAACAGAGTCAGAAGCCCCAAGGAA
TTGCACTGTGGCAGCATCAGACGTAAGTGCATAAGTGAGAGGCGTGTGTTGACTGATTGACCCAGCGCTTTGGA
AATAAATGGCAGTGCTTTGTTCACTTAAAGGGACCAAGCTAAATTTGTATTGGTTCATGTAGTGAAGTCAAAGT
TTATTCAGAGATGTTTAAATGCATATTTAACTTATTTAATGTATTTTCATCTCATGTTTTCTTATTGTACAAGAGT
ACAGTTAATGCTGCGTGCTGCTGAACCTCTGTTGGGTGAACTGGTATTGCTGCTGGAGGGCTGTGGGCTCCTCTGT
CTCTGGAGAGTCTGGTCATGTGGAGGTGGGGTTTATTGGGATGCTGGAGAAGAGCTGCCAGGAAGTGTTTTTCT
GGGTGAGTAAATAACAACCTGTCATAGGGAGGGAATTTCTCAGTAGTGACAGTCAACTCTAGGTTACCTTTTTTAA
TGAAGAGTAGTCAGTCTTCTAGATTGTTCTTATACCACCTCTCAACCATTACTCACACTTCAGCGCCCAGGTCC
AAGTCTGAGCCTGACCTCCCCCTTGGGGACCTAGCCTGGAGTCAGGACAAATGGATCGGGCTGCAGAGGGTTAGAA
GCGAGGGCACCAGCAGTTGTGGGTGGGGAGCAAGGGAAGAGAGAACTCTTCAGCGAATCCTTCTAGTACTAGTT
GAGAGTTTGACTGTGAATTAATTTTATGCCATAAAAGACCAACCCAGTTCTGTTGACTATGTAGCATCTTGAAA
AGAAAAATTATAATAAGCCCCAAAATTAAGAAAA

113/615

FIGURE 112

</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA53977
<subunit 1 of 1, 243 aa, 1 stop
<MW: 27228, pI: 7.43, NX(S/T): 2
MAKVEQVLSLEPQHELKFRGPFSTDVVTNLKLGNPTRNVCFKVKTTAPRRYCVRPNSGIIDAGASINVSVMLQP
FDYDPNEKSKHKFMVQSMFAPTDTSMEAVWKEAKPEDLMSKLRVCFELPAENDKPHDVEINKIISTTASKTET
PIVSKSLSSSLDDTEVKKVMEECKRLQGEVQRLREENKQFKEEDGLRMRKTVQSNSPISALAPTGKEEGLSTRLL
ALVVLFFIVGVIIGKIAL

Important features:**Transmembrane domain:**

amino acids 224-239

N-glycosylation site.

amino acids 68-71

N-myristoylation site.

amino acids 59-64, 64-69 and 235-240

114/615

FIGURE 113

CCCACGCGTCCGGGTGACCTGGGCCGAGCCCTCCCGGTCGGCTAAGATTGCTGAGGAGGCGGCGGGTAGCTGGCA
GGCGCCGACTTCCGAAGGCCGCGGTCCGGGCGAGGTGTCCTCATGACTTCTCTTGTGGACCATGTCGGTGATCTT
TTTTGCCTGCGTGGTACGGGTAAAGGATGGACTGCCCCCTCTCAGCCTCTACTGATTTTTACCACACCCAAGATTT
TTTGGAAATGGAGGAGACGGCTCAAGAGTTTAGCCTTGCGACTGGCCCAGTATCCAGGTTCGAGGTTCTGCAGAAGG
TTGTGACTTTAGTATACATTTTTCTTCTTCGGGGACGTGGCCTGCATGGCTATCTGCTCCTGCCAGTGTCCAGC
AGCCATGGCCTTCTGCTTCCTGGAGACCCTGTGGTGGGAATTCACAGCTTCCTATGACACTACCTGCATTGGCCT
AGCCTCCAGGCCATACGCTTTTCTTGAGTTTGACAGCATCATTAGAAAGTGAAGTGGCATTTTAACTATGTAAG
TTCCTCTCAGATGGAGTGCAGCTTGGAAAAAATTCAGGAGGAGCTCAAGTTGCAGCCTCCAGCGGTTCTCACTCT
GGAGGACACAGATGTGGCAAATGGGGTGATGAATGGTCACACACCGATGCACTTGGAGCCTGCTCCTAATTTCCG
AATGGAACCAGTGACAGCCCTGGGTATCCTCTCCCTCATTCTCAACATCATGTGTGCTGCCCTGAATCTCATTCTG
AGGAGTTCACCTTGAGAACATTCTTTACAGGATCCAAGGAGCTGGTTCTGCTGGTTGGACCAACCTCGTGAAGC
CAGCCACCCCTGACCCAAATGAGGAGAGCTCTGATTCTCCCATCCGGGAGCAGTGATGTCAAATCTGCTGCTG
GGGAAATCTCATCAGCAGGGAGCCTGTGGAAAAGGGCATGTCAGTGAAATCTGGGAATGGCTGGATTCCGGAACA
TCTGCCCATGTGTATTGATGGCAGAGCTGTTGCCACAAGCGCCTTTATTTAGGGTAAAATTAACAAATCCATT
CTATTCCTCTGACCCATGCTTAGTACATATGACCTTTAACCCTTACATTTATATGATTCTGGGGTTGCTTCAGAA
GTGTTATTTTCATGAATCATTATATGATTTGATCCCCCAGGATTCTATTTTGTTTAATGGGCTTTTCTACTAAAA
GCATAAAATACTGAGGCTGATTTAGTCAGGGCAAAACCATTTACTTTACATATTCGTTTTCAATACTTGCTGTTT
ATGTTACACAAGCTTCTTACGGTTTTCTTGTAAACAATAAATATTTTGTAGTAAATAATGGGTACATTTTAACAAC
TCAGTAGTACAACCTAACTTGTATAAAAGTGTGTAAAAATGTATAGCCATTTATATCCTATGTATAAATTAAT
GAGGTGGCTTCAGAAATGGCAGAATAAATCTAAAGTGTATTATAAAAAAAAAAAAAAAAAAAAAAAG

115/615

FIGURE 114

MSVIFVACVVRVVDGLPLSASTDFYHTQDFLEWRRRLKSLALRLAQYPGRGSAEGCDFSIHFSSFGDVACMAICS
CQCPAAMAFCFLETLLWWEFTASYDTTCIGLASRPYAFLEFDSIIQVKWHFNYVSSSQMECSLEKIQEELKLQPP
AVLTLEDTDVANGVMNGHTPMHLEPAPNFRMEPV TALGILSLILNIMCAALNLIRGVHLAEHSLQDPRSWFCWLDQTS

116/615

FIGURE 115

CTCAGCGGGCGCTTCCTCGTAGCGAGCCTAGTGGCGGGTGTTTGCATTGAAACGTGAGCGCGACCCGACCTTAAAG
AGTGGGGAGCAAAGGGAGGACAGAGCCCTTTAAAACGAGGCGGGTGGTGCCCTGCCCTTTAAGGGCGGGGCGTCC
GGACGACTGTATCTGAGCCCCAGACTGCCCCGAGTTTCTGTGCGAGGCTGCGAGGAAAGGCCCTAGGCTGGGTC
TGGGTGCTTGGCGGGCGGGCGGCTTCCTCCCCGCTCGTCCCTCCCGGGCCAGAGGCACCTCGGCTTCAGTCATGCT
GAGCAGAGTATGGAAGCACCTGACTACGAAGTGCTATCCGTGCGAGAACAGCTATTCCACGAGAGGATCCGCGAG
TGTATTATATCAACACTTCTGTTTGAACACTGTACATCCTCTGCCACATCTTCCTGACCCGCTTCAAGAAGCCT
GCTGAGTTTCAACACAGTGGATGATGAAGATGCCACCGTCAACAAGATTGCGCTCGAGCTGTGCACCTTTACCTG
GCAATTGCCCTGGGTGCTGTCTGCTCCTGCCCTTCTCCATCATCAGCAATGAGGTGCTGCTCTCCCTGCCTCGG
AACTACTACATCCAGTGGCTCAACGGCTCCCTCATCCATGGCCTCTGGAACCTTGTTTTCTCTTCCCCAACCTG
TCCCTCATCTTCCTCATGCCCTTTGCATATTTCTTCACTGAGTCTGAGGGCTTTGCTGGCTCCAGAAAGGGTGTC
CTGGGCGGGTCTATGAGACAGTGGTGATGTTGATGCTCCTCACTCTGCTGGTGCTAGGTATGGTGTGGGTGGCA
TCAGCCATTGTGGACAAGAACAAGGCCAACAGAGAGTCACTCTATGACTTTTGGGAGTACTATCTCCCTACCTC
TACTCATGCATCTCCTTCCTTGGGGTCTGCTGCTCCTGGTGTGTACTCCACTGGGTCTCGCCCGCATGTTCTCC
GTCAGTGGGAAGCTGCTAGTCAAGCCCCGGCTGCTGGAAGACCTGGAGGAGCAGCTGTACTGCTCAGCCTTTGAG
GAGGCAGCCCTGACCCGCAGGATCTGTAATCCTACTTCTGCTGGCTGCCTTTAGACATGGAGCTGCTACACAGA
CAGGTCTGGCTCTGCAGACACAGAGGGTCTGCTGGAGAAGAGGCGGAAGGCTTCAAGCTGGCAACGGAACCTG
GGTACCCCTGGCTATGCTGTGCTTGTGCTGGTGTGACGGGCTGTCTGTGCTCATTGTGGCCATCCACATCCTG
GAGCTGCTCATCGATGAGGCTGCCATGCCCGAGGCATGCAGGGTACCTCCTTAGGCCAGGTCTCCTTCTCCAAG
CTGGGCTCCTTTGGTGCCGTCAATCAGGTTGTACTCATCTTTTACCTAATGGTGTCTCAGTTGTGGGCTTCTAT
AGCTCTCCACTCTTCCGGAGCCTGCGGGCCAGATGSCACGACACTGCCATGACGCAGATAATTGGGAAGTGTGTC
TGTCTCCTGGTCTAAGCTCAGCACTTCTGTCTTCTCTCGAACCCTGGGGCTCACTCGCTTTGACCTGCTGGGT
GACTTTGGACGCTTCAACTGGCTGGGCAATTTCTACATTGTGTTCTCTACAACGCAGCCTTTGCAGGCCTCACC
ACACTCTGTCTGGTGAAGACCTTCACTGCAGCTGTGCGGGCAGAGCTGATCCGGGCTTTGGGCTGGACAGACTG
CCGCTGCCCGTCTCCGGTTTCCCCCAGGCATCTAGGAAGACCCAGCACCAGTGAACCTCCAGCTGGGGGTGGGAAG
GAAAAAAGTGGACACTGCCATCTGCTGCCTAGGCCTGGAGGGAAGCCCAAGGCTACTTGGACCTCAGGACCTGGA
ATCTGAGAGGGTGGGTGGCAGAGGGGAGCAGAGCCATCTGCACTATTGCATAATCTGAGCCAGAGTTTGGGACCA
GGACCTCCTGCTTTTCCATACTTAACTGTGGCCTCAGCATGGGGTAGGGCTGGGTGACTGGGTCTAGCCCCTGAT
CCCAAATCTGTTTACACATCAATCTGCCTCACTGCTGTTCTGGGCCATCCCCATAGCCATGTTTACATGATTTGA
TGTGCAATAGGGTGGGGTAGGGGCAGGGAAAGGACTGGGCCAGGGCAGGCTCGGGAGATAGATTGTCTCCCTTGC
CTCTGGCCAGCAGAGCCTAAGCACTGTGCTATCCTGGAGGGGCTTTGGACCACCTGAAAGACCAAGGGGATAGG
GAGGAGGAGGCTTCAGCCATCAGCAATAAAGTTGATCCCAGGGAAAAAA

117/615

FIGURE 116

MEAPDYEVLSVREQLFHERIRECIISTLLFATLYILCHIFLTRFKKPAEFTTVDDDEDATVNKIALELCTFTLAIA
LGAVLLLPFSIISNEVLLSLPRNYIIQWLNGSLIHGLWNLVFLFPNLSLIFLMPFAYFFTESEGFAGSRKGV LGR
VYETVVMMLLLTLLVLGMVWVASAIVDKNKANRESLYDFWEYYPYLYSCISFLGVLLLLVCTPLGLARMF SVTG
KLLVKPRLLLEDLEEQLYCSAFEEAALTRRICNPTSCWLPLDMELLHRQVLALQTQRVLLEKRRKASAWQRNLGYP
LAMLCLLVLTGLSVLIVAIHILELLIDEAAMPGRMQGTS LGQVSFSKLGSFGAVIQVVLIFYLMVSSVVG FYSSP
LFRSLRPRWHD TAMTQIIIGNCVCLLVLSALPVFSRTLGLTRFDLLGDFGRFNWLGNFYIVFLYNAAFAGLT TLC
LVKTFTA AVRAELIRAFGLDRLPLPVSGFPQASRKTQHQ

118/615

FIGURE 117

GAGAACAGGCCCTGTCTCAGGCAGGCCCTGCGCCTCCTATGCGGAGATGCTACTGCCACTGCTGCTGTCTCGCTG
CTGGGCGGGTCCCAGGCTATGGATGGGAGATTCTGGATACGAGTGCAGGAGTCAGTGATGGTGCCGGAGGGCCTG
TGCATCTCTGTGCCCTGCTCTTTCTCTACCCCCGACAAGACTGGACAGGGTCTACCCCAGCTTATGGCTACTGG
TTCAAAGCAGTGACTGAGACAACCAAGGGTGTCTGTGGCCACAAACCACAGAGTCGAGAGGTGGAAATGAGC
ACCCGGGGCCGATTCCAGCTCACTGGGGATCCCGCCAAGGGGAACCTGCTCCTTGGTGATCAGAGACGCGCAGATG
CAGGATGAGTCACAGTACTTCTTTCTGGGTGGAGAGAGGAAGCTATGTGACATATAATTTTCATGAACGATGGGTTT
TTTCTAAAAGTAACAGTGCTCAGCTTCACGCCCAGACCCAGGACCACAACACCGACCTCACCTGCCATGTGGAC
TTCTCCAGAAAGGGTGTGAGCGCACAGAGGACCGTCCGACTCCGTGTGGCCTATGCCCCAGAGACCTTGTATTATC
AGCATTTACGTGACAACACGCCAGCCCTGGAGCCCCAGCCCCAGGGAAATGTCCCATACCTGGAAGCCCCAAAA
GGCCAGTTCTGCGGCTCCTCTGTGCTGCTGACAGCCAGCCCCCTGCCACACTGAGCTGGGTCTGCAGAACAGA
GTCTCTCTCTCGTCCCATCCCTGGGGCCCTAGACCCCTGGGGCTGGAGCTGCCCGGGGTGAAGGCTGGGGATTCA
GGGCGCTACACCTGCCGAGCGGAGAACAGGCTTGGCTCCCAGCAGCGAGCCCTGGACCTCTCTGTGCAGTATCCT
CCAGAGAACCTGAGAGTGATGGTTTCCCAAGCAACAGGACAGTCCTGGAACCTTGGGAACGGCACGTCTCTC
CCAGTACTGGAGGGCCAAAGCCTGTGCCTGGTCTGTGTACACACAGCAGCCCCCAGCCAGGCTGAGCTGGACC
CAGAGGGGACAGGTTCTGAGCCCCCTCCAGCCCTCAGACCCCGGGGTCTTGAGCTGCCCTCGGGTTCAAGTGGAG
CACGAAGGAGAGTTCACTGCCACGCTCGGCACCCACTGGGCTCCCAGCAGTCTCTCTCAGCCTCTCCGTGCAC
TATAAGAAGGAGTCTATCTCAACGGCATTCTCCAACGGAGCGTTTCTGGAATCGGCATCACGGCTCTTCTTTTC
CTCTGCTTGGCCCTGATCATCATGAAGATTCTACCGAAGAGACGGACTCAGACAGAAACCCGAGGCCCAGGTTT
TCCCGGCACAGCACGATCCTGGATTACATCAATGTGGTCCCAGCGCTGGCCCCCTGGCTCAGAAGCGGAATCAG
AAAGCCACACCAAAACAGTCCCTCGGACCCCTCCTCCACCAGGTGCTCCCTCCCCAGAATCAAAGAAGAACCAGAAA
AAGCAGTATCAGTTGCCAGTTTCCCAGAACCCAAATCATCCACTCAAGCCCCAGAATCCCAGGAGAGCCAAGAG
GAGCTCCATTATGCCACGCTCAACTTCCCAGGCGTCAGACCCAGGCTGAGGCCCGGATGCCCAAGGGCACCCAG
GCGGATTATGCAGAAAGTCAAGTTCCAATGAGGGTCTCTTAGGCTTTAGGACTGGGACTTCGGCTAGGGAGGAAGG
TAGAGTAAGAGGTTGAAGATAACAGAGTGCAAAGTTTCTTCTCTCCTCTCTCTCTCTCTCTCTCTCTCTCTCT
CTCTTTCTCTCTCTTTTAAAAAAACATCTGGCCAGGGCACAGTGGCTCACGCCTGTAATCCCAGCACTTTGGGAG
GTTGAGGTGGGCAGATCGCCTGAGGTGCGGAGTTTCGAGACCAGCCTGGCCAACCTTGGTGAAACCCCGTCTCTACT
AAAAATACAAAAATTAGCTGGGCATGGTGGCAGGCGCCTGTAATCCTACCTACTTGGGAAGCTGAGGCAGGAGAA
TCACTTGAACCTGGGAGACGGAGGTTGCAGTGAGCCAAGATCACACCATTGCACGCCAGCCTGGGCAACAAAGCG
AGACTCCATCTCAAAAAAAAAAATCCTCCAAATGGGTGGGTGTCTGTAATCCCAGCACTTTGGGAGGCTAAGGTG
GGTGGATTGCTTGAGCCCAGGAGTTCGAGACCAGCCTGGGCAACATGGTGAAACCCCATCTCTACAAAAAATACA
AAACATAGCTGGGCTTGGTGGTGTGTGCCTGTAGTCCCAGCTGTCAGACATTTAAACCAGAGCAACTCCATCTGG
AATAGGAGCTGAATAAAATGAGGCTGAGACCTACTGGGCTGCATTCTCAGACAGTGGAGGCATTCTAAGTCACAG
GATGAGACAGGAGGTCCGTACAAGATACAGGTCAATAAGACTTTGCTGATAAAACAGATTGCAGTAAAGAAGCCA
ACCAAATCCCACCAAAACCAAGTTGGCCACGAGAGTGACCTCTGGTCTGCTCTACTGCTACACTCCTGACAGCAC
CATGACAGTTTACAAATGCCATGGCAACATCAGGAAGTTACCCGATATGTCCCAAAAGGGGGAGGAATGAATAAT
CCACCCCTTGTTTAGCAAATAAGCAAGAAATAACCATAAAAGTGGGCAACCAGCAGCTCTAGGCGCTGCTCTTGT
CTATGGAGTAGCCATTCTTTTGTTCCTTTACTTTCTTAATAAACTTGCTTTCACCTTAAAAAAA

119/615

FIGURE 118

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA54002

><subunit 1 of 1, 544 aa, 1 stop

><MW: 60268, pI: 9.53, NX(S/T): 3

MLLPLLLSSLLGGSQAMDGRFWIRVQESVMVPEGLCISVPCSFSPYPRQDWTGSTPAYGYWFKAVTETTTKGAPVAT
NHQSREVEMSTRGRFQLTGDPKAGNCSLVIRDAQMDESQYFFRVERGSYVTYNFMNDGFFLKVTVLSFTPRPQD
HNTDLTCHVDFSRKGVSAQRTVRLRVAYAPRDLVISISRDNTPALEPQPQGNVPYLEAQKGQFLRLCAADSQPP
ATLSWVLQNRVLSSSHWPGRPLGLELPGVKAGDSGRYTCRAENRLGSQQRALDLSVQYPPENLRVMVSQANRTV
LENLGNGTSLPVLEGQSLCLVCVTHSSPPARLSWTQRGQVLSPSQPSDPGVLELPRVQVEHEGEFTCHARHPLGS
QHVSLSLSVHYKKGLISTAFSNGAFLGIGITALLFLCLALIIMKILPKRRTQTETPRPRFSRHSTILDYINVVPT
AGPLAQKRNQKATPNSPRTPPPPGAPSPESKKNQKKQYQLPSFPEPKSSTQAPESQESQEELHYATLNFPGVRPR
PEARMPKGTQADYAEVKFQ

Important features:**Signal peptide:**

amino acids 1-15

Transmembrane domain:

amino acids 399-418

N-glycosylation site.

amino acids 100-103, 297-300 and 306-309

Immunoglobulins and major histocompatibility complex proteins signature.

amino acids 365-371

120/615

FIGURE 119

CTCGCGCAGGGATCGTCCCATGGCCGGGGCTCGGAGCCGCGACCCTTGGGGGGCCTCCGGGATTGCTACCTTTT
TGGCTCCCTGCTCGTGAAGTCTTCTCACGGGCTGTGCGCTTCAATCTGGACGTGATGGGTGCCTTGCGCAA
GGAGGGCGAGCCAGGCAGCCTCTTCGGCTTCTCTGTGGCCCTGCACCGGCAGTTGCAGCCCCGACCCAGAGCTG
GCTGCTGGTGGGTGCTCCCCAGGCCCTGGCTCTTCTGGGCGAGCAGGCGAATCGCACTGGAGGCCTCTTCGCTTG
CCCGTTGAGCCTGGAGGAGACTGACTGCTACAGAGTGGACATCGACCAGGGAGCTGATATGCAAAAGGAAAGCAA
GGAGAACCAGTGGTTGGGAGTCAGTGTTTCGGAGCAGGGGCTGGGGGCAAGATTGTTACCTGTGCACACCGATA
TGAGGCAAGGCAGCGAGTGGACCAGATCCTGGAGACGCGGGATATGATTGGTCGCTGCTTTGTGCTCAGCCAGGA
CCTGGCCATCCGGGATGAGTTGGATGGTGGGGAATGGAAGTTCTGTGAGGGACGCCCCAAGGCCATGAACAATT
TGGGTTCTGCCAGCAGGGGCACAGCTGCCGCTTCTCCCTGATAGCCACTACCTCCTCTTTGGGGCCCCAGGAAC
CTATAATTGGAAGGGCACGGCCAGGGTGGAGCTCTGTGCACAGGGCTCAGCGGACCTGGCACACCTGGACGACGG
TCCCTACGAGGCGGGGGGAGAGAAGGAGCAGGACCGCCGCTCATCCCGGTCCCTGCCAACAGCTACTTTGGCTT
CTCTATTGACTCGGGGAAAGGTCTGGTGCGTGCAGAAGAGCTGAGCTTTGTGGCTGGAGCCCCCGCGCCAACCA
CAAGGGTGCTGTGGTCATCCTGCGCAAGGACAGCGCCAGTCGCCTGGTGCCGAGGTTATGCTGTCTGGGGAGCG
CCTGACCTCCGGCTTTGGCTACTCACTGGCTGTGGCTGACCTCAACAGTGATGGCTGGCCAGACCTGGATGTGG
TGCCCCCTACTTCTTTGAGCGCCAAGAAGAGCTGGGGGGTGTGTGTATGTGTACTTGAACAGGGGGGCTCAGTG
GGCTGGGATCTCCCCCTCTCCGGCTCTGCGGCTCCCTGACTCCATGTTTCGGGATCAGCCTGGCTGTCTGGGGGA
CCTCAACCAAGATGGCTTTCCAGATATTGCAGTGGGTGCCCCCTTTGATGGTGATGGGAAAGTCTTCATCTACCA
TGGGAGCAGCCTGGGGGTGTGCGCCAAACCTTACAGGTGCTGGAGGGCGAGGCTGTGGGCATCAAGAGCTTCGG
CTACTCCCTGTGAGGCAGCTTGGATATGGATGGGAACCAATACCCTGACCTGCTGGTGGGCTCCCTGGCTGACAC
CGCAGTGCTCTTCAGGGCCAGACCCATCCTCCATGTCTCCATGAGGTCTCTATTGCTCCACGAAGCATCGACCT
GGAGCAGCCCAACTGTGCTGGCGGCCACTCGGTCTGTGTGGACCTAAGGGTCTGTTTTAGCTACATTGCAGTCCC
CAGCAGCTATAGCCCTACTGTGGCCCTGGACTATGTGTTAGATGCGGACACAGACCGGAGGCTCCGGGGCCAGGT
TCCCCGTGTGACGTTCTGAGCCGTAACCTGGAAGAACCAGCACCAGGCTCGGGCACCGTGTGGCTGAAGCA
CCAGCATGACCGAGTCTGTGGAGACGCCATGTTCCAGCTCCAGGAAATGTCAAAGACAAGCTTCGGGCCATTGT
AGTGACCTTGTCTACAGTCTCCAGACCCCTCGGCTCCGGCGACAGGCTCCTGGCCAGGGGCTGCCTCCAGTGGC
CCCCATCCTCAATGCCACCAGCCAGCACCAGCGGGCAGAGATCCACTTCTGAAGCAAGGCTGTGGTGAAGA
CAAGATCTGCCAGAGCAATCTGCAGCTGGTCCACGCCCCGCTTCTGTACCCGGGTGAGCGACACGGAATTCCAACC
TCTGCCCATGGATGTGGATGGAACAACAGCCCTGTTTGCAGTGTGGGAGCCAGTCAATGGCCTGGAGCTGAT
GGTCACCAACCTGCCATCGGACCCAGCCAGCCCAAGGCTGATGGGGATGATGCCCATGAAGCCAGCTCCTGGT
CATGCTTCTGACTCACTGCACTACTCAGGGGTCCGGGCCCTGGACCTGCGGAGAAGCCACTCTGCCTGTCCAA
TGAGAATGCCTCCCATGTTGAGTGTGAGCTGGGGAAACCCATGAAGAGAGGTGCCAGGTCACTTCTACCTCAT
CCTTAGCACCTCCGGGATCAGCATTGAGACCACGGAATGGAGGTAGAGCTGCTGTTGGCCACGATCAGTGAGCA
GGAGCTGCATCCAGTCTCTGCACGAGCCCGTGTCTTTCAGCTGCCACTGTCCATTGCAGGAATGGCCATTCC
CCAGCAACTCTTCTCTCTGGTGTGGTGGGGGCGAGAGAGCCATGCAGTCTGAGCGGGATGTGGGCAGCAAGGT
CAAGTATGAGGTACGGTTTCCAACCAAGGCCAGTCGCTCAGAACCTGGGCTCTGCCTTCTCAACATCATGTG
GCCTCATGAGATTGCCAATGGGAAGTGGTTGCTGTACCCAATGCAGGTTGAGCTGGAGGGCGGGCAGGGGCTGG
GCAGAAAGGGCTTTGCTCTCCAGGCCCAACATCCTCCACCTGGATGTGGACAGTAGGGATAGGAGGCGGGCGGA
GCTGGAGCCACCTGAGCAGCAGGAGCCTGGTGAGCGGCAGGAGCCAGCATGTCTGGTGGCCAGTGTCTCTGC
TGAGAAGAAGAAAAACATCACCTGGACTGCGCCCGGGGCACGGCCAACTGTGTGGTGTTCAGCTGCCCCACTCTA
CAGCTTTGACCGCGCGGCTGTGCTGCATGTCTGGGGCCGTCTCTGGAACAGCACCTTTCTGGAGGAGTACTCAGC
TGTGAAGTCCCTGGAAGTGATTGTCCGGGCCAACATCACAGTGAAGTCTCCATAAAGAACTTGATGCTCCGAGA
TGCCCTCCACAGTGATCCCAGTGATGGTATACTTGGACCCCATGGCTGTGGTGGCAGAAGGAGTGCCCTGGTGGT
CATCCTCCTGGCTGTACTGGCTGGGCTGCTGGTGCTAGCACTGCTGGTGTGCTCCTGTGGAAGATGGGATTCTT
CAAACGGGCGAAGCACCCCCGAGGCCACCGTGCCCCAGTACCATGCGGTGAAGATTCTCGGGAAGACCGACAGCA
GTTCAAGGAGGAGAAGACGGGCACCATCCTGAGGAACAACTGGGGCAGCCCCCGGGGGAGGGGCCGGATGCACA
CCCCATCCTGGCTGCTGACGGGCATCCCGAGCTGGGCCCCGATGGGCATCCAGGGCCAGGCACCGCTTAGGTTCC
CATGTCCCAGCCTGGCCTGTGGCTGCCCTCCATCCCTTCCCAGAGATGGCTCCTTGGGATGAAGAGGGTAGAGT
GGGCTGCTGGTGTGCGCATCAAGATTTGGCAGGATCGGCTTCTCAGGGGCACAGACCTCTCCACCCACAAGAAC
TCCTCCCACCAACTTCCCCTTAGAGTGCTGTGAGATGAGAGTGGGTAATCAGGGACAGGGCCATGGGGTAGGG
TGAGAAGGGCAGGGGTGTCTGATGCAAGGTGGGGAGAAGGGATCCTAATCCCTTCTCTCCATTACCCCTGT
GTAACAGGACCCCAAGGACCTGCCTCCCCGGAAGTGCCCTAACCTAGAGGGTGGGGAGGAGGTTGTGTCACTGA
CTCAGGCTGCTCCTTCTAGTTTCCCCTCTCATCTGACCTTAGTTTGTGCTGCCATCAGTCTAGTGGTTTCGTGGT
TTCGTCTATTTATTAATAAATATTTGAGAACAATAAAAAAAAAAAAAAAAAA

121/615

FIGURE 120

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA55737
><subunit 1 of 1, 1141 aa, 1 stop
><MW: 124671, pI: 5.82, NX(S/T): 5
MAGARSRDPWGASGICYLFGSLLVELLFSRAVAFNLDVMGALRKEGEPGSLFGFSVALHRQLQPRPQSWLLVGAP
QALALPGQQANRTGGFLFACPLSLEETDCYRVDIDQGADMQKESKENQWLGVSVRSQGPGGKIVTCAHRYEARQRV
DQILETRDMIGRCFVLSQDLAIRDELDGGEWKFCGRPQGHEQFGFCQQGTAAAFSPDSHYLLFGAPGTYNWKG
ARVELCAQGSADLAHLDDGPYEAGGEKEQDPRLLIPVPANSYFGFSIDSGKGLVRAEELSFVAGAPRANHKGAVVI
LRKDSASRLVPEVMLSGERLTSGFGYSLAVADLNSDGWPD LIVGAPYFFERQEELGGAVYVYLNQGGHWAGISPL
RLCGSPDSMFGISLAVLGDNLNQGDFPDIAVGAPFDGDKVFIYHGSSLGVVAKPSQVLEGEAVGIKSGYSLSGS
LDMDGNQYPDLLVGSLADTAVLFRARPILHVSHEVSIAPRSIDLEQPNACGGHSVCVDLRVCFYSYIAPSSYSPT
VALDYVLADTDRRLRGQVPRVTFLSRNLEEPKHQASGT VWLKHQHDRVCGDAMFQLQENVKDKLRAIVVTLSSYS
LQTPRLRRQAPGQGLPPVAPILNAHQFSTQRAEIHFLKQCGCEDKICQSNLQLVHARFCTRVSDTEFQPLPMDVD
GTTALFALSGQPVIGLELMVTNLPSPDPAQPDAGDDAHEAQLLVMLPDSLHYSQVRAIDPAEKPLCLSNENASHV
ECELGNPMKRGAAQVTFYLILSTSGISITTELEVLELLATISEQELHPVSARARVFIELPLSIAGMAIPQQLFFS
GVVRGERAMQSERDVGSKVKEVTVSNQGQSLRTLGS AFLNIMWPHEIANGKWLLYPMQVELEGGQGPQKGLCS
PRPNILHLDVDSRDRRRRELEPPEQQEPGERQEPSMSWWPVSSAEKKKNITLDCARGTANCVVFSCLYSLFDRAA
VLHVWGRWLWNSTFLEEYSVKSLEIVIVRANITVKSSIKNLMRLDASTVIPVMVYLDPMVAVVAGVPWWVILLAVL
AGLLVLALLVLLLWKMGGFFKRAKHPEATVPQYHAVKIPREDRQQFKEEKTG TILRNNWGSPPREGPDAPILAAD
GHPELGPDGHPGPGTA
```

Important features:**Signal peptide:**

amino acids 1-33

Transmembrane domain:

amino acids 1040-1062

N-glycosylation sites.

amino acids 86-89, 746-749, 949-952, 985-988 and 1005-1008

Integrins alpha chain proteins.

amino acids 1064-1071, 384-408, 1041-1071, 317-346, 443-465, 385-407, 215-224, 634-647, 85-99, 322-346, 470-479, 442-466, 379-408 and 1031-1047

122/615

FIGURE 121

GGCACGAGGCGGCGGGGCGAGTCGCGGGGATGCGCCCGGGAGCCACAGCCTGAGGCCCTCAGGTCTCTGCAGGTGTC
GTGGAGGAACCTAGCACCTGCCATCCTCTTCCCCAATTGCCACTTCCAGCAGCTTTAGCCCATGAGGAGGATGT
GACCGGGGACTGAGTCAGGAGCCCTCTGGAAGCATGGGAGACTGTGGTGATTGTTGCCATAGGTGTGCTGGCCACCA
TCTTTCTGGCTTCGTTTGCAGCCTTGGTGCTGGTTTGCAGGCAGCGCTACTGCCGGCCGCGAGACCTGCTGCAGC
GCTATGATTCTAAGCCCATTTGTGGACCTCATTGGTGCCATGGAGACCCAGTCTGAGCCCTCTGAGTTAGAACTGG
ACGATGTCGTTATCACCAACCCCCACATTGAGGCCATTCTGGAGAATGAAGACTGGATCGAAGATGCCTCGGGTC
TCATGTCCCACTGCATTGCCATCTTGAAGATTTGTCACTCTGACAGAGAAGCTTGTGGCCATGACAATGGGCT
CTGGGGCCAAGATGAAGACTTCAGCCAGTGTGACGCGACATCATTGTGGTGGCCAAGCGGATCAGCCCCAGGGTGG
ATGATGTTGTGAAGTCGATGTACCCTCCGTTGGACCCCAAACCTCCTGGACGCACGGACGACTGCCCTGCTCCTGT
CTGTGAGTCACCTGGTGCTGGTGACAAGGAATGCCTGCCATCTGACGGGAGGCCTGGACTGGATTGACCACTCTC
TGTCGGCTGCTGAGGAGCATTGGAAGTCCTTCGAGAAGCAGCCCTAGCTTCTGAGCCAGATAAAGGCCTCCCAG
GCCCTGAAGGCTTCCTGCAGGAGCAGTCTGCAATTTAGTGCCTACAGGCCAGCAGCTAGCCATGAAGGCCCTGC
CGCCATCCCTGGATGGCTCAGCTTAGCCTTCTACTTTTTCTATAGAGTTAGTTGTTCTCCACGGCTGGAGAGTT
CAGCTGTGTGTGCATAGTAAAGCAGGAGATCCCCGTGAGTTTATGCCTCTTTTGCAGTTGCAAACCTGTGGCTGGT
GAGTGGCAGTCTAATACTACAGTTAGGGGAGATGCCATTCACTCTCTGCAAGAGGAGTATTGAAAACCTGCTGGAC
TGTCAGCTTTATTTAGCTCACCTAGTGTTCAGAGAAATTTGAGCCACCGTCTAAGAAATCAAGAGGTTTCACAT
TAAAATTAGAATTTCTGGCCTCTCTCGATCGGTGAGAATGTGTGGCAATTCTGATCTGCATTTTCAGAAGAGGAC
AATCAATTGAACTAAGTAGGGGTTTCTTCTTTTGGCAAGACTTGTAATCTCTCACCTGGCCTGTTTCATTTATT
TGTATTATCTGCCTGGTCCCTGAGGCGTCTGGGTCTCTCCTCTCCCTTGACGTTTGGGTTTGAAGCTGAGGAAC
TACAAAGTTGATGATTTCTTTTTTATCTTTATGCCTGCAATTTTACCTAGCTACCACTAGGTGGATAGTAAATTT
ATACTTATGTTTCCCTCAAAAAAAAAAAAAAA

124/615

FIGURE 123

CCCTTACATCCTCCTAGGACCCGGTCGGTAGTCGTCGCCCCAGCCCGCCGGGGGCGCAGCGCCCGAGCCGCGGCC
CTCGAGACGGGACCGAGAGCATC**AT**GGGCAGCACTGTCCCGCGCTCCGCCTCCGTGCTGCTTCTGCTGCTGCTCC
TGCGCCGGGCGGAGCAGCCCTGCGGGGCGGAGCTCACCTTCGAGCTGCCGACAACGCCAAGCAGTGCTTCCACG
AGGAGGTGGAGCAGGGCGTGAAGTTCTCCCTGGATTACCAGGTCATCACTGGAGGCCACTACGATGTTGACTGCT
ATGTAGAGGACCCCGAGGGGAACACCATCTACAGAGAAACGAAGAAGCAGTACGACAGCTTCACGTACCGGGCTG
AAGTCAAGGGCGTTTATCAGTTTGGCTTCAGTAATGAGTTTTCCACCTTCTCTACAAGACCGTCTACTTTGACT
TTCAAGTGGGCGATGAGCCTCCATTCTCCCAGACATGGGGAACAGGGTCACAGCTCTCACCCAGATGGAGTCCG
CCTGCGTGACCATCCATGAGGCTCTGAAAACGGTGATTGACTCCCAGACGCATTACCGGCTGCGGGAGGCCCAGG
ACCGGGCCCGAGCGGAAGACCTTAATAGCCGAGTCTCTTACTGGTCTGTTGGCGAGACGATTGCCCTGTTCTG
TCAGCTTCAGTCAGGTGCTACTGTTGAAAAGCTTCTTACAGAAAAACGACCCATCAGCAGGGCAGTCCACTCCT
AGCCCCGGCATCCTGCTCTAGGGCCCCCTCATGCCCCAGGCTGGAGCAGCTCTCCTAGGTCACAGCCTGCTGGGCT
GGGTGCGGTAGCCCAGGGTGGAGGCAGAACGATGCTGCTGTGGTAGCCCTTTGCCCTTTCATGCCCATGCTTGATT
CTTGACCTCAGCAGCTGAAGGTCTCAGAGACCAGTAATCAGAAGGCATCCGACTGCATTAAAGTGTGCAGCGCTG
AAAAGACATTTACAAC TAGGCCAGGGATTAGCCACTGTGGGAGGGTGGACAGGCAATGGTTCAGTGGCCTGGCTG
TTGGCAGGAACCTCAAGTGCCAGGCCTCTTGGGCAGCTTAGGGCCCTGCCTCTGTTTCATGATGCATGGGTCTAT
TTGTCTTGGGTGTCCTATCCCATATGGAGAAGAAAGGGGCTCTAAGTTCTGGCTCTTCTTTCTTTGGGGTTCTCT
GTACCTGAGGAAACCAGGCCCTGGGTGACTTTGCAGATCTGCTCACCTCGGTGAGCAACAGTGTAGCCATGCA
AGCAGGACAGAATGGTGACTGGGTGCCCTTGGTGAGCTGTGTATTTCTAGGAGGTAGAAAACTGTGGGAAACTG
TGGCTAATAAAAACTAAGTGTGAGCGTCAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA

125/615

FIGURE 124

```
</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA56052
<subunit 1 of 1, 217 aa, 1 stop
<MW: 24777, pI: 5.55, NX(S/T): 0
MGSTVPRSASVLLLLLLRRAEQPCGAELTFELPDNAKQCFHEEVEQGVKFSLDYQVITG
GHYDVDCYVEDPQGNTIYRETKKQYDSFTYRAEVKGVYQFCFSNEFSTFSHKTVYFDFQV
GDEPPILPDMGNRVTALTQMESACVTIHEALKTVIDSQTHYRLREAQDRARAEDLNSRVS
YWSVGETIALFVVSFSQVLLLSFFTEKRPISRAVHS
```

Important features:**Signal peptide:**

amino acids: 1-23

Transmembrane domain:

amino acids: 187-201

N-myristoylation sites:

amino acids: 26-32, 48-54, 131-137

Tyrosine kinase phosphorylation site:

amino acids: 82-91

Glycosyl hydrolases family 25 proteins:

amino acids: 53-61

126/615

FIGURE 125

GGCACGAGGCGCTGTCCACCCGGGGGCGTGGGAGTGAGGTACCAGATTAGCCCATTTGGCCCCGACGCCTCTGT
TCTCGGAATCCGGGTGCTGCGGATTGAGGTCCCGGTTCTTAACGGACTGCAAGATGGAGGAAGGCGGGAACCTAG
GAGGCCTGATTAAGATGGTCCATCTACTGGTCTTGTCAGGTGCCTGGGGCATGCAAATGTGGGTGACCTTCGTCT
CAGGCTTCCTGCTTTTCCGAAGCCTTCCCCGACATACCTTCGGACTAGTGCAGAGCAAACCTCTTCCCCTTCTACT
TCCACATCTCCATGGGCTGTGCCTTCATCAACCTCTGCATCTTGGCTTCACAGCATGCTTGGGCTCAGCTCACAT
TCTGGGAGGCCAGCCAGCTTTACCTGCTGTTCTGAGCCTTACGCTGGCCACTGTCAACGCCCGCTGGCTGGAAC
CCCGCACCACAGCTGCCATGTGGGCCCTGCAAACCGTGGAGAAGGAGCGAGGCCTGGGTGGGGAGGTACCAGGCA
GCCACCAGGGTCCCGATCCCTACCGCCAGCTGCGAGAGAAGGACCCCAAGTACAGTGCTCTCCGCCAGAATTTCT
TCCGCTACCATGGGCTGTCTCTCTTTGCAATCTGGGCTGCGTCCTGAGCAATGGGCTCTGTCTCGCTGGCCTTG
CCCTGGAAATAAGGAGCCTCTAGCATGGGCCCTGCATGCTAATAAATGCTTCTTCAGAAATGAAAAAAAAAAAA
AAAAAA

127/615

FIGURE 126

</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA56107
<subunit 1 of 1, 231 aa, 1 stop
<NX(S/T): 0
MEEGGNIGGLIKMVHLLVLSGAWGMQMWVTFVSGFLLFRSLPRHTFGLVQSKLFPFYFHISMGCAFINLCILASQ
HAWAQLTFWEASQLYLLFSLTLATVNARWLEPRTTAAMWALQTVEKERGLGGEVPGSHQGPDPYRQLREKDPKY
SALRQNFRRYHGLSSLCNLGCVLSNGLCLAGLALEIRSL

Signal peptide:

amino acids 1-24

Transmembrane domain:

amino acids 86-103, 60-75

Casein kinase II phosphorylation site.

amino acids 82-86

Tyrosine kinase phosphorylation site.

amino acids 144-151

N-myristoylation site.

amino acids 4-10, 5-11, 47-53, 170-176, 176-182

Prokaryotic membrane lipoprotein lipid attachment site.

amino acids 54-65

G-protein coupled receptors proteins.

amino acids 44-85

128/615

FIGURE 127

GCTTCATTTCTCCCGACTCAGCTTCCCACCCTGGGCTTTCCGAGGTGCTTTCGCCGCTGTCCCCACCACTGCAGC
CATGATCTCCTTAACGGACACGCAGAAAATTGGAATGGGATTAACAGGATTTGGAGTGTTTTCTGTCTTTGG
AATGATTCTCTTTTTTGACAAAGCACTACTGGCTATTGGAAATGTTTTATTTGTAGCCGGCTTGGCTTTTGTAAT
TGGTTTAGAAAGAACATTCAGATTCTTCTTCCAAAAACATAAAATGAAAGCTACAGGTTTTTTCTGGGTGGTGT
ATTTGTAGTCCTTATTGGTTGGCCTTTGATAGGCATGATCTTCGAAATTTATGGATTTTTCTCTTGTTCAGGGG
CTTCTTTCCGTGTCGTTGTTGGCTTTATTAGAAGAGTGCCAGTCCTTGGATCCCTCCTAAATTTACCTGGAATTAG
ATCATTTGTAGATAAAGTTGGAGAAAGCAACAATATGGTATTAACAACAAGTGAATTTGAAGACTCATTTAAATA
TTGTGTTATTTATAAAGTCATTTGAAGAATATTACGACACAAAATTAAATTACATGAAATAGCTTGTAATGTTCTT
TACAGGAGTTTAAAACGTATAGCCTACAAAGTACCAGCAGCAAATTAGCAAAGAAGCAGTGAAAAACAGGCTTCTA
CTCAAGTGAAGTAAAGAAGTCAAGCAAGCAAACTGAGAGAGGTGAAATCCATGTTAATGATGCTTAAGAACTC
TTGAAGGCTATTTGTGTTGTTTTCCACAATGTGCGAAACTCAGCCATCCTTAGAGAACTGTGGTGCCGTGTTCT
TTTCTTTTTATTTTGAAGGCTCAGGAGCATCCATAGGCATTTGCTTTTGTAGAGTGTCCACTGCAATGGCAAAAA
TATTTCCAGTTGCACTGTATCTCTGGAAGTGATGCATGAATTCGATTGGATTGTGTCATTTTAAAGTATTAAAC
CAAGGAAACCCCAATTTTGATGTATGGATTACTTTTTTTTNGNCNCAGGGCC

129/615

FIGURE 128

MISLTDTQKIGMGLTGFGVFLLFFGMILFFDKALLAIGNVLFVAGLAFVIGLERTFRFFFQKHKMKATGFFLGGV
FVVLIGWPLIGMIFEIYGFFLLFRGFFPVVVGFIIRVPVLGSLNLPGIRSFVDKVGESNNMV

Important features:**Transmembrane domains:**

amino acids 12-30 (typeII), 33-52, 69-89 and 93-109

N-myristoylation sites.

amino acids 11-16, 51-56 and 116-121

Aminoacyl-transfer RNA synthetases class-II protein.

amino acids 49-59

130/615

FIGURE 129

AATTCAGATTTTAAAGCCCATCTGCAAGTGAATTTTCATGAAGTAGCAAGAGGACACCATCTTCTTGTTATTATACA
AGAAAGGAGTGTTACCTATCACACACAGGGGGAAAAATGCTCTTTTGGGTGCTAGGCCTCCTAATCCTCTGTGGTT
TTCTGTGGACTCGTAAAGGAAAACTAAAGATTGAAGACATCACTGATAAGTACATTTTTATCACTGGATGTGACT
CGGGCTTTGGAACTTGGCAGCCAGAACTTTTGATAAAAAGGGATTTCATGTAATCGCTGCCTGTCTGACTGAAT
CAGGATCAACAGCTTTAAAGGCAGAAACCTCAGAGAGACTTCGTACTGTGCTTCTGGATGTGACCGACCCAGAGA
ATGTCAAGAGGACTGCCCAGTGGGTGAAGAACCAAGTTGGGGAGAAAGGTCTCTGGGGTCTGATCAATAATGCTG
GTGTTCCCGCGTGTGCTGGCTCCCACTGACTGGCTGACACTAGAGGACTACAGAGAACCTATTGAAGTGAACCTGT
TTGGACTCATCAGTGTGACACTAAATATGCTTCCTTTGGTCAAGAAAGCTCAAGGGAGAGTTATTAATGTCTCCA
GTGTTGGAGGTGCGCTTGCAATCGTTGGAGGGGGCTATACTCCATCCAAATATGCAGTGGGAAGTTTCAATGACA
GCTTAAGACGGGACATGAAAGCTTTTGGTGTGCACGTCTCATGCATTGAACCAGGATTGTTCAAAACAACTTGG
CAGATCCAGTAAAGGTAATTGAAAAAACTCGCCATTTGGGAGCAGCTGTCTCCAGACATCAAACAACAATATG
GAGAAGGTTACATTGAAAAAGTCTAGACAACTGAAAGGCAATAAATCCTATGTGAACATGGACCTCTCTCCGG
TGGTAGAGTGCAATGGACCACGCTCTAACAAGTCTCTTCCCTAAGACTCATTATGCCGCTGGAAAAGATGCCAAAA
TTTTCTGGATACCTCTGTCTCACATGCCAGCAGCTTTGCAAGACTTTTATTGTTGAAACAGAAAGCAGAGCTGG
CTAATCCCAAGGCAGTGTGACTCAGCTAACCACAAATGTCTCCTCCAGGCTATGAAATTGGCCGATTTCAGAAC
ACATCTCCTTTTCAACCCCATTCCTTATCTGCTCCAACCTGGACTCATTTAGATCGTGCTTATTGGAATTGCAAA
AGGGAGTCCCACCATCGCTGGTGGTATCCCAGGCTCCTGCTCAAGTTTTCTTTGAAAAGGAGGGCTGGAATGGT
ACATCACATAGGCAAGTCCTGCCCTGTATTTAGGCTTTGCCCTGCTTGGTGTGATGTAAGGGAAATTGAAAGACTT
GCCCATTCAAAATGATCTTTACCGTGGCCTGCCCCATGCTTATGGTCCCCAGCATTTACAGTAACTTGTGAATGT
TAAGTATCATCTCTTATCTAAATATTAAAGATAAGTCAACCCAAAAA
AA
AAAAAAA

131/615

FIGURE 130

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA56406
><subunit 1 of 1, 319 aa, 1 stop
><MW: 35227, pI: 8.97, NX(S/T): 3
MLFWVLGLLILCGFLWTRKGLKIEDITDKYIFITGCDSGFGNLAARTFDKKG FHVIAACLTESGSTALK AETSE
RLRTVLLDVTDPENVKRTAQWVKVQVGEKGLWGLINNAGVPGVLAPTDWLTLEDYREPIEVNLFGLISVTLNMLP
LVKKAQGRVINVSSVGGRLAIVGGGYTPSKYAVEGFNDLRRDMKAFGVHVS CIEPGLFKTNLADPVK VIEKKLA
IWEQLSPDIKQQYGE GYIEKSLDKLKGKNSYVNMDLSPVVECMDHALTSLFPKTHYAAGKDAKIFWIPLSHMPAA
LQDFLLLKQKAELANPKAV
```

Important features of the protein:**Signal peptide:**

amino acids 1-17

Transmembrane domain:

amino acids 136-152

N-glycosylation sites.

amino acids 161-163, 187-190 and 253-256

Glycosaminoglycan attachment site.

amino acids 39-42

N-myristoylation sites.

amino acids 36-41, 42-47, 108-113, 166-171, 198-203 and 207-212

132/615

FIGURE 131

AGACAGTACCTCCTCCCTAGGACTACACAAGGACTGAACCAGAAGGAAGAGGACAGAGCAAAGCCATGAACATCA
TCCTAGAAATCCTTCTGCTTCTGATCACCATCATCTACTCCTACTTGGAGTCGTTGGTGAAGTTTTTCATTCCCTC
AGAGGAGAAAATCTGTGGCTGGGGAGATTGTTCTCATTACTGGAGCTGGGCATGGAATAGGCAGGCAGACTACTT
ATGAATTTGCAAACGACAGAGCATATTGTTCTGTGGGATATTAATAAGCGCGGTGTGGAGGAACTGCAGCTG
AGTGCCGAAAAC TAGGCGTCACTGCGCATGCGTATGTGGTAGACTGCAGCAACAGAGAAGAGATCTATCGCTCTC
TAAATCAGGTGAAGAAAAGAAGTGGGTGATGTAACAATCGTGGTGAATAATGCTGGGACAGTATATCCAGCCGATC
TTCTCAGCACCAAGGATGAAGAGATTACCAAGACATTTGAGGTCAACATCCTAGGACATTTTGGATCACAAAAG
CACTTCTTCCATCGATGATGGAGAGAAATCATGGCCACATCGTCACAGTGGCTTCAGTGTGCGGCCACGAAGGGA
TTCCTTACCTCATCCCATATTGTTCCAGCAAATTTGCCGCTGTTGGCTTTCACAGAGGTCTGACATCAGAACTTC
AGGCCTTGGGAAAAAAGTGGTATCAAAACCTCATGTCTCTGCCAGTTTTTGTGAATACTGGGTTCACCAAAAATC
CAAGCACAGATTATGGCCTGTATTGGAGACAGATGAAGTCGTAAGAAGTCTGATAGATGGAATACTTACCAATA
AGAAAATGATTTTGTTCATCGTATATCAATATCTTCTGAGACTACAGAAGTTTCTTCTGAACGCGCCTCAG
CGATTTTAAATCGTATGCAGAATATTCAATTTGAAGCAGTGGTTGGCCACAAAATCAAAATGAAATGAATAAATA
AGCTCCAGCCAGAGATGTATGCATGATAATGATATGAATAGTTTTCGAATCAATGCTGCAAAGCTTTATTTTCACAT
TTTTTCAGTCCTGATAATATTAAAAACATTGGTTTGGCACTAGCAGCAGTCAAACGAACAAGATTAATTACCTGT
CTTCCTGTTTCTCAAGAATATTTACGTAGTTTTTCATAGGTCTGTTTTTCCCTTTCATGCCTCTTAAAAACTTCTG
TGCTTACATAAACATACTTAAAGGTTTTCTTAAAGATATTTATTTTTCCATTTAAAGGTGGACAAAAGCTACC
TCCCTAAAAGTAAATACAAAGAGAACTTATTTACACAGGGGAAGGTTTAAGACTGTTCAAGTAGCATTCCAATCTG
TAGCCATGCCACAGAATATCAACAAGAACACAGAATGAGTGCACAGCTAAGAGATCAAGTTTCAGCAGGCAGCTT
TATCTCAACCTGGACATATTTTAAGATTTCAGCATTTGAAAGATTTCCCTAGCCTCTTCCCTTTTTCATTAGCCCAA
AACGGTGCAACTCTATTCTGGACTTTATTACTTGATTCTGTCTTCTGTATAACTCTGAAGTCCACCAAAAGTGGA
CCCTCTATATTTCTCCCTTTTTATAGTCTTATAAGATACATTATGAAAGGTGACCGACTCTATTTTAAATCTCA
GAATTTTAAGTTCTAGCCCCATGATAACCTTTTTCTTTGTAATTTATGCTTTTCATATATCCTTGGTCCCAGAGAT
GTTTAGACAATTTTAGGCTCAAAAATTAAAGCTAACACAGGAAAAGGAAGTGTACTGGCTATTACATAAGAAACA
ATGGACCAAGAGAAGAA

133/615

FIGURE 132

</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA56409

<subunit 1 of 1, 300 aa, 1 stop

<MW: 33655, pI: 9.31, NX(S/T): 1

MNIILEILLILLITIIYSYLESLVKFFIPQRRKSVAGEIVLITGAGHGIGRQTTYEFAKRQSI LVLWDINKRGVEE
TAAECRKLGVTAHAYVVDCSNREEIYRSLNQVKKEVGDTVIVVNNAGTVYPADLLSTKDEEITKTFEVNILGHFW
ITKALLPSMMERNHGHIVTVASVCGHEGIPYLIPYCSSKFAAVGFHRGLTSELQALGKTGIKTSCLCPV FVNTGF
TKNPSTRLWVPVLETDEVVRSLIDGILTNNKMIFVPSYINIFLRLQKFLPERASAILNRMQNIQFEAVVGHKIKMK

Important features:**Signal peptide:**

amino acids 1-19

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 30-33 and 58-61

Short-chain alcohol dehydrogenase family protein

amino acids 165-202, 37-49, 112-122 and 210-219

134/615

FIGURE 133

CTGAGGCGGCGGTAGCATGGAGGGGGAGAGTACGTCGGCGGTGCTCTCGGGCTTTGTGCTCGGCGCACTCGCTTT
CCAGCACCTCAACACGGACTCGGACACGGAAGGTTTTCTTCTTGGGGAAGTAAAAGGTGAAGCCAAGAACAGCAT
TACTGATTCCCAAATGGATGATGTTGAAGTTGTTTATACAATTGACATTCAGAAATATATTCCATGCTATCAGCT
TTTTAGCTTTTATAATTCTTCAGGCGAAGTAAATGAGCAAGCACTGAAGAAAATATTATCAAATGTCAAAAAGAA
TGTGGTAGGTTGGTACAAATCCGTCGTCATTGATCAGATCAGATCATGACGTTTAGAGAGAGGCTGCTTCACAAAA
CTTGCAGGAGCATTTTTCAAACCAAGACCTTGTTTTCTGCTATTAAACACCAAGTATAATAACAGAAAGCTGCTC
TACTCATCGACTGGAACATTCCTTATATAAACCTCAAAAAGGACTTTTTACAGGGTACCTTTAGTGTTGCCAA
TCTGGGCATGTCTGAACAACCTGGGTATATAAACTGTATCAGGTTCTGTATGTCCACTGGTTTTAGCCGAGCAGT
ACAAACACACAGCTCTAAATTTTTGAAGAAGATGGATCCTTAAAGGAGGTACATAAGATAAATGAAATGTATGC
TTCATTACAAGAGGAATTAAAGAGTATATGCAAAAAGTGGAAGACAGTGAACAAGCAGTAGATAAACTAGTAAA
GGATGTAAACAGATTAAAACGAGAAATTGAGAAAAGGAGAGGAGCACAGATTCAGGCAGCAAGAGAGAAGAAT
CCAAAAAGACCCTCAGGAGAACATTTTTCTTTGTCAGGCATTACGGACCTTTTTCCAAATCTGAATTTCTTCA
TTCATGTGTTATGTCTTTAAAAAATAGACATGTTTCTAAAAGTAGCTGTAACATAACCACCATCTCGATGTAGT
AGACAATCTGACCTTAATGGTAGAACACACTGACATTCCTGAAGCTAGTCCAGCTAGTACACCACAAATCATTA
GCATAAAGCCTTAGACTTAGATGACAGATGGCAATTCAAGAGATCTCGGTTGTTAGATACACAAGACAAACGATC
TAAAGCAAATACTGGTAGTAGTAACCAAGATAAAGCATCCAAATGAGCAGCCCAGAAACAGATGAAGAAATTGA
AAAGATGAAGGGTTTTGGTGAATATTCACGGTCTCCTACATTTTGATCCTTTTAACTTACAAGGAGATTTTTTT
ATTTGGCTGATGGGTAAAGCCAAACATTTCTATTGTTTTTACTATGTTGAGCTACTTGCAGTAAGTTCATTTGTT
TTTACTATGTTACCTGTTTGCAAGTAATACACAGATAACTCTTAGTGCATTTACTTCACAAAGTACTTTTTCAA
CATCAGATGCTTTTATTTCCAAACCTTTTTTTTACCTTTTACTAAGTTGTTGAGGGGAAGGCTTACACAGACACA
TTCTTTAGAATTGGAAGAGTGAGACCAGGCACAGTGGCTCACACCTGTAATCCCAGCACTTAGGGAAGACAAGTC
AGGAGGATTGATTGAAGCTAGGAGTTAGAGACCAGCTGGGCAACGTATTGAGACCATGTCTATTAATAAATAAA
ATGGAAGCAAGAAATAGCCTTATTTCAAATATGGAAGAAATTTATATGAAAATTTATCTGAGTCATTAAAA
TTCTCCTTAAGTGATACTTTTTTAGAAGTACATTATGGCTAGAGTTGCCAGATAAAATGCTGGATATCATGCAAT
AAATTTGCAAAACATCATCTAAATTTAAAAA

135/615

FIGURE 134

MEGESTSAVLSGFVLGALAFQHLNTDSDTEGFLGGEVKGEAKNSITDSQMDDVEVVYTTIDIQKYIPCYQLFSFYN
SSGEVNEQALKKILSNVKKNVVGWYKFRRHSDQIMTFRERLLHKNLQEHFSNQDLVFLLLTPSIITESCSTHRLE
HSLYKPQKGLFHRVPLVVANLGMSEQLGYKTVSGSCMSTGFSRAVQTHSSKFFEEGSLKEVHKINEMYASLQEE
LKSICKKVEDSEQAVDKLVKDVNRLKREIEKRRGAQIQAAAREKNIQKDPQENIFLCQALRTFFPNSEFLHSCVMS
LKNRHVSKSSCNYNHHLDVVDNLTLMVEHTDIPEASPASTPQIIKHKALDLDDRWFQKRSRLDQTQDKRSKANTG
SSNQDKASKMSSPETDEEIEKMKGFGEYSRPTF

136/615

FIGURE 135

GGCACAGCCGCGCGGGCGGAGGGCAGAGTCAGCCGAGCCGAGTCCAGCCGGACGAGCGGACCAGCGCAGGGCAGCC
CAAGCAGCGCGCAGCGAACGCCCCGCGCCGCCACACCTCTGCGGTCCCCGCGGCGCCTGCCACCCTTCCCTCC
TTCCCCGCGTCCCCGCCTCGCCGGCCAGTCAGCTTGCCGGGTTCGCTGCCCCGCGAAACCCGAGGTACCAGCC
CGCGCTCTGCTTCCCTGGGCGCGCGCCGCTCCACGCCCTCCTTCTCCCTGGCCCGGCGCCTGGCACCGGGG
ACCGTTGCCTGACGCGAGGCCAGCTCTACTTTTCGCCCCGCGTCTCCTCCGCTGCTCGCCTCTTCCACCAACT
CCAACTCCTTCTCCCTCCAGCTCCACTCGCTAGTCCCGACTCCGCCAGCCCTCGGCCGCTGCCGTAGCGCCGC
TTCCCGTCCGGTCCCAAAGGTGGGAACGCGTCCGCCCCGCCCCGACCAATGGCACGGTTCCGGTTGCCCGCGCTT
CTCTGCACCCTGGCAGTGCTCAGCGCCGCGCTGCTGGCTGCCGAGCTCAAGTCGAAAAGTTGCTCGGAAGTGCGA
CGTCTTTACGTGTCCAAAGGCTTCAACAAGAACGATGCCCCCTCCACGAGATCAACGGTGATCATTTGAAGATC
TGCCCCAGGGTTCTACCTGCTGCTCTCAAGAGATGGAGGAGAAGTACAGCCTGCAAAGTAAAGATGATTTCAA
AGTGTGGTCAGCGAACAGTGCAATCATTTGCAAGCTGTCTTTGCTTACGTTACAAGAAGTTTGATGAATTTCTC
AAAGAACTACTTGAAAATGCAGAGAAATCCCTGAATGATATGTTTGTGAAGACATATGGCCATTTATACATGCAA
AATTTCTGAGCTATTTAAAGATCTCTTCGTAGAGTTGAAACGTTACTACGTGGTGGGAAATGTGAACCTGGAAGAA
ATGCTAAATGACTTCTGGGCTCGCCTCCTGGAGCGGATGTTCCGCTGGTGAACCTCCAGTACCCTTTACAGAT
GAGTATCTGGAATGTGTGAGCAAGTATACGGAGCAGCTGAAGCCCTTCGGAGATGTCCCTCGCAAATTTGAAGCTC
CAGGTTACTCGTGCTTTTGTAGCAGCCCGTACTTTGCTCAAGGCTTAGCGGTTGCGGGAGATGTCGTGAGCAAG
GTCTCCGTGGTAAACCCACAGCCAGTGTAACCATGCCCTGTTGAAGATGATCTACTGCTCCCACTGCCGGGGT
CTCGTGACTGTGAAGCCATGTTACAACACTGCTCAACATCATGAGAGGCTGTTTGGCCAACCAAGGGGATCTC
GATTTTGAATGGAACAATTTCATAGATGCTATGCTGATGGTGGCAGAGAGGCTAGAGGGTCTTTCAACATTGAA
TCGGTCATGGATCCCATCGATGTGAAGATTTCTGATGCTATTATGAACATGCAGGATAATAGTGTTCAAGTGCT
CAGAAGGTTTTCCAGGGATGTGGACCCCCCAAGCCCTCCAGCTGGACGAATTTCTCGTTCCATCTCTGAAAGT
GCCTTCAGTGCTCGCTTCAGACCACATCACCCCGAGGAACGCCCAACACAGCAGCTGGCACTAGTTTGGACCGA
CTGGTTACTGATGTCAAGGAGAACTGAAACAGGCCAAGAAATTCTGGTCTCCTTCCGAGCAACGTTTGAAC
GATGAGAGGATGGCTGCAGGAAACGGCAATGAGGATGACTGTTGGAATGGGAAAGGCAAAAGCAGGTACCTGTTT
GCAGTGACAGGAAATGGATTAGCCAACCAAGGGCAACAACCCAGAGGTCCAGGTTGACACCAGCAAACCAAGACATA
CTGATCCTTCGTCAAATCATGGCTCTTCGAGTGATGACCAGCAAGATGAAGAATGCATACAATGGGAACGACGTG
GACTTCTTTGATATCAGTGATGAAAGTAGTGAGGAAGGAAGTGAAGTGGCTGTGAGTATCAGCAGTGCCCTTCA
GAGTTTGACTACAATGCCACTGACCATGCTGGGAAGAGTGCCAATGAGAAAGCCGACAGTGCTGGTGTCCGTCTC
GGGGCACAGGCCTACCTCCTCACTGTCTTCTGCATCTTGTTCCTGGTTATGCAGAGAGAGTGGAGATTAATTCTCA
AACTCTGAGAAAAAGTGTTTCATCAAAAAGTTAAAAGGCACCAGTTATCACTTTTCTACCATCCTAGTGACTTTGC
TTTTTAAATGAATGGACAACAATGTACAGTTTTTACTATGTGGCCACTGGTTTAAGAAGTGCTGACTTTGTTTTT
TCATTCAAGTTTTGGGAGGAAAAGGGACTGTGCATTGAGTTGGTTTCTGCTCCCCAAACCATGTTAAACGTGGCT
AACAGTGAGGTACAGAACTATAGTTAGTTGTGCATTTGTGATTTTATCACTCTATTATTTGTTTGTATGTTTTT
TTCTCATTTTGGTTTGTGGGTTTTTTTTTCCAACTGTGATCTCGCCTTGTTCCTTACAAGCAAACCAAGGTCCCTT
CTTGGCACGTAACATGTACGTATTTCTGAAATATTAAATAGCTGTACAGAAGCAGTTTTTATTTATCATGTTATC
TTATTAAAGAAAAAGCCCAAAAGC

137/615

FIGURE 136

MARFGLPALLCTLAVLSAALLAAELKSKSCSEVRRLYVSKGFNKNDAPLHEINGDHLKICPQGSTCCSQEMEKEY
SLQSKDDFKSVVSEQCNHLQAVFASRYKKFDEFFKELLENAEKSLNDMFVKTYGHLYMQNSELFKDLFVELKRY
VVGNVNLEEMLNDFWARLLERMFRVNSQYHFTDEYLECVSKYTEQLKPFQDVPRKLLQVTRAFVAARTFAQGL
AVAGDVVSKVSVVNPTAQCTHALLKMIYCSHCRGLVTVKPCYNYCSNIMRGCLANQGDLD FEWNNFIDAMLMVAE
RLEGPFNIESVMDPIDVKISDAIMNMQDNSVQVSQKVFQCGGPPKPLPAGRISRSISESAFSARFRPHHPEERPT
TAAGTSLDRLVTDVKEKLKQAKKFWSSLPSNVCNDERMAAGNGNEDDCWNGKGKSRYLFAVTGNGLANQGNNPEV
QVDTSKPDILILRQIMALRVMTSKMKNAYNGNDVDFDISDESSGEGSGSGCEYQQCPSEFDYNATDHAGKSANE
KADSAGVRPGAQAYLLTVFCILFLVMQREWR

138/615

FIGURE 137

GC GGGCTGTTGACGGCGCTGCGATGGCTGCCTGCGAGGGCAGGAGAAGCGGAGCTCTCGGTTCTCTCAGTCGGA
CTTCCTGACGCCGCCAGTGGGCGGGGCCCTTGGGCCGTCGCCACCACTGTAGTCATGTACCCACCGCCGCCGCC
GCCGCTCATCGGGACTTCATCTCGGTGACGCTGAGCTTTGGCGAGAGCTATGACAACAGCAAGAGTTGGCGGCG
GCGCTCGTGCTGGAGGAAATGGAAGCAACTGTGAGATTGCAGCGGAATATGATTCTCTTCTCCTTGCCTTTCT
GCTTTTCTGTGGACTCCTCTTCTACATCAACTTGGCTGACCATTGGAAGCTCTGGCTTTCAGGCTAGAGGAAGA
GCAGAAGATGAGGCCAGAAATTGCTGGGTTAAAACCAAGCAAATCCACCCGTCTTACCAGCTCCTCAGAAGGCGGA
CACCGACCTGAGAACTTACCTGAGATTTGCTCACAGAAGACACAAAGACACATCCAGCGGGGACCACCTCACCT
GCAGATTAGACCCCAAGCCAAGACCTGAAGGATGGGACCCAGGAGGAGGCCACAAAAGGCAAGAAGCCCCTGT
GGATCCCCGCCCGGAAGGAGATCCGCAGAGGACAGTCATCAGCTGGAGGGGAGCGGTGATCGAGCCTGAGCAGGG
CACCGAGCTCCCTTCAAGAAGAGCAGAAGTGCCACCAAGCCTCCCTGCCACCGGCCAGGACACAGGGCACACC
AGTGCACTCTGAACCTATCGCCAGAAGGGCGTGATTGACGTCTTCTGTCATGCATGGAAAGGATACCGCAAGTTTGC
ATGGGGCCATGACGAGCTGAAGCCTGTGTCCAGGTCCTTCACTGAGTGGTTTGGCCTCGGTCTCACACTGATCGA
CGCGCTGGACACCATGTGGATCTTGGGTCTGAGGAAAGAATTTGAGGAAGCCAGGAAGTGGGTGTCTGAAGAAGTT
ACACTTTGAAAAGGACGTGGACGTCAACCTGTTTGAGAGCAGCATCCGCATCCTGGGGGGGCTCCTGAGTGCCTA
CCACCTGTCTGGGGACAGCCTCTTCTGAGGAAAGCTGAGGATTTTGGAATCGGCTAATGCCTGCCTTCAGAAC
ACCATCCAAGATTCTTACTCGGATGTGAACATCGGTACTGGAGTTGCCCACCGGCCACGGTGGACCTCCGACAG
CACTGTGGCCGAGGTGACCAGCATTGAGCTGGAGTTCCGGGAGCTCTCCCGTCTCACAGGGGATAAGAAGTTTCA
GGAGGCAGTGGAGAAGGTGACACAGCACATCCACGGCCTGTCTGGGAAGAAGGATGGGCTGGTGCCCATGTTTCAT
CAATACCCACAGTGGCCTCTTACCCACCTGGGCGTATTACGCTGGGCGCCAGGGCCGACAGCTACTATGAGTA
CCTGCTGAAGCAGTGGATCCAGGGCGGGAAGCAGGAGACACAGCTGCTGGAAGACTACGTGGAAGCCATCGAGGG
TGTCAGAACGCACCTGCTGCGGCACTCCGAGCCAGTAAGCTCACCTTTGTGGGGGAGCTTGCCACGGCCGCTT
CAGTGCCAAGATGGACCACCTGGTGTGCTTCTGCGCAGGACGCTGGCTCTGGGCGTCTACCACGGCCTGCCCGC
CAGCCACATGGAGCTGGCCCAGGAGCTCATGGAGACTTGTACCAGATGAACGGGCAGATGGAGACGGGGCTGAG
TCCCGAGATCGTGCACCTTCAACCTTTACCCCCAGCCGGGCCGTGCGGACGTGGAGGTCAAGCCAGCAGACAGGCA
CAACCTGCTGCGGCCAGAGACCGTGGAGAGCCTGTTCTACCTGTACCGCGTCAAGGGGACCGCAAATACCAGGA
CTGGGGCTGGGAGATTCTGCAGAGCTTACGCCGATTACACGGGTCCCCTCGGGTGGCTATTCTTCCATCAACAA
TGTCAGGATCCTCAGAAGCCCGAGCCTAGGGACAAGATGGAGAGCTTCTTCTGGGGGAGACGCTCAAGTATCT
GTTCTTGCTCTTCTCGATGACCCAAACCTGCTCAGCCTGGACGCCTACGTGTTCAACACCGAAGCCCACCTCT
GCCTATCTGGACCCCTGCCATAGGGTGGATGGCTGCTGGTGTGGGGACTTCGGGTGGGCAGAGGCACCTTGCTGGG
TCTGTGGCATTTTCCAAGGGCCACGTAGCACCGGCAACCGCCAAGTGGCCCAGGCTCTGAAGTGGCTCTGGGCT
CCTCCTCGTCTCTGCTTTAATCAGGACACCGTGAGGACAAGTGAGGCCGTGAGTCTTGGTGTGATGCGGGGTGGG
CTGGGCCGCTGGAGCCTCCGCCTGCTTCTCCAGAAGACACGAATCATGACTCAGATTGCTGAAGCCTGAGCAG
GTCTCTGTGGGCCGACCAAGAGGGGGGCTTCGAGGTGGTCCCTGGTACTGGGGTGACCGAGTGGACAGCCAGGGT
GCAGCTCTGCCCCGGGCTCGTGAAGCCTCAGATGTCCCAATCCAAGGGTCTGGAGGGGCTGCCGTGACTCCAGAG
GCCTGAGGCTCCAGGGCTGGCTCTGGTGTTTACAAGCTGGACTCAGGGATCCTCCTGGCCGCCCGCAGGGGGCT
TGGAGGGCTGGACGGCAAGTCCGTCTAGCTCACGGGCCCCCTCAGTGAATGGGTCTTTTCGGTGGAGATAAAG
TTGATTGCTCTAACCGCAA

139/615

FIGURE 138

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA56529
><subunit 1 of 1, 699 aa, 1 stop
><MW: 79553, pI: 7.83, NX(S/T): 0
MAACEGRRSGALGSSQSDFLTTPVGGAPWAVATTVMYPPPPPPPHRDFISVTLSFGESYDNSKSWRRRSCWRKW
KQLSRLQRNMILFLLAFLFLFCGLLFYINLADHWKALAFRLSEEQMRPEIAGLKPANPPVLPAPQKADTDPENLP
EISSQKTQRHIQRGPPHLQIRPPSDDLKDGTEQEEATKRQEAPVDPRPEGDPQRTVISWRGAVIEPEQGTELPSSR
AEVPTKPPPLPPARTQGTPVHLNRYRQKGVIDVFLHAWKGYRKFAWGHDELKPVSRSEFWFGLGLTLIDALDTMWI
LGLRKEFEARKWVSKKLHFEKDVDVNLFEFSTIRILGGLLSAYHLSGDSLFLRKAEDFGNRLMPAFRTPSKIPYS
DVGITGVVAHPPRWTS DSTVAEVT SIQLEFREL SRTGDKKFEAVEKVTQH I HGLSGKKDGLVPMFINTHSGLF
THLGVFTL GARADSYEYLLKQW IQGGKQETQLLEDYVEAIEGV RTHLLRHSEPSKLT FVGELAHGRFS AKMDHL
VCFLPGTLALGVYHGLPASHMELAQELMETCYQMNRMETGLSPEIVHFNLYPQPGRRDVEVKPADRNLLRPET
VESLFYLYRVTGDRKYQDWGWEILQSFSRFRTRVPSGGYSSINNVQDPQKPEPRDKMESFFLGETLKYLFLLFSDD
PNLLSLDAYVFNTAHPLPIWTPA
```

Important features of the protein:

Transmembrane domain:

amino acids 21-40 and 84-105 (type II)

140/615

FIGURE 139

CTCGCCCTCAAATGGGAACGCTGGCCTGGGACTAAAGCATAGACCACCAGGCTGAGTATCCTGACCTGAGTCATC
CCCAGGGATCAGGAGCCTCCAGCAGGGAACCTTCCATTATATTCTTCAAGCAACTTACAGCTGCACCGACAGTTG
CGATGAAAGTTCTAATCTCTTCCCTCCTCCTGTTGCTGCCACTAATGCTGATGTCCATGGTCTCTAGCAGCCTGA
ATCCAGGGGTCGCCAGAGGCCACAGGGACCGAGGCCAGGCTTCTAGGAGATGGCTCCAGGAAGGCGGCCAAGAAT
GTGAGTGCAAAGATTGGTTCCCTGAGAGCCCCGAGAAGAAAATTCATGACAGTGTCTGGGCTGCCAAGAAGCAGT
GCCCCTGTGATCATTTCAAGGGCAATGTGAAGAAAACAAGACACCAAAGGCACCACAGAAAGCCAAAACAAGCATT
CCAGAGCCTGCCAGCAATTTCTCAAACAATGTCAGCTAAGAAGCTTTGCTCTGCCTTTGTAGGAGCTCTGAGCGC
CCACTCTTCCAATTAAACATTTCTCAGCCAAGAAGACAGTGAGCACACCTACCAGACACTCTTCTTCTCCACCTC
ACTCTCCCACTGTACCCACCCCTAAATCATTCCAGTGCTCTCAAAAAGCATGTTTTTCAAGATCATTTTGTGTTGT
TGCTCTCTCTAGTGCTTTCTTCTCTCGTCAGTCTTAGCCTGTGCCCTCCCCTTACCCAGGCTTAGGCTTAATTAC
CTGAAAGATTCCAGGAAACTGTAGCTTCCCTAGCTAGTGTCAATTAACCTTAAATGCAATCAGGAAAGTAGCAAAC
AGAAGTCAATAAATATTTTTAAATGTCAAAAAAAAAAAAAAAAAA

141/615

FIGURE 140

MKVLISLLLLLPLMLMSMVSSSLNPGVARGHRDRGQASRRWLQEGGQECECKDWFLRAPRRKFMTVSGLPKKQC
PCDHFEGNVKKTRHQRHHRKPNKHSRACQQFLKQCQLRSFALPL

142/615

FIGURE 141

AATGGCTGTCTTAGTACTTCGCCTGACAGTTGTCCTGGGACTGCTTGTCTTATTCCTGACCTGCTATGCAGACGA
CAAACCAGACAAGCCAGACGACAAGCCAGACGACTCGGGCAAAGACCCAAAGCCAGACTTCCCCAAATTCCTAAG
CCTCCTGGGCACAGAGATCATTGAGAATGCAGTCGAGTTCATCCTCCGCTCCATGTCCAGGAGCACAGGATTTAT
GGAATTTGATGATAATGAAGGAAAACATTCATCAAAGT**GAC**ATCCTCAGGACACACCCATGTGGCTCCTGGACAA
TCCAAGAGCAGCCAAATCCTGCTTTTCCAGTTTGGCTCCACAAGTCCTCCAGGACAGAGCCCTCAAAGCAACTCC
CAACGAGTTCTCAGGATTCAGGCTCTGGCTTCAACCAAACAGAACTCATTTTGAACACCCTGACTGCATTTTGC
TTTtagaaagTTAGAATAAATATGGCGCTTTGGGATCACATAGTTGATGGAGAGGAAAAAAAAAAAAAAAAAAAA
AAAAAAAAAAAAAAAAAAAAAAAAAAAA

143/615

FIGURE 142

MAVLVLRRLTVVLGLLVFLTCYADDKPKDPDDKPDGKDPKPDFPKFLSLLGTEIIENAVEFILRSMRSTGFM
EFDDNEGKHSSK

144/615

FIGURE 143

GGACGCCAGCGCCTGCAGAGGCTGAGCAGGGAAAAAGCCAGTGCCCCAGCGGAAGCACAGCTCAGAGCTGGTCTG
CCATGGACATCCTGGTCCCCTCCTGCAGCTGCTGGTGCTGCTTCTTACCCTGCCCCCTGCACCTCATGGCTCTGC
TGGGCTGCTGGCAGCCCCTGTGCAAAAGCTACTTCCCCTACCTGATGGCCGTGCTGACTCCCAAGAGCAACCGCA
AGATGGAGAGCAAGAAACGGGAGCTCTTCAGCCAGATAAAGGGGCTTACAGGAGCCTCCGGGAAAGTGGCCCTAC
TGGAGCTGGGCTGCGGAACCGGAGCCAACTTTCAGTTCTACCCACCGGGCTGCAGGGTCACCTGSCCTAGACCCAA
ATCCCCACTTTGAGAAGTTCCTGACAAAGAGCATGGCTGAGAACAGGCACCTCCAATATGAGCGGTTTGTGGTGG
CTCCTGGAGAGGACATGAGACAGCTGGCTGATGGCTCCATGGATGTGGTGGTCTGCACTCTGGTGCTGTGCTCTG
TGCAGAGCCCAAGGAAGGTCTGCAGGAGGTCCGGAGAGTACTGAGACCGGGAGGTGTGCTCTTTTCTGGGAGC
ATGTGGCAGAACCATATGGAAGCTGGGCCTTCATGTGGCAGCAAGTTTTCGAGCCACCTGGAAACACATTGGGG
ATGGCTGCTGCCTCACCAGAGAGACCTGGAAGGATCTTGAGAACGCCCAGTTCTCCGAAATCCAAATGGAACGAC
AGCCCCCTCCCTTGAAGTGGCTACCTGTTGGGCCCCACATCATGGGAAGGCTGTCAAACAATCTTTCCCAAGCT
CCAAGGCACTCATTTGCTCCTTCCCCAGCCTCCAATTAGAACAAGCCACCCACCAGCCTATCTATCTTCCACTGA
GAGGGACCTAGCAGAATGAGAGAAGACATTCATGTACCACCTACTAGTCCCTCTCTCCCAACCTCTGCCAGGGC
AATCTCTAACTTCAATCCCGCCTTCGACAGTGAAAAAGCTCTACTTCTACGCTGACCCAGGGAGGAAACACTAGG
ACCCTGTTGTATCCTCAACTGCAAGTTTCTGGACTAGTCTCCCAACGTTTGCCTCCCAATGTTGTCCCTTTCCTT
CGTTCCCATGGTAAAGCTCCTCTCGCTTTCCTCCTGAGGCTACACCCATGCGTCTCTAGGAAGTGGTCACAAAAG
TCATGGTGCCTGCATCCCTGCCAAGCCCCCCTGACCCTCTCTCCCCACTACCACCTTCTTCTGAGCTGGGGGCA
CCAGGGAGAATCAGAGATGCTGGGGATGCCAGAGCAAGACTCAAAGAGGCAGAGGTTTGTCTCAAATATTTT
TAATAAATAGACGAAACCACG

145/615

FIGURE 144

MDILVPLLQLLVLLLTLPPLHLMALLGCWQPLCKSYFPYLMAVLTPKSNRKMESKKRELFSSQIKGLTGASGKVALL
ELGCGTGANFQFYPPGCRVTCCLDPNPHFEKFLTKSMAENRHLQYERFVVAPGEDMRQLADGSMDVVVCTLVLCVS
QSPRKVLQEVRRVLRPGGVLFWEHVAEPYGSWAFMWQQVFEPWTKHIGDGCCLTRETWKDLNAQFSEIQMERQ
PPPLKWLPVGPHIMGKAVKQSFPSKALICSFPSLQLEQATHQPIYLPRLGT

146/615

FIGURE 145

GTGGGATTTATTTGAGTGCAAGATCGTTTTCTCAGTGGTGGTGGAAAGTTGCCTCATCGCAGGCAGATGTTGGGGC
TTTGTCCGAACAGCTCCCCCTGCGCAGCTTCTGTAGATAAGGGTTAAAACTAATATTTATATGACAGAAGAAAA
AGATGTCATTCCGTAAAGTAAACATCATCATCTTGGTCCTGGCTGTTGCTCTCTTCTTACTGGTTTTGCACCATA
ACTTCCTCAGCTTGAGCAGTTTTGTTAAGGAATGAGGTTACAGATTGAGGAATTGTAGGGCTCAACCTATAGACT
TTGTCCCAAATGCTCTCCGACATGCAGTAGATGGGAGACAAGAGGAGATTCCCTGTGGTCATCGCTGCATCTGAAG
ACAGGCTTGGGGGGGCCATTGCAGCTATAAACAGCATTGAGCACAACACTCGCTCCAATGTGATTTTCTACATTG
TACTCTCAACAATACAGCAGACCATCTCCGGTCCTGGCTCAACAGTGATTCCCTGAAAAGCATCAGATACAAAA
TTGTCAATTTTGAACCTAACTTTTGAAGGAAAAGTAAAGGAGGATCCTGACCAGGGGGAATCCATGAAACCTT
TAACCTTTGCAAGGTTCTACTTGCCAATTCTGGTTCACGCGCAAGAAGGCCATATACATGGATGATGATGTAA
TTGTGCAAGGTGATATTCTTGCCCTTTACAATACAGCACTGAAGCCAGGACATGCAGCTGCATTTTCTAGAAGATT
GTGATTCAGCCTCTACTAAAGTTGTCATCCGTGGAGCAGGAAACCAGTACAATTACATTGGCTATCTTGACTATA
AAAAGGAAAGAATTGTAAGCTTTCCATGAAAGCCAGCACTTGCTCATTTAATCCTGGAGTTTTTGTGCAAAACC
TGACGGAATGGAACGACAGAATATACTAACCAACTGGAAAAATGGATGAACTCAATGTAGAAGAGGGACTGT
ATAGCAGAACCCTGGCTGGTAGCATCACAACACCTCCTCTGCTTATCGTATTTTATCAACAGCACTCTACCATCG
ATCCTATGTGGAATGTCCGCCACCTTGGTTCCAGTGCTGGAACGATATTCACCTCAGTTTGTAAGGCTGCCA
AGTTACTCCATTGGAATGGACATTTGAAGCCATGGGGAAGGACTGCTTCATATACTGATGTTTGGGAAAAATGGT
ATATTCCAGACCCAACAGGCAAATTCACCTAATCCGAAGATATACCGAGATCTCAAACATAAAGTGAACAGAA
TTTGAAGTGTAGCAAGCATTTCTCAGGAAGTCCTGGAAGATAGCATGCATGGGAAGTAACAGTTGCTAGGCTTC
AATGCCTATCGGTAGCAAGCCATGGAAAAAGATGTGTGAGCTAGGTAAAGATGACAACTGCCCTGTCTGGCAGT
CAGCTTCCCAGACAGACTATAGACTATAAATATGTCTCCATCTGCCTTACCAAGTGTTCCTTACTACAATGCTG
AATGACTGGAAGAAGAACTGATATGGCTAGTTGAGCTAGCTGGTACAGATAATTCAAACTGCTGTTGGTTTTTA
ATTTTGTAACTGTGGCCTGATCTGTAAATAAACTTACATTTTC

147/615

FIGURE 146

MSFRKVNIIILVLAVALFLLVLHHNFLSLSSLLRNEVTDSGIVGPQPIDFVPNALRHAVDGRQEEIPVVIAASED
RLGGAIAAINS IQHNTRSNVIFYIVTLNNTADHLRSWLNSDSLKSIRYKIVNFDPKLLEGKVKEDPDQGESMKPL
TFARFYLPILVPSAKKAIYMDDDVIVQGDILALYNTALKPGHAAAFSEDCDSASTKVVIRGAGNQYNYIGYLDYK
KERIRKLSMKASTCSFNPGVFVANLTEWKRONITNQLEKWMKLNVEEGLYSRTLGSITTPPLLIVFYQQHSTID
PMWNVRLGSSAGKRYSPOFVKAALLHWNGHLKPWGRTASYTDVWEKWIIPDPTGKFNLIRRYTEISNIK

148/615

FIGURE 147

GTTTGAATTCCTTCAACTATACCCACAGTCCAAAAGCAGACTCACTGTGTCCCAGGCTACCAGTTCCCTCCAAGCA
AGTCATTTCCCTTATTTAACCGATGTGTCCCTCAAACACCTGAGTGCTACTCCCTATTTGCATCTGTTTTGATAA
ATGATGTTGACACCCCTCCACCGAATTCTAAGTGAATCATGTTCGGGAAGAGATACAATCCTTGGCCTGTGTATCC
TCGCATTAGCCTTGTCTTTGGCCATGATGTTTACCTTCAGATTTCATCACCACCCTTCTGGTTCACATTTTCATTT
CATTGGTTATTTTGGGATTGTTGTTTGTCTGCGGTGTTTTATGGTGGCTGTATTATGACTATACCAACGACCTCA
GCATAGAATTGGACACAGAAAGGGAAAATATGAAGTGCGTGCTGGGGTTTGCTATCGTATCCACAGGCATCACGG
CAGTGCTGCTCGTCTTGATTTTGTCTCAGAAAGAGAATAAAATTGACAGTTGAGCTTTTCCAAATCACAAATA
AAGCCATCAGCAGTGCTCCCTTCCTGCTGTTCCAGCCACTGTGGACATTTGCCATCCTCATTTTCTTCTGGGTCC
TCTGGGTGGCTGTGCTGCTGAGCCTGGGAAGTGCAGGAGCTGCCAGGTTATGGAAGGCGGCCAAGTGAATATA
AGCCCCTTTCGGGCATTTCGGTACATGTGGTCGTACCATTTAATTGGCCTCATCTGGACTAGTGAATTCATCCTTG
CGTGCCAGCAAATGACTATAGCTGGGGCAGTGGTTACTTGTATTTC AACAGAAGTAAAAATGATCCTCCTGATC
ATCCCATCCTTTCTCTCTCTCCATTCTCTTCTTCTACCATCAAGGAACCGTTGTGAAAGGGTCATTTTTTAATCT
CTGTGGTGAGGATTCCGAGAATCATTTGTCTGTACATGCAAAACGCACTGAAAGAACAGCAGCATGGTGCATTGT
CCAGGTACCTGTTCCGATGCTGCTACTGCTGTTTCTGGTGTCTTGACAAATACCTGCTCCATCTCAACCAGAATG
CATATACTACAACCTGCTATTAATGGGACAGATTTCTGTACATCAGCAAAAGATGCATTCAAAATCTTGTTCCAAGA
ACTCAAGTCACTTTACATCTATTAAGTCTTTGGAGACTTCATAATTTTTCTAGGAAAGGTGTTAGTGGTGTGTT
TCACTGTTTTTGGAGGACTCATGGCTTTTAACTACAATCGGGCATTCAGGTGTGGGCAGTCCCTCTGTTATTGG
TAGCTTTTTTTGGCCTACTTAGTAGCCCATAGTTTTTTATCTGTGTTTGAAACTGTGCTGGATGCATTTTCTCTGT
GTTTTGCTGTTGATCTGGAAACAAATGATGGATCGTCAGAAAAGCCCTACTTTATGGATCAAGAATTTCTGAGTT
TCGTAAAAAGGAGCAACAAATTAAACAATGCAAGGGCACAGCAGGACAAGCACTCATTAAGGAATGAGGAGGGAA
CAGAACTCCAGGCCATTGTGAGATAGATACCCATTTAGGTATCTGTACCTGGAAAACATTCCTTCTAAGAGCCA
TTTACAGAAATAGAAGATGAGACCACTAGAGAAAAGTTAGTGAATTTTTTTTTTAAAGACCTAATAAACCTATTCTC
TTCCTCAAAA

149/615

FIGURE 148

MSGRDTILGLCILALALSLAMMFTFRFITLLVHIFISLVILGLLFVCGVLWWLYYDYTNDSLIELDTERENMKC
VLGFAIVSTGITAVLLVLI FVLRKRIKLTVELFQITNKAISSAPFLLFQPLWTFFAILIFFWLVWVAVLLSLGTAG
AAQVMEGGQVEYKPLSGIRYMWSYHLIGLIWTSEFILACQQMTIAGAVVTCYFNRSKNDPPDHPILSSLSILFFY
HQGTVVKGSFLISVVRIPRIIVMYMQNALKEQQHGALSRYLFRCCYCCFWCLDKYLLHLNQAYTTTAINGTDFC
TSAKDAFKILSKNSSHFTSINCFGDFIIFLGKVLVVCFTVFGGLMAFNYNRAQVWAVPLLLVAFFAYLVVHSFL
SVFETVLDALFLCFAVDLETNDGSSEKPYFMDQEFLSFVKRSNKLNNARAQQDKHSLRNEEGTELQAIVR

FIGURE 149

[illegible]

151/615

FIGURE 150

MRTVVLTMKASVIEMFLVLLVTGVHSNKETAKKIKRPKFTVPQINCDVKAGKIIDPEFIVKCPAGCQDPKYHVYG
TDVYASYSSVCGAAVHSGVLDNSGGKILVRKVAGQSGYKGSYSNGVQSLSLPRWRESFIVLESKPKKGVTYPSAL
TYSSSKSPAAQAGETTKAYQRPPIPGTTAQPVTLMQLLAVTVAVATPTTLPRPSPSAASTTSIPRPQSVGHRSQE
MDLWSTATYTSSQNRPRADPGIQRQDPSGAAFQKPVGADVSLGLVPKEELSTQSLEPVSLGDPNCKIDLSFLIDG
STSIGKRRFRIQKQLLADVAQALDIGPAGPLMGVVQYGDNPATHFNLKTHTNSRDLKTAIEKITQRGGLSNVGRA
ISFVTKNFFSKANGNRSGAPNVVVVMVDGWPTDKVEEASRLARESGINIFFITIEGAAENEKQYVVEPNFANKAV
CRTNGFYSLHVQSWFGLHKTLOPLVKRVCDTDRACSKTCLNSADIGFVIDGSSSVGTGNFRTVLQFVTNLTKF
EISDTDTRIGAVQYTYEQRLFGFDKYSSKPDILNAIKRVGYWSSGTSTGAAINFALEQLFKKSKPNKRKLMILI
TDGRSYDDVRIPAMAAHLKGVITYAIGVAWAAQEELEVIATHPARHSHFFVDEFNLHQYVPRIIQNICTEFNSQPRN

152/615

FIGURE 151

CAGGATGAACTGGTTGCAGTGGCTGCTGCTGCTGCGGGGGCGCTGAGAGGACACGAGCTCTATGCGCTTTCCGGCT
GCTCATCCCGCTCGGCCCTCCTGTGCGCGCTGCTGCCTCAGCACCATGGTGCGCCAGGTCCCGACGGCTCCGCGCC
AGATCCCGCCCACTACAGTTTTTCTCTGACTCTAATTGATGCACTGGACACCTTGCTGATTTTGGGGAATGTCTC
AGAATTCCAAAGAGTGGTTGAAGTGCTCCAGGACAGCGTGGACTTTGATATTGATGTGAACGCCTCTGTGTTGA
AACAAACATTCGAGTGGTAGGAGGACTCCTGTCTGCTCATCTGCTCTCCAAGAAGGCTGGGGTGGGAAGTAGAGGC
TGGATGGCCCTGTTCCGGGGCCTCTCCTGAGAATGGCTGAGGAGGCGGCCGAAAACCTCCTCCACGCTTTTCAGAC
CCCCACTGGCATGCCATATGGAACAGTGAACCTACTTCATGGCGTGAACCCAGGAGAGACCCCTGTACCTGTAC
GGCAGGGATTGGGACCTTCATTGTTGAATTTGCCACCCTGAGCAGCCTCACTGGTGACCCGGTGTTCGAAGATGT
GGCCAGAGTGGCTTTGATGCGCCTCTGGGAGAGCCGGTCAGATATCGGGCTGGTCGGCAACCACATTGATGTGCT
CACTGGCAAGTGGGTGGCCAGGACGCAGGCATCGGGGCTGGCGTGGACTCCTACTTTGAGTACTTGGTGAAAGG
AGCCATCCTGCTTCAGGATAAGAAGCTCATGGCCATGTTCCCTAGAGTATAACAAAGCCATCCGGAACCTACACCCG
CTTCGATGACTGGTACCTGTGGGTTTCAGATGTACAAGGGGACTGTGTCCATGCCAGTCTTCCAGTCTTGGAGGC
CTACTGGCCTGGTCTTCAGAGCCTCATTGGAGACATTGACAATGCCATGAGGACCTTCCTCAACTACTACACTGT
ATGGAAGCAGTTTGGGGGGCTCCCGGAATTCTACAACATTCCTCAGGGATACACAGTGGAGAAGCGAGAGGGCTA
CCCACTTCGGCCAGAACTTATTGAAAGCGCAATGTACCTCTACCGTGCCACGGGGGATCCCAACCTCCTAGAACT
CGGAAGAGATGCTGTGGAATCCATTGAAAAAATCAGCAAGGTGGAGTGCAGGATTGCAACAATCAAAGATCTGCG
AGACCACAAGCTGGACAACCGCATGGAGTCGTTCTTCCTGGCCGAGACTGTGAAATACCTCTACCTCCTGTTTGA
CCCAACCAACTTCATCCACAACAATGGGTCCACCTTCGACGCGGTGATCACCCCTATGGGGAGTGCATCCTGGG
GGCTGGGGGGTACATCTTCAACACAGAAGCTCACCCCATCGACCTTGCCGCCCTGCACTGCTGCCAGAGGCTGAA
GGAAGAGCAGTGGGAGGTGGAGGACTTGATGAGGGAATTCTACTCTCTCAAACGGAGCAGGTGCGAAATTTTCAGAA
AACTACTGTTAGTTTCGGGGCCATGGGAACCTCCAGCAAGGCCAGGAACACTCTTCTCACCAGAAAACCATGACCA
GGCAAGGGAGAGGAAGCCTGCCAAACAGAAGGTCCCACTTCTCAGCTGCCCCAGTCAGCCCTTCACCTCCAAGTT
GGCATTACTGGGACAGGTTTTCTAGACTCCTCATTAACCACTGGATAATTTTTTTATTTTTTATTTTTTTGAGGCT
AACTATAATAAATTGCTTTTGGCTATCATAAAA

153/615

FIGURE 152

MPFRLLIPLGLLCALLPQHHGAPGPDGSAPDPAHYSFSLTLIDALDTLLILGNVSEFQRVVEVLQDSVDFDIDVN
ASVFETNIRVVGGLLSAHLSSKKAGVEVEAGWPCSGPLLMAEEAARKLLPAFQTPTGMPYGTVNLLHGVNPGET
PVTCTAGIGTFIVEFATLSSLTGDPVFEDVARVALMRLWESRSDIGLVGNHIDVLTGKWVAQDAGIGAGVDSYFE
YLVKGAILLQDKKLMAMFLEYNKAIRNYTRFDDWYLWVQMYKGTVSMPVFQSLEAYWPGLQSLIGDIDNAMRTFL
NYITVWKQFGGLPEFYNIPOGYTVEKREGYPLRPELIESAMYLYRATGDPITLLELGRDAVESIEKISKVECGFAT
IKDLRDHKLDRNMESFFLAETVKYLYLLFDPTNFIHNNGSTFDAVITPYGECILGAGGYIFNTEAHPIDLAALHC
CQRLKEEQWEVEDLMREFYSLKRSRSKFQKNTVSSGPWEPPARPGTLFSPENHDQARERKPAKQKVPLLSCPSQP
FTSKLALLGQVFLDSS

154/615

FIGURE 153

CGGACGCGTGGGCGGACGCGTGGGCGGACGCGTGGGTTGGGAGGGGGCAGGATGGGAGGGAAAGTGAAGAAAACA
GAAAAGGAGAGGGACAGAGGCCAGAGGACTTCTCATACTGGACAGAAACCGATCAGGCATGGAACTCCCCCTTCGT
CACTCACCTGTTCTTGCCCCCTGGTGTTCCTGACAGGTCTCTGCTCCCCCTTTAACCTGGATGAACATCACCCACG
CCTATTCCCAGGGCCACCAGAAGCTGAATTTGGATACAGTGTCTTACAACATGTTGGGGGTGGACAGCGATGGAT
GCTGGTGGGCGCCCCCTGGGATGGGCCTTCAGGCGACCGGAGGGGGGACGTTTATCGCTGCCCTGTAGGGGGGGC
CCACAATGCCCCATGTGCCAAGGGCCACTTAGGTGACTACCAACTGGGAAATTCATCTCATCCTGCTGTGAATAT
GCACCTGGGGATGTCTCTGTTAGAGACAGATGGTGATGGGGGATTTCATGGTGAGCTAAGGAGAGGGTGGTGGCAG
TGTCTCTGAAGGTCCATAAAAGAAAAAGAGAAGTGTGGTAAGGGAAAATGGTCTGTGTGGAGGGGTCAAGGAGT
TAAAAACCTAGAAAGCAAAGGTAGGTAATGTCAGGGAGTAGTCTTCATGCCTCCTTCAACTGGGAGCATGTTT
TGAGGGTGCCCTCCCAAGCCTGGGAGTAATTTCCCCCATCCCCAGGCCTGTGCCCCCTCTCTGGTCTCGTGCT
TGTGGCAGCTCTGTCTTCAGTTCTGGGATATGTGCCCGTGTGGATGCTTCATTCCAGCCTCAGGGAAGCCTGGCA
CCCACTGCCCCAACGTGAGCCAGAGGAAGGCTGAGTACTTGGTTCCCAGAAGGAGATACTGGGTGGGAAAAAGATG
GGGCAAAGCGGTATGATGCCTGGCAAAGGGCCTGCATGGCTATCCTCATTGCTACCTAATGTGCTTGCAAAGCT
CCATGTTTCCTAACAGATTCAAGTCTCTGGCCAGGTGTGGTGGCCACACCTGTAATTCAGCACTTTGGGAGGC
CAAGGTGGGCAGATCACTTGAGGTGAGGAGTTCAAGACCAGCCTGGCCAACATGGTGAACTCCATCTCTACTAA
AAAAAAAAAATAACAAAATTAGCTGGGTGCGCTAGTGCATGCCTGTAATCTCATCTACTCGGGAGGCTAAGACA
GGAGACTCTCACTTCAACCCAGGAGGTGGAGGTTGCGGTGAGCCAAGATTGTGCCTCTGCACTCTAGCGTGGGTG
ACAGAGTAAGCGAGACTCCATCTCAAAAATAATAATAATAAATTCAGACTCCTTATCAGGAGTCCATGATCTG
GCCTGGCACAGTAACTCATGCCTGTAATCCCAACATTTGGGAGGCCAACGCAGGAGGATTGCTTGAGGTCTGGA
GGTTTGAGACCAGCCTGGGCAACATAGAAAGACCCCATCTCTAAATAAATGTTTTAAAAAT

155/615

FIGURE 154

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA57039
><subunit 1 of 1, 124 aa, 1 stop
><MW: 13352, pI: 5.99, NX(S/T): 1
MELPFVTHLFLPLVFLTGLCSPFNLDEHHPRLFPGPPEAEFGYSVLQHVGGGQRWMLVGAPWDGPGSGDRRGDVYR
CPVGGAHNAPCAKGHLDYQLGNSSHPAVNMHLGMSLLETGDGGMVVS
```

Important features:**Signal peptide:**

amino acids 1-22

Cell attachment sequence.

amino acids 70-73

N-glycosylation site.

amino acids 98-101

Integrins alpha chain proteins

amino acids 67-81

156/615

FIGURE 155

CGGAGCTCCGGGTGCTGTGGCCCGGCCTTGGCGGGGCGGCCTCCGGCTCAGGCTGGCTGAGAGGCTCCCAGCTGC
AGCGTCCCCGCCCGCCTCCTCGGGAGCTCTGATCTCAGTGCAGTGCCTCGGGGACCAACAAGCCTGGCAGG
GTCTCACTTTGTGCCCAGGCTGGAGTTCAGTGCCATGATCATGGTTTACTGCAGCCTTGACCTCCTGGGTTCAA
GCGATCCTGCTGAGTAGCTGGGACTACAGGACAAAATTAGAAGATCAAAATGGAAAATATGCTGCTTTGGTTGAT
ATTTTTCACCCCTGGGTGGACCCTCATTGATGGATCTGAAATGGAATGGGATTTATGTGGCACTTGAGAAAGGT
ACCCCGGATTGTGAGTGAAGGACTTTCCATCTCACCAGCCCCGATTTGAGGCAGATGCTAAGATGATGGTAAA
TACAGTGTGTGGCATCGAATGCCAGAAAGAACTCCCAACTCCCAGCCTTTCTGAATTGGAGGATTATCTTTCCTA
TGAGACTGTCTTTGAGAATGGCACCCTGAACCTTAACCAGGGTGAAAGTTCAAGATTTGGTTCTTGAGCCGACTCA
AAATATCACCACAAAGGGAGTATCTGTTAGGAGAAAGAGACAGGTGTATGGCACCGACAGCAGGTTTACAGATCTT
GGACAAAAGGTTCTTAACCAATTTCCCTTTCAGCACAGCTGTGAAGCTTTCACGGGCTGTAGTGGCATTCTCAT
TTCCCTCAGCATGTTCTAACTGCTGCCACTGTGTTTCATGATGGAAAGGACTATGTCAAAGGGAGTAAAAAGCT
AAGGGTAGGGTTGTTGAAGATGAGGAATAAAGTGGAGGCAAGAAACGTCGAGGTTCTAAGAGGAGCAGGAGAGA
AGCTAGTGGTGGTGACCAAGAGAGGGTACCAGAGAGCATCTGCAGGAGAGAGCGAAGGGTGGGAGAAAGAAA
AAAATCTGGCCGGGTGAGAGATTGCCGAAGGGAGGCCTTCTTTCAGTGGACCCGGGTCAAGAATACCCACAT
TCCGAAGGGCTGGGCACGAGGAGCATGGGGGACGCTACCTTGGACTATGACTATGCTCTTCTGGAGCTGAAGCG
TGCTCACAAAAGAAATACATGGAACCTTGAATCAGCCCAACGATCAAGAAAATGCCTGGTGAATGATCCACTT
CTCAGGATTTGATAACGATAGGGCTGATCAGTTGGTCTATCGGTTTTGCAGTGTGTCCGACGAATCCAATGATCT
CCTTTACCAATACTGCGATGCTGAGTCGGGCTCCACCGGTTCCGGGGTCTATCTGCGTCTGAAAGATCCAGACAA
AAAGAATTGGAAGCGCAAAATCATTGCGGTCTACTCAGGGCACCAAGTGGGTGGATGTCCACGGGGTTCAGAAGGA
CTACAACGTTGCTGTTGCGATCACTCCCCTAAAATACGCCCAGATTTGCCTCTGGATTACGGGAACGATGCCAA
TTGTGCTTACGGCTAACAGAGACCTGAAACAGGGCGGTGTATCATCTAAATCACAGAGAAAACCAGCTCTGCTTA
CCGTAGTGAGATCACTTCATAGGTTATGCCTGGACTTGAACCTCTGTCAATAGCATTTCACATTTTCAAAATCA
GGAGATTTTCGTCCATTTAAAAAATGTATAGGTGCAGATATTGAACTAGGTGGGCACCTTCAATGCCAAGTATAT
ACTCTTCTTTACATGGTGATGAGTTTCATTTGTAGAAAAATTTTGTGCTTCTTAAAAATTAGACACACTTTAA
ACCTTCAAACAGGTATTATAAATAACATGTGACTCCTTAATGGACTTATTCTCAGGGTCTACTCTAAGAAGAA
CTAATAGGATGCTGGTTGTGTATTAAATGTGAAATTGCATAGATAAAGGTAGATGGTAAAGCAATTAGTATCAGA
ATAGAGACAGAAAGTTACAACACAGTTTGTACTACTCTGAGATGGATCCATTACAGCTCATGCCCTCAATGTTTAT
ATTGTGTTATCTGTTGGGTCTGGGACATTTAGTTTAGTTTTTTTGAAGAATTACAAATCAGAAGAAAAAGCAAGC
ATTATAAACAAAATAATAACTGTTTTACTGCTTTAAGAAATAACAATTACAATGTGTATTATTTAAAAATGGGA
GAAATAGTTTGTCTATGAAATAAACCTAGTTTAGAAATAGGGAAGCTGAGACATTTTAAGATCTCAAGTTTTTA
TTTAACTAATACTCAAAATATGGACTTTTCATGTATGCATAGGGGAAGACACTTCACAAATTATGAATGATCATGT
GTTGAAAGCCACATTATTTTATGCTATACATTCTATGTATGAGGTGCTACATTTTATAGGACAAAGAATTCTGTAA
TCTTTTTCAAGAAAGAGTCTTTTCTCCTTGACAAAATCCAGCTTTTGTATGAGGACTATAGGGTGAATTCTCTG
ATTAGTAATTTTAGATATGTCCTTTCCTAAAAATGAATAAAATTTATGAATATGA

157/615

FIGURE 156

```
</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA57253
<subunit 1 of 1, 413 aa, 1 stop
<MW: 47070, pI: 9.92, NX(S/T): 3
MENMLLWLIFFTPGWTLIDGSEMEWDFMWHLRKVPRIVSERTFHLTSPAFEADAKMMVNTVCGIECQKELPTPSL
SELEDYLSYETVFENGTRTLTRVKVQDLVLEPTQNIITKGVSVRRKRQVYGTDSRFSILDKRFLTNFPFSTAVKL
STGCSGILISPOHVLTAACHVHDGKDYVKGSKKLRVGLLKMRNKSGGKKRRGSKRSRREASGGDQREGTREHLQE
RAKGGRRRKKSGRGQRIAEGRPSFQWTRVKNTHIPKGWARGGMDATLDYDYALLELKRAHKKKYMELGISPTIK
KMPGGMIHFSGFDNDRADQLVYRFCSVDESNDLLYQYCDAESGSTGSGVYLRKDPDKKNWKRKIIAVYSGHQW
VDVHGVQKDYNAVAVRITPLKYAQICLWIHGNDANCAYG
```

Important features:**Signal peptide:**

amino acids 1-16

N-glycosylation sites.

amino acids 90-93, 110-113 and 193-196

Glycosaminoglycan attachment site.

amino acids 236-239

Serine proteases, trypsin family, histidine active site.

amino acids 165-170

159/615

FIGURE 158

MEPPGRRRRGRAQPPLLLPLSLLALLALLGGGGGGGAAALPAGCKHDGRPRGAGRAAGAAEGKVVCSSLELAQVLP
PDTLPNRTVTLILSNNKISELKNGSFSGLSLLERLDLRNNLISSIDPGAFWGLSSLKRLDLTNNRIGCLNADIFR
GLTNLVRNLNSGNLFSSLSQGTFDYLASLSLEFQTEYLLCDCNILWMMHRWVKEKNITVRDTRCVYPKSLQAQPV
TGVKQELLTCDPPLELPSFYMTPSHRQVVFEGDSL PFQCMASYIDQDMQVLWYQDGRIVETDESQGI FVEKNMIH
NCSLIASALTISNIQAGSTGNWVGCHVQTKRGNNTRTVDIVVLESSAQYCPPERVVNNKGDFRWPRTL GITAYLQ
CTRNTHGSGIYPGNPQDERKAWRRCDRGGFWADDDYSRCQYANDVTRVLYMFNQ MPLNL TN AVATARQLLAYTVE
AANFSDKMDVIFVAEMIEKFGRFTKEEKSKELGDMVDIASNIMLADERVWLWLAQREAKACSRIVQCLQRIATYR
LAGGAHVYSTYSPNIALEAYVIKSTGFTGMTCTVFQKVAASDRTGLSDYGRDPEGNLDKQLSFKCNVSNTFSSL
ALKVCYILQSFKTIYS

Signal peptide:

amino acids 1-33

Transmembrane domain:

amino acids 13-40 (type II)

N-glycosylation site.amino acids 81-85, 98-102, 159-163, 206-210, 301-305, 332-336, 433-437,
453-457, 592-596**N-myristoylation site.**amino acids 29-35, 30-36, 31-37, 32-38, 33-39, 34-40, 51-57, 57-63, 99-105,
123-129, 142-148, 162-168, 317-323, 320-326, 384-390, 403-409, 554-560

161/615

FIGURE 160

MEWWASSPLRLWLLLFLPSAQGRQKESGSKWKVFIDQINRSLENYEPCSSQNCSCYHGVIEEDLTPFRGGISRK
MMAEVVRRKLGTHYQITKNRLYREND CMFSPRCSGVEHFILEVIGRLPDMEMVINVRDYPQVPKWMEPAIPVFSF
SKTSEYHDIMYPAWTFWEGGPAVWPIIYPTGLGRWDLFREDLVRSAQWPWKKNSTAYFRGSRTSPERDPLILLS
RKNPKLVDAEYTKNQAWKSMKDTLGKPAKDVHLVDHCKYKYLNFNFRGVAASFRFKHLFLCGSLVFHVGDWLEF
FYPQLKPWWHYIPVKTDLSNVQELLQFVKANDDVAQEIAERGSQFIRNHLQMD DITCYWENLLSEYSKFLSYNVT
RRKGYDQIIPKMLKTEL

162/615

FIGURE 161

CCGAGCACAGGAGATTGCCTGCGTTTAGGAGGTGGCTGCGTTGTGGGAAAAGCTATCAAGGAAGAAATTGCCAAA
CCATGTCTTTTTTCTGTTTTTCAGAGTAGTTCACAACAGATCTGAGTGTTTTAATTAAGCATGGAATACAGAAAA
CAACAAAAAAGCTTAAGCTTTAATTTTCATCTGGAATTCACAGTTTTCTTAGCTCCCTGGACCCGGTTGACCTGTT
GGCTCTTCCCGCTGGCTGCTCTATCACGTGGTGTCTCCGACTACTCACCCCGAGTGTAAGAACCTTCGGCTCG
CGTGCTTCTGAGCTGCTGTGGATGGCCTCGGCTCTCTGGACTGTCCTTCCGAGTAGGATGTCAGTACCTC
AAATGGAGCCTCCTGCTGCTGTCACTCCTGAGTTTCTTTGTGATGTGGTACCTCAGCCTTCCCCACTACAATGTG
ATAGAACGCGTGAAGTGGATGTACTTCTATGAGTATGAGCCGATTTACAGACAAGACTTTCACCTTACACTTCGA
GAGCATTCAAAGTCTCTCATCAAATCCATTTCTGGTCATTCTGGTGACCTCCACCCCTTCAGATGTGAAAGCC
AGGCAGGCCATTAGAGTTACTTGGGGTGAAAAAAGTCTTGGTGGGGATATGAGGTTCTTACATTTTTCTTATTA
GGCCAAGAGGCTGAAAAGGAAGACAAAATGTTGGCATTGTCTTAGAGGATGAACACCTTCTTTATGGTGACATA
ATCCGACAAGATTTTTTAGACACATATAATAACCTGACCTTGAAAACCATATGGCATTACAGGTGGGTAAGTGA
TTTTGCCCCAATGCCAAGTACGTAATGAAGACAGACACTGATGTTTTTCATCAATACTGGCAATTTAGTGAAATG
CTTTTAAACCTAAACCACTCAGAGAAGTTTTTCACAGGTTATCCTCTAATTGATAATTATTCCTATAGAGGATTT
TACCAAAAAACCCATATTTCTTACCAGGAGTATCCTTTCAAGGTGTTCCCTCCATACTGCAGTGGGTGGGTTAT
ATAATGTCCAGAGATTTGGTGCCAAGGATCTATGAAATGATGGGTACGTAAGAACCCATCAAGTTTGAAGATGTT
TATGTCGGGATCTGTTTGAATTTATTAAGTGAACATTCATATCCAGAAGACACAAATCTTTCTTTCTATAT
AGAATCCATTTGGATGTCTGTCAACTGAGACGTGTGATTGTCAGCCCATGGCTTTTCTTCCAAGGAGATCATCACT
TTTTGGCAGGTCATGCTAAGGAACACCACATGCCATTATTAACCTTACATTCTACAAAAAGCCTAGAAGGACAGG
ATACCTTGTGGAAAGTGTTAAATAAAGTAGGTACTGTGGAAAATTCATGGGGAGGTCAGTGTGCTGGCTTACACT
GAACTGAAACTCATGAAAAACCCAGACTGGAGACTGGAGGGTTACACTTGTGATTTATTAGTCAGGCCCTTCAA
GATGATATGTGGAGGAATTAATATAAAGGAATTGGAGGTTTTTGCTAAAGAAATTAATAGGACCAACAAATTTG
GACATGTCATTCTGTAGACTAGAATTTCTTAAAAGGGTGTACTGAGTTATAAGCTCACTAGGCTGTAAAAACAA
AACAATGTAGAGTTTTATTATTGAACAATGTAGTCACTTGAAGGTTTTGTGTATATCTTATGTGGATTACCAAT
TTAAAAATATATGTAGTTCTGTGTCAAAAACTTCTTCACTGAAGTTATACTGAACAAAATTTTACCTGTTTTTG
GTCATTTATAAAGTACTTCAAGATGTTGCAGTATTTACAGTTATTATTATTTAAATTTACTTCAACTTTGTGTT
TTTAAATGTTTTGACGATTTCAATACAAGATAAAAAGGATAGTGAATCATTCTTTACATGCAACATTTTCCAGT
TACTTAACTGATCAGTTTATTATTGATACATCACTCCATTAATGTAAAGTCATAGGTCATTATTGCATATCAGTA
ATCTCTTGGACTTTGTAAATATTTTACTGTGGTAATATAGAGAAGAAATTAAGCAAGAAAATCTGAAAA

163/615

FIGURE 162

MASALWTVLPSRMSLRSLKWSLLLLSLLSFFVMWYLSLPHYNVIERVNWMYFYEYEPYRQDFHFTLREHSNCSSH
QNPFLVILVTSHPSDVKARQAIRVTWGEKKSWWGYEVLTFLLGQEA EKEDKMLALSLEDEHLLYGDIIRQDFLD
TYNNLT LKTIMAFRWVTEFCPNAKYVMKTD TDVFINTGNLVKYLLNLNHSEKFFTGYPLIDNYSYRGFYQKTHIS
YQEYPFKVFPPYCSGLGYIMSRDLVPRIYEMMGHVKPIKFEDVYVGICLNLLKVNIHIPEDTNLFFLYRIHLDVC
QLRRVIAAHGFSSKEIITFWQVMLRNTTCHY

164/615

FIGURE 163

CATTTCTGAACTAATCGTGTGAGAAATGACTTTGAAAAGCATTGCTTTTTACAGAAGTATATTAACTTTTTAGG
AGTAATTTCTAGTTTGGATTGTAATATGAAATAATTTAAAAGGGCTTCGCTCATATATAGGAAAATCGCATATGG
TCCTAGTATTAAATTCCTATTGCTTACTGATTTTTTTGAGTTAAGAGTTGTTATATGCTAGAATATGAGGATGTG
AATATAAATAAGAGAGAAAAAGAATAAAGTAGATTGAGTCTCCAATTTTATGTAAGCTTCAGAAGAAGTGGTT
TGTTTACATGCAAGCTTATAGTTGAAATATTTTTTCAGGAATTACATGAATGACAGTCTTCGAACCAATGTGTTTG
TTCGATTTCAACCAGAGACTATAGCATGTGCTTGCACTACCTTGCAGCTAGAGCACTTCAGATTCCGTTGCCAA
CTCGTCCCCATTGGTTTCTTCTTTTTGGTACTACAGAAGAGGAAATCCAGGAAATCTGCATAGAAACACTTAGGC
TTTATACCAGAAAAAGCCAACTATGAATTACTGGAAAAAGAGTAGAAAAAGAAAAGTAGCCTTACAAGAAG
CCAAATTAAAAGCAAAGGGATTGAATCCGGATGGAAGTCCAGCCCTTTCAACCCTGGGTGGGATTTTCTCCAGCCT
CCAAGCCATCATCACCAAGAGAAGTAAAGCTGAAGAGAAATCACCAATCTCCATTAATGTGAAGACAGTCAAAA
AAGAACCTGAGGATAGACAACAGGCTTCCAAAAGCCCTTACAATGGTGTAAAGAAAAGACAGCAAGAGAAGTAGAA
ATAGCAGAAGTGCAAGTCGATCGAGGTCAAGAACACGATCACGTTCTAGATCACATACTCCAAGAAGACACTATA
ATAATAGGCGGAGTCGATCTGGAACATACAGCTCGAGATCAAGAAGCAGGTCCCGCAGTCACAGTGAAAGCCCTC
GAAGACATCATAATCATGGTCTCCTCACCTTAAGGCCAAGCATACCAGAGATGATTTAAAAAGTTCAAACAGAC
ATGGTCATAAAAGGAAAAAATCTCGTTCTCGATCTCAGAGCAAGTCTCGGGATCACTCAGATGCAGCCAAGAAAC
ACAGGCATGAAAGGGGACATCATAGGGACAGGCGTGAACGATCTCGCTCCTTTGAGAGGTCCCATAAAAGCAAGC
ACCATGGTGGCAGTCGCTCAGGACATGGCAGGCACAGGCGCTGAATTTCTCTTCTTTGAGCCTGCATCAGTTCT
TGGTTTTGCCTATCTACAGTGTGATGTATGGACTCAATCAAAAACATTAAACGCAAAGTATTAGGATTTGATTT
CTTGAAACCTCTAGGTCTCTAGAACACTGAGGACAGTTTCTTTTGAAAAGAACTATGTTAATTTTTTGCACAT
TAAATGCCCTAGCAGTATCTAATTAATAAACCATGGTCAGGTTCAATTGTACTTTATTATAGTTGTGTATTGTTT
ATTGCTATAAAGAACTGGAGCGTGAATTCTGTAAAAATGTATCTTATTTTTATACAGATAAAATTGCAGACACTGT
TCTATTTAAGTGGTTATTTGTTTAAATGATGGTGAATACTTTCTTAACACTGGTTTGTCTGCATGTGTAAAGATT
TTTACAAGGAAATAAAATACAAATCTTGTTTTTCTAAAAAAGT

165/615

FIGURE 164

MNDSLRTNVFVRFQPETIACACIYLAARALQIPLPTRPHWFLLFGTTEEEIQEICIETLRLYTRKKPNYELLEKE
VEKRKVALQEAKLKAKGLNPDGTPALSTLGGFSPASKPSSPREVKAEKSPISINVKTVKKEPEDRQQASKSPYN
GVRKDSKRSRNSRSASRSRSTRSRSRSHTPRRHYNNRRSRSGTYSSRSRSTRSRSHSESPRRHHNHGSPHLKAKH
TRDDLKSSNRHGHKRKKSRSRSQSKSRDHSDAAKKRHERGHRDRRERSRSFERSHKSKHHGGSRSRSGHRHRR

166/615

FIGURE 165

GGTTCCTACATCCTCTCATCTGAGAATCAGAGAGCATAATCTTCTTACGGGCCCGTGATTTATTAACGTGGCTTA
ATCTGAAGGTCTCAGTCAAATTCTTTGTGATCTACTGATTGTGGGGGCATGGCAAGGTTTGCTTAAAGGAGCTT
GGCTGGTTTGGGCCCTTGTAGCTGACAGAAGGTGGCCAGGGAGAATGCAGCACACTGCTCGGAGAATGAAGGCGC
TTCTGTTGCTGGTCTTGCCTTGGCTCAGTCCTGCTAACTACATTGACAATGTGGGCAACCTGCACTTCCTGTATT
CAGAACTCTGTAAAGGTGCCTCCCACTACGGCCTGACCAAGATAGGAAGAGGCGCTCACAAGATGGCTGTCCAG
ACGGCTGTGCGAGCCTCACAGCCACGGCTCCCTCCCAAGAGGTTTCTGCAGCTGCCACCATCTCCTTAATGACAG
ACGAGCCTGGCCTAGACAACCCTGCCTACGTGTCTCGGCAGAGGACGGGCAGCCAGCAATCAGCCCAGTGGACT
CTGGCCGGAGCAACCGAACTAGGGCACGGCCCTTTGAGAGATCCACTATTAGAAGCAGATCATTTAAAAAATAA
ATCGAGCTTTGAGTGTTCTTCGAAGGACAAAGAGCGGGAGTGCAGTTGCCAACCATGCCGACCAGGGCAGGGAAA
ATTCTGAAAAACCACTGCCCCCTGAAGTCTTTCCAAGGTTGTACCACCTGATTCCAGATGGTGAAATTACCAGCA
TCAAGATCAATCGAGTAGATCCCACTGAAAGCCTCTCTATTAGGCTGGTGGGAGGTAGCGAAACCCCACTGGTCC
ATATCATTATCCAACACATTTATCGTGATGGGGTGATCGCCAGAGACGGCCGGCTACTGCCAGGAGACATCATTC
TAAAGGTCAACGGGATGGACATCAGCAATGTCCCTCACAACCTACGCTGTGCGTCTCCTGCGGCAGCCCTGCCAGG
TGCTGTGGCTGACTGTGATGCGTGAACAGAAGTTCGCGAGCAGGAACAATGGACAGGCCCCGGATGCCTACAGAC
CCCGAGATGACAGCTTTTATGTGATTCTCAACAAAAGTAGCCCCGAGGAGCAGCTTGGAAATAAACTGGTGCGCA
AGGTGGATGAGCCTGGGGTTTTTCATCTTCAATGTGCTGGATGGCGGTGTGGCATATCGACATGGTCAGCTTGAGG
AGAATGACCGTGTGTTAGCCATCAATGGACATGATCTTCGATATGGCAGCCCAGAAAGTGC GGCTCATCTGATTC
AGGCCAGTGAAAGACGTGTTACCTCGTGTGTCGCCGACAGTTTCGGCAGCGGAGCCCTGACATCTTTCAGGAAG
CCGGCTGGAACAGCAATGGCAGCTGGTCCCCAGGGCCAGGGGAGAGGAGCAACACTCCCAAGCCCCTCCATCCTA
CAATTACTTGTGATGAGAAGGTGGTAAATATCCAAAAAGACCCCGGTGAATCTCTCGGCATGACCGTCGCAGGGG
GAGCATCACATAGAGAATGGGATTTGCCTATCTATGTATCAGTGTGAGCCCGGAGGAGTCATAAGCAGAGATG
GAAGAATAAAACAGGTGACATTTTGTGTAATGTGGATGGGGTCGAAGTACAGAGGTGAGCCGGAGTGAGGCAG
TGGCATTATTGAAAAGAACATCATCCTCGATAGTACTCAAAGCTTTGGAAGTCAAAGAGTATGAGCCCCAGGAAG
ACTGCAGCAGCCCAGCAGCCCTGGACTCCAACCACAACATGGCCCCACCCAGTGACTGGTCCCCATCCTGGGTCA
TGTGGCTGGAATTACCACGGTGCTTGTATAACTGTAAAGATATTGTATTACGAAGAAACACAGCTGGAAGTCTGG
GCTTCTGCATTGTAGGAGGTTATGAAGAATACAATGGAACAAACCTTTTTTTCATCAAATCCATTGTTGAAGGAA
CACCAGCATACAATGATGGAAGAATTAGATGTGGTGATATTCTTCTTGCTGTCAATGGTAGAAGTACATCAGGAA
TGATACATGCTTGCTTGGCAAGACTGCTGAAAGAACTTAAAGGAAGAATTACTCTAACTATTGTTTCTTGGCCTG
GCACTTTTTTTATAGAAATCAATGATGGGTGAGAGGAAAACAGAAAAATCACAAATAGGCTAAGAAGTTGAAACACT
ATATTTATCTTGTGCTAGTTTTTATATTTAAAGAAAGAATACATTGTAAAAATGTGAGGAAAAGTATGATCATCTAA
TGAAAGCCAGTTACACCTCAGAAAATATGATTCCAAAAAATTTAAACTACTAGTTTTTTTTTCAGTGTGGAGGAT
TTCTCATTAATCTACAACATTGTTTATATTTTTTCTATTCATAAAAAGCCCTAAAAACAATAAATGATTGATT
TGTATACCCCACTGAATTCAGCTGATTTAAATTTAAATTTGGTATATGCTGAAGTCTGCCAAGGGTACATTAT
GGCCATTTTTTAATTTACAGCTAAAAATTTTTTTAAATGCATTGCTGAGAAACGTTGCTTTCATCAAACAAGAAT
AAATATTTTTTCAGAAGTTAAA

167/615

FIGURE 166

MKALLLLVLPWLSPANYIDNVGNLHFLYSELCKGASHYGLTKDRKRRSQDGCPDGCASLTATAPSPEVSAAATIS
LMTDEPGLDNPAYVSSAEDGQPAISPVDSGRSNRTRARPFERSTIRSRSFKKINRALSVLRRTKSGSAVANHADQ
GRESENTTAPEVFPRLYHLIPDGEITSIKINRVDPSSELSIRLVGGSETPLVHIIIQHIYRDGVIARDGRLLPG
DIILKVNGMDISNVPHNYAVRLLRQPCQVLWLTVMREQKFRSRNNGQAPDAYRPRDDSFHVILNKSSPEEQLGIK
LVRKVDEPGVFIFNVLDGGVAYRHGQLEENDRVLAINGHDLRYGSPESAHLIQASERRVHLVVSQRQRSPDI
FQEAGWNSNGSWSPGPGERSNTPKPLHPTITCHEKVNIQKDPGESLGMTVAGGASHREWDLPYIYVISVEPGGVI
SRDGRIKTGDILLNVDGVELTEVSRSEAVALLKRTSSSIVLKALEVKEYEPQEDCSSPAALDSNHNMAPPSDWSP
SWVMWLELPRCLYNCKDIVLRRNTAGSLGFCIVGGYEEYNGNKPFFIKSIVEGTPAYNDGRIRCGDILLAVNGRS
TSGMIHACLARLLKELKGRITLTIVSWPGTFL

168/615

FIGURE 167

GGGAAAGCCATTTGAAAAACCCATCTATACAACTATATATTTTCATTTCTGCTGCTAGCTGCCTTGGGCCTCAC
AATTTTCATTCTGTTTTCTGACTTTCAAGTTATATACCGTGGAAATGGAGTTGATCCCAACCATAACATCGTGGAG
GGTTTTAATTTTGGTGGTAGCCCTCACCCAATTCTGGTGTGGCTTTCTTTGCAGAGGATTCCACCTTCAAAATCA
TGAACCTCTGGCTGTTGATCAAAAGAGAATTTGGATTCTACTCTAAAAGTCAATATAGGACTTGGCAAAAGAAGCT
AGCAGAAGACTCAACCTGGCCTCCCATAAACAGGACAGATTATTCAGGTGATGGCAAAAATGGATTCTACATCAA
CGGAGGCTATGAAAGCCATGAACAGATTCCAAAAAGAAAACCTCAAATTGGGAGGCCAACCCACAGAACAGCATT
CTGGGCCAGGCTGTAATCAGAATTGTCGTCGTACATGCTCAACAGCATTGCTTTTTTCCCCAAAATTAACACATT
GTGGAGAAGTGATGATACTCTCCCCTTACCTTTCTCTCTCCATTCAAGCATTCAAAGTATATTTTCAATGAATT
AAACCTTGCAGCAAGGGACCTTAGATAGGCTTATTCTGACTGTATGCTTTACCAATGAGAGAAAAAAATGCATT
CCTGTATCATCCTTTTCAATAAACTGTATTTCATTTTGAAAAAAAAAAAAAAAAAAAAA

169/615

FIGURE 168

MELIPTITSWRVLILVVALTQFWCGFLCRGFHLQNHLEWLLIKREFGFYSKSQYRTWQKKLAEDSTWPPINRTDY
SGDGKNGFYINGGYESHEQIPKRKLKLGGOPTQHEFWARL

FIGURE 169

CGCTCGGGGACACCAGCCGCGGCAAGGATGAGAGCTGGGTTCTGGACGCAGTTGGGGCTCACTTTTCTTCAGCTCCT
TCTCATCTCGTCTCTGCCAAGAGAGTACACAGTCAATTAATGAAGCCTGCCCTGGAGCAGAGTGGAAATATCATGTG
TCGGGAGTGCCTGTGAATATGATCAGATTGAGTGCCTGCCCCGGAAAGGGAAGTCGTGGGTTATACCATCCC
TTGCTGCAGGAATGAGGAGAATGAGTGTGACTCTGCTGCTACCCACAGTTGTACCATCTTTGAAAACGTGCAA
GAGCTGCCGAAATGGCTCATGGGGGGGTACCTTGGATGACTTCTATGTGAAGGGGTTCTACTGTGCAGAGTGC CG
AGCAGGCTGGTACGGAGGAGACTGCATGCGATGTGGCCAGGTTCTGCGAGCCCCAAAGGGTCAGATTTTGTGGA
AAGCTATCCCTAAATGCTCACTGTGAATGGACCAATCATGCTAAACCTGGGTTTGTATCCAACTAAGATTTGT
CATGTTGAGTCTGGAGTTTGTACTACATGTGCCAGTATGACTATGTTGAGGTCGTGATGGAGACAACCCGCGATGG
CCAGATCATCAAGCTGTCTGTGGCAACGAGCGGCCAGCTCCTATCAGAGCATAGGATCCTCACTCCACGCTCT
CTTCCACTCCGATGGCTCCAAGAATTTTGACGGTTTCCATGCCATTTATGAGGAGATCACAGCATGCTCCTCATC
CCCTTGTTTCCATGACGGCACGTGCGTCTTGTACAAGGCTGGATCTTACAAGTGTGCCTGCTTGGCAGGCTATAC
TGGGCAGCGCTGTGAAAATCTCCTTGAAGAAAGAAACTGCTCAGACCCTGGGGGCCAGTCAATGGGTACAGAA
AATAACAGGGGGCCCTGGCTTCTCAACCGAGCCATGCTAAAATTTGGCACCCTGGTGTCTTTTCTTTTAACAA
CTCCTATGTTCTTAGTGGCAATGAGAAAAGAACTTGCCAGCAGAATGGAGAGTGGTCAGGGAACAGCCCATCTG
CATAAAAGCCTGCCGAGAACCAGATTTAGACCTGGTGAGAAGGAGAGTTCTTCCGATGCAGGTTAGTCAAG
GGAGACACCATTACACCAGCTATACTCAGCGGCCCTCAGCAAGCAGAACTGCAGAGTGGCCCTACCAAGAAGCC
AGCCCTTCCCTTTGGAGATCTGCCCATGGGATACCAACATCTGCATACCCAGCTCCAGTATGAGTGCATCTCACC
CTTCTACCGCGCCCTGGGCAGCAGGAGGACATGTCTGAGGACTGGGAAGTGGAGTGGCGGGGACCACCTCTG
CATCCCTATCTGCGGGAATAATGAGAACATCACTGCTCCAAGACCCAAGGTTGCGCTGGCCCTGGCAGGCAGC
CATCTACAGGAGGACCAGCGGGGTGCATGACGGCAGCCTACACAAGGGAGCGTGGTTCTAGTCTGCAGCGGTGC
CCTGTTGAATGAGCGCACTGTGGTGGTGGCTGCCACTGTGTTACTGACCTGGGGAAGGTACCCATGATCAAGAC
AGCAGACCTGAAAGTTGTTTTGGGGAATTTACCGGGGATGATACCGGGATGAGAAGACCATCCAGAGCCTACA
GATTTCTGCTCATCTTGCATCCCACTATGACCCCATCTGCTTGTATGCTGCATGCCATGCCATCTGAAGCTCCT
AGACAAGCCCGTATTCAGCACCCGACTCAGCCCATGCTGCTCGCTGCCAGTGGGATCTCAGACTTCTCCTCCA
GGAGTCCCACATCACTGTGGCTGGCTGGAATGTCTTGGCAGACGTGAGGAGCCCTGGCTTCAAGAACGACACACT
GCGCTCTGGGGTGGTCAGTGTGGTGGACTCGCTGCTGTGTGAGGAGCAGATGAGGACCATTGGCATCCCAGTGAG
TGTCAGTGATAACATGTTCTGTGCGAGCTGGGAACCCCATGCCCCCTTGATATCTGCATGTCAGAGACGAGGAGG
CATCGCGCTGTGTCTTCCCGGGACGAGCATCTCCTGAGCCAGCTGGCATCTGATGGGACTGGTCACTGGAG
CTATGATAAAACATGCAGCCACAGGCTCTCCACTGCCCTTACCAAGGTGCTGCCTTTTAAAGACTGGATTGAAAG
AAATATGAAATGAACCATGCTCATGCACTCCTTGAGAAGTGTTTCTGTATATCCGTCTGTACGTGTGTCATTGCG
TGAAGCAGTGTGGGCCTGAAGTGTGATTTGGCCCTGTGAACCTTGCTGTGCCAGGGCTTCTGACTTCAGGGACAAA
ACTCAGTGAAGGGTGAGTAGACCTCATTTGCTGTAGGCTGATGCCGCGTCCACTACTAGGACAGCCAATTTGAA
GATGCCAGGGCTTGCAAGAAGTAAGTTTCTTCAAGAAGACCATATACAAAACCTCTCCACTCCACTGACCTGGT
GGTCTTCCCCAACTTTAGTTATACGAATGCCATCAGCTTGACCAGGGAAGATCTGGGCTTCATGAGGCCCTTT
TGAGGCTCTCAAGTTCTAGAGAGCTGCCTGTGGGACAGCCAGGGCAGCAGAGCTGGGATGTGGTGCATGCCCTT
GTGTACATGGCCACAGTACAGTCTGGTCTTTTTCTTCCCCATCTCTGTACACATTTTATAAAATAAGGGTTG
GCTTCTGACTACAAAAAAGAAAAAAGAAAAAAGAAAAAAGAAAAAAGAAAAAAGAAAAAAGAAAAAAGAAAAA
AAAAAAGAAAAAAGAAAAAAGAAAAAAGAAAAAAGAAAAAAGAAAAAAGAAAAAAGAAAAAAGAAAAAAGAAAAA
AAAAAAGAAAAAAGAAAAAAGAAAAAAGAAAAAAGAAAAAAGAAAAAAGAAAAAAGAAAAAAGAAAAAAGAAAAA

171/615

FIGURE 170

MELGCWTQLGLTFLQLLLISSLPREYTVINEACPGAENIMCRECCEYDQIECVCPGKREVVGYYTIPCCRNEENE
CDSCLIHPGCTIFENCKSCRNGSWGGLDDEFYVKGFYCAECRAGWYGGDCMRCGQVLRAPKGQILLESYPLNAHC
EWTIHAKPGFVIQLRFVMLSLEFDYMCQYDYVEVRDGDNRDQIIKRVCGNERPAPIQSIGSSLHVLFHSDGSKN
FDGFHAIYEEITACSSSPCFHDGTCVLDKAGSYKCACLAGYTGORCENLLEERNCSDPGGPVNGYQKITGGPGLI
NGRHAKIGTVVSFFCNSYVLSGNEKRTCQONGEWSGKQPICIKACREPKISDLVRRRVLPQVQSRETPLHQLY
SAAFSKQKLQSAPTKKPPALPFGDLPNGYQHLHTQLQYECISPFYRRLGSSRRTCLRTGKWSGRAPSCIPICGKIE
NITAPKTQGLRWPWQAAYRRTSGVHDGSLHKGAWFLVCSGALVNERTVVVAHCVTDLGKVTMIKTADLKVVVG
KFYRDDDRDEKTIQSLQISAILHPNYDPILLDADIAILKLLDKARISTRVQFICLAASRDLSTSFQESHITVAG
WNVLADVRSPPGFKNDTLRSGVSVVDSLLCEEQHEDHGIPVSVTDNMFCAWEPTAPSDICTAETGGIAAVSFPG
RASPEPRWHLMGLVSWSYDKTCSHRLSTAFTKVLFPKDWIERNMK

FIGURE 171

[illegible]

173/615

FIGURE 172

</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA58727

<subunit 1 of 1, 322 aa, 1 stop

<MW: 35274, pI: 8.57, NX(S/T): 1

MPVTIVTRTTITTTTSSSGLGSPMIVGSPRALTQPLGLLRLLQLVSTCVAFSLVASVGAWTGSMGNWSMFTWCFC
FSVTLLIILIVELCGLQARFPLSWRNFPITFACYAALFCLSASIIYPTTYVQFLSHGRSRDHAIATFFSCIACVA
YATEVAWTRARPGEITGYMATVPGLLKVLETFVACIIFAFISDPNLYQHQPALWCVAVYAICFILAAIAILLNL
GECTNVLPPIPFPSFLSGLALLSVLLYATALVLWPLYQFDEKYGGQPRRSRDVSCSRSHAYYVCAWDRRLAVAILT
AINLLAYVADLVHSAHLVFKV

Important features:**Transmembrane domains:**

amino acids 41-60 (type II), 66-85, 101-120, 137-153, 171-192, 205-226, 235-255 and 294-312

N-glycosylation site.

amino acids 66-69

Glycosaminoglycan attachment site.

amino acids 18-21

174/615

FIGURE 173

GAACGTGCCACCATGCCAGCTAATTTTTGTATTTTTAGTAGAGACGGGGTTTCACCATGTTGGCCAGGCTGGTC
TTGAACTCGTGACCTCATGATCCGCTCACCTCGGCCTCCCAAAGTGCTGGGATTACAGGCATGAGCCACTGACGC
CTGGCCAGCCTATGCATTTTTAAGAAATTATTCTGTATTAGGTGCTGTGCTAAACATTGGGCACTACAGTGACCA
AAACAGACTGAATTCCCCAAGAGCCAAAGACCAGTGAGGGAGACCAACAAGAAACAGGAAATGCAAAAGAGACCA
TTATTACTCACTATGACTAAGGGTCACAAATGGGGTACGTTGATGGAGAGTGATTTGTTAAGAGACTACAGAGGG
AGGACAGACTACCAAGAGGGGGGCGAGGAAAGCTCCTCTGACGAGGTGGTATTTACGCCCAAAGTGGGAAGATGA
GAAAGAGCTAGCCAGCCATCAGAATAGTCCAGAAGAGATGGGGAGCACTACACTCACTACACTTTGGCCTGAGAA
AATAGCATGGGATTGGAGGAGGCTGGGGGAACACCACCTTCTGCCGACCTGGGCAGGAGGCATTGAGGGCTTGAGA
AAGGGCAATGGCAGTAGCAGTAGAAAGGACAGGGTAGGAGCAGGGACTTTGCAGGTGGAATCATTAGGTCTTATC
AACAGATATGGGCAAGCAAAGCCAGGGGAGAATTGATGGTAATGCTGAGGTTTGGAGCCAGGCTAGATGGGACAG
TGTTGGGTGATGCAAAGGAAAGAGGTGAGGAAGCAGGGCCAGACGCTGGGGAGAAGGTGTGGGGGTTTGGTTTCCA
TCTTGCCGAGTCTGCCGGAATGTGGATGGGAAGACCAAGAGGAGGAGCAAGGGGCAGAGGGGAAGGGAATCTTAA
AGAAGTCTTGATGCCACACTCTTCTCCTTCTCCTCCTTCCCTCCTCAGAGGTCTCACTCGTGGTTCTTCAT
TTCCTGCCCTGCCCTCCATCTCCTCTGGGTGCTGGGAAAGTGGAGGATTAGCTGAAGTTTGTCTCTCGGGCCTG
TCTGAATCTCCATTGCTTTCTGGGAGGACATAATTACCTGTCTAGCTTCTTATCATCTACATTTCCCTGTAG
CCACTGGGACATATGTGGTGTTCCTTCTAGCTCCTGTCTCCTCCTCATGCTTTGTGGGTATGGGCATGTTAG
GGGGAAGGTCATTGCTGTGAGAGGGGCACTGACTTTCTAATGGTGTACCCAAGGTGAATGTTGGAGACACAGTC
GCGATGCTGCCCAAGTCCCGGCGAGCCCTAACTATCCAGGAGATCGCTGCGCTGGCCAGGTCTCCTGTCATGGT
ATGCAGCCCTCCCATGTTTCTGGCCACTTTGTCTTTCTCCTCCCGTTTGCACATCCCTTTGGAAGTGTTCCT
GTGAGTACATGCTGGGGTCTCCCTTTCTTCCCTTGCTCAGGTGAATCTCAGCCCTTCTCCCAAGGTTTCC
ACATGGATCCTAACTACTGCCACCCTTCCACCTCCCTGCACCTGTGCTCCCTGGCCTGGTCTTTACCAGGCTTC
TCCACCCTCCCTATCTCCAGGTATTTCCAGGTGGTGAAGGACCACGTGACCAAGCCTACCGCCATGGCCAGG
GCCGAGTGGCTCACCTCATGAGTGGAAAGGGCTGGAGCAAGCCGAGTGACTCACCTGCTGCCCTGGAATCAGCCT
TTCTCCTATTACAGACCTCAGCGAGGGCGAACAAGAGGCTCGCTTTCAGCAGGAGTGGCTGAGCAGTTTGCCA
TCGCGGAAGCCAAAGCTCCGAGCATGGTCTTCGGTGGATGGCGAGGACTCCACTGATGACTCCTATGATGAGGACT
TTGCTGGGGGAATGGACACAGACATGGCTGGGCAGCTGCCCTGGGGCCGCACCTCCAGGACCTGTTACCCGGCC
ACCGGTTCTCCCGGCTGTGCGCCAGGGCTCCGTGGAGCTGAGAGCGACTGCTCACAGACCGTGTCCCAAGACA
CCCTGTGCTCTAGTCTGTGACGCTGGAGGATGGGTGTTGGGCTCCCGGCCCGGCTGGCCTCCAGCTGCTGG
GAGATGAGCTCTTCTCGCCAACTGCCCCAGCCGGGAAAGTGCCTTCCGACGCTGGGCCCACTGGAGGCC
AGGACTCACTCTACAACTCGCCCTCACAGAGTCTGCTTTTCCCGCGGAGGAGGAGCCAGCCCCCTGCAAGG
ACTGCCAGCACTCTGCCCACCACTAACGGGCAGCTGGGAACGGCAGCGGCAAGCCTCTGACCTGGCCTCTTCTG
GGGTGGTGTCTTAGATGAGGATGAGGCAGAGCCAGAGGAACAGTGAACCCACATCATGCTGGCAGTGGCATGCA
TCCCCGGCTGCTGCCAGGGGCGAGCCTCTGTGCCAAGTGTGGGCTCAAGGCTCCAGCAGAGCTCCACAGCC
TAGAGGGCTCCTGGGAGCGCTCGCTTCTCCGTTGTGTGTTTTGCATGAAAGTGTGGAGAGGAGGAGGGGCTG
GGCTGGGGGCGCATGTCTGCCCCCACTCCCGGGGCTTGCCGGGGGTTGCCGGGGCCTCTGGGGCATGGCTACA
GCTGTGGCAGACAGTGATGTTTCTTAAATGCCACACACATTTCTCCTCGGATAATGTGAACCACTA
AGGGGGTTGTGACTGGGCTGTGTGAGGGTGGGGTGGGAGGGGGCCAGCAACCCCCACCTCCCATGCCTCTC
TCTTCTCTGCTTTTCTTCTCACTTCCGAGTCCATGTGCACTGCTTGATAGAATCACCCCCACCTGGAGGGGCTGG
CTCCTGCCCTCCCGGAGCCTATGGGTTGAGCCGTCCCTCAAGGGCCCCCTGCCAGCTGGGCTCGTGCTGTGCTTC
ATTACCTCTCCATCGTCTCTAAATCTTCTCTTTTTTCTTAAAGACAGAAGGTTTTTGGTCTGTTTTTTCAGTC
GGATCTTCTCTCTCTGGGAGGCTTTGGAATGATGAAAGCATGTACCCTCCACCCTTTCTCTGGCCCCCTAATGG
GGCCTGGGCCCTTTCCCAACCCCTCCTAGGATGTGCGGGCAGTGCTGGCGCCTCACAGCCAGCCGGGCTGCC
ATTACGCGCAGGCTCTCTGAGCGGGAGGTGGAAGAAAGGATGGCTCTGGTTGCCACAGAGCTGGGACTTCATGTT
CTTCTAGAGAGGGCCACAAGAGGGCCACAGGGGTGGCCGGGAGTTGTGAGCTGATGCTGCTGAGAGGCAGGAAT
TGTGCCAGTGAGTGACAGTCATGAGGGAGTGCTCTTCTTGGGGAGGAAAGAAGGTAGAGCCTTTCTGTCTGAAT
GAAAGGCCAAGGCTACAGTACAGGGCCCCGCCAGCCAGGGTGTTAATGCCACGTAAGTGGAGGCCTCTGGCAG
ATCTGCATTTCAAGGTCAGTGGACTGTACGTTTTTATGGTTGTGGGAAGGGTGGGTGGCTTTAGAATTAAGGGC
CTTGTAGGCTTTGGCAGGTAAGAGGGCCCAAGGTAAGAACGAGAGCCAACGGGCACAAGCATTCTATATATAAGT
GGCTCATTAGGTGTTTATTTTGTCTATTTAAGAATTTGTTTTATTAAATTAATATAAAAATCTTTGTAAATCTC
TAAAA

175/615

FIGURE 174

MFLATLSFLLPFAHPFGTVSCEYMLGSPLSSLAQVNLSPFSPKVMHMDPNYCHPSTSLHLCSLAWSFTRLLHPPL
SPGISQVVVDHVTKPTAMAQGRVAHLIEWKGWSKPSDSPAALESASFSSYSDLSEGEQEARFAAGVAEQFAIAEAK
LRAWSSVDGEDSTDDSYDEDFAGGMDTDMAGQLPLGPHLQDLFTGHRFSRPVRQGSVEPESDCSQTVSPDTLCSS
LCSLEDGLLGSPARLASQLLGDELLAKLPPSRESAFRSLGPLEAQDSLNSPLTESCLSPAEEEPAPCKDCQPL
CPPLTGSWERQRQASDLASSGVVSLDEDEAEPEEQ

Signal peptide:
amino acids 1-15

Casein kinase II phosphorylation site.
amino acids 123-127, 128-132, 155-159, 162-166, 166-170, 228-232, 285-289,
324-328

Tyrosine kinase phosphorylation site.
amino acids 44-52

N-myristoylation site.
amino acids 17-23, 26-32, 173-179

Prokaryotic membrane lipoprotein lipid attachment site.
amino acids 11-22

176/615

FIGURE 175

GGTTCCTGGGCGCTCTGTTACACAAGCAAGATACAGCCAGCCCCACCTAATTTTGTTCCTGGCACCCCTCCTGC
TCAGTGCGACATTGTACACTTAACCCATCTGTTTTCTCTAATGCACGACAGATTCCTTTCAGACAGGACAACCTG
TGATATTTTCAGTTCCTGATTGTAAATACCTCCTAAGCCTGAAGCTTCTGTTACTAGCCATTGTGAGCTTCAGTTT
CTTCATCTGCAAAATGGGCATAATACAATCTATTCTTGCCACATCAAGGGATTGTTATTCCTTTAAAAAAAACC
AATACCAAAGAAGCCTACAATGTTGGCCTTAGCCAAAATTCTGTTGATTTCAACGTTGTTTTATTCACTTCTATC
GGGGAGCCATGGAAAAGAAAATCAAGACATAAACACAACACAGAACATTGCAGAAGTTTTTAAAACAATGGAAAA
TAAACCTATTTCTTTGGAAAGTGAAGCAAACCTTAAACTCAGATAAAGAAAATATAACCACCTCAAATCTCAAGGC
GAGTCATTCCCTCCTTTGAATCTACCCAACAACAGCCACGGAATAACAGATTTCTCCAGTAACTCATCAGCAGA
GCATTCTTTGGGCAGTCTAAAACCCACATCTACCATTTCACAAGCCCTCCCTTGATCCATAGCTTTGTTTCTAA
AGTGCCCTTGGAATGCACCTATAGCAGATGAAGATCTTTTGCCCATCTCAGCACATCCCAATGCTACACCTGCTCT
GTCTTCAGAAAACCTTCACTTGGTCTTTGGTCAATGACACCGTGAAAACCTCCTGATAACAGTTCCATTACAGTTAG
CATCCTCTCTTCAGAACCAACTTCTCCATCTGTGACCCCTTGATAGTGGAACCAAGTGGATGGCTTACCACAAA
CAGTGATAGCTTCACTGGGTTTACCCCTTATCAAGAAAAACAACCTCTACAGCCTACCTTAAATTCACCAATAA
TTCAAAACTCTTTCCAAATACGTCAGATCCCCAAAAGAAAATAGAAATACAGGAATAGTATTCGGGGCCATTTT
AGGTGCTATTCTGGGTGTCTCATTGCTTACTCTTGTGGGCTACTTGTTGTGTGGAAAAAGGAAAACGGATTTCATT
TTCCCATCGGCGACTTTATGACGACAGAAATGAACCAGTTCTGCGATTAGACAATGCACCGGAACCTTATGATGT
GAGTTTTGGGAATTCTAGCTACTACAATCCAACCTTTGAATGATTCAGCCATGCCAGAAAGTGAAGAAAATGCACG
TGATGGCATTCCTATGGATGACATACCTCCACTTCGTACTTCTGTATAGAACTAACAGCAAAAAGGCGTTAAACA
GCAAGTGTCTATCTACATCCTAGCCTTTTGACAAATTCATCTTCAAAGGTTACACAAAATTACTGTCACGTGGA
TTTTGTCAAGGAGAATCATAAAAGCAGGAGACCAGTAGCAGAAATGTAGACAGGATGTATCATCCAAAGGTTTTTC
TTTCTTACAATTTTGGCCATCCTGAGGCATTTACTAAGTAGCCTTAATTTGTATTTTAGTAGTATTTTCTTAGT
AGAAAATATTTGTGGAATCAGATAAACTAAAAGATTTACCATTACAGCCCTGCCTCATACTAAATAATAAAA
ATTATTCCACCAAAAAATTCTAAAACAATGAAGATGACTCTTTACTGCTCTGCCTGAAGCCCTAGTACCATAATT
CAAGATTGCATTTTCTTAAATGAAAATTGAAAGGGTGCTTTTTAAAGAAAATTTGACTTAAAGCTAAAAGAGGA
CATAGCCCAGAGTTTCTGTTATTGGGAAATTGAGGCAATAGAAATGACAGACCTGTATTCTAGTACGTTATAATT
TTCTAGATCAGCACACACATGATCAGCCCACTGAGTTATGAAGCTGACAATGACTGCATTCAACGGGGCCATGGC
AGGAAAGCTGACCCTACCCAGGAAAGTAATAGCTTCTTTAAAGTCTTCAAAGGTTTTGGGAATTTTAACTTGTC
TTAATATATCTTAGGCTTCAATTATTTGGGTGCCTTAAAAACTCAATGAGAATCATGGT

177/615

FIGURE 176

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA58732

><subunit 1 of 1, 334 aa, 1 stop

><MW: 36294, pI: 4.98, NX(S/T): 13

MLALAKILLISTLFYSLLSGSHGKENQDINTTQNI AEVFKT MENKPISLESEANLNSDKENITTSNLKASHSPPL
NLPNNSHGITDFSSNSSAEHSLGSLKPTSTISTSPPLIHSFVSKVPWNAPIADEDLLPISAHPNATPALSSSENFT
WSLVNDTVKTPDNSSITVSILSSEPTSPSVTPLIVEPSGWLTTNSDSFTGFTPYQEKTTLOPTLKFTNNSKLFNP
TSDPQKENRNTGIVFGAILGAILGVSLTLVGYLLCGKRKTD SFSHRRLYDDRNEPVLRLDNAPEPYDVSFGNSS
YYNPTLNSAMPESEENARDGIPMDDIPPLRTSV

Signal peptide:

amino acids 1-23

Transmembrane domain:

amino acids 235-262

N-glycosylation site.amino acids 30-34, 61-65, 79-83, 90-94, 148-152, 155-159, 163-167, 218-222,
225-229, 298-302, 307-311

178/615

FIGURE 177

ACCAGGCATTGTATCTTCAGTTGTCATCAAGTTCGCAATCAGATTGGAAAAGCTCAACTTGAAGCTTTCTTGCCCT
GCAGTGAAGCAGAGAGATAGATATTATTACGTAATAAAAAACATGGGGCTTCAACCTGACTTTCCACCTTTCCCTA
CAAATTCGGATTACTGTTGCTGTTGACTTTGTGCTGACAGTGGTTGGGTGGGCCACCAGTAACTACTTTCGTGGG
TGCCATTCAAGAGATTCCCTAAAGCAAAGGAGTTCATGGCTAATTTCCATAAGACCCTCATTTTGGGGAAGGGAAA
AACTCTGACTAATGAAGCATCCACGAAGAAGGTAGAACTTGACAACCTGTCTTCTGTGTCTCCTTACCTCAGAGG
CCAGAGCAAGCTCATTTTCAAACCAGATCTCACTTTGGAAGAGGTACAGGCAGAAAATCCCAAAGTGTCCAGAGG
CCGGTATCGCCCTCAGGAATGTAAAGCTTTACAGAGGGTCGCCATCCTCGTTCCCCACCGGAACAGAGAGAAAACA
CCTGATGTACCTGCTGGAACATCTGCATCCCTTCCTGCAGAGGCAGCAGCTGGATTATGGCATCTACGTCATCCA
CCAGGCTGAAGGTAAAAAGTTTAAATCGAGCCAACTCTTGAATGTGGGCTATCTAGAAGCCCTCAAGGAAGAAAA
TTGGGACTGCTTTATATTCCACGATGTGGACCTGGTACCCGAGAATGACTTTAACCTTTACAAGTGTGAGGAGCA
TCCCAAGCATCTGGTGGTTGGCAGGAACAGCACTGGGTACAGGTTACGTTACAGTGGATATTTTGGGGGTGTTAC
TGCCCTAAGCAGAGAGCAGTTTTTCAAGGTGAATGGATTCTCTAACAACTACTGGGGATGGGGAGGCGAAGACGA
TGACCTCAGACTCAGGGTTGAGCTCCAAAGAATGAAAATTTCCCGGCCCTGCCTGAAGTGGGTAAATATACAAT
GGTCTTCCACACTAGAGACAAAGGCAATGAGGTGAACGCAGAACGGATGAAGCTCTTACACCAAGTGTACAGAGT
CTGGAGAACAGATGGGTTGAGTAGTTGTTCTTATAAATTAGTATCTGTGGAACACAATCCTTTATATATCAACAT
CACAGTGGATTTCTGGTTTGGTGCATGACCCCTGGATCTTTTGGTGATGTTTGGGAAGAACTGATTCTTTGTTTGCA
ATAATTTTGGCCTAGAGACTTCAAATAGTAGCACACATTAAGAACCTGTTACAGCTCATTGTTGAGCTGAATTTT
TCCTTTTTGTATTTTCTTAGCAGAGCTCCTGGTGATGTAGAGTATAAAACAGTTGTAACAAGACAGCTTTCTTAG
TCATTTTGATCATGAGGGTTAAATATTGTAATATGGATACTTGAAGGACTTTATATAAAGGATGACTCAAAGGA
TAAATGAACGCTATTTGAGGACTCTGGTTGAAGGAGATTTATTTAAATTTGAAGTAATATATTATGGGATAAAA
GGCCACAGGAAATAAGACTGCTGAATGTCTGAGAGAACCAGAGTTGTTCTCGTCCAAGGTAGAAAAGGTACGAAGA
TACAATACTGTTATTCATTTATCCTGTACAATCATCTGTGAAGTGGTGGTGTGTCAGGTGAGAAGGCGTCCACAAAA
GAGGGGAGAAAAGGCGACGAATCAGGACACAGTGAACCTGGGAATGAAGAGGTAGCAGGAGGGTGGAGTGTGCGG
TGCAAAGGCAGCAGTAGCTGAGCTGGTTGCAGGTGCTGATAGCCTTCAGGGGAGGACCTGCCAGGTATGCCTTC
CAGTGATGCCACCAGAGAATACATTCTCTATTAGTTTTTAAAGAGTTTTTGTAAATGATTTTGTACAAGTAGG
ATATGAATTAGCAGTTTACAAGTTTACATATTAACATAATAAATATGTCTATCAAATACCTCTGTAGTAAAAAT
GTGAAAAAGCAAAA

179/615

FIGURE 178

MGFNLT FHLSYKFRLLLLLTLCLTVVGWATSNYFVGAIQEIPKAKEFMANFHKTLILGKGKTLTNEASTKKVELD
NCPSVSPYLRGQSKLIFKPDLTLEEVQAENPKVSRGRYRPQECKALQRVAILVPHRNREKHLMYLLEHLHPFLQR
QLDYGIIYVIHQAEKGKFNRAKLLNVGYLEALKEENWDCFIHFDVDLVPENDFNLYKCEEHPKHLVVGRNSTGYR
LRYSGYFGGVTALSREQFFKVNGFSNNYWGWGGEDDDLRLRVELQRMKISRPLPEVGKYTMVFHTRDKGNEVNAE
RMKLLHQVSRVWRTDGLSSCSYKLVSVEHNPLYINITVDFWFGA

Important features:**Signal peptide:**

amino acids 1-27

N-glycosylation sites.

amino acids 4-8, 220-224, 335-339

Xylose isomerase proteins.

amino acids 191-202

180/615

FIGURE 179

CGTGGGCGGGGTGCGCGAGCGGGCTGTGGGCGCGCCGGAGGAGCGACCGCGCAGTTCTCGAGCTCCAGCTGC
ATTCCCTCCGCGTCCGCCCCACGCTTCTCCCGCTCCGGGCCCCGCAATGGCCCCAGGCAGTGTGGTTCGCGCCTCGG
CCGCATCCTCTGGCTTGCCCTGCCCTCCTGCCCTGGGCCCCGGCAGGGGTGGCCGCAGGCCTGTATGAACTCAATCT
CACCACCGATAGCCCTGCCACCACGGGAGCGGTGGTGACCATCTCGGCCAGCCTGGTGGCCAAGGACAACGGCAG
CCTGGCCCTGCCCGCTGACGCCCACCTCTACCGCTTCCACTGGATCCACACCCCGCTGGTGCTTACTGGCAAGAT
GGAGAAGGGTCTCAGCTCCACCATCCGTGTGGTTCGGCCACGTGCCCGGGGAATTCCCGGTCTCTGTCTGGGTAC
TGCCGCTGACTGCTGGATGTGCCAGCCTGTGGCCAGGGGCTTGTGGTCTCTCCCATCACAGAGTTCTCTCGTGGG
GGACCTTGTGTGTCACCCAGAACACTTCCCTACCCTGGCCAGCTCCTATCTCACTAAGACCGTCTGAAAGTCTC
CTTCCCTCCTCCACGACCCGAGCAACTTCTCAAGACCGCCTTGTTTCTCTACAGCTGGGACTTCGGGGACGGGAC
CCAGATGGTGACTGAAGACTCCGTGGTCTATTATAACTATTCCATCATCGGGACCTTCACCGTGAAGCTCAAAGT
GGTGGCGGAGTGGGAAGAGGTGGAGCCGGATGCCACGAGGGCTGTGAAGCAGAAGACCGGGGACTTCTCCGCCTC
GCTGAAGCTGCAGGAAACCTTCGAGGCATCCAAGTGTGGGGCCCCACCCTAATTGAGACCTTCCAAAAGATGAC
CGTGACCTTGAACCTTCCGTGGGGAGCCCTCCTCTGACTGTGTGCTGGCGTCTCAAGCCTGAGTGCCTCCCGCTGGA
GGAAGGGGAGTGCCACCCCTGTGTCCGTGGCCAGCACAGCGTACAACCTGACCCACACCTTCAGGGACCCCTGGGGA
CTACTGCTTCAGCATCCGGGCGGAGAATATCATCAGCAAGACACATCAGTACCACAAGATCCAGGTGTGGCCCTC
CAGAATCCAGCCGGCTGTCTTTGCTTTCCCATGTGCTACACTTATCACTGTGATGTTGGCCTTCATCATGTACAT
GACCCGCGGAATGCCACTCAGCAAAAGGACATGGTGGAGAACCCGGAGCCACCCTCTGGGGTCAGGTGCTGCTG
CCAGATGTGCTGTGGGCCTTTCTTGCTGGGAGACTCCATCTGAGTACCTGGAAATTGTTGCTGAGAACCACGGGCT
GCTCCCGCCCTCTATAAGTCTGTCAAAACTTACACCGTGTGAGCACTCCCCCTCCCCACCCCATCTCAGTGTTA
ACTGACTGCTGACTTGAGTTCAGCAGGGTGGTGTGCACCACTGACCAGGAGGGGTTCATTTGGGTGGGGCTG
TTGGCTGGATCATCCATCCATCTGTACAGTTCAGCCACTGCCACAAGCCCTCCCTCTCTGTACCCCTGACCC
CAGCCATTCACCCATCTGTACAGTCCAGCCACTGACATAAGCCCCACTCGGTTACCACCCCTTGACCCCTACC
TTTGAAGAGGCTTCGTGCAGGACTTTGATGCTTGGGGTGTTCGTGTTGACTCCTAGGTGGGCCTGGCTGCCAC
TGCCCATTCCTCTCATATTGGCACATCTGCTGTCCATTGGGGTTCCTCAGTTTCTCCCCAGACAGCCCTACCT
GTGCCAGAGAGCTAGAAAGAAGGTCAATAAGGGTTAAAAATCCATAACTAAAGGTTGTACACATAGATGGGCACA
CTCACAGAGAGAAGTGTGCATGTACACACACCACACACACACACACACACAGAAATATAAACACATG
CGTCACATGGGCATTTGAGATGATCAGCTCTGTATCTGGTTAAGTCGGTTGCTGGGATGCACCCTGCACTAGAGC
TGAAAGGAAATTTGACCTCCAAGCAGCCCTGACAGGTTCTGGGCCCCGGGCCCTCCCTTTGTGCTTTGTCTCTGCA
GTTCTTGCGCCCTTTATAAGGCCATCCTAGTCCCTGCTGGCTGGCAGGGGCCCTGGATGGGGGGCAGGACTAATAC
TGAGTGATTGCAGAGTGCTTTATAAATATCACCTTATTTTATCGAAACCCATCTGTGAAACTTTCACTGAGGAAA
AGGCCCTGCAGCGGTAGAAGAGGTTGAGTCAAGGCCGGGCGCGGTGGCTCACGCCTGTAATCCCAGCACTTTGGG
AGGCCGAGGCGGGTGGATCACGAGATCAGGAGATCGAGACCACCCTGGCTAACACGGTGAAACCCCGTCTCTACT
AAAAAATACAAAAAGTTAGCCGGGCGTGGTGGTGGTGCCTGTAGTCCCAGCTACTCGGGAGGCTGAGGCAGGA
GAATGGTGCGAACCCGGGAGGCTTGCACTGAGCCAGATGGCGCCACTGCACTCCAGCCTGAGTGACAGA
GCGAGACTCTGTCTCCA

181/615

FIGURE 180

MAQAVWSRLGRILWLACLLPWAPAGVAAGLYELNLTTDSPATTGAVVTISASLVAKDNGSLALPADAHLYRFHWI
HTPLVLTGKMEKGLSSTIRVVGHVPGEFPVSVWVTAADCWMCQPVARGFVVLPITEFLVGD LVVTQNTSLPWSS
YLTKTVLKVSFLLHDPSNFLKTALFLYSWDFGDGTQMVTEDSVYYNYYSIIIGTFTVKLKVVAEWEEVEPDATRAV
KQKTGDFSASLKLQETLRGIQVLGPTLIQTFOKMTVTNLNFGSPPLTVCWRLKPECLPLEEGECHPVSVASTAYN
LTHTFRDPGDYCF SIRAENIISKTHQYHKIQVWPSRIQPAVFAPCATLITVMLAFIMYMTLRNATQOKDMVENP
EPPSGVRCCCQMCCGPFLLETPSEYLEIVRENHGLLPPLYKSVKTYTV

Important features of the protein:**Signal peptide:**

amino acids 1-24

Transmembrane domain:

amino acids 339-362

N-glycosylation sites.

amino acids 34-37, 58-61, 142-145, 197-200, 300-303 and 364-367

182/615

FIGURE 181

CGGACGCGTGGGCGGCGGCTGCGGAACTCCCGTGGAGGGGCCGGTGGGCCCTCGGGCCTGACAGATGGCAGTGGC
CACTGCGGCGGGCAGTACTGGCCGCTCTGGGCGGGGCGCTGTGGCTGGCGGCCCGCCGGTTCGTGGGGCCCAGGGT
CCAGCGGCTGCGCAGAGGCGGGGACCCCGGCCTCATGCACGGGAAGACTGTGCTGATCACCGGGGCGAACAGCGG
CCTGGGCGCGCCACGGCCGCGGAGCTACTGCGCCTGGGAGCGCGGGTGATCATGGGCTGCCGGGACCGCGCGCG
CGCCGAGGAGGCGGCGGGTCAGCTCCGCGCGGAGCTCCGCCAGGCCGCGGAGTGCGGGCCAGAGCCTGGCGTCAG
CGGGGTGGGCGAGCTCATAGTCCGGGAGCTGGACCTCGCCTCGCTGCGCTCGGTGCGCGCCTTCTGCCAGGAAAT
GCTCCAGGAAGAGCCTAGGCTGGATGTCTTGATCAATAACGCAGGGATCTTCCAGTGCCCTTACATGAAGACTGA
AGATGGGTTTGAGATGCAGTTCGGAGTGAACCATCTGGGGCACTTTCTACTACCAATCTTCTCCTTGGACTCCT
CAAAAGTTCAGCTCCCAGCAGGATTGTGGTAGTTTCTTCCAACTTTATAAATACGGAGACATCAATTTTGATGA
CTTGAACAGTGAACAAAGCTATAATAAAAGCTTTTGTATAGCCGGAGCAAACCTGGCTAACATTCTTTTACCAG
GGAAGTAGCCCGCCGCTTAGAAGGCACAAATGTCACCGTCAATGTGTTGCATCCTGGTATTGTACGGACAAATCT
GGGGAGGCACATACACATTCCACTGTTGGTCAAACCACTCTTCAATTTGGTGTCATGGGCTTTTTTCAAACTCC
AGTAGAAGGTGCCCAGACTTCCATTTATTTGGCCTCTTACCTGAGGTAGAAGGAGTGTGAGGAAGATACTTTGG
GGATTGTAAAGAGGAAGAAGTGTGCCCCAAAGCTATGGATGAATCTGTTGCAAGAAAAGCTCTGGGATATCAGTGA
AGTGATGGTTGGCCTGCTAAAAATAGGAACAAGGAGTAAAAGAGCTGTTTATAAAAGCTGCATATCAGTTATATCTG
TGATCAGGAATGGTGTGGATTGAGAACTTGTTACTTGAAGAAAAAGAAATTTTGATATTGGAATAGCCTGCTAAGA
GGTACATGTGGGTATTTTGGAGTTACTGAAAAATTATTTTGGGATAAGAGAATTTTACGCAAGAGATGTTTTAAAT
ATATATAGTAAGTATAATGAATAATAAGTACAATGAAAAATACAATTATATTGTAATAATATACTGGGCAAGCA
TGGATGACATATTAATATTTGTCAGAAATTAAGTGACTCAAAGTGCTATCGAGAGGTTTTTCAAGTATCTTTGAGT
TTCATGGCCAAAGTGTTAACTAGTTTTACTACAATGTTTGGTGTGTTGTGTGGAATTTATCTGCCTGGTGTGTGCA
CACAAGTCTTACTTGAATAAAATTTACTGGTAC

183/615

FIGURE 182

```
</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA58747
<subunit 1 of 1, 336 aa, 1 stop
<MW: 36865, pI: 9.15, NX(S/T): 2
MAVATAAAVLAAALGGALWLAARRFVGPRVQRLRRGGDPGLMHGKTVLITGANSGLGRATAAELLRLGARVIMGCR
DRARAEAAAGQLRRELQAAECGPEPGVSGVGELIVRELDLASLRSVRAFCQEMLQEEPRLDVLINNAGIFQCPY
MKTEDGFEMQFGVNHGHLFLLTNLLGLLKSSAPSRIVVVSSKLYKYGDINFDDLNSEQSYNKSFCYSRSLANI
LFTRELARRLEGTNVTNVNLHFGIVRTNLGRHIHIPLLVKPLFNLVSWAFFKTPVEGAQTSIYLASSPEVEGVSG
RYFGDCKEEELLPKAMDESVARKLWDISEVMVGLLK
```

Important features:**Signal peptide:**

amino acids 1-21

Short-chain alcohol dehydrogenase family protein

amino acids 134-144, 44-56 and 239-248

N-glycosylation site.

amino acids 212-215 and 239-242

184/615

FIGURE 183

AACAGGATCTCCTCTTGCGAGTCTGCAGCCCAGGACGCTGATTCCAGCAGCGCCTTACCGCGCAGCCCCGAAGATTCT
ACTATGGTGAAAAATCGCCTTCAATACCCCTACCGCCGTGCAAAAGGAGGAGGCGCGGCAAGACGTGGAGGCCCTC
CTGAGCCGCACGGTCAGAACTCAGATACTGACCGGCAAGGAGCTCCGAGTTGCCACCCAGGAAAAAGAGGGCTCC
TCTGGGAGATGTATGCTTACTCTCTTAGGCCTTTTCATTTCATCTTGGCAGGACTTATTGTTGGTGGAGCCTGCATT
TACAAGTACTTCATGCCCCAAGAGCACCATTTACCGTGGAGAGATGTGCTTTTTTGAATTCTGAGGATCCTGCAAAT
TCCCTTCGTGGAGGAGAGCCTAACTTCCTGCCTGTGACTGAGGAGGCTGACATTTCGTGAGGATGACAACATTGCA
ATCATTGATGTGCCCTGTCCCCAGTTTCTCTGATAGTGACCCTGCAGCAATTATTCATGACTTTGAAAAGGGAATG
ACTGCTTACCTGGACTTGTGCTGGGGAACTGCTATCTGATGCCCCCTCAATACTTCTATTGTTATGCCTCCAAAA
AATCTGGTAGAGCTCTTGGCAAACCTGGCGAGTGGCAGATATCTGCCTCAAACCTTATGTGGTTGAGAAGACCTA
GTTGCTGTGGAGGAAATTCGTGATGTTAGTAACCTTGGCATCTTTATTTACCAACTTTGCAATAACAGAAAGTCC
TTCCGCCTTCGTGCGAGAGACCTCTTGCTGGGTTTCAACAAACGTGCCATTGATAAATGCTGGAAGATTAGACAC
TTCCCCAACGAATTTTATTGTTGAGACCAAGATCTGTCAAGAGTAAAGAGGCAACAGATAGAGTGTCTTGGTAATA
AGAAGTCAGAGATTTACAATATGACTTTAACATTAAGGTTTATGGGATACTCAAGATATTTACTCATGCATTTAC
TCTATTGCTTATGCTTTAAAAAAGGAAAAAAGGAAAAAAGGAAAAAAGGAAAAAAGGAAAAAAGGAAAAAAGG
TAATTGGCATTGCTTGTTTTTTGAAACTGAAATTACATGAGTTTCATTTTTTCTTTGCATTTATAGGGTTTAGAT
TTCTGAAAGCAGCATGAATATATCACCTAACATCCTGACAATAAATCCATCCGTTGTTTTTTTGTGTTGTTGT
TTTTTCTTTTCTTTAAGTAAGCTCTTTATTCATCTTATGGTGGAGCAATTTTAAATTTGAAATATTTTAAATT
GTTTTTGAACTTTTTGTGTAAAATATATCAGATCTCAACATTGTTGGTTTCTTTTGTGTTTTTCATTTTGTACAAC
TTCTTGAATTTAGAAATTACATCTTTGCAGTTCTGTTAGGTGCTCTGTAATTAACCTGACTTATATGTGAACAAT
TTTCATGAGACAGTCATTTTAACTAATGCAGTGATTCTTCTCACTACTATCTGTATTGTGGAATGCACAAAT
TGTGTAGGTGCTGAATGCTGTAAGGAGTTTAGGTTGTATGAATCTACAACCTATAATAAATTTTACTCTATAC
AAAAAAAAAAAAAAAAAAAA

185/615

FIGURE 184

</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA58828
<subunit 1 of 1, 263 aa, 1 stop
<MW: 29741, pI: 5.74, NX(S/T): 1
MVKIAFNTPTAVQKEEARQDVEALLSRTVRTQILTGKELRVATQKEGSSGRCLTLLGLSFILAGLIVGGACIY
KYFMPKSTIYRGEMCFFDSEDPANSLRGGEPNFLPVTEEADIREDDNIAIIDVPVPSFSDSDPAAIHDFEKGMT
AYLDLLLGNCYLMPLNTSIVMPPKNLVELFGKLASGRYLPQTYVVREDLVAVEEIRDVSNLGIFITYQLCNNRKSF
RLRRRDLLLGFNKRAIDKCWKIRHFPNEFIVETKICQE

Type II transmembrane domain:
amino acids 53-75

N-glycosylation site.
amino acids 166-170

Casein kinase II phosphorylation site.
amino acids 35-39, 132-136, 134-138

N-myristoylation site.
amino acids 66-72, 103-109

Prokaryotic membrane lipoprotein lipid attachment site.
amino acids 63-74

186/615

FIGURE 185

GCTCAAGACCCAGCAGTGGGACAGCCAGACAGACGGCACGATGGCACTGAGCTCCCAGATCTGGGCCGCTTGCCT
CCTGCTCCTCCTCCTCCTCGCCAGCCTGACCAGTGGCTCTGTTTTCCACACAGACGGGACAACTTGCAGAGCT
GCAACCCCAGGACAGAGCTGGAGCCAGGGCCAGCTGGATGCCCATGTTCCAGAGGCCAAGGAGGCGAGACACCCA
CTTCCCCATCTGCATTTTCTGCTGCGGCTGCTGTCATCGATCAAAGTGTGGGATGTGCTGCAAGACGTAGAACCT
ACCTGCCCTGCCCCCGTCCCCTCCCTTCTTATTTATTCCTGCTGCCCCAGAACATAGGTCTTGGGAATAAAATGG
CTGGTTCTTTTGTTCCTTCCAAA
AAA

187/615

FIGURE 186

MALSSQIWAACLLLLLLLASITSGSVFPQQTGQLAELQPQDRAGARASWMPMFQRRRRRDTHFPICIFCCGCCHR
SKCGMCCKT

188/615

FIGURE 187

CTGTCAGGAAGGACCATCTGAAGGCTGCAATTTGTTCTTAGGGAGGCAGGTGCTGGCCTGGCCTGGATCTTCCAC
CATGTTTCCTGTTGCTGCCTTTTGATAGCCTGATTGTCAACCTTCTGGGCATCTCCCTGACTGTCTCTTACCCCT
CCTTCTCGTTTTTCATCATAGTGCCAGCCATTTTTGGAGTCTCCTTTGGTATCCGCAAACCTCTACATGAAAAGTCT
GTTAAAAATCTTTGCGTGGGCTACCTTGAGAATGGAGCGAGGAGCCAAGGAGAAGAACCACCAGCTTTACAAGCC
CTACACCAACGGAATCATTGCAAAGGATCCCACCTTCACTAGAAGAAGAGATCAAAGAGATTTCGTGGAAGTGGTAG
TAGTAAGGCTCTGGACAACACTCCAGAGTTCGAGCTCTCTGACATTTTCTACTTTTGCCGAAAGGAATGGAGAC
CATTATGGATGATGAGGTGACAAAGAGATTCTCAGCAGAAGAAGTGGAGTCTTGGAACTGCTGAGCAGAACCAA
TTATAACTTCCAGTACATCAGCCTTCGGCTCACGGTCTGTGGGGGTTAGGAGTGCTGATTCCGTACTGCTTTCT
GCTGCCGCTCAGGATAGCACTGGCTTTTACAGGGATTAGCCTTCTGGTGGTGGGCACAACCTGTTGGTGGGATACTT
GCCAAATGGGAGGTTTAAAGGAATTCATGAGTAAACATGTTCACTTAATGTGTTACCGGATCTGCGTGCGAGCGCT
GACAGCCATCATCACCTACCATGACAGGGGAAAACAGACCAAGAAATGGTGGCATCTGTGTGGCCAATCATACCTC
ACCGATCGATGTGATCATCTTGGCCAGCGATGGCTATTATGCCATGGTGGGTCAAGTGACAGGGGGACTCATGGG
TGTGATTACAGAGAGCCATGGTGAAGGCTGCCACACGTCTGGTTTGAGCGCTCGGAAGTGAAGGATCGCCACCT
GGTGGCTAAGAGACTGACTGAACATGTGCAAGATAAAAGCAAGCTGCCTATCCTCATCTTCCAGAAGGAACCTG
CATCAATAATACATCGGTGATGATGTTCAAAAAGGGAAGTTTGAATTTGGAGCCACAGTTTACCCTGTTGCTAT
CAAGTATGACCTCAATTTGGCGATGCCTTCTGGAACAGCAGCAAAATACGGGATGGTGACGTACCTGCTGCCAAT
GATGACCAGCTGGGCCATTGTCTGCAGCGTGTGGTACCTGCCCTCCCATGACTAGAGAGGCAGATGAAGATGCTGT
CCAGTTTGCGAATAGGGTGAAATCTGCCATTGCCAGGCAGGGAGGACTTGTGGACCTGCTGTGGGATGGGGGCT
GAAGAGGGAGAAGGTGAAGGACACGTTCAAGGAGGAGCAGCAGAAGCTGTACAGCAAGATGATCGTGGGGAACCA
CAAGGACAGGAGCCGCTCC**TGAG**CCCTGCCTCCAGCTGGCTGGGGCCACCGTGCGGGGTGCCAACGGGCTCAGAGC
TGGAGTTGCCGCCGCCGCCCCCACTGCTGTGTCTTTCCAGACTCCAGGGCTCCCCGGGCTGCTCTGGATCCCAG
GACTCCGGCTTTGCGCCGAGCCGACGCGGATCCCTGTGCACCCGGCGCAGCCTACCCTTGGTGGTCTAAACGGAT
GCTGCTGGGTGTTGCGACCCAGGACGAGATGCCTTGTTTTCTTTTACAATAAGTCGTTGGAGGAATGCCATTAAAG
TGAATCCCCACCTTTGCACGCTGTGCGGGCTGAGTGGTTGGGGAGATGTGGCCATGGTCTTGTGCTAGAGATGG
CGGTACAAGAGTCTGTTATGCAAGCCGTGTGCCAGGGATGTGCTGGGGGCGGCCACCCGCTCTCCAGGAAAGGC
ACAGCTGAGGCACTGTGGCTGGCTTCGGCCTCAACATCGCCCCAGCCTTGGAGCTCTGCAGACATGATAGGAAG
GAACTGTCTATCTGCAGGGGCTTTTCAAGAAAATGAAGGGTTAGATTTTTATGCTGCTGCTGATGGGGTTACTAAA
GGGAGGGGAAGAGGCCAGGTGGGCCGCTGACTGGGCCATGGGGAGAACGTTGTGTTTCGTACTCCAGGCTAACCTG
AACTCCCCATGTGATGCGCGCTTTGTTGAATGTGTGTCTCGTTTCCCATCTGTAATATGAGTCGGGGGGAATG
GTGGTGATTCTTACCTCACAGGGCTGTTGTGGGGATTAAAGTGCTGCGGGTGAGTGAAGGACACATCACGTTTCA
TGTTTCAAGTACAGGCCCAAAAACGGGGCACGGCAGGCCTGAGCTCAGAGCTGCTGCACTGGGCTTTGGATTTG
TTCTTGTGAGTAAATAAAACTGGCTGGTGAATGA

189/615

FIGURE 188

MFLLLPFDSLIVNLLGISLTVLFTLLLVFIIIVPAIFGVSGIRKLYMKSLLKIFAWATLRMERGAKEKNHQLYKP
YTNGIIAKDPTSLEEEIKEIRRS GSSKALDNTPEFELSDIFYFCRKGMETIMDDEVTKRFSAEELSWNLLSRTN
YNFQYISLRLTVLWGLGVLI RYCFLPLRLIALAFTGISLLVVGTTVVGYLPNGRFKEFMSKHVHLMCYRICVRAL
TAITYHDRENRP RGGICVANHTSPIDV IILASDGYAMVGQVHGGLMGVIQRAMVKACPHVWFERSEVKDRHL
VAKRLTEHVQDKSKLPILIFPEGTCINNTSVM MFKKSFEIGATVYPVAIKYDPQFGDAFWNSSKYGMVTYLLRM
MTSWAIVCSVWYLP PMTREADED AVQFANRVKSAIARQGGLVDLLWDGGLKREKVKDTFKEEQQKLYSKMIVGNH
KDRSRS

190/615

FIGURE 189

GCCCCTCGAAACCAGGACTCCAGCACCTCTGGTCCCGCCCTCACCCGGACCCCTGGCCCTCACGTCTCCTCCAGG
GATGGCGCTGGCGGCTTTGATGATCGCCCTCGGCAGCCTCGGCCTCCACACCTGGCAGGCCCAGGCTGTTCCAC
CATCCTGCCCCTGGGCCTGGCTCCAGACACCTTTGACGATACCTATGTGGGTTGTGCAGAGGAGATGGAGGAGAA
GGCAGCCCCCTGCTAAAGGAGGAAATGGCCCCACCATGCCCTGCTGCGGGAATCCTGGGAGGCAGCCCAGGAGAC
CTGGGAGGACAAGCGTCGAGGGCTTACCTTGCCCCCTGGCTTCAAAGCCCAGAATGGAATAGCCATTATGGTCTA
CACCAACTCATCGAACACCTTGTACTGGGAGTTGAATCAGGCCGTGCGGACGGGCGGAGGCTCCCGGGAGCTCTA
CATGAGGCACTTTCCCTTCAAGGCCCTGCATTTCTACCTGATCCGGGCCCTGCAGCTGCTGCGAGGCAGTGGGGG
CTGCAGCAGGGGACCTGGGGAGGTGGTGTCCGAGGTGTGGGCAGCCTTCGCTTTGAACCCAAGAGGCTGGGGGA
CTCTGTCCGCTTGGGCCAGTTTGCCTCCAGCTCCCTGGATAAAGGCAGTGGCCCACAGATTGGGGAGAAGAGGCG
GGGCTGTGTGTCTGCGCCAGGGGTGCAGCTAGGGTCACAATCTGAGGGGGCCTCCTCTCTGCCCCCTGGAAGAC
TCTGCTCTTGGCCCCTGGAGAGTTCCAGCTCTCAGGGGTGGGGCCCTGAAAGTCCAACATCTGCCACTTAGGAGC
CCTGGGAACGGGTGACCTTCATATGACGAAGAGGCACCTCCAGCAGCCTTGAGAAGCAAGAACATGGTTCCGGAC
CCAGCCCTAGCAGCCTTCTCCCAACCAGGATGTTGGCCTGGGGAGGCCACAGCAGGGCTGAGGGAACTCTGCTA
TGTGATGGGGACTTCCTGGGACAAGCAAGGAAAGTACTGAGGCAGCCACTTGATTGAACGGTGTGCAATGTGGA
GACATGGAGTTTTATTGAGGTAGCTACGTGATTAAATGGTATTGCAGTGTGGA

191/615

FIGURE 190

MALAALMIALGSLGLHTWQAQAVPTILPLGLAPDTFDDTYVGCAEEMEEKAAPLLKEEMAHHALLRESWEAAQET
WEDKRRGLTLPPGFKAQNGIAIMVYTSSNTLYWELNQAVRTGGGSRELYMRHFPPKALHFYLIRALQLLRGSGG
CSRGPGEVVFRGVGSLRFEPKRLGDSVRLGQFASSSLDKAVAHRFGEKRRGCVSAPGVQLGSQSEGASSLPPWKT
LLLAPGEFQLSGVGP

192/615

FIGURE 191

GTGGCTTCATTTCAGTGGCTGACTTCCAGAGAGCAATATGGCTGGTTCCCCAACATGCCTCACCCCTCATCTATAT
CCTTTGGCAGCTCACAGGGTCAGCAGCCTCTGGACCCGTGAAAGAGCTGGTCGGTTCCGTTGGTGGGGCCGTGAC
TTTCCCCCTGAAGTCCAAAGTAAAGCAAGTTGACTCTATTGTCTGGACCTTCAACACAACCCCTCTTGTCACCAT
ACAGCCAGAAGGGGGCACTATCATAGTGACCCAAAATCGTAATAGGGAGAGAGTAGACTTCCCAGATGGAGGCTA
CTCCCTGAAGCTCAGCAAACTGAAGAAGAATGACTCAGGGATCTACTATGTGGGGATATACAGCTCATCACTCCA
GCAGCCCTCCACCCAGGAGTACGTGCTGCATGTCTACGAGCACCTGTCAAAGCCTAAAGTACCATGGGTCTGCA
GAGCAATAAGAATGGCACCTGTGTGACCAATCTGACATGCTGCATGGAACATGGGGAAGAGGATGTGATTTATAC
CTGGAAGGCCCTGGGGCAAGCAGCCAATGAGTCCCATAATGGGTCCATCCTCCCCATCTCCTGGAGATGGGGAGA
AAGTGATATGACCTTCATCTGCGTTGCCAGGAACCCTGTCAGCAGAACTTCTCAAGCCCCATCCTTGCCAGGAA
GCTCTGTGAAGGTGCTGCTGATGACCCAGATTCCCTCCATGGTCCCTCCTGTGTCTCCTGTTGGTGGCCCTCCTGCT
CAGTCTCTTTGTACTGGGGCTATTTCTTTGGTTTCTGAAGAGAGAGAGACAAGAAGAGTACATTGAAGAGAAGAA
GAGAGTGGACATTTGTGCGGAAACTCCTAACATATGCCCCATTCTGGAGAGAACACAGAGTACGACACAATCCC
TCACACTAATAGAACAATCCTAAAGGAAGATCCAGCAAATACGGTTTACTCCACTGTGGAAATACCGAAAAGAT
GGAAAATCCCCACTCACTGCTCACGATGCCAGACACACCAAGGCTATTTGCCTATGAGAATGTTATCTAGACAGC
AGTGCACTCCCCTAAGTCTCTGCTCA

193/615

FIGURE 192

MAGSPTCLTLIYILWQLTGSAASGPVKELVGSVGGAVTFPLKSKVKQVDSIVWTFNTTPLVTIQPEGGTIIIVTON
RNRERVDFPDGGYSLKLSKLKKNDSGIYYVGIYSSSLQQPSTQEYVLHVYEHLSKPKVTMGLQSNKNGTCVTNLT
CCMEHGEEDVIYTWKALGQAANESHNGSILPISWRWGESDMTFICVARNPVSRNFSSPILARKLCEGAADDPDSS
MVLCLLLVPILLSLFLVLGLFLWFLKRERQEEYIEKKRVDICRETPNICPHSGENTYDTPHTNRTILKEDPA
NTVYSTVEIPKKMENPHSLLTMPDTPRLFAYENVI

FIGURE 193

[illegible]

195/615

FIGURE 194

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA58852
><subunit 1 of 1, 283 aa, 1 stop
><MW: 29191, pI: 4.52, NX(S/T): 0
MVSAAAPSLILLILLLLGSPATDARSVPLKATFLEDVAGSGEAE GSSASSPSLPPPWTPALSPTSMGPQPTTLG
GPSPTNFDLGIVDFFRQYVMLIAVVGSLAFLLMFIVCAAVITRQKQKASAYYPSSFPKKKYVDQSDRAGGPRAF
SEVPDRAPDSRPEEALDSSRQLQADILAATQNLKSPTRAALGGGDGARMVEGRGAEEEEKGSQEGDQEVQGHGVP
VETPEAQEEPCSGVLEGAVVAGEGQGELEGSLLLAQEAQGPVGPPEPCACSSVHPSV
```

Signal peptide:
amino acids 1-25

Transmembrane domain:
amino acids 94-118

N-myristoylation site.
amino acids 18-24, 40-46, 46-52, 145-151, 192-198, 193-199, 211-217, 238-244,
242-248

196/615

FIGURE 195

GAAAGACGTGGTCCTGACAGACAGACAATCCTATTCCCTACCAAAATGAAGATGCTGCTGCTGCTGTGTTTGGGA
CTGACCCTAGTCTGTGTCCATGCAGAAGAAGCTAGTTCTACGGGAAGGAACTTTAATGTAGAAAAGATTAATGGG
GAATGGCATACTATTATCCTGGCCTCTGACAAAAGAGAAAAGATAGAAGAACATGGCAACTTTAGACTTTTTCTG
GAGCAAATCCATGTCTTGGAGAATTCTTAGTTCTTAAAGTCCATACTGTAAGAGATGAAGAGTGCTCCGAATTA
TCTATGGTTGCTGACAAAACAGAAAAGGCTGGTGAATATTCTGTGACGTATGATGGATTCAATACATTTACTATA
CCTAAGACAGACTATGATAACTTTCTTATGGCTCACCTCATTAACGAAAAGGATGGGGAAACCTTCCAGCTGATG
GGGCTCTATGGCCGAGAACCAGATTTGAGTTCAGACATCAAGGAAAGGTTTGACAACTATGTGAGGAGCATGGA
ATCCTTAGAGAAAATATCATTGACCTATCCAATGCCAATCGCTGCCTCCAGGCCCGAGAAATGAAGAATGGCCTGA
GCCTCCAGTGTGAGTGGACACTTCTCACCAGGACTCCACCATCATCCCTTCCTATCCATACAGCATCCCCAGTA
TAAATTCTGTGATCTGCATTCCATCCTGTCTCACTGAGAAGTCCAATTCCAGTCTATCAACATGTTACCTAGGAT
ACCTCATCAAGAATCAAAGACTTCTTTAAATTTCTCTTGATACACCCTTGACAATTTTTCATGAAATTATTCTT
CTTCCTGTTCAATAAATGATTACCCTTGCACTTAA

197/615

FIGURE 196

MKMLLLCLGLTLVCVHAEESSTGRNFNVEKINGEWHTIILASDKREKIEEHGNFRLFLEQIHVLENSLVLKVH
TVRDEECSELSMVADKTEKAGEYSVTYDGFNTFTIPKTDYDNFLMAHLINEKDGETFQLMGLYGREPDLSDDIKE
RFAQLCEEHGILRENIIDLSNANRCLQARE

198/615

FIGURE 197

GGCTCGAGCGTTTCTGAGCCAGGGGTGACCATGACCTGCTGCGAAGGATGGACATCCTGCAATGGATTGAGCCTG
CTGGTTCTACTGCTGTTAGGAGTAGTTCTCAATGCGATACCTCTAATTGTCAGCTTAGTTGAGGAAGACCAATTT
TCTCAAACCCCATCTCTTGCTTTGAGTGGTGGTTCAGGAATTATAGGAGCAGGTCTGATGGCCATTCCAGCA
ACAACAATGTCCTTGACAGCAAGAAAAAGAGCGTGCTGCAACAACAGAACTGGAATGTTCTTTCATCATTTTTTC
AGTGTGATCACAGTCATTGGTGCTCTGTATTGCATGCTGATATCCATCCAGGCTCTCTTAAAAGGTCTCTCATG
TGTAATTCTCCAAGCAACAGTAATGCCAATTGTGAATTTTCATTGAAAAACATCAGTGACATTCATCCAGAATCC
TTCAACTTGCACTGGTTTTTCAATGACTCTTGTGCACCTCCTACTGGTTTTCAATAAACCCACCAGTAACGACACC
ATGGCGAGTGGCTGGAGAGCATCTAGTTTCCACTTCGATTCTGAAGAAAACAAACATAGGCTTATCCACTTCTCA
GTATTTTTTAGGTCTATTGCTTGTGGAATTCTGGAGGTCCTGTTTGGGCTCAGTCAGATAGTCATCGGTTTCCTT
GGCTGTCTGTGTGGAGTCTCTAAGCGAAGAAGTCAAATTGTGTAGTTTAATGGGAATAAAATGTAAGTATCAGTA
GTTTGAAAAAAAAA

199/615

FIGURE 198

MTCCEGWTSCNGFSLLVLLLLGVVLNAIPLIVSLVEEDQFSQNPISCFEWWFPGIIGAGLMAIPATTMSLTARKR
ACCNNRTGMFLSSFFSVITVIGALYCM LISIQALLKGPLMCNSPSNSNANCEFS LKNISDIHPESFNLQWFFNDS
CAPPTGFNKPTSNDTMASGWRASSFHFDSEENKHRLIHFSVFLGLLLVGILEVLFGLSQIVIGFLGCLCGVSKRR
SQIV

200/615

FIGURE 199

ATCCGTTCTCTGCGCTGCCAGCTCAGGTGAGCCCTCGCCAAGGTGACCTCGCAGGACACTGGTGAAGGAGCAGTG
AGGAACCTGCAGAGTCACACAGTTGCTGACCAATTGAGCTGTGAGCCTGGAGCAGATCCGTGGGCTGCAGACCCC
CGCCCCAGTGCCTCTCCCCCTGCAGCCCTGCCCCTCGAACTGTGACATGGGAGAGAGTGACCCTGGCCCTTCTCCT
ACTGGCAGGCCTGACTGCCTTGGAAGCCAATGACCCATTTGCCAATAAAGACGATCCCTTCTACTATGACTGGAA
AAACCTGCAGCTGAGCGGACTGATCTGCGGAGGGCTCCTGGCCATTGCTGGGATCGCGGCAGTTCTGAGTGGCAA
ATGCAAATACAAGAGCAGCCAGAAGCAGCACAGTCCTGTACCTGAGAAGGCCATCCCCTCATCACTCCAGGCTC
TGCCACTACTTGCTTGAGCACAGGACTGGCCTCCAGGGATGGCCTGAAGCCTAACACTGGCCCCCAGCACCTCCTC
CCCTGGGAGGCCTTATCCTCAAGGAAGGACTTCTCTCCAAGGGCAGGCTGTTAGGCCCTTTCTGATCAGGAGGC
TTCTTTATGAATTAACTCGCCCCACCACCCCTCA

201/615

FIGURE 200

MERVTLALLLLAGLTALEANDPFANKDDPFYYDWKNLQLSGLICGGLLAIAGIAAVLSGKCKYKSSQKQHSPVPE
KAIP LITPGSATTC

FIGURE 201

[illegible]

203/615

FIGURE 202

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA59212
><subunit 1 of 1, 440 aa, 1 stop
><MW: 42208, pI: 6.36, NX(S/T): 1
MKFQGPLACLLLLALCLGSGEAGPLQSGEESTGTNIGEALGHGLGDALSEGVGKAIGKEAGGAAGSKVSEALGQGT
REAVGTGVRQVPGFGAADALGNRVGEAAHALGNTGHEIGRQAEDVIRHGADAVRGSWQGVPGHSGAWETSGGHGI
FGSQGGLGGQGGQGNPGLGTPWVHGYPGNSAGSFGMNPQGAPWGQGGNGGPPNFGTNTQGAVAQPGYGSVRSNQ
NEGCTNPPPSGSGGGSSNSGGGSGSQSGSSGSGSNGDNNNGSSSGSSSGSSSGSSSGSSSGSSSGSSSGSSSGSSSGSS
RGDSGSESSWGSSTGSSSGNHGGSGGGNGHKPGCEKPGNEARGSGESGIQGGFRGQGVSSNMREISKEGNRLGGS
GDNYRGQSSWGSGGGDAVGGVNTVNSETSPGMFNFDTFWKNFKSKLGFINWDAINKDQRSSRIIP

Signal peptide:

amino acids 1-21

N-glycosylation site.

amino acids 265-269

Glycosaminoglycan attachment site.

amino acids 235-239, 237-241, 244-248, 255-259, 324-328, 388-392

Casein kinase II phosphorylation site.

amino acids 26-30, 109-113, 259-263, 300-304, 304-308

N-myristoylation site.

amino acids 17-23, 32-38, 42-48, 50-56, 60-66, 61-67, 64-70, 74-80, 90-96,
96-102, 130-136, 140-146, 149-155, 152-158, 155-161, 159-165, 163-169,
178-184, 190-196, 194-200, 199-205, 218-224, 236-242, 238-244, 239-245,
240-246, 245-251, 246-252, 249-252, 253-259, 256-262, 266-272, 270-276,
271-277, 275-281, 279-285, 283-289, 284-290, 287-293, 288-294, 291-297,
292-298, 295-301, 298-304, 305-311, 311-317, 315-321, 319-325, 322-328,
323-329, 325-331, 343-349, 354-360, 356-362, 374-380, 381-387, 383-389,
387-393, 389-395, 395-401

Cell attachment sequence.

amino acids 301-304

204/615

FIGURE 203

GGAGAAGAGGTTGTGTGGGACAAGCTGCTCCCGACAGAAGGATGTCGCTGCTGAGCCTGCCCTGGCTGGGCCTCA
GACCGGTGGCAATGTCCCCATGGCTACTCCTGCTGCTGGTTGTGGGCTCCTGGCTACTCGCCCGCATCCTGGCTT
GGACCTATGCTTCTATAACAAGTGGCGCGGCTCCAGTGTTCACAGCCCCAAAACGGAAGTGGTTTTGGG
GTACCTGGGCCTGATCACTCCTACAGAGGAGGGCTTGAAGGACTCGACCCAGATGTGGGCCACCTATTCCCAGG
GCTTTACGGTATGGCTGGGTCCCATCATCCCCTTCATCGTTTTATGCCACCCTGACACCATCCGGTCTATACCA
ATGCCTCAGCTGCCATTGCACCCAAGGATAATCTCTTCATCAGGTTCTGAAGCCCTGGCTGGGAGAAGGGATAC
TGCTGAGTGGCGGTGACAAGTGGAGCCGCCACCGTCGGATGCTGACGCCCGCCTTCCATTTCAACATCCTGAAGT
CCTATATAACGATCTTCAACAAGAGTGCAAACATCATGCTTGACAAGTGGCAGCACCTGGCCTCAGAGGGCAGCA
GTCGTCTGGACATGTTTGAGCACATCAGCCTCATGACCTTGGACAGTCTACAGAAATGCATCTTCAGCTTTGACA
GCCATTGTGAGGAGAGGCCAGTGAATATATTGCCACCATCTTGGAGCTCAGTGCCCTTGTAGAGAAAAGAAGCC
AGCATATCCTCCAGCACATGGACTTCTGTATTACCTCTCCCATGACGGGCGGCGCTTCCACAGGGCCTGCCGCC
TGGTGCATGACTTCACAGACGCTGTCATCCGGGAGCGGCGTCGACCCCTCCCCACTCAGGGTATTGATGATTTTT
TCAAAGACAAAGCCAAGTCCAAGACTTTGGATTTTATTGATGTGCTTCTGCTGAGCAAGGATGAAGATGGGAAGG
CATTGTGATGAGGATATAAGAGCAGAGGCTGACACCTTCATGTTTGGAGGCCATGACACCACGGCCAGTGGCC
TCTCCTGGGTCCTGTACAACCTTGCGAGGCACCCAGAATACCAGGAGCGCTGCCGACAGGAGGTGCAAGAGCTTC
TGAAGGACCGCGATCCTAAAGAGATTGAATGGGACGACCTGGCCCCAGCTGCCCTTCTGACCATGTGCGTGAAGG
AGAGCCTGAGGTTACATCCCCAGCTCCCTTCATCTCCCGATGCTGCACCCAGGACATTGTTCTCCAGATGGCC
GAGTCATCCCCAAAGGCATTACCTGCCTCATCGATATTATAGGGGTCCATCACAACCCAAGTGTGTGGCCGGATC
CTGAGGTCTACGACCCCTTCCGCTTTGACCCAGAGAACAGCAAGGGGAGGTACCTCTGGCTTTTATTCCTTTCT
CCGACAGGGCCCAGGAAGTGCATCGGGCAGGCGTTCCGATGGCGGAGATGAAAGTGGTCTGGCGTTGATGCTGC
TGCACTTCCGGTTCTGCCAGACCACACTGAGCCCCGAGGAAGCTGGAATTGATCATGCGCGCCGAGGGCGGGC
TTTGGCTGCGGGTGGAGCCCCTGAATGTAGGCTTGCAGTGAATTTCTGACCCATCCACCTGTTTTTTTGCAGATT
GTCATGAATAAAACGGTGTGTCAA

205/615

FIGURE 204

MSLLSLPWLGLRPVAMSPWLLLLLVVGSWLLARILAWTYAFYNNCRRLQCFPQPPKRNWFWGHLGLITPTEGLK
DSTQMSATYSQGFTVWLGPIIPFIVLCHPDTIRSITNASAAIAPKDNLFIRFLKPWLGEIGILLSSGGDKWSRHRM
LTPAFHFNILKSYITIFNKSANIMLDKWQHLASEGSSRLDMFEHISLMTLDSLQKCIFSFDSHCQERPSEYIATI
LELSALVEKRSQHILQHMDFLYYLSHDGRRFHRACRLVHDFTDAVIRERRRTLPTQGIDDFKDKAKSKTLD FID
VLLLSKDEDGKALSDEDIRAEADTFMFGGHDTTASGLSWVLYNLARHPEYQERCQEVQELLKDRDPKEIEWDDL
AQLPFLTMCVKESLRLHPPAFFISRCCTQDIVLPDGRVIPKGITCLIDIIGVHHNPTVWPDPEVYDPFRFDPENS
KGRSPLAFIPFSAGPRNCIGQAFAMAEMKVVLALMLLHFRFLPDHTEPRRKLELIMRAEGGLWLRVEPLNVGLQ

206/615

FIGURE 205

TCCCTTGACAGGCTGCTGGTGGCTGGTTTCGGGGTCTACTGAAGGCTGTCTTGATCAGGAACTGAAGACTCTCTGCT
TTTGCCACAGCAGTTCTCTGCAGCTTCTTGAGGTGTGAACCCACATCCCTGCCCCAGGGCCACCTGCAGGACGC
CGACACCTACCCCTCAGCAGACGCCGGAGAGAAATGAGTAGCAACAAAGAGCAGCGGTGAGCAGTGTTCGTGATC
CTCTTTGCCCTCATCACCATCCTCATCCTCTACAGCTCCAACAGTGCCAATGAGGTCTTCCATTACGGCTCCCTG
CGGGGCCGTAGCCGCCGACCTGTCAACCTCAAGAAGTGGAGCATCACTGACGGCTATGTCCCCATTCTCGGCAAC
AAGACACTGCCCTCTCGGTGCCACCAAGTGTGTGATTGTGAGCAGCTCCAGCCACCTGCTGGGCACCAAGCTGGGC
CCTGAGATCGAGCGGGCTGAGTGTACAATCCGCATGAATGATGCACCCACCACTGGCTACTCAGCTGATGTGGGC
AACAAGACCACCTACCGCGTCGTGGGCCATTCCAGTGTGTTCCGCGTGTGAGGAGGCCCCAGGAGTTTGTCAAC
CGGACCCCTGAAACCGTGTTCATCTTCTGGGGGCCCCGAGCAAGATGCAGAAGCCCCAGGGCAGCCTCGTGCGT
GTGATCCAGCGAGCGGGCCTGGTGTTCCTCAACATGGAAGCATATGCCGTCTCTCCCGGCCGATGCGGCAATTT
GACGACCTCTTCCGGGGTGAGACGGGCAAGGACAGGGAGAAGTCTCATTGCTGGTTGAGCACAGGCTGGTTTACC
ATGGTGATCGCGGTGGAGTTGTGTGACCACGTGCATGTCTATGGCATGGTCCCCCCCCAACTACTGCAGCCAGCGG
CCCCGCCTCCAGCGCATGCCCTACCACTACTACGAGCCCCAAGGGGCCGACGAATGTGTACCTACATCCAGAAT
GAGCACAGTCGCAAGGGCAACCACCACCGCTTCATCACCGAGAAAAGGGTCTTCTCATCGTGGGCCCCAGCTGTAT
GGCATCACCTTCTCCACCCCTCCTGGACCTAGGCCACCCAGCCTGTGGGACCTCAGGAGGGTCAAGGAGAAGC
AGCCTCCGCCCAGCCGCTAGGCCAGGGACCATCTTCTGGCCAATCAAGGCTTGCTGGAGTGTCTCCAGCCAATC
AGGGCCTTGAGGAGGATGTATCCTCCAGCCAATCAGGGCCTGGGGAATCTGTTGGCGAATCAGGGATTTGGGAGT
CTATGTGGTTAATCAGGGGTGTCTTTCTTGTGCAGTCAGGGTCTGCGCACAGTCAATCAGGGTAGAGGGGGTATT
TCTGAGTCAATCTGAGGCTAAGGACATGTCTTTCCCATGAGGCCTTGGTTCAGAGCCCCAGGAATGGACCCCC
AATCACTCCCCACTCTGCTGGGATAATGGGGTCTGTCCCAAGGAGCTGGGAATTTGGTGTGCCCCCTCAATTT
CCAGCACCAAGAAAGAGAGATTGTGTGGGGGTAGAAGCTGTCTGGAGGCCCGGCCAGAGAATTTGTGGGGTTGTGG
AGGTTGTGGGGGCGGTGGGGAGGTCCCAGAGGTGGGAGGCTGGCATCCAGGTCTTGGCTCTGCCCTGAGACCTTG
GACAAACCCTTCCCCCTCTCTGGGCACCTTCTGCCCACACCAGTTTCCAGTGCGGAGTCTGAGACCTTTCCAC
CTCCCCACAAAGTGCCTCGGGTCTGTCTCCCCGTCTGGACCTCCAGCCACTATCCCTTGCTGGAAGGCTCA
GCTCTTTGGGGGTCTGGGGTGACCTCCCCACCTCCTGGAACCTTTAGGGTATTTTGGCAGAACTCCTTCAGG
GTTGGGGGACTCTGAAGGAAACGGGACAAAACCTTAAGCTGTTTTCTTAGCCCCCTCAGCCAGCTGCCATTAGCTT
GGCTCTTAAAGGGCCAGGCCTCCTTTTCTGCCCTCTAGCAGGGAGGTTTTTCCAATGTTGGAGGCGCCTTTGGGG
CTGCCCCCTTTGTCTGGAGTCACTGGGGGCTTCCGAGGGTCTCCCTCGACCTCTGTCTGCTGGGATGGCTGTCTG
GGAGCTGTATCACCTGGGTTCTGTCCCCCTGGCTCTGTATCAGGCACCTTTATTAAAGCTGGGCCTCAGTGGGGTGT
GTTTGTCTCTCTGCTCTTCTGGAGCCTGGAAGGAAAGGGCTTCAGGAGGAGGCTGTGAGGCTGGAGGGACCATG
GAGGAGGCCAGCAGCTAGCCATTGCACACTGGGGTGATGGGTGGGGGCGGTGACTGCCCCAGACTTGGTTTTGT
ATGATTTGTACAGGAATAAACACACCTACGCTCCGGAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA

207/615

FIGURE 206

MSSNKEQRSADFVILFALITILILYSSNSANEVFHYGSLRGRSRRPVNLKKWSITDGYVPILGNKTLPSRCHQCV
IVSSSSHLGLGPEIERAECTIRMNDAPTTGYSADVGNKTTYRVVAHSSVFRVLRRLPQEFVNRTPETVFIFWG
PPSKMQKPPQGSILVRVVIQRAGLVFPNMEAYAVSPGRMRQFDDLFRGETGKDREKSHSWLSTGWFTMVI AVELCDHV
HVGVMVPPNYCSQRRLQRMPIHYEYEPKGPDECVTYIQNEHSRKGNHHRFITEKRVFSSWAQLYGITFSHPST

Signal peptide:
amino acids 1-29

Transmembrane domain:
amino acids 9-31 (type II)

N-glycosylation site.
amino acids 64-68, 115-119

cAMP- and cGMP-dependent protein kinase phosphorylation site.
amino acids 50-54

Casein kinase II phosphorylation site.
amino acids 3-7, 29-33, 53-57, 197-201

Tyrosine kinase phosphorylation site.
amino acids 253-262

N-myristoylation site.
amino acids 37-43, 114-120, 290-294

208/615

FIGURE 207

GTAGCGCGTCTTGGGCTCTCCCGGCTGCCGCTGCTGCCGCCGCCGCTCGGGTCGTGGAGCCAGGAGCGACGTCAC
CGCCATGGCAGGCATCAAAGCTTTGATTAGTTTGTCTTTGGAGGAGCAATCGGACTGATGTTTTTGATGCTTGG
ATGTGCCCTTCCAATATACAACAAATACTGGCCCTCTTTGTTCTATTTTTTACATCCTTTACCTATTCCATA
CTGCATAGCAAGAAGATTAGTGGATGATACAGATGCTATGAGTAACGCTTGTAAGGAACTTGCCATCTTTCTTAC
AACGGGCATTGTCGTGTGAGCTTTTGGACTCCCTATTGTATTTGCCAGAGCACATCTGATTGAGTGGGGAGCTTG
TGCACTTGTCTCACAGGAAACACAGTCATCTTTGCAACTATACCTAGGCTTTTCTTGGTCTTTGGAAGCAATGA
CGACTTCAGCTGGCAGCAGTGGTGAAGAAATACTGAACCTATTGTCAAATGGACTTCCTGTCAATTTGTTGGCC
ATTACGCACACAGGAGATGGGGCAGTTAATGCTGAATGGTATAGCAAGCCTCTGGGGGTATTTTAGGTGCTCC
CTTCTCACTTTTTATTGTAAGCATACTATTTTCACAGAGACTTGCTGAAGGATTAAGGATTTTCTCTTTTGGAA
AAGCTTGACTGATTTACACTTATCTATAGTATGCTTTTTGTGGTGTCTGCTGAATTTAAATATTTATGTGTTT
TTCTGTAGGTTGATTTTTTTTGGAAATCAATATGCAATGTTAAACACTTTTTTAATGTAATCATTGTCATTGGT
TAGGAATTCAGAAATCCGCCGGCTCTATTACTGGTCAAGTACATCTTTTCTCTTAAATATTTAGCCTCCATTA
TTACAAAAAATTATAAAAAATAAGTTTTAGTCAGTCAGGATGACATCACTCCAATGTTATGCAGACATACAGAC
GGTTGGCATACGTTATAGACTGTATACCTAGTGCAATATAGCTGCATTTATACCTCAGAGGGGCCAAGTGTTAA
TGCCCATGCCCTCCGTTAAGGGTTGTTGGTTTTACTGGTAGACAGATGTTTTGTGGATTGAAAATTATTTTATGG
AATTGCTACAGAGGAGTGCTTTTCTTCTCAATTGTTAGAAGAATTTATGTTAAACTTTAAGGTAAGGGTGAAAA
ACATTTTTGAGATAAGGTTTTTATTTATGTTTATTATTGTTAGAGTGAGTTGCAATGTGGGAAGAAATGACATTG
AAATCCAGTTTTTGAATCCTGTTTCTATTTATAAGTGAAATTTGTGATCTCCTATCAACCTTTTCATGTTTTACC
CTGTTAAATGGACATACATGGAACCACTACTGATGAGGGACAGTTGTATGTTGCATCATATATGCCAGAAAAC
CTTCCTCTGCTTCCTCTTCTTTTGACTTATTTGGTATGTTGTATATATTACATAAAATAACTTTTCAAATATAGTTT
AATAACACTTAGAAGTGTTTACTTACCTGGAAAATAATTGCTATGCCGTACATTCAGAGTGCCCCCTCCCCTGCA
AGGCCTTGCCATGATTAACAAGTAACCTTGTTAGTCTTACAGATAATTCATGCATTAACAGTTTAAAGATTTAGACC
ATGGTAATAGTAGTTCTTATTCTCTAAGGTTATATCATATGTAATTTAAAAGTATTTTTAAGACAAGTTTCTGT
ATACCTCTGAAGTGTGTTTTGATTTGAGTTCATCATGATAGATCTGCTGTTTCCTTATAAAAGGCATTTGTTGTGT
GAGTTAATGCAAAGTAGCCAAGTCCAGCTATATAGCAGCTTCAGAAACATACCTGACCAAAAAATTTCCAGTAAC
CAGGCATGATCAATTTATAGTGGTCGTTTACATCTAATAATTATCAGGACTTTTTTTCAGGAGTGGGTTATAAAAA
CATTCAGTTGGTCTGACAGTATTTTGTAAAGGATATTTGTTGTATGTTTATTCAGTATACTTACATAAAAAATT
ATTTGCCATCAGCCAAAACCTCAGTAATCATGACAGCTGTCTGTTGTTTTATGAAGTTTATTTCTCAAGAAAATG
GGAATAAATTTGGGATTTGTTTCAGCTTTTTTACTAAAGATGCCTAAAGCCACAGGTTTTATTGCCTAACTTAAGC
CATGACTTTTAGATATGAGATGACGGGAAGCAGGACGAAATATCGGCGTGTGGCTGGAGCCTTCCACTGGAGGC
TGAAAGTGGCTTGTGGTATTATAATGTTTCAGATTTCAAGAGGAAGGTGCAGGTACACATGAGTTAGAGAGCTGGT
GAGACAGTTGGGAACCTTTGTGCTTGTGATCTACTGGACTTTTTTTTTTGCAGGAAGTGCATTCTCTGGTCTTTC
CCTATTTTTCTGTTCTGGATGTCAGTGCAGTGCAGTGCCTACTGTTTTATCCACTTGGCCACAGACTTTTTCTAACA
GCTGCGTATTATTTCTATATACTAATTGCATTGGCAGCATTGTGTCTTTGACCTTGTATACTAGCTTGACATAGT
GCTGTCTCTGATTTCTAGGCTAGTTACTTGAGATATGAATTTTCCATAGAATATGCACTGATACAACATTACCAT
TCTTCTATGGAAGAAAACCTTTTGATGATGAACAATAAAGATTTTAAATATCTATTTTAAAAA

209/615

FIGURE 208

MAGIKALISLSFGGAIGLMFLMLGICALPIYNKYWPLFVLFFYILSPIPYCIARRLVDDTDAMSNACKELAIFLT
T
GIVVSAFGLPIVFARAHLEWGACALVLTGNTVIFATILGFFLVFGSNDDFSQWQW

210/615

FIGURE 209

CTTGCAAGAGAGTCTTTTGTGCAGCACCCCTTTAAAGGGTGA CTGTCCTTGTGTTCTCTCTCCTGGTGC
AGAGTTGCAAGCAAGTTTATCAGAGTATCGCCATGAAGTTTCGTCCCCTGCCTCCTGCTGGTGACCTTGTCTCTGCC
TGGGGACTTTGGGTCAGGCCCCGAGGCAAAAGCAAGGAAGCACTGGGGAGGAATTCATTTCCAGACTGGAGGGA
GAGATTCTGCACTATGCGTCCCAGCAGCTTGGGGCAAGGTGCTGGAGAAGTCTGGCTTCGCGTCCGACTGCCGCA
ACACAGACCAGACCTACTGGTGTGAGTACAGGGGGCAGCCCAGCATGTGCCAGGCTTTTGTCTGCTGACCCCAAAC
CTTACTGGAATCAAGCCCTGCAGGAGCTGAGGCGCCTTCACCATGCGTGCCAGGGGGCCCCGGTGCTTAGGCCAT
CCGTGTGCAGGGAGGCTGGACCCAGGCCCATATGCAGCAGGTGACTTCCAGCCTCAAGGGCAGCCCAGAGCCCA
ACCAGCAGCCTGAGGCTGGGACGCCATCTCTGAGGCCCCAAGGCCACAGTGAAACTCACAGAAGCAACACAGCTGG
GAAAGGACTCGATGGAAGAGCTGGGAAAAGCCAAACCCACCACCCGACCCACAGCCAAACCTACCCAGCCTGGAC
CCAGGCCCCGAGGGAATGAGGAAGCAAAGAAGAAGGCCTGGGAACATTGTTGGAAACCCTTCCAGGCCCTGTGCG
CCTTCTCATCAGCTTCTTCCGAGGGTGACAGGTGAAAGACCCCTACAGATCTGACCTCTCCCTGACAGACAACC
ATCTCTTTTATATTATGCCGCTTTCAATCCAACGTTCTCACACTGGAAGAAGAGAGTTTCTAATCAGATGCAAC
GGCCCAAATTCTTGATCTGCAGCTTCTCTGAAGTTTGGAAAAGAAACCTTCTTTCTGGAGTTTGCAGAGTTCAG
CAATATGATAGGGAACAGGTGCTGATGGGCCCCAAGAGTGACAAGCATAACAACCTACTTATTATCTGTAGAAGTT
TTGCTTTGTTGATCTGAGCCTTCTATGAAAGTTTAAATATGTAACGCATTTCATGAATTTCCAGTGTTTCAGTAAAT
AGCAGCTATGTGTGTGCAAAATAAAAGAATGATTTTCAGAAAAA

211/615

FIGURE 210

```
</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA59602
<subunit 1 of 1, 223 aa, 1 stop
<MW: 24581, pI: 9.28, NX(S/T): 0
MKFVPCLLLVTLSCGLTIGQAPRQKQGSGTEEFHFQTGGRDSCTMRPSSLGQGAGEVWLR
VDCRNTDQTYWCEYRGQPSMCQAFAADPKPYWNQALQELRRLHHACQGAPVLRPSVCREA
GPQAHMQQVTSSLKGSPEPNQQPEAGTPSLRPKATVKLTEATQLGKDSMEELGKAKPTTR
PTAKPTQGP RP GGNEEAKKKAW EHCWKPFQALCAFLISFFRG
```

Important features:**Signal peptide:**

Amino acids: 1-19

N-myristoylation sites:

Amino acids: 38-44;51-57;194-200

DNA photolyases class 1 proteins:

Amino acids: 58-69

Tyrosine kinase phosphorylation site:

Amino acids: 64-71

N-myristoylation sites:

Amino acids: 38-44;51-57;194-200

Prokaryotic membrane lipoprotein lipid attachment site:

Amino acids: 4-15

212/615

FIGURE 211

GTGCAAGGAGCCGAGGCGAGATGGGCGTCCTGGGCCGGGTCTGCTGTGGCTGCAGCTCTGCGCACTGACCCAGGCG
GTCTCCAAACTCTGGGTCCCCAACACGGACTTCGACGTGCGAGCCAACTGGAGCCAGAACCGGACCCCGTGCGCC
GGCGGCGCCGTTGAGTTCCCGGCGGACAAGATGGTGTGAGTCCTGGTGCAAGAAGGTCACGCCGTCTCAGACATG
CTCCTGCCGCTGGATGGGGAACTCGTCTGGCTTCAGGAGCCGGATTTCGGCGTCTCAGACGTGGGCTCGCACCTG
GACTGTGGCGCGGGCGAACCTGCCGTCTTCGCGACTCTGACCGCTTCTCCTGGCATGACCGCACCTGTGGCGCT
CTGGGGACGAGGCACCTGGCCTCTTCTTCGTGGACGCCGAGCGCTGCCCTGCCGCCACGACGACGTCTTCTTTC
CGCCTAGTGCCTCCTTCCGCGTGGGGCTCGGCCCTGGCGCTAGCCCCGTGCGTGTCCGCAGCATCTCGGCTCTGG
GCCGGACGTTACGCGCGACGAGGACCTGGCTGTTTTCTGGCGTCCCGCGCGGGCCGCTACGCTTCCACGGGC
CGGGCGCGCTGAGCGTGGGCCCCGAGGACTGCGCGGACCCGTGCGGCTGCGTCTGCGGCAACCGGAGGCGCAGC
CGTGGATCTGCGCGGCCCTGCTCCAGCCCCT

213/615

FIGURE 212

</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA59603
<subunit 1 of 1, 197 aa, 1 stop
<MW: 20832, pI: 8.74, NX(S/T): 2
MGVLGRVLLWLQLCALTQAVSKLWVPNTDFDVAANWSQNRTPCAGGAVEFPADKMVSVLV
QEGHAVSDMLLPDGLVLASGAGFGVSDVGSHLDCGAGEPAVFRDSDRFSWHDRTCGAL
GTRHLASSSWTPSACPAATTSSFRLVPPSAWGSALALAPCVSAASRLWAGRSRATRTWL
FSWRPARAAYASTGRAR

Important features:**Signal peptide:**

Amino acids 1-19

N-glycosylation site:

Amino acids 35-39

Glycosaminoglycan attachment site:

Amino acids 81-85

N-myristoylation sites:

Amino acids 82-88;118-124;153-159

C-type lectin domain proteins:

Amino acids 108-118

FIGURE 213

ATCGCATCAATTGGGAGTACCATCTTCCTC**AT**GGGACCAGTGAAACAGCTGAAGCGAATGTTTGAGCCTACTCGT
TTGATTGCAACTATCATGGTGCTGTTGTGTTTTGCACTTACCCTGTGTTCTGCCTTTTGTGGCATAACAAGGGA
CTTGCACTTATCTTTCTGCATTTTGCAGTCTTTGGCATTGACGTGGTACAGCCTTTCTCTCATACCATTGCAAGG
GATGCTGTGAAGAAGTGTTTTGCCGTGTCTTGCA**TA**TTTCATGGCCAGTTTTATGAAGCTTTGGAAGGCACTA
TGGACAGAAGCTGGTGGACAGTTTTGTAACATCTCTCGAAACCTCTGTCTTACAGACATGTGCCTTTTATCTTGC
AGCAATGTGTTGCTTGTGATTGCAACATTTGAGGGTACTTTTGAAGCAACAATACATTTCTCGAACCTGAATGT
CAGTAGCACAGGATGAGAAGTGGGTTCTGTATCTTTGGAGGTGGAATCTTCCTCATGTACCTGTTTCTCTCTGG
ATGTTGTCCCACTGAATCCCATGAATCAACACCTTATCAGCAACAGCAAAAAAAAAAAAAAAAAAAAAAAAAA
AAA

215/615

FIGURE 214

MGPVKQLKRMFEPTRLIATIMVLLCFALTLCSAFWWHNKGLALIFCIIQLSLALTWYSLSFIPFARDAVKKCFVCLA

216/615

FIGURE 215

GGATTTTGTGATCCGCGATTTCGCTCCACGGGCGGGACCTTTGTAAGTGCAGGAGGCCCAGGACAGGCCCCACCC
TGCAGGGCGGGAGGCAGCCGGGGTGAGGGAGGTGAAGAAACCAAGACGCAGAGAGGCCAAGCCCCCTTGCCTTGGG
TCACACAGCCAAAGGAGGCAGAGCCAGAACTCACAACCAGATCCAGAGGCAACAGGGACATGGCCACCTGGGACG
AAAAGGCAGTCACCCGCAGGGCCCAAGGTGGCTCCCGCTGAGAGGATGAGCAAGTTCTTAAGGCACTTCACGGTCG
TGGGAGACGACTACCATGCCTGGAACATCAACTACAAGAAATGGGAGAATGAAGAGGAGGAGGAGGAGGAGGAGC
AGCCACCACCCACACCAAGTCTCAGGCGAGGAAGGCAGAGCTGCAGCCCCCTGACGTTGCCCTGCCCTGGCCCCG
CACCCAGGGCCCCCTTGACTTCAGGGGCATGTTGAGGAACTGTTTCAGCTCCACAGGTTTCAGGTCATCATCA
TCTGCTTGGTGGTTCTGGATGCCCTCCTGGTGCTTGCTGAGCTCATCCTGGACCTGAAGATCATCCAGCCCGACA
AGAATAACTATGCTGCCATGGTATTCCACTACATGAGCATCACCATCTTGGTCTTTTTTATGATGGAGATCATCT
TTAAATTATTTGTCTTCCGCCTGAGTTCTTTACCACAAGTTTGAGATCCTGGATGCCCGTCGTGGTGGTGGTCT
CATTATCCTGGACATTGTCCTCCTGTTCCAGGAGCACCAGTTTGAGGCTCTGGGCTGCTGATTCTGCTCCGGC
TGTGGCGGGTGGCCCGGATCATCAATGGGATTATCATCTCAGTTAAGACACGTTCAGAACGGCAACTCTTAAGGT
TAAAACAGATGAATGTACAATTGGCCGCCAAGATTCAACACCTTGAGTTCAGCTGCTCTGAGAAGCCCCCTGGACT
GATGAGTTTGCTGTATCAACCTGTAAGGAGAAGCTCTCTCCGGATGGCTATGGGAATGAAAGAATCCGACTTCTA
CTCTCACACAGCCACCGTGAAAGTCCTGGAGTAAAATGTGCTGTGTACAGAAGAGAGAGAAGGAAGCAGGCTGGC
ATGTTCACTGGGCTGGTGTACGACAGAGAACCTGACAGTCACTGGCCAGTTATCACTTCAGATTACAAATCACA
CAGAGCATCTGCCTGTTTTCAATCACAAGAGAACAACCAAAATCTATAAAGATATTCTGAAAATATGACAGAA
TTTGACAAATAAAAGCATAAACGTGTAAAAA

217/615

FIGURE 216

MATWDEKAVTRRAKVAPAERMASKFLRHFTVVGGDYHAWNINYKKWENEEEEEEEEQPPPTPVSGEEGRAAAPDVA
PAPGPAPRAPLDFRGMLRKLFSSSHRFQVIIICLVVLDALLVLAEILDLKIIQPDKNNYAAMVFHYMSITILVFF
MMEIIFKLFVFRLLSFTTSLRSWMPVVVVVSFILDIVLLFQEHQFEALGLLILLRLWRVARIINGIIISVKTRSE
RQLRLKQMNVLAAKIQHLEFSCSEKPLD

218/615

FIGURE 217

GGAAGGCAGCGGCAGCTCCACTCAGCCAGTACCCAGATACGCTGGGAACCTTCCCCAGCCATGGCTTCCCTGGGG
CAGATCCTCTTCTGGAGCATAATTAGCATCATCATTATTCTGGCTGGAGCAATTGCACTCATCATTGGCTTTGGT
ATTTGAGGGAGACACTCCATCACAGTCACTACTGTGCGCTCAGCTGGGAACATTGGGGAGGATGGAATCCTGAGC
TGCACCTTTTGAACCTGACATCAAACCTTCTGATATCGTGATACAATGGCTGAAGGAAGGTGTTTATGGCTTGGTC
CATGAGTTCAAAGAAGGCAAAGATGAGCTGTGCGAGCAGGATGAAATGTTTCAAGAGCCGGACAGCAGTGTGCT
GATCAAGTGATAGTTGGCAATGCCTCTTTGCGGCTGAAAAACGTGCAACTCACAGATGCTGGCACCTACAAATGT
TATATCATCACTTCTAAAGGCAAGGGGAATGCTAACCTTGAGTATAAACTGGAGCCTTCAGCATGCCGGAAGTG
AATGTGGACTATAATGCCAGCTCAGAGACCTTGCAGGTGTGAGGCTCCCCGATGGTTCCCCAGCCCACAGTGGTC
TGGGCATCCCAAGTTGACCAGGGAGCCAACTTCTCGGAAGTCTCCAATACCAGCTTTGAGCTGAACTCTGAGAAT
GTGACCATGAAGGTTGTGTCTGTGCTCTACAATGTTACGATCAACAACACATACTCCTGTATGATTGAAAATGAC
ATTGCCAAAGCAACAGGGGATATCAAAGTGACAGAATCGGAGATCAAAAGGCGGAGTCACCTACAGCTGCTAAAC
TCAAAGGCTTCTCTGTGTCTCTTCTTTCTTTGCCATCAGCTGGGCACCTTCTGCCTCTCAGCCCTTACCTGATG
CTAAAAATAATGTGCCTTGGCCACAAAAAGCATGCAAAGTCATTGTTACAACAGGGATCTACAGAACTATTTTAC
CACCAGATATGACCTAGTTTTATATTTCTGGGAGGAAATGAATTCATATCTAGAAGTCTGGAGTGAGCAAACAAG
AGCAAGAAACAAAAAGAAGCCAAAAGCAGAAGGCTCCAATATGAACAAGATAAATCTATCTCAAAGACATATTA
GAAGTTGGGAAAATAATTCATGTGAAGTAGACAAGTGTGTTAAGAGTGATAAGTAAAAATGCACGTGGAGACAAGT
GCATCCCCAGATCTCAGGGACCTCCCCCTGCCTGTACCTGGGGAGTGAGAGGACAGGATAGTGCATGTTCTTTG
TCTCTGAATTTTTAGTTATATGTGCTGTAATGTTGCTCTGAGGAAGCCCTGGAAAGTCTATCCCAACATATCCA
CATCTTATATTCACAAATTAAGCTGTAGTATGTACCCTAAGACGCTGCTAATTGACTGCCACTTCGCAACTCAG
GGCGGCTGCATTTTAGTAATGGGTCAAATGATTCACTTTTTATGATGCTTCCAAAGGTGCCTTGGCTTCTCTTC
CCAAGTGACAAATGCCAAAGTTGAGAAAAATGATCATAATTTTAGCATAAACAGAGCAGTCGGGGACACCGATTT
TATAATAAACTGAGCACCTTCTTTTAAACAAAAA

219/615

FIGURE 218

MASLGQILFWSIIISIIILAGAIALIIGFGISGRHSITVTTVASAGNIGEDGILSCTFEPDIKLSDIVIQWLKEG
VLGLVHEFKEGKDELSEQDEMFRGRTAVFADQVIVGNASLRLKNVQLTDAGTYKCYIITSKGKGNANLEYKTGAF
SMPEVNVVDYNASSETLRCEAPRWFPQPTVVWASQVDQGANFSEVSNTSFELNSENVTMKVSVLYNVTINNTYSC
MIENDIAKATGDIKVTSEIKRRSHLQLLNSKASLCVSSFFAISWALLPLSPYLMK

FIGURE 219

[illegible]

221/615

FIGURE 220

MAASLGQVLALVLVAALWGGTQPLLKRASAGLQRVHEPTWAQQLQEMKTLFLNTEYLMFPFLNQCSSLYYLTL
ASTDLTLAVPICNSLAIIFTLIVGKALGEDIGGKRKLDYCECGTQLCGSRHTCVSSFPEPISPEWVRTRPFPILP
FPLQLFCFLVAIRVPFPWTVWRKTEAGVWD

222/615

FIGURE 221

CTTCTGTAGGACAGTCACCAGGCCAGATCCAGAAGCCTCTCTAGGCTCCAGCTTTCTCTGTGGAAGATGACAGCA
ATTATAGCAGGACCCTGCCAGGCTGTGCGAAAAGATTCCGCAATAAACTTTGCCAGTGGGAAGTACCTAGTGAAA
CGGCCTAAGATGCCACTTCTTCTCATGTCCCAGGCTTGAGGCCCTGTGGTCCCCATCCTTGGGAGAAGTCAGCTC
CAGCACCATGAAGGGCATCCTCGTTGCTGGTATCACTGCAGTGCTTGTTGCAGCTGTAGAATCTCTGAGCTGCGT
GCAGTGTAATTCATGGGAAAAATCCTGTGTCAACAGCATTGCCTCTGAATGTCCCTCACATGCCAACACCAGCTG
TATCAGCTCCTCAGCCAGCTCCTCTCTAGAGACACCAGTCAGATTATACCAGAATATGTTCTGCTCAGCGGAGAA
CTGCAGTGAGGAGACACACATTACAGCCTTCACTGTCCACGTGTCTGCTGAAGAACACTTTCATTTTGTAAGCCA
GTGCTGCCAAGGAAAGGAATGCAGCAACACCAGCGATGCCCTGGACCCTCCCCTGAAGAACGTGTCCAGCAACGC
AGAGTGCCCTGCTTGTTATGAATCTAATGGAACCTTCTGTGCTGGGAAGCCCTGGAAATGCTATGAAGAAGAACA
GTGTGTCTTTCTAGTTGCAGAACTTAAGAATGACATTGAGTCTAAGAGTCTCGTGCTGAAAGGCTGTTCCAACGT
CAGTAACGCCACCTGTCACTTCCTGTCTGGTGAACAAGACTCTTGGAGGAGTCATCTTTCGAAAGTTTGAGTG
TGCAATGTAAACAGCTTAACCCCCACGTCTGCACCAACCACTTCCCACAACGTGGGCTCCAAAGCTTCCCTCTA
CCTCTTGGCCCTTGCCAGCCTCCTTCTCGGGGACTGCTGCCCTTGAGGTCTGGGGCTGCACTTTGCCAGCACC
CCATTTCTGCTTCTCTGAGGTCCAGAGCACCCCTGCGGTGCTGACACCCTCTTCCCTGCTCTGCCCCGTTTAA
CTGCCCAGTAAGTGGGAGTCACAGGTCTCCAGGCAATGCCGACAGCTGCCTTGTCTTCATTATTAAAGCACTGG
TTCATTCAC TGCCAAAAAAAAAAAAAAAAAAAAAAAAAAAA

223/615

FIGURE 222

MKGILVAGITAVLVAAVESLSCVQCNSWEKSCVNSIASECPSHANTSCISSSASSSLET
PVRLYQNMFCSAENCSEETHITAFTVHVSAEEHFHFVSQCCQGKECSNTSDALDPPLKNVSSNAECPACYESNGTSCRGKPKWCYEEEQCV
FLVAELKNDIESKSLVLKGCSNVSNATCQFLSGENKTLGGVIFRKFEKANVNSLTPTSAPTTSHNVGSKASLYLL
ALASLLLRGLLP

224/615

FIGURE 223

GGCCTCGGTTCAAACGACCCGGTGGGTCTACAGCGGAAGGGAGGGAGCGAAGGTAGGAGGCAGGGCTTGCCTCAC
TGGCCACCCTCCCAACCCCAAGAGCCCAGCCCCATGGTCCCCGCCGCCGCGCGCTGCTGTGGGTCTTGCTGCTG
AATCTGGGTCCCCGGGCGGCGGGGGCCCCAAGGCCTGACCCAGACTCCGACCGAAATGCAGCGGGTCAGTTTACGC
TTTGGGGGCCCCATGACCCGCAGCTACCGGAGCACCGCCCGGACTGGTCTTCCCCGGAAGACAAGGATAATCCTA
GAGGACGAGAATGATGCCATGGCCGACGCCGACCGCCTGGCTGGACCAGCGGCTGCCGAGCTCTTGGCCGCCACG
GTGTCCACCGGCTTTAGCCGGTCGTCCGCCATTAACGAGGAGGATGGGTCTTCAGAAGAGGGGGTTGTGATTAAT
GCCGGAAGGATAGCACCAGCAGAGAGCTTCCAGTGCGACTCCCAATACAGCGGGGAGTTCCAGCACGAGGTTT
ATAGCCAATAGTCAGGAGCCTGAAATCAGGCTGACTTCAAGCCTGCCGCGCTCCCCGGGAGGTCTACTGAGGAC
CTGCCAGGCTCGCAGGCCACCCTGAGCCAGTGGTCCACACCTGGGTCTACCCCGAGCCGGTGGCCGTACCCCTCA
CCCACAGCCATGCCATCTCCTGAGGATCTGCGGCTGGTGCTGATGCCCTGGGGCCCGTGGCACTGCCACTGCAAG
TCGGGCACCATGAGCCGGAGCCGGTCTGGGAAGCTGCACGGCCTTTCGGGCGCCTTCGAGTTGGGGCGCTGAGC
CAGCTCCGCACGGAGCACAAAGCCTTGACCTATCAACAATGTCCCTGCAACCGACTTCGGGAAGAGTGCCCCCTG
GACACAAGTCTCTGTACTGACACCAACTGTGCCTCTCAGAGCACCACCAGTACCAGGACCACCCTACCCCTTC
CCCACCATCCACCTCAGAAGCAGTCCCAGCCTGCCACCCGCCAGCCCCTGCCAGCCCTGGCTTTTGGAAACGG
GTCAGGATTGGCCTGGAGGATATTTGGAATAGCCTCTCTTCAGTGTTCACAGAGATGCAACCAATAGACAGAAAC
CAGAGGTAATGGCCACTTCATCCACATGAGGAGATGTCAGTATCTCAACCTCTCTTGCCCTTCAATCCTAGCAC
CCACTAGATATTTTAGTACAGAAAAACAAAACCTGGAAAACACAA

225/615

FIGURE 224

MVPAAGALLWVLLLNLGPRAGAAGLTQTPTMQRVSLRFGGPMTRSyrSTARTGLPRKTRIILEDENDAMADAD
RLAGPAAAELLAATVSTGFSRSSAINEDGSSEEGVINAGKDSTSRELPSATPNTAGSSSTRFIANSQEPEIRL
TSSLPRSPGRSTEDLPGSQATLSQWSTPGSTPSRWSPSPPTAMPSPEDLRLVLPWGPWHCHCKSGTMSRSRSGK
LHGLSGRLRVGALSQLRTEHKPCTYQQPCPNRLREECPLDTSLCDTNCASQSTTSTRTTTTFPFTIHLRSSPSL
PPASPCPALAEWKVRIGLEDIWNSLSSVFTEMQPIDRNQR

226/615

FIGURE 225

CCCGGGTCCGACCCACGCGTCCGGGGAGAAAGGATGCGCGGCCTGGCGGCGCGGTTGGTCTCTGCTAGCTGGGGCAG
CGGCGCTGGCGAGCGGCTCCAGGGCGACCGTGAGCCGGTGTACCGCGACTGCGTACTGCAGTGCGAAGAGCAGA
ACTGCTCTGGGGGCGCTCTGAATCACTTCCGCTCCCGCCAGCCAATCTACATGAGTCTAGCAGGCTGGACCTGTC
GGGACGACTGTAAGTATGAGTGTATGTGGGTACCGTTGGGCTCTACCTCCAGGAAGGTCACAAAGTGCCTCAGT
TCCATGGCAAGTGGCCCTTCTCCCGGTTCTGTCTTTCAAGAGCCGGCATCGGCCGTGGCCTCGTTTCTCAATG
GCCTGGCCAGCCTGGTGATGCTCTGCCGCTACCGCACCTTCGTGCCAGCCTCCTCCCCATGTACCACACCTGTG
TGGCCTTCGCCTGGGTGTCCCTCAATGCATGCTTCTGGTCCACAGTCTTCCACACCAGGGACACTGACCTCACAG
AGAAAATGGACTACTTCTGTGCCTCCACTGTCATCCTACACTCAATCTACCTGTGCTGCGTCAGGACCGTGGGGC
TGCAGCACCCAGCTGTGGTCACTGCGCTTCCGGGCTCTCCTGCTGCTCATGCTGACCGTGCACGTCTCCTACCTGA
GCCTCATCCGCTTCGACTATGGCTACAACCTGGTGGCCAACGTGGCTATTGGCCTGGTCAACGTGGTGTGGTGGC
TGGCCTGGTGCCTGTGGAACCAGCGGCGGCTGCCTCAGTGCAGCAAGTGCCTGGTGGTGGTCTTGCTGCTGCAGG
GGCTGTCCCTGCTCGAGTGCCTTGACTTCCCACCGCTCTTCTGGGTCTGGATGCCCATGCCATCTGGCACATCA
GCACCATCCCTGTCCACGTCTCTTTTTCAGCTTTCTGGAAGATGACAGCCTGTACCTGCTGAAGGAATCAGAGG
ACAAGTTCAAGCTGGACTGAAGACCTTGGAGCGAGTCTGCCCCAGTGGGGATCCTGCCCCCGCCTGCTGGCCTC
CCTTCTCCCCCTCAACCCCTTGAGATGATTTTCTCTTTTCAACTTCTTGAACCTGGACATGAAGGATGTGGGGCCAG
AATCATGTGGCCAGCCACCCCTGTTGGCCCTCACCAGCCTTGGAGTCTGTTCTAGGGAAGGCTCCACAGCATC
TGGGACTCGAGAGTGGGCAGCCCCCTCTACCTCCTGGAGCTGAACTGGGGTGGAACTGAGTGTGTTCTTAGCTCTA
CCGGGAGGACAGCTGCCTGTTTCTCCCCACCAGCCTCCTCCCCACATCCCAGCTGCCTGGCTGGGTCTCTGAAG
CCCTCTGTCTACCTGGGAGACCAGGGACCACAGCCTTAGGGATACAGGGGGTCCCCCTTCTGTTACCACCCCCCA
CCCTCCTCCAGGACACCACTAGGTGGTGTGCTGGATGCTTGTCTTTGGCCAGCCAAGGTTACGGCGATTCTCCCC
ATGGGATCTTGAGGGACCAAGCTGCTGGGATTGGGAAGGAGTTTACCCTGACCGTTGCCCTAGCCAGGTTCCCA
GGAGGCCTCACCATACTCCCTTTCAGGGCCAGGGCTCCAGCAAGCCCAGGGCAAGGATCCTGTGCTGCTGTCTGG
TTGAGAGCCTGCCACCGTGTGTCTGGGAGTGTGGGCCAGGCTGAGTGCATAGGTGACAGGGCCGTGAGCATGGGCC
TGGGTGTGTGTGAGCTCAGGCCTAGGTGCGCAGTGTGGAGACGGGTGTTGTCTGGGGAAGAGGTGTGGCTTCAAAG
TGTGTGTGTGACAGGGGGTGGGTGTGTTAGCGTGGGTTAGGGGAACGTGTGTGCGCGTGTGGTGGGCATGTGAGA
TGAGTGAAGTCCCGGTGAATGTGTCCACAGTTGAGAGGTTGGAGCAGGATGAGGGAATCCTGTCAACCATCAATAAT
CACTTGTGGAGCGCCAGCTCTGCCCCAAGACGCCACCTGGGCGGACAGCCAGGAGCTCTCCATGGCCAGGCTGCCT
GTGTGCATGTTCCCTGTCTGGTGCCCCCTTGGCCGCTCCTGCAAACTCACAGGGTCCCCACACAACAGTGCCC
TCCAGAAGCAGCCCCCTCGGAGGCAGAGGAAGGAAAATGGGGATGGCTGGGGCTCTCTCCATCCTCCTTTTCTCCT
TGCCTTCGCATGGCTGGCCTTCCCCTCCAAAACCTCCATTCCCCTGCTGCCAGCCCCCTTGCCATAGCCTGATTT
TGGGGAGGAGGAAGGGGCGATTTGAGGGAGAAGGGGAGAAAGCTTATGGCTGGGTCTGGTTTCTTCCCTTCCCAG
AGGGTCTTACTGTTCAGGGTGGCCCCAGGGCAGGCAGGGGCCACACTATGCCTGTGCCCTGGTAAAGGTGACCC
CTGCCATTTACCAGCAGCCCTGGCATGTTCTGCCCCACAGGAATAGAATGGAGGGAGCTCCAGAACTTTCCAT
CCCAAAGGCAGTCTCCGTGGTTGAAGCAGACTGGATTTTGTCTGTGCCCTGACCCCTGTCCCTCTTTGAGGGA
GGGGAGCTATGCTAGGACTCCAACCTCAGGGACTCGGGTGGCCTGCGCTAGCTTCTTTTGATACTGAAAACCTTT
AAGGTGGGAGGTTGGCAAGGGATGTGCTTAATAAATCAATCCAAGCCTCAAAAAAAAAAAAAAAAAA

227/615

FIGURE 226

MAGLAARLVLLAGAAALASGSQGDREPVYRDCVLQCEEQNCSGGALNHFRSRQPIYMSLAGWTCRDDCKYECMWV
TVGLYLQEGHKVPQFHGKWPFSSRFLFFQEPASAVASFLNGLASLVMLCRYRTFVPASSPMYHTCVAFAWVSLNAW
FWSTVFHTRDSDLTEKMDYFCASTVILHSIYLCCVRTVGLQHPPAVVSAFRALLLLMLTVHVSYLSLIRFDYGYNL
VANVAIGLVNVVWLLAWCLWNQRRLLPHVRKCVVVVLLQLGLSLELLDFPPLFWVLDAAHAIWHISTIPVHVLFSS
FLEDDSLYLLKESEDKFKLD

Important features:**Signal peptide:**

amino acids 1-20

Transmembrane domains:

amino acids 105-123, 138-156, 169-185, 193-209, 221-240, 256-272

N-glycosylation site.

amino acids 40-44

N-myristoylation site.

amino acids 43-49

CUB domain proteins profile.

amino acids 285-302

Amiloride-sensitive sodium channels proteins.

amino acids 162-186

228/615

FIGURE 227

TTCGGCTTCCGTAGAGGAAGTGGCGCGGACCTTCATTGTTGGGGTTTCGGTTCCCCCCTTCCCCTTCCCCGGGGTC
TGGGGGTGACATTGCACCGCGCCCCCTCGTGGGGTCGCGTTGCCACCCACGCGGACTCCCCAGCTGGCGCGCCCC
TCCCATTGTCCTGTCCTGGTCAGGCCCCCACCCTTCCCACCTGACCAGCCATGGGGGGCTGCGGTGTTTTTCG
GCTGCATTTTCGTGCGCTTCGGCCCGGCCCTTCGCGCTTTTCTTGATCACTGTGGCTGGGGACCCGCTTCGCGTTA
TCATCCTGGTCGCGAGGGGCATTTTTCTGGCTGGTCTCCCTGCTCCTGGCCTCTGTGGTCTGGTTCATCTTGGTCC
ATGTGACCGACCGGTGAGATGCCCCGCTCCAGTACGGCCTCCTGATTTTGGTGCTGCTGCTCTGTCTCTTCTAC
AGGAGGTGTTCCGCTTTGCCTACTACAAGCTGCTTAAGAAGGCAGATGAAGGGTTAGCATCGCTGAGTGAGGACG
GAAGATCACCCATCTCCATCCGCCAGATGGCCTATGTTTCTGGTCTCTCCTTCGGTATCATCAGTGGTGTCTTCT
CTGTTATCAATATTTTGGCTGATGCACTTGGGCCAGGTGTGGTTGGGATCCATGGAGACTCACCTATTACTTCC
TGACTTCAGCCTTTCTGACAGCAGCCATTATCCTGCTCCATACCTTTTGGGGAGTTGTGTTCTTTGATGCCTGTG
AGAGGAGACGGTACTGGGCTTTGGGCCTGGTGGTTGGGAGTCACCTACTGACATCGGGACTGACATTCTGAACC
CCTGGTATGAGGCCAGCCTGCTGCCCATCTATGCAGTCACTGTTTCCATGGGGCTCTGGGCCTTCATCACAGCTG
GAGGGTCCCTCCGAAGTATTCAGCGCAGCCTCTTGTTAAGGACTGACTACCTGGACTGATCGCCTGACAGATCC
CACCTGCCTGTCCACTGCCCATGACTGAGCCAGCCCCAGCCCCGGGTCCATTGCCCACATTCCTGTCTCCTTCT
CGTCGGTCTACCCCACTACCTCCAGGGTTTTGCTTTGTCTTTTGTGACCGTTAGTCTCTAAGCTTTACCAGGAG
CAGCCTGGGTTTTCAGCCAGTCACTGACTGGTGGGTTTGAATCTGCACCTTATCCCCACCACCTGGGGACCCCTTGT
TGTGTCCAGGACTCCCCCTGTGTGAGTGTCTGCTCTCACCCTGCCCAAGACTCACCTCCCTTCCCCTCTGCAGG
CCGACGGCAGGAGGACAGTGGGTGATGGTGTATTCTGCCCTGCGCATCCACCCGAGGACTGAGGGAACCTAGG
GGGGACCCCTGGGCCTGGGGTGGCCTCCTGATGTCTCGCCCTGTATTTCTCCATCTCCAGTTCTGGACAGTGCA
GGTTGCCAAGAAAAGGGACCTAGTTTAGCCATTGCCCTGGAGATGAAATTAATGGAGGCTCAAGGATAGATGAGC
TCTGAGTTTCTCAGTACTCCCTCAAGACTGGACATCTTGGTCTTTTTCTCAGGCCTGAGGGGGAACCATTTTTGG
TGTGATAAATAACCTAAACTGCCTTTTTTTCTTTTTTGGAGGTGGGGGAGGGAGGAGGTATATTGGAACCTCTCT
AACCTCCTTGGGCTATATTTCTCTCCTCGAGTTGCTCCTCATGGCTGGGCTCATTTCCGTCCCTTTCTCCTTGG
TCCCAGACCTTGGGGGAAAGGAAGGAAGTGCATGTTTGGGAAGTGGCATTACTGGAACATAATGGTTTTAACCTCC
TTAACCACCAGCATCCCTCCTCTCCCAAGGTGAAGTGGAGGGTGCTGTGGTGAGCTGGCCACTCCAGAGCTGCA
GTGCCACTGGAGGAGTCACTACCATGACATCGTAGGGAAGGAGGGGAGATTTTTTTGTAGTTTTTAATTGGGG
TGTGGGAGGGGCGGGGAGGTTTTCTATAAACTGTATCATTTTTCTGCTGAGGGTGGAGTGTCCCATCCTTTTAATC
AAGGTGATTGTGATTTTGAATAAAAAAGAATTTGTAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA

229/615

FIGURE 228

MGAAVFFGCTFVAFGPALFLITVAGDPLRVIIILVAGAFFWLVSLLASVVWFILVHVTDRSDARLQYGLLIFG
AAVSVLLQEVFRFAYYKLLKKADEGLASLSEDGRSPISIRQMAYVSGLSFGIISGVFSVINILADALGPGVVGIH
GDSPYYFLTSAFLTAAILLHTFWGVVFFDACERRRYWALGLVVGSHLLTSGLTFLNPWYEASLLPIYAVTVSMG
LWAFITAGGSLRSIQRSLLCKD

230/615

FIGURE 229

CGGGAGGCTGGGTCGTCATGATCCGGACCCCATTTGTCGGCCTCTGCCCATCGCCTGCTCCTCCCAGGCTCCCGCG
GCCGACCCCCGCGCAAC**ATG**CAGCCCACGGGCGCGAGGGTTCCCGCGCGCTCAGCCGGCGGTATCTGCGGCGTCTC
TGCTGCTCCTGCTACTGCTGCTGCTGCTGCGGCAGCCCGTAACCCGCGCGGAGACCACGCCGGGCGCCCCAGAG
CCCTCTCCACGCTGGGCTCCCCAGCCTCTTCACCACGCCGGGTGTCCCCAGCGCCCTCACTACCCAGGCCTCA
CTACGCCAGGCACCCCCAAAACCTTGACCTTCGGGGTTCGCGCGCAGGCCCTGATGCGGAGTTTCCCACTCGTGG
ACGGCCACAATGACCTGCCCCAGGTCCTGAGACAGCGTTACAAGAATGTGCTTCAGGATGTTAACCTGCGAAATT
TCAGCCATGGTCAGACCAGCCTGGACAGGCTTAGAGACGGCCTCGTGGGTGCCAGTTCTGGTCAGCCTCCGTCT
CATGCCAGTCCCAGGACCAGACTGCCGTGCGCCTCGCCCTGGAGCAGATTGACCTCATTCACCGCATGTGTGCCT
CCTACTCTGAACCTCGAGCTTGTGACCTCAGCTGAAGGTCTGAACAGCTCTCAAAGCTGGCCTGCCTCATTGGCG
TGNAGGGTGGTCACCTCACTGGACAGCAGCCTCTCTGTGCTGCGCAGTTTCTATGTGCTGGGGGTGCGCTACCTGA
CACTTACCTTCACCTGCAGTACACCATGGGCAGAGAGTTCCACCAAGTTCAGACACCACATGTACACCAACGTCA
GCGGATTGACAAGCTTTGGTGAGAAAGTAGTAGAGGAGTTGAACCGCCTGGGCATGATGATAGATTTGTCCCTATG
CATCGGACACCTTGATAAGAAGGGTCCTGGAAGTGTCTCAGGCTCCTGTGATCTTCTCCCACTCAGCTGCCAGAG
CTGTGTGTGACAATTTGTTGAATGTTCCCGATGATATCCTGCAGCTTCTGAAGAACGGTGGCATCGTGATGGTGA
CACTGTCCATGGGGGTGCTGCAGTGCAACCTGCTTGCTAACGTGTCCACTGTGGCAGATCACTTTGACCACATCA
GGGCAGTCATTGGATCTGAGTTCATCGGGATTGGTGAAATTATGACGGGACTGGCCGGTTCCCTCAGGGGCTGG
AGGATGTGTCCACATAACCCAGTCCTGATAGAGGAGTTGCTGAGTCGTASCTGGAGCGAGGAAGAGCTTCAAGGTG
TCCTTCGTGGAAACCTGCTGCGGGTCTTCAGACAAGTGGAAGGTGAGAGAGGAGAGCAGGGCGCAGAGCCCCG
TGGAGGCTGAGTTTCCATATGGGCAACTGAGCACATCCTGCCACTCCCACCTCGTGCCTCAGAATGGACACCAGG
CTACTCATCTGGAGGTGACCAAGCAGCCAACCAATCGGGTCCCCTGGAGGTCCTCAAATGCCTCCCCATACCTTG
TTCCAGGCCTTGTGGCTGCTGCCACCATCCCAACCTTCACCCAGTGGCTCTGCT**TG**ACACAGTCGGTCCCCGCAGA
GGTCACTGTGGCAAAGCCTCACAAAGCCCCCTCTCCTAGTTCATTACAAGCATATGCTGAGAATAAACATGTTA
CACATGGAAAA

231/615

FIGURE 230

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA59817
><subunit 1 of 1, 487 aa, 1 stop, 2 unknown
><MW: 53569.32, pI: 7.68, NX(S/T): 5
MQPTGREGSRALSRRYLRRLLLLLLLLLLLLLRQPVTAEETTPGAPRALSTLGSPSLFTTPGVPSALTTPGLTTPGTP
KTLDLRGRAQALMRSFPLVDGHNDLPQVLRQRYKNVLQDVNLRNFSGQTSLDRLRDGLVGAQFWSASVSCQSQD
QTAVRLALEQIDLIHRMCASYSELELVTSAEGLNSSQKLACLIGVXGGHSLDSSLVLSFYVLGVRYLTTLTFTC
STPWAESSTKFRHHMYTNVSGLTSTFGEKVVEELNRLGMMIDLSYASDTLIRRVLEVSQAPVIFSHSAARAVCDNL
LNVDPDILQLLKNGGIVMVTLSMGVLQCNLLANVSTVADHFDHIRAVIGSEFIGIGGNYDGTGRFPQGLQLEDVSTY
PVLIEELLSRXWSEELQGVLRGNLLRVFRQVEKVVREESRAQSPVEAEFFPYGQLSTSCHSHLVPQNGHQATHLEV
TKQPTNRVPWRSSNASPYLVPGLVAAATIPTFTQWLC
```

Important features of the protein:**Signal peptide:**

amino acids 1-36

Transmembrane domain:

amino acids 313-331

N-glycosylation sites.

amino acids 119-122, 184-187, 243-246 and 333-336

N-myristoylation sites.

amino acids 41-46, 59-64, 73-78, 133-138, 182-187, 194-199, 324-329, 354-359, 357-362, 394-399, 427-432 and 472-477.

Prokaryotic membrane lipoprotein lipid attachment site.

amino acids 136-146

232/615

FIGURE 231

GCTCTGGCCGGCCCCGGCGATTGGTCACCGCCCGCTAGGGGACAGCCCTGGCCTCCTCTGATTGGCAAGCGCTGG
CCACCTCCCCACACCCCTTGCGAACGCTCCCCTAGTGGAGAAAAGGAGTAGCTATTAGCCAATTTCGGCAGGGGCC
GCTTTTATAGAAGCTTGATTTCTTTGAAGATGAAAGACTAGCGGAAGCTCTGCCTCTTTCCCCAGTGGGCGAGGG
AACTCGGGGCGATTGGCTGGGAACGTGTATCCACCCAAATGTCACCGATTCTTCTCTATGCAGGAAATGAGCAGAC
CCATCAATAAGAAATTTCTCAGCCTGGCCGAAAATGGTTGGCCCCACGAAGCCACGACAACCTGGAGGCAAAGAGG
GTTGCTCAACGCCCCGCCTCATTGGAACCAAATCAGATCTGGGACCTATATAGCGTGGCGGAGGCGGGGCGAT
GATTGTCGCGCTCGCACCCACTGCAGCTGCGCACAGTCGCATTTCTTTCCCCGCCCCTGAGACCCTGCAGCACCA
TCTGTCAATGGCGGCTGGGCTGTTTGGTTTGAAGCGCTCGCCGTCTTTTGGCGGCAGCGGCGACGCGAGGGCTCCCG
GCCGCCCCGCTCCGCTGGGAATCTAGCTTCTCCAGGACTGTGGTCGCCCGTCCGCTGTGGCGGGAAAGCGGCCC
CCAGAACCGACCACACCGTGGCAAGAGGACCCAGAACCCGAGGACGAAAACCTTGTATGAGAAGAACCCAGACTCC
CATGGTTATGACAAGGACCCCGTTTGGACGTCTGGAACATGCGACTTGTCTTCTTTGGCGTCTCCATCATC
CTGGTCCTTGGCAGCACCTTTGTGGCCTATCTGCCTGACTACAGGATGAAAGAGTGGTCCCGCCGCGAAGCTGAG
AGGCTTGTGAAATACCGAGAGGCCAATGGCCTTCCCATCATGGAATCCAACCTGCTTCGACCCAGCAAGATCCAG
CTGCCAGAGGATGAGTGAACAGTTGCTAAGTGGGGCTCAAGAAGCACCGCCTTCCCCACCCCTGCCTGCCATT
TGACCTCTTCTCAGAGCACCTAATTAAAGGGGCTGAAAGTCTGAA

233/615

FIGURE 232

MAAGLFGLSARLLAAAAATRG LPAARVRWESSFSRTVVAPSAVAGKRPPEPTTPWQEDPEPEDENLYEKNPDSHG .
YKDPVLDVWNMRLVFFFGVSIILVLGSTFVAYLPDYRMKEWSRREAERLVKYREANGLPIMESNCFDPSKIQLPEDE

234/615

FIGURE 233

CGGGCGGCTATGCGGCTTGCTCTGCTCGTCCTGTTGCTCCTGGGGCCCCGGCGGCTGGTGCCTTGCGAAGCCCCA
CGCGACAGCCTGCGGGAGGAACTTGTCATCACCCCGCTGCCCTTCCGGGGACGTAGCCGCCACATTCCAGTTCCGC
ACGCGCTGGGATTCCGGAGCTTCAGCGGGAAGGAGTGTCCATTACAGGCTCTTTCCCAAAGCCCTGGGGCAGCTG
ATCTCCAAGTATTCTCTACGGGAGCTGCACCTGTCATTACACAAGGCTTTTGGAGGACCCGATACTGGGGGCCA
CCCTTCCTGCAGGCCCCATCAGGTGCAGAGCTGTGGGTCTGGTTCCAAGACACTGTCACTGATGTGGATAAATCT
TGGAAGGAGCTCAGTAATGTCCTCTCAGGGATCTTCTGCGCCTCTCTCAACTTCATCGACTCCACCAACACAGTC
ACTCCCACTGCCTCCTTCAAACCCCTGGGTCTGGCCAATGACACTGACCACTACTTTCTGCGCTATGCTGTGCTG
CCGCGGGAGGTGGTCTGCACCGAAAACCTCACCCCTGGAAGAAGCTCTTGCCCTGTAGTTCCAAGGCAGGCCTC
TCTGTGCTGCTGAAGGCAGATCGCTTGTTCCACACCAGCTACCACTCCCAGGCAGTGCATATCCGCCCTGTTTGC
AGAAATGCACGCTGTACTAGCATCTCCTGGGAGCTGAGGCAGACCCTGTCAGTTGTATTTGATGCCTTCATCAG
GGGCAGGGAAGAAAGACTGGTCCCTCTTCCGGATGTTCTCCCGAACCCTCACGGAGCCCTGCCCCCTGGCTTCA
GAGAGCCGAGTCTATGTGGACATCACCACTACAACCAGGACAACGAGACATTAGAGGTGCACCCACCCCGACC
ACTACATATCAGGACGTCATCCTAGGCACTCGGAAGACCTATGCCATCTATGACTTGCTTGACACCGCCATGATC
AACAACCTCTCGAAACCTCAACATCCAGCTCAAGTGAAGAGACCCCAAGAGAATGAGGCCCCCCCCAGTGCCCTTC
CTGCATGCCAGCGGTACGTGAGTGGCTATGGGCTGCAGAAGGGGGAGCTGAGCACACTGCTGTACAACACCCAC
CCATACCGGGCCTTCCCGGTGCTGCTGCTGGACACCGTACCCTGGTATCTGCGGCTGTATGTGCACACCCCTCACC
ATCACCTCCAAGGGCAAGGAGAACAACCAAGTTACATCCACTACCAGCCTGCCAGGACCGGCTGCAACCCAC
CTCCTGGAGATGCTGATTCAGCTGCCGGCCAACTCAGTCACCAAGGTTTCCATCCAGTTTGAGCGGGCGCTGCTG
AAGTGGACCGAGTACACGCCAGATCCTAACCATGGCTTCTATGTACGCCATCTGTCTCAGCGCCCTTGTGCC
AGCATGGTAGCAGCCAAGCCAGTGGACTGGGAAGAGAGTCCCCTCTTCAACAGCCTGTTCAGTCTCTGATGGC
TCTAACTACTTTGTGCGGCTCTACACGGAGCCGCTGCTGGTGAACCTGCCGACACCGGACTTCAGCATGCCCTAC
AACGTGATCTGCCCTCAGTGCAGTGTGGTGGCCGTGTGCTACGGCTCCTTCTACAATCTCCTCACCCGAACCTTC
CACATCGAGGAGCCCCGCACAGGTGGCCTGGCCAAGCGGCTGGCCAACCTTATCCGGCGCGCCCGAGGTGTCCCC
CCACTCTGATTCTTGGCCCTTTCCAGCAGCTGCAGCTGCCGTTTCTCTCTGGGGAGGGGAGCCCAAGGGCTGTTTC
TGCCACTTGCTCTCCTCAGAGTTGGCTTTTGAACCAAGTGCCCTGGACCAGGTCAGGGCCTACAGCTGTGTTGT
CCAGTACAGGAGCCACGAGCCAAATGTGGCATTGGAATTTGAATTAACCTAGAAATTCATTTCTCACCTGTAGT
GGCCACCTCTATATTGAGGTGCTCAATAAGCAAAAGTGGTGGTGGCTGCTGTATTGGACAGCACAGAAAAAGAT
TTCCATCACCACAGAAAGGTGGGCTGGCAGCACTGGCCAAGGTGATGGGGTGTGCTACACAGTGTATGTCACTGT
GTAGTGGATGGAGTTTACTGTTTGTGGAATAAAAACGGCTGTTTCCGTGGAAAAA

235/615

FIGURE 234

MPLALLVLLLLGPGGWCLAEPFRDSLREELVITPLPSGDVAATFQFRTRWDSELQREGVSHYRLFPPKALGQLISK
YSLRELHLSFTQGFWRTRYWGPPFLQAPSGAELWVWFQDTVTDVDKSWKELSNVLSGIFCASLNFIDSTNTVTPT
ASFKPLGLANDTDHYFLRYAVLPREVVCTENLTPWKKLLPCSSKAGLSVLLKADRLFHTSYHSQAVHIREPVCRNA
RCTSISWELRQTLVVFDFAFITGQKKDWSLFRMFSRTLTEPCPLASESRVYVDITTYNQDNETLEVHPPPTTTY
QDVILGTRKTYAIYDLDTAMINNSRNLNIQLKWKRPENEAPPVPFLHAQRYVSGYGLQKGEISTLLYNTHPYR
AFPVLLLDTPVWYLRLYVHTLTITSKGKENKPSYIHYQPAQDRLOPHLLEMLIQLPANSVTKVSIOFERALLKWT
EYTPDPNHGFYVSPSVLSALVPSMVAAKPDWEESPLFNSLFPVSDGSNYFVRLYTEPLLVLNLPDPFSMPYNVI
CLTCTVVAVCYGSFYNLLTRTFHIEEPRTGGLAKRLANLIRRARGVPPL

236/615

FIGURE 235

TGACGTCAGAATCACCATGGCCAGCTATCCTTACCGGCAGGGCTGCCAGGAGCTGCAGGACAAGCACCAGGAGC
CCCTCCGGGTAGCTACTACCCTGGACCCCCCAATAGTGGAGGGCAGTATGGTAGTGGGCTACCCCTGGTGGTGG
TTATGGGGGTCTGCCCCCTGGAGGGCCCTTATGGACCACCAGCTGGTGGAGGGCCCTATGGACACCCCAATCCTGG
GATGTTCCCTCTGGAACCTCAGGAGGACCATATGGCGGTGCAGCTCCCGGGGGCCCCCTATGGTCAGCCACCTCC
AAGTTCCTACGGTGCCAGCAGCCTGGGCTTTATGGACAGGGTGGCGCCCCCTCCCAATGTGGATCCTGAGGCCTA
CTCCTGGTTCAGTCGGTGGACTCAGATCACAGTGGCTATATCTCCATGAAGGAGCTAAAGCAGGGCCCTGGTCAA
CTGCAATTGGTCTTCATTCAATGATGAGACCTGCCTCATGATGATAAACATGTTTGACAAGACCAAGTCAGGCCG
CATCGATGTCTACGGCTTCTCAGCCCTGTGGAAATTCATCCAGCAGTGGAAGAACCTCTCCAGCAGTATGACCG
GGACCGCTCGGGCTCCATTAGCTACACAGAGCTGCAGCAAGCTCTGTCCCAATGGGCTACAACCTGAGCCCCCA
GTTACCCAGCTTCTGGTCTCCCGCTACTGCCACGCTCTGCCAATCCTGCCATGCAGCTTGACCGCTTCATCCA
GGTGTGCACCCAGCTGCAGGTGCTGACAGAGGCCTTCCGGGAGAAGGACACAGCTGTACAAGGCAACATCCGGCT
CAGCTTCGAGGACTTCGTCACCATGACAGCTTCTCGGATGCTATGACCCCAACCATCTGTGGAGAGTGGAGTGCAC
CAGGGACCTTTCCTGGCTTCTTAGAGTGAGAGAAGTATGTGGACATCTTCTTTTCTGTCCTCTAGAAGAAC
ATTCTCCCTTGCTTGATGCAACACTGTTCCAAAAGAGGGTGGAGAGTCTGTCATCATAGCCACCAATAGTGAGG
ACCGGGGCTGAGGCCACACAGATAGGGGCCTGATGGAGGAGAGGATAGAAGTTGAATGTCCTGATGGCCATGAGC
AGTTGAGTGGCACAGCCTGGCACCAGGAGCAGGTCCTTGTAATGGAGTTAGTGTCCAGTCAGCTGAGCTCCACCC
TGATGCCAGTGGTGAGTGTTTCATCGGCCTGTTACCGTTAGTACCTGTGTTCCCTCACCAGGCCATCCTGTCAAAC
GAGCCCATTTTCTCCAAAGTGGAATCTGACCAAGCATGAGAGAGATCTGTCTATGGGACCAGTGGCTTGGATTCT
GCCACACCCATAAATCCTTGTGTGTTAACTTCTAGCTGCCTGGGGCTGGCCCTGCTCAGACAAATCTGCTCCCTG
GGCATCTTTGGCCAGGCTTCTGCCCCCTGCAGCTGGGACCCCTCACTTGCCTGCCATGCTCTGCTCGGCTTCAGT
CTCCAGGAGACAGTGGTCACCTCTCCCTGCCAATACTTTTTTTAATTTGCATTTTTTTTCATTTGGGGCCAAAAG
TCCAGTGAAATTGTAAGCTTCAATAAAAGGATGAAACTCTGA

237/615

FIGURE 236

MASYPYRQGCPGAAGQAPGAPPGSYYPGPPNSGGQYGSGLPPGGGYGGPAPGGPYGPPAGGGPYGHPNPGMFPSG
TPGGPYGGAAPGGPYGQPPSSYGAQQPGLYGQGGAPPNVDPEAYSWFQSVDSHSGYISMKEKQALVNCNWSS
FNDETCLMMINMFDKTKSGRIDVYGFSALWKFIQQWKNLFQQYDRDRSGSISYTELQQALSQMGYNLSPQFTQLL
VSRYCPRSANPAMQLDRFIQVCTQLQVLTEAFREKDTAVQGNIRLSFEDFVTMTASRML

Important features of the protein:**Signal peptide:**

amino acids 1-19

N-glycosylation site.

amino acids 147-150

Casein kinase II phosphorylation sites.

amino acids 135-138, 150-153, 202-205, 271-274

N-myristoylation sites.

amino acids 9-14, 15-20, 19-24, 33-38, 34-39, 39-44, 43-48, 61-66, 70-75, 78-83, 83-88, 87-92, 110-115

238/615

FIGURE 237

CAGGATGCAGGGCCGCGTGGCAGGGAGCTGCGCTCCTCTGGGCCTGCTCCTGGTCTGTCTTCATCTCCCAGGCCT
CTTTGCCCCGAGCATCGGTGTTGTGGAGGAGAAAGTTTCCCAAACTTCGGGACCAACTTGCCTCAGCTCGGACA
ACCTTCCTCCACTGGCCCCCTCTAACTCTGAACATCCGCAGCCCCGCTCTGGACCCTAGGTCTAATGACTTGGCAAG
GGTTCTCTGAAGCTCAGCGTGCCTCCATCAGATGGCTTCCCACCTGCAGGAGGTTCTGCAGTGCAGAGGTGGCC
TCCATCGTGGGGGCTGCCTGCCATGGATTCTGGCCCCCTGAGGATCCTTGGCAGATGATGGCTGCTGCGGCTGA
GGACCGCCTGGGGGAAGCGCTGCCTGAAGAACTCTCTACCTCTCCAGTGTCTGCGGCCCTCGCTCCGGGCAGTGG
CCCTTTGCCTGGGGAGTCTTCTCCCGATGCCACAGGCCTCTCACCTGAGGCTTCACTCCTCCACCAGGACTCGGA
GTCCAGACGACTGCCCCGTTCTAATTCAGTGGGAGCCGGGGGAAAAATCCTTTCCCAACGCCCTCCCTGGTCTCT
CATCCACAGGGTTCTGCCTGATCACCCCTGGGGTACCCTGAATCCCAGTGTGTCTCTGGGGAGGTGGAGGCCCTGG
GACTGGTTGGGGAACGAGGCCCATGCCACACCCTGAGGGAATCTGGGGTATCAATAATCAACCCCCAGGTACCAG
CTGGGGAAATATTAATCGGTATCCAGGAGGCAGCTGGGGAAATATTAATCGGTATCCAGGAGGCAGCTGGGGGA
TATTAATCGGTATCCAGGAGGCAGCTGGGGGAATATTATCTATACCCAGGTATCAATAACCCATTTCTCCTGG
AGTTCTCCGCCCTCCTGGCTCTTCTTGGAACATCCCAGCTGGCTTCCCTAATCCTCCAAGCCCTAGGTTGCAGTG
GGGCTAGAGCACGATAGAGGGAAACCAACATTGGGAGTTAGAGTCCTGCTCCCGCCCCCTTGCTGTGTGGGCTCA
ATCCAGGCCCTGTTAACATGTTTCCAGCACTATCCCCACTTTTCAGTGCCTCCCCCTGCTCATCTCCAATAAAATA
AAAGCACTTATGAAA
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA

239/615

FIGURE 238

MQGRVAGSCAPLGILLVCLHLPGLFARSIGVVEEKVSONFGTNLPQLGQPSSTGPSNSEHPQPALDPRSNDLARV
PLKLSVPPSDGFPPAGGSAVQRWPPSWGLPAMDSWPPEDPWQMMAAAEDRLGEALPEELSYLSSAAALAPGSGP
LPGESSPDATGLSPEASLLHQDSESRRLPRSNSLGAGGKILSRPPWSLIHRVLPDHPWGTLPNSVSWGGGGPGT
GWGTRMPMPHPEGIWGINNQPPGTSGWGNINRYPGGSWGNINRYPGGSWGNINRYPGGSWGNIHLYPGINNPFPFPGV
LRPPGSSWNIPAGFPNPPSPRLQWG

Important features of the protein:

Signal peptide:

amino acids 1-26

Casein kinase II phosphorylation sites.

amino acids 56-59, 155-158

N-myristoylation sites.

amino acids 48-53, 220-225, 221-226, 224-229, 247-252, 258-263, 259-264, 269-274, 270-275, 280-285, 281-286, 305-310

240/615

FIGURE 23.9

GGGCGTCTCCGGCTGCTCCTATTGAGCTGTCTGCTCGCTGTGCCCGCTGTGCCTGCTGTGCCCGCGCTGTGCGCG
CTGCTACCGCGTCTGCTGGACGCGGGAGACGCCAGCGAGCTGGTGATTGGAGCCCTGCGGAGAGCTCAAGCGCCC
AGCTCTGCCCCAGGAGCCAGGCTGCCCCGTGAGTCCCATAGTTGTCTGCAGGAGTGGAGCCATGAGCTGCGTCTCT
GGTGTGTGTCATCCCCTTGGGGTCTGCTTTCTGGTCTCGGATCCCCAAGGCTACCTCTGCCCACAGCTACACTCT
CTTAGAGGAGCTGCTCAGCAAATACCAGCACAAAGAGTCTCACTCCCGGGTCCGCAGAGCCATCCCCAGGGAGGA
CAAGGAGGAGATCCTCATGCTGCACAACAAGCTTCGGGGCCAGGTGCAGCCTCAGGCCTCCAACATGGAGTACAT
GGTGAGCGCGCGCTCCGGCCGAGAGGCTGGCACCGGGGGTGGGGCTGGGCCACCAGCCTGCTGTGTTCCCCAG
CCAGCTCTGTTTCCCCAGCCAGTGCCTGTGATGGCTGGCTCAGGGTCTCCTCTGGCAGGGGAGGATCCCGGCTCTG
TTCTGTGTTTTGTTGTTGTTTGGAGACAGGGTCTCACTCTGCCACTGACGCTGGAGTGCAATGGCACAACGTCGCA
TGCCCTGAAACCTTAGACTCCCGGGGTAAAGCGATCCTGCTTCAGCCTCCCAAGTAGCTGGAACACAGGCATGC
ACCATGGTGCCCAGCTAGATTTTAAATATTTTGTGGAGATGGGGGTCTTGCTACGTTGCCAGGCTGGTCTTGAA
CTCCTAGGCTCAAGCAATCCTCCTGCCTCAGCCTCTCAAAGTGCTAGGATTATAGGCATGAGTCAACCCTGTCTGG
CTCTGGCTCTGTTCTTAACATTCTGCCAAAACAACACAGTGGGTTCCTGTGCAGAGCCTGCCCTGTTGCCCTTC
ATGTCACTCTTGGTAGCTCCACTGGGAACAACAGCTCTCAGCCTTTCCACCTGGAGGACAGATGGGGAGGGCCC
AGGGCTGGGCTTTGCTGATGCTGATCTCAGCTGTGCCACACGCTAGCTGCACCACCCTGACTTCTCCTTAGCCCG
TGTGAGCCTCACTTTCCACTTGGAGAGTCCTTCCTCGCGTGGTTGCCATGACTGTGAGATAAGTCGAGGCTGTGA
AGGGCCCGCAGACAGACTGACCTGCCTCCCCAACCCCTAGGCTTTTGCTAACCGGGAAGGAGCTAACGGTGACAGA
AGACAGCCAAGGTCAACCTCCCGGGTGATTGTGATGGGTGTTCCAGGTGTGGTTGGGCGATGCTGCTACTTGAC
CCCAAGCTCCAGTGTGGAAACTTCTCTTCTGGCTGGTTTTCCAGAAGTACAGAGGAATGGACCAAGTCTCCAG
GGTCCCTCCTCGTCCACCAACCGGGAGCCTCCACCTTGGCCATCCGTCAGCTATGAATGGCTTTTTAAACAAACC
CACGTCCAGCCTGGGTAAACATGGTAAAGCCCCGTCTCTACAAAAAATCCAAGTTAGCCGGGCATGTTGGTGCG
CACCTGTAGTCCCAGCTGCAGTGGGACTGAGGTGGAGGTGGAGGTGGGGGTGGGAGCTGAGGAAGGAGGATCGC
TTGAGCTTGGAAGTCGAGGCTGCAGTGAGCTGAGATTGCACCACTGCACTCCAGCCTGGGTGACAGCAAGAC
CCTGTCTCAAAAA

241/615

FIGURE 240

MSCVLGGVIPLGLLFLVCGSQGYLLPNVTLLLEELLSKYQHNEHSRVRRAIPREDKEEILMLHNKLRGQVQPQAS
NMEYMVSAAGSGRRGWHRGWLGHQPALFPSQLCSPASACDGWLRVSSGRGGSRLCSVLFVCFETGSHSATDAGVQ
WHNRHALKP

Important features:

Signal peptide:

amino acids 1-22

N-glycosylation site.

amino acids 27-31, 41-45

N-myristoylation site.

amino acids 126-132, 140-146

Amidation site.

amino acids 85-89

242/615

FIGURE 241

AAGGAGAGGCCACCGGGACTTCAGTGTCTCCTCCATCCCAGGAGCGCAGTGGCCACTATGGGGTCTGGGCTGCCC
CTTGTCCTCCTCTTGACCCTCCTTGGCAGCTCACATGGAACAGGGCCGGGTATGACTTTGCAACTGAAGCTGAAG
GAGTCTTTTCTGACAAATTCCTCCTATGAGTCCAGCTTCCTGGAATTGCTTGAAAAGCTCTGCCTCCTCCTCCAT
CTCCCTTCAGGGACCAGCGTCACCTCCACCATGCAAGATCTCAACACCATGTTGTCTGCAACACATGACAGCCA
TTGAAGCCTGTGTCTTCTTGGCCCGGGCTTTTGGGCCGGGGATGCAGGAGGCAGGCCCCGACCCTGTCTTTCAG
CAGGCCCCCACCTCCTGAGTGGCAATAAATAAAATTCGGTATGCTG

243/615

FIGURE 242

MSGGLPLVLLLTLLGSSHGTGPGMTLQLKLKESFLTNSSYESSFELLEKLCLLLHLPSTSVTLHHARSQHHVVCNT

244/615

FIGURE 243

GGCAAGTGGAACCACTGGCTTGGTGGATTTTGCTAGATTTTTCTGATTTTAACTCCTGAAAAATATCCCAGAT
AACTGTCATGAAGCTGGTAACTATCTTCCTGCTGGTGACCATCAGCCTTTGTAGTTACTCTGCTACTGCCTTCCT
CATCAACAAAGTGCCCCCTCCTGTTGACAAGTTGGCACCTTTACCTCTGGACAACATTCTTCCCTTTATGGATCC
ATTAAAGCTTCTTCTGAAAACCTCTGGGCATTTCTGTTGAGCACCTTGTGGAGGGGCTAAGGAAGTGTGTAAATGA
GCTGGGACCAGAGGCTTCTGAAGCTGTGAAGAACTGCTGGAGGCGCTATCACACTTGGTGTGACATCAAGATAA
AGAGCGGAGGTGGATGGGGATGGAAGATGATGCTCCTATCCTCCCTGCCTGAAACCTGTTCTACCAATTATAGAT
CAAATGCCCTAAAATGTAGTGACCCGTGAAAAGGACAAATAAAGCAATGAATACATTA

245/615

FIGURE 244

```
</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA59855  
<subunit 1 of 1, 93 aa, 1 stop  
<MW: 10161, pI: 7.39, NX(S/T): 0  
MKLVTFLLVTISLCSYSATAFLINKVPLPVDKLAPLPLDNILPFMDPLKLLKTLGISV  
EHLVEGLRKCVNELGPEASEAVKKLLEALSHLV
```

Important features:**Signal peptide:**

Amino acids 1-18

246/615

FIGURE 245

TGCTAGGCTCTGTCCCACAATGCACCCGAGAGCAGGAGCTGAAAGCCTCTAACACCCACAGATCCCTCTATGACT
GCAATGTGAGGTGTCCGGCTTTGCTGGCCCAGCAAGCCTGATAAGCATGAAGCTCTTATCTTTGGTGGCTGTGGT
CGGGTGTGTTGCTGGTGCCCCAGCTGAAGCCAACAGAGTTCTGAAGATATCCGGTGCAAATGCATCTGTCCACC
TTATAGAAACATCAGTGGGCACATTTACAACCAGAATGTATCCCAGAAGGACTGCAACTGCCTGCACGTGGTGGG
GCCCATGCCAGTGCCTGGCCATGACGTGGAGGCCTACTGCCTGCTGTGCGAGTGCAGGTACGAGGAGCGCAGCAC
CACCACCATCAAGGTCATCATTGTCATCTACCTGTCCGTGGTGGGTGCCCTGTTGCTCTACATGGCCTTCCTGAT
GCTGGTGGACCCCTCTGATCCGAAAGCCGGATGCATACACTGAGCAACTGCACAATGAGGAGGAGAATGAGGATGC
TCGCTCTATGGCAGCAGCTGCTGCATCCCTCGGGGGACCCCGAGCAAACACAGTCCTGGAGCGTGTGGAAGGTGC
CCAGCAGCGGTGGAAGCTGCAGGTGCAGGAGCAGCGGAAGACAGTCTTCGATCGGCACAAGATGCTCAGCTAGAT
GGGCTGGTGTGGTTGGGTCAAGGCCCCAACACCATGGCTGCCAGCTTCCAGGCTGGACAAAGCAGGGGGCTACTT
CTCCCTTCCCTCGGTTCCAGTCTTCCCTTTAAAAGCCTGTGGCATTFTTCCCTCCTTCTCCCTAACTTTAGAAATG
TTGTACTTGGCTATTTTGATTAGGGAAGAGGGATGTGGTCTCTGATCTCTGTTGTCTTCTTGGGTCTTTGGGGTT
GAAGGGAGGGGAAGGCAGGCCAGAAGGGAATGGAGACATTGAGGCGGCCTCAGGAGTGGATGCGATCTGTCTC
TCCTGGCTCCACTCTTGCCGCCCTTCCAGCTCTGAGTCTTGGGAATGTTGTTACCCTTGGAAGATAAAGCTGGGTC
TTCAGGAACCTCAGTGTCTGGGAGGAAAGCATGGCCAGCATTACAGCATGTGTTCCTTTCTGCAGTGGTTCTTATC
ACCACCTCCCTCCAGCCCCGGCGCCTCAGCCCCAGCCCCAGCTCCAGCCCTGAGGACAGCTCTGATGGGAGAGC
TGGGCCCCCTGAGCCCACTGGGTCTTCAGGGTGCAGTGAAGCTGGTGTTCGCTGTCCCTGTGCACTTCTCGCA
CTGGGGCATGGAGTGGCCATGCATACTCTGCTGCCGTCCCCTCACCTGCACTTGAGGGGTCTGGGCAGTCCCTC
CTCTCCCCAGTGTCCACAGTCACTGAGCCAGACGGTCGGTTGGAACATGAGACTCGAGGCTGAGCGTGGATCTGA
ACACCACAGCCCCTGTACTTGGGTTGCCTCTTGTCCCTGAACCTTCGTTGTACCAGTGCATGGAGAGAAAAATTTG
TCCTCTTGTCTTAGAGTTGTGTGTAAATCAAGGAAGCCATCATTAAATTGTTTTATTTCTCTCA

247/615

FIGURE 246

```
</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA60278
<subunit 1 of 1, 183 aa, 1 stop
<MW: 20574, pI: 6.60, NX(S/T): 3
MKLLSLVAVVGCLLVPPAEANKSSEDIRCKCICPPYRNISGHIYNQNVSQKDCNCLHVVEPMPVPGHDVEAYCLL
CECRYEERSTTTIKVIVIIYLSVVGALLLYMAFLMLVDPLIRKPDAYTEQLHNEEENEDARSMAAAAASLGGPRA
NTVLERVEGAQQRWKLQVQEQRKTVFDRHKMLS
```

Important features:**Signal peptide:**

amino acids 1-20

Transmembrane domain:

amino acids 90-112

N-glycosylation sites:

amino acids 21-24, 38-41 and 47-50

248/615

FIGURE 247

AATTGTATCTGTGTAATGTTAAACAAACGAAATAAAATAGAAGGAAAACTTTCTGAGTTTCAAAAACAACAGA
CTAGTACTCTAAAGAACTCTTTAAACAATTAAGTGTAGGATTGCAGTTATGATTGGATATTATTTAATTCTGT
TTCTGATGTGGGGTTCCCTCCACTGTGTTCTGTGTGCTATTAATATTTACCATTGCAGAAGCTTCATTCAAGTGTTG
AAAATGAATGCTTAGTGGATCTGTGCCTCTTACGCATATGTTACAAATTATCTGGAGTTCCTAATCAATGCAGAG
TTCCCTCCCTCCGATTGTTCTAAATAATTGAAAGATGTCTGCTGTGGAAAAGGCATGTATTTAAATCTGTAT
GATTCTCAACCATCTTTAGTTGGGAAAGGTCCTTGAAAGCCAATGGAAATACTTTTTTTTTTTCTTGCCACTAAT
CAAGTGAGTGTTACCTTTTCACTTAGTAGGATGTGTTGTTACGCTAGTAAATAGAAACCTGTGTTTATTCTCAG
GTATTTTAGAAACAACAGCCATCATTTTATTTTATGTGTGTGTTCTTGGCTGTATTCATAAATTATATATTTTGG
GCTATCAAATATTACTTCATTCAATATAAATAACAATAGTAGAAGTTGTTTACTTAGATATGCTTTCTAGTTGCA
TTTTCTCAGCCTATGTAAGACTACTTTGTTGTAATAGCCTTTGAAATTTACAGTACTGTCTCTCTACTATCTTCA
GATTACTTGATTCAAATAACCAATTATGTTTGTAATTGATATTAATAAAACCAGAATAAAAGTTCATATCTACCC

249/615

FIGURE 248

MIGYYLILFLMWGSSTVFCVLLIFTIAEASFVENECLVDLCLLRICYKLSGVFNQCRVPLPSDCSK

Important features:

Signal peptide:

amino acids 1-29

250/615

FIGURE 249

AGCGGGTCTCGCTTGGGTTCCGCTAATTTCTGTCCTGAGGCGTGAGACTGAGTTCATAGGGTCTGGGTCCCCGA
ACCAGGAAGGGTTGAGGGAACACAATCTGCAAGCCCCCGCGACCCAAGTGAGGGGCCCCGTGTTGGGGTCTCCC
TCCCTTTGCATTTCCACCCCTCCGGGCTTTGCGTCTTCTGGGGACCCCCCTCGCCGGGAGATGGCCGCGTTGATG
CGGAGCAAGGATTCGTCTGCTGCTGCTCTACTGGCCGCGGTGCTGATGGTGGAGAGCTCACAGATCGGCAGT
TCGCGGGGCCAACTCAACTCCATCAAGTCTCTCTGGGCGGGGAGACGCCTGGTCAGGCCGCCAATCGATCTGCG
GGCATGTACCAAGGACTGGCATTGCGCGGCAGTAAGAAGGGCAAAAACCTGGGGCAGGCCCTACCCCTGTAGCAGT
GATAAGGAGTGTGAAGTTGGGAGGTATTGCCACAGTCCCCACCAAGGATCATCGGCCTGCATGGTGTGTCGGAGA
AAAAAGAAGCGCTGCCACCGAGATGGCATGTGCTGCCCCAGTACCCGCTGCAATAATGGCATCTGTATCCCACTT
ACTGAAAGCATCTTAACCCCTCACATCCCGGCTCTGGATGGTACTCGGCACAGAGATCGAAACCACGGTCATTAC
TCAAACCATGACTTGGGATGGCAGAATCTAGGAAGACCACACACTAAGATGTCACATATAAAGGGCATGAAGGA
GACCCCTGCCATACGATCATCAGACTGCATTGAAGGGTTTTGCTGTGCTCGTCATTTCTGGACCAAAATCTGCAAA
CCAGTGTCTCCATCAGGGGGGAAGTCTGTACCAACAACGCAAGAAGGGTTCTCATGGGCTGGAAATTTTCCAGCGT
TGCGACTGTGCGAAGGGCCTGTCTTGCAAAGTATGAAAGATGCCACCTACTCCTCCAAAGCCAGACTCCATGTG
TGTCAGAAAATTTGATCACCATTGAGGAACATCATCAATTGCAGACTGTGAAGTTGTGTATTTAATGCATTATAG
CATGGTGGAAAATAAGGTTTCAGATGCAGAAGAATGGCTAAAATAAGAAACGTGATAAGAATATAGATGATCACA
AAAGGGAGAAAAGAAAACATGAAGTGAATAGATTAGAATGGGTGACAAATGCAGTGCAGCCAGTGTTCATTATG
CAACTTGTCTATGTAAATAATGTACACATTTGTGGAAAATGCTATTATTAAAGAGAACAAGCACACAGTGGAAATT
ACTGATGAGTAGCATGTGACTTTCCAAGAGTTTAGGTTGTGCTGGAGGAGAGGTTTCTTCAGATTGCTGATTGC
TTATACAAATAACCTACATGCCAGATTTCTATTCAACGTTAGAGTTTAAACAAAATACTCCTAGAAATACTTGTTA
TACAATAGGTTCTAAAAATAAAATTGCTAAACAAGAAATGAAAACATGGAGCATTGTTAATTTACAACAGAAAAT
TACCTTTTGATTTGTAACACTACTTCTGCTGTTCAATCAAGAGTCTTGGTAGATAAGAAAAAATCAGTCAATAT
TTCCAAATAAATGCAAAATAATGGCCAGTTGTTTAGGAAGGCCTTTAGGAAGACAAATAAATAACAAACAAACAG
CCACAAATACTTTTTTTTTTCAAATTTTAGTTTTACCTGTAATTAATAAGAACTGATACAAGACAAAAACAGTTCC
TTCAGATTCTACGGAATGACAGTATATCTCTTTATCCTATGTGATTCTGCTCTGAATGCATTATATTTTCCA
AACTATACCCATAAATTTGTGACTAGTAAAATACTTACACAGAGCAGAATTTTACAGATGGCAAAAAATTTAAA
GATGTCCAATATATGTGGGAAAAGAGCTAACAGAGAGATCATTATTTCTTAAAGATTGGCCATAACCTATATTTT
GATAGAATTAGATTGGTAAATACATGTATTACATACACTCTGTGGTAATAGAGACTTAAGCTGGATCTGTAAGT
CACTGGAGTAAGCAAGAAAATTTGGGAAAACCTTTTTCGTTTTGTTTCAGGTTTTGGCAACACATAGATCATATGTCTG
AGGCACAAGTTGGCTGTTTCATCTTTGAAACCAGGGGATGCACAGTCTAAATGAATATCTGCATGGGATTTGCTAT
CATAATATTTACTATGCAGATGAATTCAGTGTGAGGTCTGTGTCCGTACTATCCTCAAATTTATTTTATATAG
TGCTGAGATCCTCAAATAATCTCAATTTTCAGGAGGTTTACAAAATGTACTCCTGAAGTAGACAGAGTAGTGAGG
TTTCATTGCCCTCTATAAGCTTCTGACTAGCCAATGGCATCATCCAATTTTCTTCCAAACCTCTGCAGCATCTG
CTTTATTGCCAAAGGGCTAGTTTTCGGTTTTCTGCAGCCATTGCGGTTAAAAAATATAAGTAGGATAACTTGTAAA
ACCTGCATATTGCTAATCTATAGACACCACAGTTTCTAAATTTCTTGAACCACTTTACTACTTTTTTTAACTT
AACTCAGTTCTAAATACTTTGTCTGGAGCACAAAACAATAAAAGGTTATCTTATAGTCGTGACTTTAAACTTTTG
TAGACCACAATTCATTTTTAGTTTTCTTTTACTTAAATCCCATCTGCAGTCTCAAATTTAAGTTCTCCAGTAG
AGATTGAGTTTGAGCCTGTATATCTATTAAAAATTTCAACTTCCACATATATTTACTAAGATGATTAAGACTTA
CATTTTCTGCACAGGTCTGCAAAAACAAAAATTATAAACTAGTCCATCCAAGAACCAAGTTGTATAAACAGGT
TGCTATAAGCTTGTGAAATGAAATGGAACATTTCAATCAACATTTCTATATAACAATTATTATATTTACAAT
TTGGTTTCTGCAATATTTTCTTATGTCCACCTTTTAAAAAATTATTATTTGAAGTAATTTATTTACAGGAAATG
TTAATGAGATGTATTTTCTTATAGAGATATTTCTTACAGAAAGCTTTGTAGCAGAATATATTTGCAGCTATTGAC
TTTGTAAATTTAGGAAAAATGTATAATAAGATAAAATCTATTAAATTTTCTCCTCTAAAAACTGAAAAA
AAAAAAAAAAAAAAAAAAAA

251/615

FIGURE 250

MAALMRSKDSSCCLLLLAAVLMVESSQIGSSRAKLNSIKSSLGGETPGQAANRSAGMYQGLAFGGSKKGKNLGQA
YPCSSDKECEVGRYCHSPHQSSACMVCRRKKKRCHRDGMCCPSTRCNGICIPVTESILTPHIPALDGTNRHRDR
NHGHYSNHDLGWQNLGRPHTKMSHIKGHEGDPCLRSSDCIEGFCCARHFWTKICKPVLHQGEVCTKQRKKGSHGL
EIFQRCDCAKGLSCKVWKDATYSSKARLHVCQKI

Signal peptide:
amino acids 1-25

252/615

FIGURE 251

TCTCAATCTGCTGACCTCGTGATCCGCCTGACCTTGTAATCCACCTACCTTGGCCTCCCAAAGTGTTGGGATTAC
AGGCGTGAGCCACCGCGCCCGGCCAACATCACGTTTTTTAAAAATTGATTTCTTCAAATTCATGGCAAATATTTCC
CTTCCCTTTAACTTCTTATGTCAGAATGAGGAAGGATAGCTGCATTTATTTAGTCAGTTTTTCATTGCATAGTAAT
ATTTTCATGTAGTATTTTCTAAGTTATATTTTAGTAATTCATATGTTTTAGATTATAGGTTTTAACATACTTGTG
AAAATACTTGATGTGTTTTAAAGCCTTGGGCAGAAATCTGTATTGTTGAGGATTTGTTCTTTTATCCCCCTTTT
AAAGTCATCCGTCCTTGGCTCAGGATTTGGAGAGCTTGCACCACCAAAAATGGCAAACATCACCAGCTCCCAGAT
TTTGGACCAGTTGAAAGCTCCGAGTTTGGGCCAGTTTACCACCACCCCAAGTACACAGCAGAATAGTACAAGTCA
CCCTACAACCTACTACTTCTTGGGACCTCAAGCCCCAACATCCCAGTCCCTCAGTCCTCAGTCATCTTGACTTCAA
ATCTCAACCTGAGCCATCCCAGTTCTTAGCCAGTTGAGCCAGCGACAACAGCACCAGAGCCAGGCAGTCACTGT
TCCTCCTCCTGGTTTGGAGTCCTTTCTTCCCAGGCAAACTTCGAGAATCAACACCTGGAGACAGTCCCTCCAC
TGTGAACAAGCTTTTGCAGCTTCCCAGCACGACCATTGAAAATATCTCTGTGTCTGTCCACCAGCCACAGCCAA
ACACATCAAACTTGCTAAGCGGCGGATACCCCCAGCTTCTAAGATCCCAGCTTCTGCAGTGGAATGCCTGGTTC
AGCAGATGTCACAGGATTAAATGTGCAGTTTGGGGCTCTGGAATTTGGGTCAGAACCTTCTCTCTCTGAATTTGG
ATCAGCTCCAAGCAGTGAAAATAGTAATCAGATTCCCATCAGCTTGTATTGGAAGTCTTTAAGTGAGCCTTTGAA
TACATCTTTATCAATGACCAGTGCAGTACAGAACTCCACATATACAACCTCCGTCATTACCTCCTGCAGTCTGAC
AAGCTCATCACTGAATTCTGCTAGTCCAGTAGCAATGTCTTCTCTTATGACCAGAGTTCTGTGCATAACAGGAT
CCCATACCAAAGCCCTGTGAGTTCATCAGAGTCAGCTCCAGGAACCATCATGAATGGACATGGTGGTGGTCTGAAG
TCAGCAGACACTAGACAGTAAGTATAGCAGCAAGCTACTCTTGTGCATGGCTGGTGCCAACCAACAGAGGAAGAG
GATAGCTCACGTGATGTGGAAAACACCAGTTGGTCAATGGCTCATTTCGTTAAAAAGCAGCCCTTTTGCTTTTTTG
TTTTTGGACCAGGTGTTGGCTGTGGTGTATTAGAAATGTCTTAACCACAGCAAGAAGGAGGTGGTGGTCTCATA
TTCCTTCTGCCCTAATCAGACTGCACCACAAGTGCAGCATACAGTATGCATTTTAAAGATGCTTGGGCCAGGCGGG
GTGGCTGATGCCCATAATCCCAGTGCTTTGGGGGGCCAAGGCAGGCAGATTGCCCAAGCTCAGGAGTTTGAGACC
ACCCTGGGCAACATGGTGAACTCTGTCTCTACTAAAATACGAAAACTAGCCGGGTGTGGTGGCGGCGCGTGCC
TGTAATCCCAGCTACTTGGGAGGCTGAGGCACAAGAATCGCTTGAGCCAGCTTGGGCTACAAAGTGAGACTCCGT
CTGAAAAAGA

253/615

FIGURE 252

MCFKALGRNSVLLRICSFIPLLKSSVLGSGFGELAPPKMANITSSQILDQLKAPSLGQFTTTPSTQONSTSHPTT
TTSWDLKPPTSQSSVLSHLDFKSQPEPSPVLSQLSQRQQHQSQAQVTVPPPGLESFPSQAKLRESTPGDSPSTVNK
LLQLPSTTIENISVSVHQPPKHIKLAKRRIPPASKIPASAVEMPGSADVTGLNVQFGALEFGSEPSLSEFGSAP
SSENSNQIPISLYSKSLSEPLNTSLSMTSAVQNSTYTTTSVITSCSLTSSSLNSASPVAMSSSYDQSSVHNRIPIYQ
SPVSSSESAPGTIMNGHGGGRSQQTLDISKYSSKLLLSWLVPKQQRKRIAHVMWKTPVGQWLIR

Signal peptide:
amino acids 1-24

254/615

FIGURE 253

GGGCGCCCGCTACTCACTAGCTGAGGTGGCAGTGGTTCACCAACATGGAGCTCTCGCAGATGTCGGAGCTCAT
GGGGCTGTGCGGTGTTGCTTGGGCTGCTGGCCCTGATGGCGACGGCGGGCGGTAGCGCGGGGGTGGCTGCGCGCGGG
GGAGGAGAGGAGCGGCCGCGCCCTGCCAAAAGCAAATGGATTTCACCTGACAAATCTTCGGGATCCAAGAA
GCAGAAACAATATCAGCGGATTTCGGAAGGAGAAGCCTCAACAACACAACCTTCACCCACCGCCTCCTGGCTGCAGC
TCTGAAGAGCCACAGCGGGAACATATCTTGCATGGACTTTAGCAGCAATGGCAAATACCTGGCTACCTGTGCAGA
TGATCGCACCATCCGCATCTGGAGCACCAGGACTTCCTGCAGCGAGAGCACCAGCAGCATGAGAGCCAACGTGGA
GCTGGACCACGCCACCCTGGTGCCTTCAGCCCTGACTGCAGAGCCTTCATCGTCTGGCTGGCCAACGGGGACAC
CCTCCGTGTCTTCAAGATGACCAAGCGGGAGGATGGGGGCTACACCTTCACAGCCACCCAGAGGACTTCCCTAA
AAAGCACAAGGCGCCTGTCTGACATTGGCATTGCTAACACAGGGAAGTTTATCATGACTGCCTCCAGTGACAC
CACTGTCTCTCATCTGGAGCCTGAAGGGTCAAGTGCTGTCTACCATCAACACCAACCAGATGAACAACACACACGC
TGCTGTATCTCCCTGTGGCAGATTGTAGCCTCGTGTGGCTTCACCCAGATGTGAAGTTTGGGAAGTCTGCTT
TGGAAAGAAGGGGGAGTTCCAGGAGGTGGTGCAGCCTTCGAACATAAAGGGCCACTCCGCGGCTGTGCACTCGTT
TGCTTTCTCCAACGACTCACGGAGGATGGCTTCTGTCTCCAAGGATGGTACATGGAAACTGTGGGACACAGATGT
GGAATACAAGAAGAAGCAGGACCCCTACTTGCTGAAGACAGGCCGCTTTGAAGAGGCGGCGGGTGC CGCGCCGTG
CCGCTTGGCCCTCTCCCCAACGCCCAGGTCTTGGCCTTGGCCAGTGGCAGTAGTATTCATCTCTACAATAACCG
GCGGGGCGAGAAGGAGGAGTGCTTTGAGCGGGTCCATGGCGAGTGTATCGCCAACTTGTCTTTGACATCACTGG
CCGCTTTCTGGCCTCCTGTGGGGACCGGGCGGTGCGGCTGTTTCAACACTCCTGGCCACCGAGCCATGGTGGA
GGAGATGCAGGGCCACCTGAAGCGGGCCTCCAACGAGAGCACC CGCAGAGGCTGCAGCAGCAGCTGACCCAGGC
CCAAGAGACCCTGAAGAGCCTGGGTGCCCTGAAGAAGTGACTCTGGGAGGGCCCCGGCGCAGAGGATTGAGGAGGA
GGGATCTGGCCTCCTCATGGCACTGCTGCCATCTTCTCTCCAGGTGGAAGCCTTTCAGAAGGAGTCTCCTGGTT
TTCTTACTGGTGGCCCTGCTTCTTCCATTGAAACTACTCTTGTCTACTTAGGTCTCTCTCTTCTTGTGGCTGT
GACTCCTCCCTGACTAGTGGCCAAGGTGCTTTCTTCTCTCCAGGCCAGTGGGTGGAATCTGTCCCCACCTGGC
ACTGAGGAGAATGGTAGAGAGGAGAGGAGAGAGAGAGAATGTGATTTTTGGCCTTGTGGCAGCACATCCTCAC
ACCCAAAGAAGTTTGTAATGTTCCAGAACAACCTAGAGAACACCTGAGTACTAAGCAGCAGTTTTGCAAGGATG
GGAGACTGGGATAGCTTCCCATCACAGAAGTGTGTTCCATCAAAAAGACACTAAGGGATTTCCTTCTGGGCCTCA
GTTCTATTTGTAAGATGGAGAATAATCCTCTCTGTGAACCTTGCAAAGATGATATGAGGCTAAGAGAATATCA
AGTCCCCAGGTCTGGAAGAAAAGTAGAAAAGAGTAGTACTATTGTCCAATGTGATGAAAGTGGTAAAAGTGGGAA
CCAGTGTGCTTTGAAACCAAATTAGAAACACATTCCTTGGGAAGGCAAAGTTTTCTGGGACTTGATCATACATTT
TATATGGTTGGGACTTCTCTCTTGGGAGATGATATCTTGTAAAGGAGACCTCTTTTCAGTTCATCAAGTTCAT
CAGATATTTGAGTGCCCACTCTGTGCCCAAATAATATGAGCTGGGGATTAAAAAAAAAAAAAAAAAAAAAAAAA
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA

255/615

FIGURE 254

MELSQMSELMGLSVLLGLLALMATAAVARGWLRAGEERSGRPACQKANGFPPDKSSGSKKQKQYQIRIRKEKPQQH
NFTHRLAAALKSHSGNISCMDFSSNGKYLATCADDRTIRIWSTKDFLQREHRSMRANVELDHATLVRFSPDCRA
FIVWLANGDTLRVFKMTKREDGGYTFTATPEDFPKKHKAPVIDIGIANTGKFIMTASSDTTVLIWSLKGQVLSTI
NTNQMNNTTHAAVSPCGRFVASCGETPDVKVWEVCFGKKGEFQEVVRAFELKGHSAAVHSFAFSNDSRRMASVSKD
GTWKLWDTDVEYKKKQDPYLLKTGRFEEAAGAAPCRLALSPNAQVLALASGSSIHLYNTRRGEKEECFERVHGEC
IANLSFDITGRFLASCGDRAVRLFHNTPGHRAMVEEMQHLKRASNESTRQRLQQQLTQAQETLKSLGALKK

Important features:**Signal peptide:**

amino acids 1-25

N-glycosylation site.

amino acids 76-80, 92-96, 231-235, 289-293, 378-382, 421-425

Beta-transducin family Trp-Asp repeat protein.

amino acids 30-47, 105-118, 107-119, 203-216, 205-217, 296-308

256/615

FIGURE 255

ACGGACCGAGGGTTCGAGGGAGGGACACGGACCAGGAACCTGAGCTAGGTCAAAGACGCCCGGGCCAGGTGCCCC
GTCGCAGGTGCCCCTGGCCGGAGATGCGGTAGGAGGGGCGAGCGGAGAAAGCCCCTTCCTCGGCGCTGCCAACCC
GCCACCCAGCCCC**ATG**GCGAACCCCGGGCTGGGGCTGCTTCTGGCGCTGGGCCTGCCGTTCTGCTGGCCCCGCTGG
GGCCGAGCCTGGGGGCAAATACAGACCACCTTCTGCAAATGAGAATAGCACTGTTTTGCCCTTCATCCACCAGCTCC
AGCTCCGATGGCAACCTGCGTCCGGAAGCCATCACTGCTATCATCGTGGTCTTCTCCCTCTTGGCTGCCTTGCTC
CTGGCTGTGGGGCTGGCACTGTTGGTGCGGAAGCTTCGGGAGAAGCGGCAGACGGAGGGCACCTACCGGCCAGT
AGCGAGGAGCAGTTCTCCCATGCAGCCGAGGCCCGGGCCCCCTCAGGACTCCAAGGAGACGGTGCAGGGCTGCCTG
CCCATC**TAG**GTCCCCCTCTCCTGCATCTGTCTCCCTTCATTGCTGTGTGACCTTGGGGAAAGGCAGTGCCCTCTCT
GGGCAGTCAGATCCACCCAGTGCTTAATAGCAGGGAAGAAGGTACTTCAAAGACTCTGCCCTGAGGTCAAGAGA
GGATGGGGCTATTCACTTTTATATATTTATATAAAATTAGTAGTGAGATGTAAAAAAAAAAAAAAAAAAAA

257/615

FIGURE 256

MANPGLGLLLALGLPFLARWGRAWGQIQTTSANENSTVLPSTSSSSDGNLRPEAITAIIVVFSLAALLLAVG
LALLVRKLRKQRTEGTYRPSSEEQFSHAAEARAPQDSKETVQGCLPI

FIGURE 257

[illegible]

259/615

FIGURE 258

MGLFRGFVFLVLCLLHQSNTSFIKLNNGFEDIVIVIDPSVPEDEKIIEQIEDMVTTASTYLFEATEKRFFFKN
VSILIPENWKENPQYKRPKHENHKKHADVIVAPPTLPGRDEPYTKQFTECGEKGEYIHFTPDLLLGGKKQNEYGPPG
KLFVHEWAHLRWGVFDEYNEDQPFYRAKSKKIEATRCISAGISGRNRVYKCQGGGCLSRACRIDSTTKLYGKDCQF
FPDKVQTEKASIMFMQSIDSVVEFCNEKTHNQEAPSLQNIKCNFRSTWEVISNSEDfKNTIPMVTPPPPPVFSL
KISQRIVCLVLDKSGSMGGKDRLNRMNQAAKHFLQTVENGSWVGMVHFDSTATIVNKLIQIKSSDERNTLMAGL
PTYPLGGTSICSGIKYAFQVIGELHSQLDGSEVLLLTGDGEDNTASSCIDEVKQSGAIVHFIALGRAADEAVIEMS
KITGGSHFYVSDEAQNNGLIDAFGALTSGNTDLSQKSLQLESKGLTLNSNAWMNDTVIIDSTVGKDTFFLITWNS
LPPSISLWDPSGTIMENFTVDATSKMAYLSIPGTAKVGTWAYNLQAKANPETLTITVTSRAANSSVPPITVNAKM
NKDVNSFPSPMIVYAEILQGYVPVLGANVTAFIESQNGHTEVLELLDNGAGADSFKNDGVYSRYFTAYTENGRYS
LKVRAHGGANTARLKLRPPLNRAAYIPGWVVGIEANPPRPEIDEDTQTTLEDFSRTASGGAFVVSQVPSLPLP
DQYPPSQITDLDATVHEDKIILTWTAPGDNFDVGKVQRYIIRISASILDRLRDSFDDALQVNTTDLSPKEANSKES
FAFKPENISEENATHIFIAIKSIDKSNLTSKVSNIQVTLFIPQANPDDIDPTPTPTPTPTPKSHNSGVNISTL
VLSVIGSVVIVNFILSTTI

Signal peptide:
amino acids 1-21

Putative transmembrane domains:
amino acids 284-300, 617-633

Leucine zipper pattern.
amino acids 469-491, 476-498

N-glycosylation site.
amino acids 20-24, 75-79, 340-344, 504-508, 542-546, 588-592, 628-632,
811-815, 832-836, 837-841, 852-856, 896-900

260/615

FIGURE 259

CGCCGGAGGCAGCGGGCGGTGGCGCAGCGGGCGACATGGCCGTTGTCTCAGAGGACGACTTTTCAGCACAGTTCAA
ACTCCACCTACGGAACCACAAGCAGCAGTCTCCGAGCTGACCAGGAGGCAGTGTGAGAAGCTGCTGGACCGCC
CGCCCCCTGGCCTGCAGAGGCCCCGAGGACCGCTTCTGTGGCACATACATCATCTTCTTCAGCCTGGGCATTGGCA
GTCTACTGCCATGGAACCTCTTTATCACTGCCAAGGAGTACTGGATGTTCAAACCTCCGCAACTCCTCCAGCCCAG
CCACCGGGGAGGACCCTGAGGGCTCAGACATCCTGAACACTTTTGAGAGCTACCTTGCCGTTGCCTCCACCGTGC
CCTCCATGCTGTGCCCTGGTGGCCAACTTCCTGCTTGTCAACAGGGTTGCAGTCCACATCCGTGTCTGGCCTCAC
TGACGGTCATCCTGGCCATCTTCATGGTGATAAATGCACTGGTGAAGGTGGACACTTCCTCCTGGACCCGTGGTT
TTTTTGCGGTCAACATTGTCTGCATGGTGATCCTCAGCGGTGCCTCCACTGTCTTCAGCAGCAGCATCTACGGCA
TGACCGGCTCCTTTCCTATGAGGAACTCCCAAGCACTGATATCAGGAGGAGCCATGGGCGGGACGGTCAGCGCCG
TGGCCTCATTTGGTGGACTTGGCTGCATCCAGTGATGTGAGGAACAGCGCCCTGGCCTTCTCCTGACGGCCACCA
TCTTCCTCGTGCTCTGCATGGGACTCTACCTGCTGCTGTCCAGGCTGGAGTATGCCAGGTACTACATGAGGCCTG
TTCTTGCGGCCCATGTGTTTTCTGGTGAAGAGGAGCTTCCCCAGGACTCCCTCAGTGCCCTTCGGTGGCCTCCA
GATTCATTGATTCCACACACCCCCCTCTCCGCCCATCCTGAAGAAGACGGCCAGCCTGGGCTTCTGTGTACCT
ACGTCTTCTTCATCACCAGCCTCATCTACCCCGCCGTCTGCACCAACATCGAGTCCCTCAACAAGGGCTCGGGCT
CACTGTGGACCACCAAGTTTTTCATCCCCCTCACTACCTTCTCCTGTACAACCTTGTGACCTATGTGGCCGGC
AGCTCACCAGCTGGATCCAGGTGCCAGGGCCCAACAGCAAGGCGCTCCAGGGTTCTGTCTCCTCCGACCTGCC
TCATCCCCCTCTTCGTGCTCTGTAACTACCAGCCCCGCTCCACCTGAAGACTGTGGTCTTCCAGTCCGATGTGT
ACCCGCACTCCTCAGCTCCCTGCTGGGGCTCAGCAACGGCTACCTCAGCACCTGGCCCTCCTCTACGGGCCTA
AGATTGTGCCAGGGAGCTGGCTGAGGCCACGGGAGTGGTGATGTCTTTTATGTGTGCTTGGGCTTAACACTGG
GCTCAGCCTGCTCTACCTCCTGGTGCACCTCATCTAGAAGGGAGGACACAAGGACATTGGTGCTTCAGAGCCTT
TGAAGATGAGAAGAGAGTGCAGGAGGGCTGGGGGCCATGGAGGAAAGGCCTAAAGTTTCACTTGGGGACAGAGAG
CAGAGCACACTCGGGCCTCATCCCTCCCAAGATGCCAGTGAGCCACGTCCATGCCCATTCCTGCAAGGCAGATA
TTCCAGTCATATTAACAGAACTCCTGAGACAGTTGAAGAAGAAATAGCACAAATCAGGGGTACTCCCTTACA
GCTGATGGTTAACATTCCACCTTCTTTCTAGCCCTTCAAAGATGCTGCCAGTGTTGCGCCCTAGAGTTATTACAAA
GCCAGTGCCAAAACCCAGCCATGGGCTCTTTGCAACCTCCCAGCTGCGCTCATTCCAGCTGACAGCGAGATGCAA
GCAAATGCTCAGCTCTCCTTACCCTGAAGGGGTCTCCCTGGAATGGAAGTCCCTGGCATGGTCAGTCTCAGGC
CCAAGACTCAAGTGTGCACAGACCCCTGTGTTCTGCGGGTGAACAACCTGCCCCTAACCAGACTGGAAAACCCAG
AAAGATGGGCCTTCATGAATGCTTCATTCCAGAGGGACCAGAGGGCCTCCCTGTGCAAGGGATCAAGCATGTCT
GGCCTGGGTTTTCAAAAAAGAGGGATCCTCATGACCTGGTGGTCTATGGCCTGGGTCAAGATGAGGGTCTTTCA
GTGTTCTGTTTACAACATGTCAAAGCCATTGGTTCAAGGGCGTAATAAATACTTGCCTATTCAAAAA

261/615

FIGURE 260

MAVSEDDFQHSSNSTYGTSSSLRADQEALLEKLLDRPPPGQLQRPEDRFCGTYYIFFSLGIGSLLPWNFFITAK
EYWMFKLRNSSSPATGEDPEGSDILNYFESYLAVASTVPSMLCLVANFLLVNRVAVHIRVLASLTVILAI FMVIT
ALVKVDTSSWTRGFFAVTIVCMVILSGASTVFSSSIYGMTGSFPMRNSQALISGGAMGGTVSAVASLVDLAASSD
VRNSALAFFLTATIFLVLCMGLYLLLSRLEYARYYMRPVLAHVFSGEEELPQDSL SAPSVASRFIDSHTPPLRP
ILKKTASLGFCVTYVFFITS LIYPAVCTNIESLNKSGSLWTTKFFIPLTTFLLYNFADLCGRQLTAWIQVPGPN
SKALPGFVLLRTCLIPFVLCNYQPRVHLKTVVFQSDVYPALLSLLGLSNGYLSTLALLYGPKIVPRELAEATG
VMSFYVCLGLTLGSACSTLLVHLI

Transmembrane domain:

amino acids 50-74 (type II), 105-127, 135-153, 163-183, 228-252, 305-330,
448-472

262/615

FIGURE 261

CGGACGCGTGGGCTGCTGGTGGGAAGGCCTAAAGAAGCTGGAAGCCCCTCTCTTGAACCAACACACCTGTTTA
AAGAACCTAAGCACCATTAAAGCCACTGGAAATTTGTTGTCTAGTGGTTGTGGGTGAATAAAGGAGGGCAGAAAT
GGATGATTTTCATCTCCATTAGCCTGCTGCTCTGGCTATGTTGGTGGGATGTTACGTGGCCGGAATCATTCCCTT
GGCTGTTAATTTCTCAGAGGAACGACTGAAGCTGGTGAAGCTGTTTGGGTGCTGGCCTTCTCTGTGGAAGTGTCT
GGCAGTCATCGTGCCTGAAGGAGTACATGCCCTTTATGAAGATATTCTTGAGGGAAAACACCACCAAGCAAGTGA
AACACATAATGTGATTGCATCAGACAAAGCAGCAGAAAAATCAGTTGTCCATGAACATGAGCACAGCCACGACCA
CACACAGCTGCATGCCTATATTGGTGTTCCTCGTTCTGGGCTTCGTTTTTCATGTTGCTGGTGGACCAGATTGG
TAACTCCCATGTGCATTCTACTGACGATCCAGAAGCAGCAAGGTCTAGCAATTCAAAATCACCACCACGCTGGG
TCTGGTTGTCCATGCTGCAGCTGATGGTGTTCCTTTGGGAGCAGCAGCATCTACTTCACAGACCAGTGTCCAGTT
AATTGTGTTTGTGGCAATCATGCTACATAAGGCACCAGCTGCTTTTGGACTGGTTTCCTTCTTGATGCATGCTGG
CTTAGAGCGGAATCGAATCAGAAAGCACTTGCTGGTCTTTGCATTGGCAGCACCAGTTATGTCCATGGTGACATA
CTTAGGACTGAGTAAGAGCAGTAAAGAAGCCCTTTAGAGGTGAACGCCACGGGAGTGGCCATGCTTTTCTCTGC
CGGGACATTTCTTTATGTTGCCACAGTACATGCTCCTCCCTGAGGTGGGCGGAATAGGGCAGCCACAAGCCCGA
TGCCACGGGAGGGAGAGGCCTCAGCCGCCTGGAAGTGGCAGCCCTGGTTCTGGGTTGCCTCATCCCTCTCATCCT
GTCAGTAGGACACCAGCATTAAATGTTCAAGGTCCAGCCTTGGTCCAGGGCCGTTTGGCATCCAGTGAGAACAGC
CGGCACGTGACAGCTACTCACTTCCTCAGTCTCTTGTCTCACCTTGCGCATCTCTACATGTATTCTAGAGTCCA
GAGGGGAGGTGAGGTTAAAACCTGAGTAATGGAAAAGCTTTTAGAGTAGAAAACACATTTACGTTGCAGTTAGCTA
TAGACATCCCATTGTGTTATCTTTTAAAAGGCCCTTGACATTTTGCCTTTTAAATATTTCTCTTAACCCATTCTC
AGGGAAGATGGAATTTAGTTTTAAGGAAAAGAGGAGAACTCATACTCACAATGAAATAGTGATTATGAAAATAC
AGTGTCTGTAATTAAGCTATGTCTCTTTCTTCTAGTTTAGAGGCTCTGCTACTTTATCCATTGATTTTTAACA
TGGTTCACCATGTAAGACTGGTGTCTTTAGCATCTATGCCACATGCGTTGATGGAAGGTGATAGCACCACCTCA
CTTAGATGCTAAAGGTGATTCTAGTTAATCTGGGATTAGGTCAGGAAAATGATAGCAAGACACATTGAAAGCTC
TCTTTATACTCAAAAGAGATATCCATTGAAAAGGGATGTCTAGAGGGATTTAAACAGCTCCTTTGGCAGCTGCC
CTCTGAATCCAGCCTGCCATTCCATCAATGGAGCAGGAGAGGTGGGAGGAGCTTCTAAAGAGGTGACTGGTATT
TTGTAGCATTCTTGTCAAGTTCTCCTTTGCAGAATACCTGTCTCCACATTCTAGAGAGGAGCCAAGTCTTAGT
AGTTTCAGTTCTAGGCTTTCTTCAAGAACAGTCAGATCACAAAGTGTCTTTGGAATTAAGGGATATTAAATTT
TAAGTGATTTTTGGATGGTTATTGATATCTTTGTAGTAGCTTTTTTAAAAGACTACCAAAATGTATGGTTGTCC
TTTTTTTTTGT
TCAGCTTTGGCGACACTGTGTCTTCTCACATAACCACCTGTAGCAAGATGGATCATAAATGAGAAGTGTGTGCT
ATTGATTTAAAGCTTATTGGAATCATGTCTCTTGTCTCTTCGTCTTTTCTTTGCTTTTCTTCTAACTTTTCCCTC
TAGCCTCTCCTCGCCACAATTTGCTGCTTACTGCTGGTGTAAATATTTGTGTGGGATGAATTCCTATCAGGACAA
CCACTTCTCGAAGTGAATAATGAAGATAATAATATCTTTATTCTTTATCCCCCTTCAAAGAAATTACCTTTGTG
TCAATGCCGCTTTGTTGAGCCCTTAAAATACCACCTCCTCATGTGTAAATTGACACAATCACTAATCTGGTAAT
TTAAACAATTGAGATAGCAAAAGTGTTTAACAGACTAGGATAATTTTTTTTTTTCATATTTGCCAAAATTTTTGTAA
ACCCTGTCTTGTCAAATAAGTGTATAATATTGTATTATTAATTTATTTTTACTTTCTATACCATTTCAAAACACA
TTACACTAAGGGGGAACCAAGACTAGTTTCTTCAGGCGAGTGGACGTAGTTTGTAAAACGTTTTCTATGAC
GCATAAGCTAGCATGCCTATGATTTATTTCTTTCATGAATTTGTCACTGGATCAGCAGCTGTGGAAATAAAGCTT
GTGAGCCCTCTGCTGGCCACAGTGAAGGAGTAGCACAATAGGATACAGTTGTATGTAGTCATTGGCAACAATT
GCATACAATTTTACTACCAAGAGAAGGTATAGTATGAAAAGTCCAAATGACTTCCTTGATTGGATGTTAACAGCT
GACTGGTGTGAGACTTGAGGTTTCATCTAGTCCTTCAAACCTATATGGTTGCCTAGATTCTCTCTGGAACTGAC
TTTGTCAAATAAATAGCAGATTGTAGTGTCAAAAAAA

263/615

FIGURE 262

MDDFISISLLSLAMLVGCYVAGIIPLAVNFSEERLKLVTVLGAGLLCGTALAVIVPEGVHALYEDILEGKHHQAS
ETHNVIASDKAAEKSVVHEHEHSHDHTQLHAYIGVSLVLGFVFMLLVDQIGNSHVHSTDDPEAARSSNSKITTTL
GLVVHAAADGVALGAAASTSQTSLVQIVFVAIMLHKAPAAFGLVSFLMHAGLERNRIRKHLVLFALAAPVMSMVT
YLGLSKSSKEALSEVNATGVAMLFSA GTFLYVATVHVLP EVGGIGHSHKPDATGGRGLSRLEVAALVLGCLIPLI
LSVGHQH

Signal peptide:

amino acids 1-18

Transmembrane domain:

amino acids 37-56, 106-122, 211-230, 240-260, 288-304

264/615

FIGURE 263

CTCCTTAGGTGGAAACCCTGGGAGTAGAGTACTGACAGCAAAGACCGGGAAAGACCATACGTCCCCGG
GCAGGGGTGACAACAGGTGTCATCTTTTTGATCTCGTGTGTGGCTGCCTTCCCTATTTCAAGGAAAGAC
GCCAAGGTAATTTTGACCCAGAGGAGCAATGATGTAGCCACCTCCTAACCTTCCCTTCTTGAACCCCC
AGTTATGCCAGGATTTACTAGAGAGTGTCAACTCAACCAGCAAGCGGCTCCTTCGGCTTAACTTGTGG
TTGGAGGAGAGAACCCTTGTGGGGCTGCGTTCTCTTAGCAGTGCTCAGAAGTGACTTGCCTGAGGGTG
GACCAGAAGAAAGGAAAGGTCCCCTCTTGCTGTGGCTGCACATCAGGAAGGCTGTGATGGGAATGAA
GGTGAAAACCTTGGAGATTTCACTTCAGTCATTGCTTCTGCCTGCAAGATCATCTTTAAAAAGTAGAGA
AGCTGCTCTGTGTGGTGGTTAACTCCAAGAGGAGCAAGACTCGTTCTAGAAGGAAATGGATGCAAGCAGC
TCCGGGGGGCCCCAAACGCATGCTTCTGTGGTCTAGCCCAGGGAAGCCCTTCCGTGGGGGGCCCCGGCT
TTGAGGGATGCCACCGGTTCTGGACGCATGGCTGATTCTGAATGATGATGGTTCCGCCGGGGGCTGCT
TGCGTGGATTTCCCGGGTGGTGGTTTTGCTGGTGCTCCTCTGCTGTGCTATCTCTGTCTGTACATGT
TGGCCTGCACCCCAAAGGTGACGAGGAGCAGCTGGCACTGCCAGGGGCCAACAGCCCCACGGGGAAAG
GAGGGGTACCAGGCCGTCTTTCAGGAGTGGGAGGAGCAGCACCGCAACTACGTGAGCAGCCTGAAGCG
GCAGATCGCACAGCTCAAGGAGGAGCTGCAGGAGAGGAGTGAGCAGCTCAGGAATGGGCAGTACCAAG
CCAGCGATGCTGCTGGCCTGGGTCTGGACAGGAGCCCCCAGAGAAAAACCCAGGCCGACCTCTGGCC
TTCCTGCACTCGCAGGTGGACAAGGCAGAGGTGAATGCTGGCGTCAAGCTGGCCACAGAGTATGCAGC
AGTGCCCTTTCGATAGCTTTACTCTACAGAAGGTGTACCAGCTGGAGACTGGCCTTACCCGCCACCCCG
AGGAGAAGCCTGTGAGGAAGGACAAGCGGGATGAGTTGGTGGGAAGCCATTGAATCAGCCTTGGAGACC
CTGAACAATCCTGCAGAGAACAGCCCCAATCACCGTCTTACACGGCCTCTGATTTTCATAGAAGGGAT
CTACCGAACAGAAAGGGACAAAGGGACATTGTATGAGCTCACCTTCAAAGGGGACACAAACACGAAT
TCAAACGGCTCATCTTATTTTCGACCATTACGCCCCATCATGAAAGTGAAAAATGAAAAGCTCAACATG
GCCAACACGCTTATCAATGTTATCGTGCCTTCAGCAAAAAGGGTGGACAAGTTCCGGCAGTTCATGCA
GAATTTTCAGGGAGATGTGCATTGAGCAGGATGGGAGAGTCCATCTCACTGTTGTTTACTTTGGGAAAG
AAGAAATAAATGAAGTCAAAGGAATACTTGAAAACACTTCAAAGCTGCCAAGCTCAGGAACCTTTACC
TTGATCCAGCTGAATGGAGAATTTCTCGGGGAAAGGCACTTGATGTTGGAGCCCGCTTCTGGAAGGG
AAGCAACGTCCTTCTCTTTTTCTGTGATGTGGACATCTACTTCACATCTGAATTCCTCAATACGTGTA
GGCTGAATACACAGCCAGGGAAGAAGGATTTTATCCAGTTCCTTTTCAGTCAGTACAATCCTGGCATA
ATATACGGCCACCATGATGCAGTCCCTCCCTTGGAACAGCAGCTGGTCATAAAGAGAAACCTGGATT
TTGGAGAGACTTTGGATTGGGATGACGTGTGAGTATCGGTGAGACTTCATCAATATAGGTGGGTTTG
ATCTGGACATCAAAGGCTGGGGCGGAGAGGATGTGCACCTTTATCGCAAGTATCTCCACAGCAACCTC
ATAGTGGTACGAGCGCTGTGCGAGGACTCTCCACCTCTGGCATGAGAAGCGCTGCATGGACGAGCT
GACCCCCGAGCAGTACAAGATGTGCATGCAGTCCAAGGCCATGAACGAGGCATCCCACGGCCAGCTGG
GCATGCTGGTGTTCAGGCACGAGATAGAGGCTCACCTTCGCAAAACAGAAACAGAAAGACAAGTAGCAAA
AAAACATGAACACTCCAGAGAAGGATTGTGGGAGACACTTTTTCTTTCTTTGCAATTACTGAAAGTG
GCTGCAACAGAGAAAAAGACTTCCATAAAGGACGACAAAGAAATGGACTGATGGGTAGAGATGAGAA
AGCCTCCGATTTCTCTCTGTTGGGCTTTTTTACAACAGAAATCAAATCTCCGCTTTGCCTGCAAAAGT
AACCCAGTTGCACCCTGTGAAGTGTCTGACAAAGGCAGAATGCTTGTGAGATTATAAGCCTAATGGTG
TGGAGGTTTTGATGGTGTTTACAATACACTGAGACCTGTTGTTTTGTGTGCTCATTGAAATATTCATG
ATTTAAGAGCAGTTTTGTAAAAAATTCATTAGCATGAAAGGCAAGCATATTTCTCCTCATATGAATGA
GCCTATCAGCAGGGCTCTAGTTTCTAGGAATGCTAAAATATCAGAAGGCAGGAGAGGAGATAGGCTTA
TTATGATACTAGTGAGTACATTAAGTAAAAATAAATGGACCAGAAAAAGAAAGAAACCATAAATATCG
TGTCATATTTTCCCCAAGATTAACCAAAAATAATCTGCTTATCTTTTGGTTGTCTTTTAACTGTCT
CCGTTTTTTTTCTTTTATTTAAAAATGCACCTTTTTTCCCTTGTGAGTTATAGTCTGCTTATTTAATTA
CCACTTTGCAAGCCTTACAAGAGAGCACAAGTTGGCCTACATTTTTTATATTTTTTAAAGAGATACTTT
GAGATGCATTATGAGAACTTTCAGTTCAAAGCATCAAATTGATGCCATATCCAAGGACATGCCAATG
CTGATTCTGTGAGGCACTGAATGTGAGGCATTGAGACATAGGGAAGGAATGGTTTGTACTAATACAGA
CGTACAGATACTTTCTCTGAAGAGTATTTTCGAAGAGGAGCAACTGAACACTGGAGGAAAAAGAAATG
ACACTTTCTGCTTTACAGAAAAAGGAACTCATTTCAGACTGGTGATATCGTGATGTACCTAAAAAGTCAG
AAACCACATTTTCTCCTCAGAAGTAGGGACCGCTTTCTTACCTGTTTAAATAAACCAAGTATACCGT
GTGAACCAACAATCTCTTTTCAAACAGGGTGCTCCTCCTGGCTTCTGGCTTCCATAAGAAGAAATG
GAGAAAAATATATATATATATATATATATTGTGAAAGATCAATCCATCTGCCAGAATCTAGTGGGATG
GAAGTTTTTGTACATGTTATCCACCCAGGCCAGGTGGAAGTAAGTGAATTTATTTTTTAAATTAAGC
AGTTCTACTCAATCACCAAGATGCTTCTGAAAATTCATTTTATTACCATTTCAAACATTTTTTTAA
AATAAATACAGTTAACATAGAGTGGTTTTCTTCATTTCATGTGAAAATTTATTAGCCAGCACCAGATGCAT
GAGCTAATTATCTCTTTGAGTCTTGCTTCTGTTTGCTCACAGTAAACTCATTGTTTAAAGCTTCAA
GAACATTCAAGCTGTTGGTGTGTTAAAAAATGCATTGTATTGATTTGTACTGGTAGTTTATGAAATTT
AATTAACACAGGCCATGAATGGAAGGTGGTATTGCACAGCTAATAAAATATGATTTGTGGATATGAA

265/615

FIGURE 264

MMVRRGLLAWISRVVLLVLLCCAISVLYMLACTPKGDEEQLALPRANSPTGKEGYQAVLQEWEEQHRNYVSSI
KRQIAQLKEELQERSEQLRNGQYQASDAAGLGLDRSPPEKTQADLLAFLHSQVDKAEVNAGVKLATEYAAVPFDS
FTLQKVYQLETGLTRHPPEEKPV RKDKRDELVEAIESALET LNNPAENSPNHRPYTASDFIEGIYRTERDKGTLYE
LTFKGDHKHEFKRLILFRPFSPIMKVKNEKLN MANTLINVIVPLAKRVDKFRQFMQNFREMCIEQDGRVHLTVVY
FGKEEINEVKGILENTSKAANFRNETFIQLNGEFSRGKGLDVGARFWKGSNVLLFFCDVDIYFTSEFLNTRCRLNT
QPGKKVFYPVLFSQYNPGIIYGHDAVPPLEQQLVIKKETGFWRDFGFGMTCQYRSDFINIGGFDLDIKGWGGED
VHLYRKYLHSNLIVVRTPV RGLFHLWHEKRCMDELTP EQYKMCMQSKAMNEASHGQLGMLVFRHEIEAHLRKQKQ
KTSSKKT

266/615

FIGURE 265

GGATGCAGAAAGCCTCAGTGTGCTCTTCCTGGCCTGGGTCTGCTTCCTCTTCTACGCTGGCATTGCCCTCTTCA
CCAGTGGCTTCCTGCTCACCCTTTGGAGCTACCAACCATAGCAGCTGCCAAGAGCCCCAGGCCCTGGGTCCC
TGCCATGGGGGAGCCAAGGGAAACCTGGGGCCTGCTGGATGGCTTCCCGATTTTCGCGGGTTGTGTTGGTGCTGA
TAGATGCTCTGCGATTTGACTTCGCCCAGCCCCAGCATTACACGTGCCTAGAGAGCCTCCTGTCTCCCTACCTT
TCCTGGGCAAACTAAGCTCCTTGAGAGGATCCTGGAGATTACAGCCCCACCATGCCCGGCTCTACCGATCTCAGG
TTGACCCTCCTACCACCACCATGCAGCGCCTCAAGGCCCTCACCCTGGCTCACTGCCTACCTTTATTGATGCTG
GTAGTAACCTCGCCAGCCACGCCATAGTGAAGACAATCTCATTAAAGCAGCTCACCAGTGCAGGAAGCGTGCTAG
TCTTCATGGGAGATGATACCTGGAAAGACCTTTTCCCTGGTGCTTTCTCAAAGCTTTCTTCTTCCCATCCTTCA
ATGTCAGAGACCTAGACACAGTGGACAATGGCATCCTGGAACACCTCTACCCACCATGGACAGTGGTGAATGGG
ACGTGCTGATTGCTCACTTCCTGGGTGTGGACCACTGTGGCCACAAGCATGGCCCTCACCACCTGAAATGGCCA
AGAACTTAGCCAGATGGACCAGGTGATCCAGGGACTTGTGGAGCGTCTGGAGAATGACACACTGCTGGTAGTGG
CTGGGGACCATGGGATGACCACAAATGGAGACCATGGAGGGGACAGTGAGCTGGAGGTCTCAGCTGCTCTCTTTC
TGTATAGCCCCACAGCAGTCTTCCCCAGCACCACACAGAGGAGCCAGAGGTGATTCTCAAGTTAGCCTTGTGC
CCACGCTGGCCCTGCTGCTGGCCCTGCCATCCATTTGGGAATATCGGGGAAGTGATGGCTGAGCTATTCTCAG
GGGGTGAGGACTCCCAGCCCCACTCCTCTGCTTTAGCCCAAGCCTCAGCTCTCCATCTCAATGCTCAGCAGGTGT
CCCGATTTCTTCATACCTACTCAGCTGCTACTCAGGACCTTCAAGCTAAGGAGCTTCATCAGCTGCAGAACCTCT
TCTCCAAGGCCCTCTGCTGACTACCAGTGGCTTCTCCAGAGCCCCAAGGGGGCTGAGGCGACACTGCCGACTGTGA
TTGCTGAGCTGCAGCAGTTCTGCGGGGAGCTCGGGCCATGTGCATCGAGTCTTGGGCTCGTTTCTCTCTGGTCC
GCATGGCGGGGGGTACTGCTCTCTTGGCTGCTTCCTGCTTTATCTGCCTGCTGGCATCTCAGTGGGCAATATCCC
CAGGCTTTCCATTCTGCCCTCTACTCCTGACACCTGTGGCCTGGGGCCTGGTTGGGGCCATAGCGTATGCTGGAC
TCTGGGAACCTATTGAGCTGAAGCTAGATCTAGTGCTTCTAGGGGCTGTGGCTGCAGTGAGCTCATTCTCCCTT
TTCTGTGGAAAGCCTGGGCTGGCTGGGGGTCCAAGAGGCCCTGGCAACCCTGTTTCCCATCCCTGGGCCCCGTCC
TGTTACTCCTGCTGTTTTGCTTGGCTGTGTTCTTCTCTGATAGTTTTGTTGTAGCTGAGGCCAGGGCCACCCCT
TCCTTTTGGGCTCATTCTCCTGCTCCTGGTGTGCCAGCTTCACTGGGAGGGCCAGCTGCTTCCACCTAAGCTAC
TCACAATGCCCCGCTTGGCACTTCAGCCACAACAAACCCCCACGGCACAATGGTGCATATGCCCTGAGGCTTG
GAATTGGGTGCTTTTATGTACAAGGCTAGCTGGGCTTTTTCATCGTTGCCCTGAAGAGACACCTGTTTGCCACT
CCTCTCCCTGGCTGAGTCTCTGGCATCCATGGTGGGTGGTTCGAGCCAAGAATTTATGGTATGGAGCTTGTGTGG
CGGCGCTGGTGGCCCTGTTAGCTGCGGTGCGCTTGTGGCTTCGCCGCTATGGTAATCTCAAGAGCCCCGAGCCAC
CCATGCTCTTTGTGCGCTGGGGACTGCCCTAATGGCATTGGGTACTGCTGCCCTACTGGGCATTGGCGTGGGGG
CAGATGAGGCTCCCCCGTCTCCGGGTCTGGTCTCTGGGGCATCCATGGTGTGCTCGGCTCGGCTGAGCAGGGC
TGGCTGCTTCAGGGCTCGCGCTGCTGCTCTGGAAGCCTGTGACAGTGTGGTGAAGGCTGGGGCAGGCGCTCCAA
GGACCAGGACTGTCTCACTCCCTTCTCAGGCCCCCCTTCTCAAGCTGACTTGGATTATGTGGTCCCTCAAA
TCTACCGACACATGCAGGAGGAGTTCCGGGGCCGGTTAGAGAGGACCAATCTCAGGGTCCCTGACTGTGGCTG
CTTATCAGTTGGGGAGTGTCTACTCAGCTGCTATGGTCACAGCCCTCACCCTGTTGGCCTTCCCACTTCTGCTGT
TGCATGCGGAGCGCATCAGCCTTGTGTTCTGCTTCTGTTTCTGCAGAGCTTCTTCTCCTACATCTGCTTGCTG
CTGGGATACCCGTCAACACCCCTGGTCTTTTACTGTGCCATGGCAGGCACTCTCGGCTTGGGCCCTCATGGCCA
CACAGACCTTCTACTCCACAGGCCACAGCCTGTCTTTCAGCCATCCATTGGCATGCAGCCTTCGTGGGATTCC
CAGAGGGTCATGGCTCCTGTACTTGGCTGCCTGCTTTGCTAGTGGGAGCCAACACCTTTGCCTCCCACTCCTCT
TTGCAGTAGGTTGCCCACTGCTCCTGCTCTGGCCTTCTCTGTGTGAGAGTCAAGGGCTGCGGAAGAGACAGCAGC
CCCCAGGGAATGAAGCTGATGCCAGAGTCAGACCCGAGGAGGAAGAGGAGCCACTGATGGAGATGCGGCTCCGGG
ATGCGCCTCAGCACTTCTATGCAGCACTGCTGCAGCTGGGCCTCAAGTACCTCTTTATCCTTGGTATTAGATTCT
TGGCTGTGCTTGGCAGCCTCCATCCTTCGAGGCATCTCATGGTCTGGAAAGTGTTCGCCCTAAGTTTCATAT
TTGAGGCTGTGGGCTTCATTGTGAGCAGCGTGGGACTTCTCCTGGGCATAGCTTTGGTGATGAGAGTGGATGGTG
CTGTGAGCTCCTGGTTCAGGCAGCTATTTCTGGCCCAGCAGAGGTAGCCTAGTCTGTGATTACTGGCACTTGGCT
ACAGAGAGTGTGGAGAACAGTGTAGCCTGGCCTGTACAGGTACTGGATGATCTGCAAGACAGGCTCAGCCATAC
TCTTACTATCATGCAGCCAGGGGCCGCTGACATCTAGGACTTCATTATTCTATAATTACAGGACCACAGTGGAGTA
TGATCCCTAACTCCTGATTTGGATGCATCTGAGGGACAAGGGGGGCGGTCTCCGAAGTGAATAAAATAGGCCGG
GCGTGGTGACTTGACCTATAATCCAGCACTTTGGGAGGCGAGAGTGGGAGGATTGCTTGGTCCCAGGAGTTCA
AGACCAGCCTGTGGAACATAACAAGACCCCGTCTTACTATTTAAAAAAAAGTGAATAAAATGATAATAT

267/615

FIGURE 266

```
</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA62809
<subunit 1 of 1, 1089 aa, 1 stop
<MW: 118699, pI: 8.49, NX(S/T): 2
MQKASVLLFLAWVCFLFYAGIALFTSGFLLTRLELTNHSSCQEPGPGSLPWGSQGKPGACWMA SRFSRVVLVI
DALRFDFDAQPHSHVPREPPVSLPFLGKLSSLQRILEIQPHHARLYRSQVDPPTTTMQRLKALTGSLPTFIDAG
SNFASHAIVEDNLIKQLTSAGRRVVFMDGDDTWKDLFPGAFSKAFFFP SFNVRDLDTVDNGILEHLYPTMDSGEWD
VLIAHFLGVDHCGHKGPHHPPEMAKKLSQMDQVIQGLVERLENDTLLVVAGDHGMTTNGDHGGDSELEVSAALFL
YSPTAVFPSTPPEEPEVIPAQVSLVPTLALLLGLPIPFGNIGEVMAELFSGGEDSQPHSSALAAQASALHLNAQQVS
RFLHTYSAATQDLQAKELHQLQNLFSKASADYQWLLQSPKGAEATLPTVIAELQQFLRGARAMCIESWARFSLVR
MAGGTALLAASCFCILLASQWAI SPGFPCPLLLTPVAWGLVGAIAYAGLLGTIELKLDLVLLGAVAAVSSFLPF
LWKAWAGWGSKRPLATLFPPIPGPVLLLLLFR LAVFFSDSFVVAEARATPFLG SFILLLVQLHWEGQLLPKLL
TMPRLGTSATNPPRHNGAYALRLGIGLLLCTRLAGLFHRCPEETPVCHSSPWLSP LASMVGGRAKNLWYGACVA
ALVALLAAVRLWLRRYGNLKSPEPPMLFVRWGLPLMALGTAA YWALASGADEAPPRLRVLVSGASMLVPRAVAGL
AASGLALLLWKPVTVLVKAGAGAPRTRTVLTPFSGPPTSQADLDYVVPQIYRHMQE EFRGLERTKSQGPLTVAA
YQLGSVYSAAMVTALTLLAFPLLLHAERISLVFLLFLQSFLL LHLAAGIPVTTPGPFTVPWQAVSAWALMAT
QTFYSTGHQPVFPPIHWHAAFVGFPEGHGSC T WLPALLVGANTFASHLLFAVGCP LLLLWPFLCESQGLRKRQQP
PGNEADARVRPEEEEEPLMEMRLRDAPQH FYAALLQLGLKYLFI LGIQILACALAASILRRHLMVWKVFAPKFIF
EAVGFIVSSVGLLLGIALVMRVDGAVSSWFRQLFLAQQR
```

Important features:**Signal peptide:**

amino acids 1-16

Transmembrane domains:

amino acids 317-341, 451-470, 481-500, 510-527, 538-555, 831-850, 1016-1034, 1052-1070

Leucine zipper pattern.

amino acids 843-864

N-glycosylation sites.

amino acids 37-40, 268-271

268/615

FIGURE 267

[illegible]

269/615

FIGURE 268

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA62812
><subunit 1 of 1, 337 aa, 1 stop
><MW: 37668, pI: 6.27, NX(S/T): 1
MLFSALLLEVIWILAADGGQHWTYEGPHGQDHWPAASYPECGNNAQSPIDIQTDSVTFDPDLPALQPHGYDQPGTE
PLDLHNNNGHTVQLSLPSTLYLGGLPRKYVAAQLHLHWGQKGSPPGSEHQINSEATFAELHIVHYDSYDSLSEA
AERPQGLAVLGILIEVGETKNIAYEHILSHLHEVRHKDQKTSVPPFNLRELLPKQLGQYFRYNGSLTTPPCYQSV
LWTVFYRRSQISMEOLEKLQGTLFSTEEEPSKLLVQNYRALQPLNQRMVFASFIQAGSSYTTGEMLSLGVGILVG
CLCLLLAVYFIARKIRKKRLENRKS SVVFTSAQATTEA
```

Important features of the protein:**Signal peptide:**

amino acids 1-15

Transmembrane domain:

amino acids 291-310

N-glycosylation site.

amino acids 213-216

Eukaryotic-type carbonic anhydrases proteins

amino acids 197-245, 104-140, 22-69

270/615

FIGURE 269

GTGGCGCTGGCGGTTGCTGTCAGCTGATTCCCGGGGTTGGTGGCAGCGGCGGTAGCAGCAATGGACTTTCTCCTG
GGGAACCCGTTTCCAGTCTCCAGTGGGACAGCGCATCGAGAAAGCCACAGATGGCTCCCTGCAGAGCGAGGACTGG
GCCCTCAACATGGAGATCTGCGACATCATCAACGAGACGGAGGAAGGTCCCAAAGATGCCCTCCGAGCAGTAAAG
AAGAGAATCGTGGGGAATAAGAATTCCACGAGGTGATGCTGGCTCTCACAGTCTTAGAAACCTGTGTCAAGAAC
TGCGGGCACCCTTCCACGTGCTGGTGGCCAGCCAGGACTTCGTGGAGAGTGTGCTGGTGGAGACCATCCTGCC
AAGAACAACCCACCCACCATCGTGCATGACAAAGTGTCTCAACCTCATCCAGTCCTGGGCTGACGCGTTCCGCAGC
TCGCCCCGATCTGACAGGTGTGGTCACCATCTATGAGGACCTGCGGAGGAAAGGCCTGGAGTCCCCATGACTGAC
CTGGACATGCTGTCACCCATCCACACACCCAGAGGACCGTGTTCAACTCAGAGACACAATCAGGACAGGATTCTG
TGGGCACTGACTCCAGCCAGCAAGAGGACTCTGGCCAGCATGCTGCCCCCTCTGCCCCCCCCGCCATACTCTCCG
GTGACACGCCCCATAGCACCAACCCCGGAACAGATTGGGAAGCTGCGCAGTGAGCTGGAGATGGTGGTGGGAACG
TGAGGGTGATGTCGGAGATGCTGACGGAGCTGGTGGCCACCCAGGCCGAGCCCGCAGACCTGGAGCTGCTGCAGG
AGCTCAACCGCACGTGCCGAGCCATGCAGCAGCGGGTCTGAGTGATACCCTGCTCCGGGGCCCATGCCCAAGGA
GCCCTTCAGAGCCCACACTGCCAGTCGAGGCCTGGCTGGAGGCTGGCCACAGTGGAATTTCTGCCGAGCCTATTG
TCCCTACCTGCTCTGCTGCATGGGGCCCCATGGCTTTGGCTGGCCACTGAGGGTAGGGTGTGGAGGTGTGGAGG
CCCCCTGAGGAGCTGCGGCGGCCAGGTACGAAGCTGCAACTCTGCGCGCAGTGGGCGAGATCTCATCAGCCCCA
GGCTGCAGGTGAGGCTTCAGGGGATGCTGGGGCCCCACTGCCCCCTCCGCTGCCTTGCCCTCCATCCTTCTCTGT
TCCTTCTGGCCGGGCACCCACGCACTGGGGCTCACCTCTTGTTGATCCTCTTGACTGGGAGAGGTGCCTTTTG
TATCCCCAATTAAAGGTAGAAAACC

271/615

FIGURE 270

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA62813
><subunit 1 of 1, 209 aa, 1 stop
><MW: 23465, pI: 7.57, NX(S/T): 1
MDFLLGNPFSSPVGQRIEKATDGSLSQSEDWALNMEICDIINETEEGPKDALRAVKKRIVGNKNFHEVMLALTVE
TCVKNCGHRFHVLVASQDFVESVLVRTILPKNNPPTIVHDKVLNLIQSWADAFRSSPDLTGVVTTIYEDLRRKGLE
FPMTDLDMLSPIHTPRGPCSTQRHNQDRILWALTPASKRTLASMLPLCPFRPYSPVTRP
```

Important features of the protein:**Signal peptide:**

Amino acids 1-15

N-glycosylation site:

Amino acids 41-45

N-myristoylation sites:

Amino acids 6-12;23-29

272/615

FIGURE 271

CGGACGCGTGGGCGGACGCGTGGGCGGACGCGTGGGTCTCTGCGGGGAGACGCCAGCCTGCGTCTGCC**ATG**GGGC
TCGGGTTGAGGGGCTGGGGACGTCCCTGCTGACTGTGGCCACCGCCCTGATGCTGCCCGTGAAGCCCCCGCAG
GCTCCTGGGGGGCCAGATCATCGGGGGCCACGAGGTGACCCCCACTCCAGGCCCTACATGGCATCCGTGCGCT
TCGGGGGCCAACATCACTGCGGAGGCTTCCTGCTGCGAGCCCGCTGGGTGGTCTCGGCCGCCCACTGCTTCAGCC
ACAGAGACCTCCGCACTGGCCTGGTGGTGCTGGGCGCCCCACGTCTGAGTACTGCGGAGCCCCACCCAGCAGGTGT
TTGGCATCGATGCTCTCACCACGCACCCCGACTACCACCCCATGACCCACGCCAAGACATCTGCCTGCTGCGGC
TGAACGGCTCTGCTGTCTGGGCCCTGCAGTGGGGCTGCTGAGGCTGCCAGGGAGAAGGGCCAGGCCCCCACAG
CGGGGACACGGTGCCGGGTGGCTGGCTGGGGCTTCGTGTCTGACTTTGAGGAGCTGCCGCCTGGACTGATGGAGG
CCAAGTCCGAGTGCTGGACCGGACGTCTGCAACAGCTCCTGGAAGGGCCACCTGACACTTACCATGCTCTGCA
CCCGCAGTGGGGACAGCCACAGACGGGGCTTCTGCTCGGCCGACTCCGGAGGGCCCCCTGGTGTGCAGGAACCGGG
CTCACGGCCTCGTTTCCTTCTCGGGCCTCTGGTGCGGCGACCCCAAGACCCCCGACGTGTACACGCAGGTGTCCG
CCTTTGTGGCCTGGATCTGGGACGTGGTTTCGGCGGAGCAGTCCCCAGCCCCGGCCCCCTGCCTGGGACCACCAGGC
CCCCAGGAGAAGCCGCC**TGA**GCCACAACCTTGCGGCATGCAATGAGATGGCCGCTCCAGGCCTGGAATGTTCCG
TGGCTGGGCCCCACGGGAAGCCTGATGTTCAAGGTTGGGGTGGGACGGGCAGCGGTGGGGCACACCCATTCCACA
TGCAAGGGCAGAAGCAAACCCAGTAAATGTTAAGTACAAAAAAAAAAAAAAAAAAGAAA

273/615

FIGURE 272

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA62845
><subunit 1 of 1, 283 aa, 1 stop
><MW: 30350, pI: 9.66, NX(S/T): 2
MGLGLRGWGRPLLTVATALMLPVKPPAGSWGAIIGGHEVTPHSRPYMASVRFGGQHHCGGFLLRARWVVSAAHC
FSHRDLRTGLVVLGAHVLSTAEPTQQVFGIDALTTHPDYHPMTHANDICLLRLNGSAVLGPAVGLLRLPGRRARP
PTAGTRCRVAGWGFVSDFEELPPGLMEAKVRVLDPDVCNSSWKGHLLTLMCLTRSGDSHRRGFCSADSGGPLVCR
NRAHGLVSFSGLWCGDPKTPDVYTQVSAFVAWIWDVVRSSPQPGPLPGTTTRPPGEAA
```

Signal peptide:
amino acids 1-30

274/615

FIGURE 273

GAAGTTCGCGAGCGCTGGCTATGGGTCCTGGGGCGCGGCTGGCGGCGCTGCTGGCGGTGCTGGCGCTCGGGACAG
GAGACCCAGAAAAGGGCTGCGGCTCGGGGCGACACGTTCTCGGCGCTGACCAGCGTGGCGCGCGCCCTGGCGCCCCG
AGCGCCGGCTGCTGGGGCTGCTGAGGCGGTACCTGCGCGGGAGGAGGCGCGGCTGCGGGACCTGACTAGATTCT
ACGACAAGGTACTTTCTTTGTCATGAGGATTCAACAACCCCTGTGGCTAACCCCTCTGCTTGCATTTACTCTCATCA
AACGCCCTGCAGTCTGACTGGAGGAATGTGGTACATAGTCTGGAGGCCAGTGAGAACATCCGAGCTCTGAAGGATG
GCTATGAGAAGGTGGAGCAAGACCTTCCAGCCTTTGAGGACCTTGAGGGAGCAGCAAGGGCCCTGATGCGGCTGC
AGGACGTGTACATGCTCAATGTGAAAGGCCTGGCCCGAGGTGTCTTTCAGAGAGTCACTGGCTCTGCCATCACTG
ACCTGTACAGCCCCAAACGGCTCTTTTCTCTCACAGGGGATGACTGCTTCCAAGTTGGCAAGGTGGCCTATGACA
TGGGGGATTATTACCATGCCATTCCATGGCTGGAGGAGGCTGTGAGTCTCTTCCGAGGATCTTACGGAGAGTGGA
AGACAGAGGATGAGGCAAGTCTAGAAGATGCCTTGGATCACTTGGCCTTTGCTTATTTCCGGGCGAGGAAATGTTT
CGTGTGCCCTCAGCCTCTCTCGGGAGTTTCTTCTCTACAGCCCAGATAATAAGAGGATGGCCAGGAATGTCTTGA
AATATGAAAGGCTCTTGGCAGAGAGCCCCAACACGTTGGTAGCTGAGGCTGTCAATCCAGAGGCCCAATATACCCC
ACCTGCAGACCAGAGACACCTACGAGGGGCTATGTGACACCCTGGGTTCAGCCCACTCTCTACCAGATCCCTA
GCCTCTACTGTTCTTATGAGACCAATTCCAACGCCCTACCTGCTGCTCCAGCCCATCCGGAAGGAGGTCACTCCACC
TGGAGCCCTACATTGCTCTCTACCATGACTTCGTGAGTCACTCAGAGGCTCAGAAAATTAGAGAACTTGCAGAAC
CATGGCTACAGAGGTCACTGGTGGCATCAGGGGAGAAGCAGTTACAAGTGGAGTACCGCATCAGCAAAAGTGCCT
GGCTGAAGGACACTGTTGACCCAAAAGTGGTGAACCTCAACCACCGCATTGCTGCCCTCACAGGCCCTTGATGTCC
GGCCTCCCTATGCAGAGTATCTGCAGGTGGTGAACATATGGCATCGGAGGACACTATGAGCCTCACTTTGACCATG
CTACGTCAACAAGCAGCCCCCTCTACAGAATGAAGTCAGGAAACCGAGTTGCAACATTTATGATCTATCTGAGCT
CGGTGGAAGCTGGAGGAGCCACAGCCTTCATCTATGCCAACCTCAGCGTGCCTGTGGTTAGGAATGCAGCACTGT
TTTGGTGGAACTTGCACAGGAGTGGTGAAGGGGACAGTGACACACTTCATGCTGGCTGTCTCTGCTGGTGGGAG
ATAAGTGGGTGGCCAACAAGTGGATACATGAGTATGGACAGGAATTCCGAGACCCCTGCAGCTCCAGCCCTGAAG
ACTGAACCTGTTGGCAGAGAGAAGCTGGTGGAGTCTGTGGCTTTCCAGAGAAGCCAGGAGCCAAAAGCTGGGGTA
GGAGAGGAGAAAGCAGAGCAGCCTCCTGGAAGAAGGCCTTGTCAGCTTTGTCTGTGCCCTCGCAAATCAGAGGCAA
GGGAGAGGTTGTTACCAGGGGACACTGAGAATGTACATTTGATCTGCCCCAGCCACGGAAGTCAGAGTAGGATGC
ACAGTACAAAGGAGGGGGGAGTGGAGGCCTGAGAGGGAAGTTTCTGGAGTTCAGATACTCTCTGTTGGGAACAGG
ACATCTCAACAGTCTCAGGTTGATCAGTGGGTCTTTTGGCACTTTGAACCTTGACCACAGGGACCAAGAAGTGG
CAATGAGGACACCTGCAGGAGGGGCTAGCCTGACTCCAGAACTTTAAGACTTTCTCCCCACTGCCTTCTGCTGC
AGCCCAAGCAGGGAGTGTCCCCCTCCAGAAAGCATATCCAGATGAGTGGTACATTATATAAGGATTTTTTTTAA
GTTGAAAACAACCTTCTTTTCTTTTGTATGATGGTTTTTTAACACAGTCATTAAAAATGTTTATAAATCAAAA

275/615

FIGURE 274

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA64849
><subunit 1 of 1, 544 aa, 1 stop
><MW: 61126, pI: 6.40, NX(S/T): 2
MGPGARLAALLAVLALGTGDPERAAARGDTFSALTSVARALAPERLLGLLRRYLRGEEA
RLRDLTRFYDKVLSLHEDSTTPVANPLLAFTLIKRLQSDWRNVVHSLEASENIRALKDGY
EKVEQDLPAFEDLEGAARALMRLQDVYMLNVKGLARGVFQRTGSAITDLYSPKRLFSLT
GDDCFQVGKVAYDMGDYYHAIPWLEEAVSLFRGSYGEWKTEDEASLEDALDHLAFAYFRA
GNVSCALSLSREFLLYSPDNKRMARNVLKYERLLAESPNHVVAEAVIQRPNIPHLQTRDT
YEGLCQTLGSQPTLYQIPSLYCSYETNSNAYLLLQPIRKEVIHLEPYIALYHDFVSDSEA
QKIRELAEPWLQRSVVASGEKQLQVEYRISKSAWLKDTVDPKLVTLNHRIAALTGLDVRP
PYAEYLQVVNYGIGGHHYEPHFDHATSPSSPLYRMKSGNRVATFMIYLSSVEAGGATAFIY
ANLSVPVVRNAALFWWNLHRSGEGDSOTLHAGCPVLVGDKWVANKWIHEYGQEFRPCSS
SPED
```

Important features of the protein:**Signal peptide:**

Amino acids 1-19

Leucine zipper pattern:

Amino acids 34-56;41-63

Ribonucleotide reductase small subunit signature:

Amino acids 340-356

N-glycosylation sites:

Amino acids 242-246;482-486

Cell attachment sequence:

Amino acids 27-30

Tyrosine kinase phosphorylation site:

Amino acids 189-198

N-myristoylation sites:Amino acids 4-10;135-141;153-159;164-170;241-247;303-309;309-315;
457-463;473-479

276/615

FIGURE 275

GGCAACATGGCTCAGCAGGCTTGCCCCAGAGCCATGGCAAAGAATGGACTTGTAATTTGCATCCTGGTGATCACC
TTACTCCTGGACCAGACCACCAGCCACACATCCAGATTAAGCCAGGAAGCACAGCAAACGTCGAGTGAGAGAC
AAGGATGGAGATCTGAAGACTCAAATGAAAAGCTCTGGACAGAAGTCAATGCCTTGAAGGAAATCAAGCCCTG
CAGACAGTCTGTCTCCGAGGCCTAAAGTTCACAAGAAATGCTACCTTGCTTCAGAAGGTTTGAAGCATTTCCAT
GAGGCCAATGAAGACTGCATTTCCAAAGGAGGAATCCTGGTTATCCCCAGGAACCTCCGACGAAATCAACGCCCTC
CAAGACTATGGTAAAAGGAGCCTGCCAGGTGTCAATGACTTTTGGCTGGGCATCAATGACATGGTCACGGAAGGC
AAGTTTGTTGACGTCAACGGAATCGCTATCTCCTTCCCTCAACTGGGACCGTGCACAGCCTAACGGTGGCAAGCGA
GAAACTGTGTCTGTCTCCCAATCAGCTCAGGGCAAGTGGAGTGATGAGGCCTGTGCGCAGCAGCAAGAGATAC
ATATGCGAGTTCCACATCCCTAAATAGGTCTTTCTCCAATGTGTCTCCAAGCAAGATTCATCATAACTTATAGG
TTCATGATCTCTAAGATCAAGTAAAAATCATAATTTTTTACTTATTAATAAATGCAACACAAGATCAATGTCCAT
AGCAATATGATAGCATCAGCCAATTTTGCTAACACATTTCTTTGGGATTTTGGCCTTCCTGGGGTATAGGGGATC
AGAAATATTGATCCATGTGCACGCAGATAAAATGGCTTCTGCTAAACAGACTAAAAATCTTTCTCTCTAGTCTTTC
TCACTTGTAACAACCCAGTTTGTCTTCAAAAAATCACAGTAGCAATGCAACTCATCACTCTAGAAAAGCAAGCTT
AGGCTACCTGAAAGATTTTCCCTTGGAAGTTTAGCGTATGTTTGACTAACAAAAATTCCTTACATCAGAGACTCT
AGGTGCTATATAATCCAAAACTTTTCAAGCTGTGCTCATTCTGTCCCATGCTGGCAATAATACCTTGTGAGCC
CATTACCCCTTATTTGAATTGCTCCATCTCCTGGTGGGACTTGTATCTTGTCTGCCATATCAGAACACAAACCCC
TGAAGAGGTTCTGATTTGATTTTTTTTTTTTCTTCATGCCTACCCCTTTTTTTGGAAGTTTCCAGCCGCAATTTGA
AATGAAATGACAAGGTGTATATTTGATCAATTTTCATTCCCACCATTGCATTACAACCTCTAACTTAAATGGGTA
ACCCTAAGGCATATCAAAGAAGCAGATTGCATGATAAACGGAAATAGAAAAAAGAACCCTACATTTATTTTGCTT
TAGCATCCTTACTCTCACCTTTTATGAGATTGAGAGTGGACTTACATTTCTTTTTTACATTTTCTGATATTTAT
TTTTTTTAGCCATCATTATATGTTTAAGTCTATTATGGGCAACCAATCTTTGGAAGCTGAAACTGAATTTAAAG
AATGCTATCTTGAAAATTGCATACGTCTGTGCAATTTTTTATTCTGCCTAGTGCTATTCTGCTTGTTAACTAG
ATTGTACAAAATAACTTCATTGCTTAATATCAAATTACAAAGTTTAGACTTGGAGGGAAATGGGCTTTTTTAGAAG
CAAACAATTTTAAATATATTTGTTCTTCAAATAAATAGTGTAAACATTGAATGTGTTTGTGAACAATATCC
CACTTTGCAAACTTTAACTACACATGCTTGAATTAAGTTTCTAGCTGTTTTCATTTGCTCAATAATAAAGCCTGAA
TTCTGATCAATAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA

277/615

FIGURE 276

MAQQACPRAMAKNGLVICILVITLLLDQTTSHTSRLKARKHSKRRVRDKDGD LKTQIEKLWTEVNALKEIQALQT
VCLRGTKVHKKCYLASEGLKHFHEANEDCISKGGILVIPRNSDEINALQDYGKRSLPGVNDFWLGINDMVTEGKF
VDVNGIAISFLNWDRAQPNGGKRENCVLFSSQSAQGKWSDEACRSSKRYICEFTIPK

278/615

FIGURE 277

GAGATAGGGAGTCTGGGTTTAAGTTCCTGCTCCATCTCAGGAGCCCCCTGCTCCCACCCCTAGGAAGCCACCAGAC
TCCACGGTGTGGGGCCAATCAGGTGGAATCGGCCCTGGCAGGTGGGGCCACGAGCGCTGGCTGAGGGACCGAGCC
GGAGAGCCCCGGAGCCCCCGTAACCCGCGCGGGGAGCGCCAGGATGCGCGCGGGGACTCGGAGCAGGTGCGCT
ACTGCGCGCGCTTCTCCTACCTCTGGCTCAAGTTTTCACTTATCATCTATTCCACCGTGTTCCTGGCTGATTGGGG
CCCTGGTCCTGTCTGTGGGCATCTATGCAGAGGTTGAGCGGCAGAAATATAAAACCCCTTGAAAGTGCCCTCCTGG
CTCCAGCCATCATCCTCATCCTCCTGGGCGTCGTCATGTTTCATGGTCTCCTTCATTGGTGTGCTGGCGTCCCTCC
GTGACAACTGTACCTTCTCCAAGCATTTCATGTACATCCTTGGGATCTGCCTCATCATGGAGCTCATTGGTGGCG
TGGTGGCCTTGACCTTCCGGAACCAGACCATTGACTTCCTGAACGACAACATTGAGAAGGAATTGAGAACTACT
ATGATGATCTGGACTTCAAAAACATCATGGACTTTGTTTCAGAAAAAGTTCAAGTGCTGTGGCGGGGAGGACTACC
GAGATTGGAGCAAGAATCAGTACCACGACTGCAGTGCCCCCTGGACCCCTGGCCTGTGGGGTGCCCTACACCTGCT
GCATCAGGAACACGACAGAAGTTGTCAACACCATGTGTGGCTACAAAACATATCGACAAGGAGCGTTTCAGTGTGC
AGGATGTCTATCTACGTGCGGGGCTGCACCAACGCGGTGATCATCTGGTTCATGGACAACATACACCATCATGGCGT
GCATCCTCCTGGGCATCCTGCTTCCCCAGTTCCTGGGGGTGCTGCTGACGCTGCTGTACATCACC CGGGTGGAGG
ACATCATCATGGAGCACTCTGTCACTGATGGGCTCCTGGGGCCCCGGTGCCAAGCCAGCGTGGAGGCGGCAGGCA
CGGGATGCTGCTTGTGCTACCCCAATTAGGGGCCAGCCTGCCATGGCAGCTCCAACAAGGACCGTCTGGGATAGC
ACCTCTCAGTCAACATCGTGGGGCTGGACAGGGCTGCGGCCCTCTGCCACACTCAGTACTGACCAAGCCAGG
GCTGTGTGTGCCTGTGTGTAGGTCCCACGGCCTCTGCCTCCCCAGGGAGCAGAGCCTGGGCCTCCCCTAAGAGGC
TTTCCCCGAGGCAGCTCTGGAATCTGTGCCACCTGGGGCCTGGGGAACAAGGCCCTCCTTTCTCCAGGCCTGGG
CTACAGGGGAGGGAGAGCCTGAGGCTCTGCTCAGGGCCCATTTCATCTCTGGCAGTGCCCTGGCGGTGGTATTCA
AGGCAGTTTTGTAGCACCTGTAATTGGGGAGAGGGAGTGTGCCCCCTCGGGGCAGGAGGGAAGGGCATCTGGGGAA
GGGCAGGAGGGAAGAGCTGTCCATGCAGCCACGCCCATGGCCAGGTTGGCCTCTTCTCAGCCTCCCAGGTGCCTT
GAGCCCTCTTGCAAGGGCGGCTGCTTCCTTGAGCCTAGTTTTTTTTTTTACGTGATTTTTTGTAAACATTATTTTTTT
GTACAGATAACAGGAGTTTTCTGACTAATCAAAGCTGGTATTTCCCCGCATGTCTTATTCTTGCCCTTCCCCAAC
CAGTTTGTTAATCAAACAATAAAAACATGTTTTGTTTTGTTTTTAAAAA

279/615

FIGURE 278

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA64863
><subunit 1 of 1, 294 aa, 1 stop
><MW: 33211, pI: 5.35, NX(S/T): 3
MPRGDSEQVRYCARFSYLWLKFSLSIIYSTVFWLIGALVLSVGIYAEVERQKYKTLES AFLAPAILILLGVVMFM
VSFIGVLASLRDNL YLLQAFMYILGICLIMELIGGVVALTFRNQ TIDFLNDNIRRG IENYYDDLDFKNIMDFVQK
KFKCCGGEDYRDWSKNQYHDCSAPGPLACGVPTCCIRNTTEVVNTMCGYKTIDKERFSVQDV IYVRGCTNAVII
WFMDNYTIMACILLGILLPQFLGVLLTLLYITRVEDIIMEHSVTDG LLGPGAKPSVEAAGTGCCLCYPN
```

Signal peptide:
amino acids 1-44

Transmembrane domains:
amino acids 22-42, 57-85, 93-116, 230-257

280/615

FIGURE 279

GAGGAGCGGGCCGAGGACTCCAGCGTGCCCAGGTCTGGCATCCTGCACTTGCTGCCCTCTGACACCTGGGAAGAT
GGCCGGCCCCGTGGACCTTCACCCCTTCTCTGTGGTTTGCTGGCAGCCACCTTGATCCAAGCCACCCTCAGTCCCAC
TGCAGTTCTCATCCTCGGCCCAAAAGTCATCAAAGAAAAGCTGACACAGGAGCTGAAGGACCACAACGCCACCAG
CATCCTGCAGCAGCTGCCGCTGCTCAGTGCCATGCGGGAAAAGCCAGCCGGAGGCATCCCTGTGCTGGGCAGCCT
GGTGAACACCGTCCTGAAGCACATCATCTGGCTGAAGGTCATCACAGCTAACATCCTCCAGCTGCAGGTGAAGCC
CTCGGCCAATGACCAGGAGCTGCTAGTCAAGATCCCCCTGGACATGGTGGCTGGATTCAACACGCCCCCTGGTCAA
GACCATCGTGGAGTTCCACATGACGACTGAGGCCCAAGCCACCATCCGCATGGACACCAGTGCAAGTGGCCCCAC
CCGCCTGGTCCTCAGTGACTGTGCCACCAGCCATGGGAGCCTGCGCATCCAAGTGTGTATAAGCTCTCCTTCCT
GGTGAACGCCCTTAGCTAAGCAGGTCAAGAACCTCCTAGTGCCATCCCTGCCAATCTAGTGAAAAACCAGCTGTG
TCCCGTGATCGAGGCTTCCTTCAATGGCATGTATGCAGACCTCCTGCAGCTGGTGAAGGTGCCATTTCCCTCAG
CATTGACCGTCTGGAGTTTGACCTTCTGTATCCTGCCATCAAGGGTGACACCATTACAGCTCTACCTGGGGGCCAA
GTTGTTGGACTCACAGGGAAAGGTGACCAAGTGGTTCAATAACTCTGCAGCTTCCCTGACAATGCCACCCTGGA
CAACATCCCGTTCAGCCTCATCGTGAGTCAGGACGTGGTGAAGCTGCAGTGGCTGCTGTGCTCTCTCCAGAAGA
ATTGATGGTCCTGTTGGACTCTGTGCTTCCTGAGAGTGCCCATCGGCTGAAGTCAAGCATCGGGCTGATCAATGA
AAAGGCTGCAGATAAGCTGGGATCTACCCAGATCGTGAAGATCCTAACTCAGGACACTCCCGAGTTTTTTATAGA
CCAAGGCCATGCCAAGGTGGCCCAACTGATCGTGCTGGAAGTGTTCCTCCAGTGAAGCCCTCCGCCCTTTGTT
CACCTGGGCATCGAAGCCAGCTCGGAAGCTCAGTTTTACACCAAAGGTGACCAACTTATACTCAACTTGAATAA
CATCAGCTCTGATCGGATCCAGCTGATGAAGTCTGGGATTGGCTGGTTCCAACCTGATGTTCTGAAAAACATCAT
CACTGAGATCATCCACTCCATCCTGCTGCCGAACCAGAATGGCAAATTAAGATCTGGGGTCCCAGTGTCATTGGT
GAAGGCCTTGGGATTCGAGGCAGCTGAGTCCTCACTGACCAAGGATGCCCTTGTGCTTACTCCAGCCTCCTTGTG
GAAACCCAGCTCTCCTGTCTCCCAGTGAAGACTTGATGGCAGCCATCAGGGAAGGCTGGGTCCCAGCTGGGAGT
ATGGGTGTGAGCTCTATAGACCATCCCTCTCTGCAATCAATAAACACTTGCCTGTGAAAAA

281/615

FIGURE 280

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA64881
><subunit 1 of 1, 484 aa, 1 stop
><MW: 52468, pI: 7.14, NX(S/T): 3
MAGPWTFTLLCGLLAATLIQATLSPTAVLILGPKVIKEKLTQELKDHNATSILOQLPLLSAMREKFPAGGIPVLGS
LVNTVLKHIIWLKVITANILQLQVKPSANDQELLVKIPLDMVAGFNTPLVKTIIVEFHMTTEAQATIRMDTSASGP
TRLVLSDCATSHGSLRIQLLYKLSFLVNALAKQVMNLLVPSLPNLVKNQLCPVIEASFNGMYADLLQLVKVPISL
SIDRLEFDLLYPAIKGTIQLYLGAKLLDSQGKVTWFFNNSAASLTMPDLNIPFSLIVSQDVVKAAVAVALSPE
EFMVLLDSVLPESAHLKSSIGLINEKAADKLGSTQIVKILTQDTPEFFIDQGHAKVAQLIVLEVFPSSSEALRPL
FTLGIEASSEAQFYTKGDQLILNLNLISSDRIQLMNSGIGWFQPDVLKNIITEIIHSILLPNQNGKLRSGVPVSL
VKALGFEEAESSLT KDALVLT FASLWKPS SPVSQ
```

Important features of the protein:**Signal peptide:**

amino acids 1-21

N-glycosylation sites.

amino acids 48-51, 264-267, 401-404

Glycosaminoglycan attachment site.

amino acids 412-415

LBP / BPI / CETP family proteins.

amino acids 407-457

282/615

FIGURE 281

CCCACGCGTCCGCGCCTCTCCCTTCTGCTGGACCTTCCTTCGTCTCTCCATCTCTCCCTCCTTTCCCCGCGTTCT
CTTTCCACCTTTCTCTTCTTCCCACCTTAGACCTCCCTTCCTGCCCTCCTTTCTGCCCCACCGCTGCTTCCTGGC
CCTTCTCCGACCCCCGCTCTAGCAGCAGACCTCCTGGGGTCTGTGGGTTGATCTGTGGCCCCCTGTGCCTCCGTGTC
CTTTTCGTCTCCCTTCTCCCGACTCCGCTCCCGGACCAGCGGCCTGACCCTGGGGAAAGGATGCTTCCCGAGGT
GAGGGTCTCTCCTCCTTGTCTGGGACTCGCGCTGCTCTGGTTCCCCCTGGACTCCACGCTCGAGCCCCGCCCAGA
CATGTTCTGCCTTTTCCATGGGAAGAGATACTCCCCCGGCGAGAGCTGGCACCCTACTTGGAGCCACAAGGCCT
GATGTACTGCCTGCGCTGTACCTGCTCAGAGGGCGCCCATGTGAGTTGTTACCGCTCCACTGTCCGCCTGTCCA
CTGCCCCCAGCCTGTGACGGAGCCACAGCAATGCTGTCCAAGTGTGTGGAACCTCACACTCCCTCTGGACTCCG
GGCCCCACCAAAGTCCTGCCAGCACAAACGGGACCATGTACCAACACGGAGAGATCTTCAGTGCCCATGAGCTGTT
CCCCCTCCGCCTGCCCAACCAGTGTGTCTCTGCAGCTGCACAGAGGGCCAGATCTACTGCGGCCTCACAACTG
CCCCGAACCAGGCTGCCCAGCACCCCTCCCACTGCCAGACTCCTGCTGCCAAGCCTGCAAAGATGAGGCAAGTGA
GCAATCGGATGAAGAGGACAGTGTGCAGTCGCTCCATGGGGTGAGACATCCTCAGGATCCATGTTCCAGTGATGC
TGGGAGAAAGAGAGAGGCCCGGGCACCCAGCCCCACTGGCCTCAGCGCCCCCTCTGAGCTTCATCCCTCGCCACTT
CAGACCCAAGGGAGCAGGCAGCACAACTGTCAAGATCGTCTGAAGGAGAAACATAAGAAAGCCTGTGTGCATGG
CGGGAAGACGTACTCCACGGGGAGGTGTGGCACCCGGCCTTCCGTGCCTTCGGCCCCCTGCGCTGCATCCTATG
CACCTGTGAGGATGGCCGCCAGGACTGCCAGCGTGTGACCTGTCCACCGAGTACCCCTGCCGTCACCCCGAGAA
AGTGGCTGGGAAGTGCTGCAAGATTTGCCAGAGGACAAAGCAGACCCTGGCCACAGTGAGATCAGTTCTACCAG
GTGTCCCAAGGCACCGGGCCGGGTCTCGTCCACACATCGGTATCCCCAAGCCCAGACAACCTGCGTCGCTTTTGC
CCTGGAACACGAGGCCTCGGACTTGGTGGAGATCTACCTCTGGAAGCTGGTAAAAGATGAGGAAACTGAGGCTCA
GAGAGGTGAAGTACCTGGCCCAAGGCCACACAGCCAGAATCTTCCACTTGACTCAGATCAAGAAAGTCAGGAAGC
AAGACTTCCAGAAAGAGGCACAGCACTTCCGACTGCTCGCTGGCCCCACGAAGGTCACTGGAACGTCTTCTTAG
CCCAGACCCTGGAGCTGAAGGTCACGGCCAGTCCAGACAAAGTGACCAAGACATAACAAAGACCTAACAGTTGCA
GATATGAGCTGTATAATTGTTGTTATTATATATTAATAAAATAAGAAAGTTGCATTACCCTCAAAAAAAAAAAAAA
AAAAAA

283/615

FIGURE 282

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA64902
><subunit 1 of 1, 451 aa, 1 stop
><MW: 49675, pI: 7.15, NX(S/T): 1
MVPEVRVLSSLLGLALLWFPLDSHARARPD MFCLFHGKRYSPGESWHPYLEPQGLMYCLRCTCSEGAHVSCYRLH
CPPVHCPQPVTEPQQCCPKC VEPHTPSGLRAPPKSCQHNGTMYQHGEIFSAHELFPSRLPNQCVLCSCTEGQIYC
GLTTCPEPGCPAPLPLPDSCCQACKDEASEQSDEEDSVQSLHGVRHPQDPCSSDAGRKRGPPTAPTGLSAPLSF
IPRHFRPKGAGSTTVKIVLKEKHKKACVHGKTYSHGEVWHPAFRAFGPLPCILCTCEDGRQDCQRVTCPT EYPC
RHPEKVAGKCKICPEDKADPGHSEISSTRCPKAPGRVLVHTSVSPSPDNLRRFALEHEASDLVEIYLWKLVKDE
ETEAQRGEVPGPRPHSQNLPLDSDQESQEARLPERGTALPTARWPPRRSLERLPSPDPGAEGHGQSRQSDQDITKT
```

Signal peptide:
amino acids 1-25

284/615

FIGURE 283

GCGATGGTGCGCCCGGTGGCGGTGGCGGCGGCGGTTGCGGAGGCTTCCTTGGTCGGATTGCAACGAGGAGAAGAT
GACTGACCAACCGACTGGCTGAATGAATGAATGGCGGAGCCGAGCGCGCCATGAGGAGCCTGCCGAGCCTGGGCG
GCCTCGCCCTGTTGTGCTGCGCCGCCGCCGCCGCCGCTCGCCTCAGCCGCCTCGGCGGGGAATGTCACCGGTG
GCGGCGGGGCCGCGGGGCAGGTGGACGCGTCCGCGGGCCCCGGGTTGCGGGGCGAGCCCAGCCACCCCTTCCCTA
GGGCGACGGCTCCCACGGCCCAGGCCCGGAGGACCGGGCCCCCGCGCGCCACCGTCCACCGACCCCTGGCTGCGA
CTTCTCCAGCCCAGTCCCCGAGACCACCCCTCTTTGGGCGACTGCTGGACCCTCTTCCACCACCTTTCAGGCGC
CGCTCGGCCCTCGCCGACCACCCCTCCGGCGGCGGGAACGCACTTCGACCACCTCTCAGGCGCCGACCAGACCCG
CGCCGACCACCCCTTCGACGACCACTGGCCCCGCGCGGACCACCECTGTAGCGACCACCGTACCGGCGCCACGA
CTCCCCGGACCCCGACCCCGATCTCCCCAGCAGCAGCAACAGCAGCGTCCTCCCCACCCACCTGCCACCGAGG
CCCCCTCTTCGCCTCTCCAGAGTATGTATGTAAGTCTGTGGTTGGAAGCCTGAATGTGAATCGCTGCAACC
AGACCACAGGGCAGTGTGAGTGTGCGCCAGGTATCAGGGGCTTCACTGTGAAACCTGCAAAGAGGGCTTTTACC
TAAATTACACTTCTGGGCTCTGTGAGCCATGTGACTGTAGTCCACATGGAGCTCTCAGCATACCGTGCAACAGGT
AAGCAACAGAGGGTGGAAGTGAAGTTTATTTTATTTTAGCAAGGAAAAAAAAAGGCTGCTACTCTCAAGGACCA
TACTGGTTTAAACAAAGGAGGATGAGGGTCATAGATTTACAAAATATTTTATATACCTTTTATCTCTTACTTTAT
ATGTTATATTTAATGTCAGGATTTAAAAACATCTAATTTACTGATTTAGTTCTTCAAAGCACTAGAGTCGCCAA
TTTTTCTCTGGGATAATTTCTGTAAATTTTCATGGGAAAAAATTATTGAAGAATAAATCTGCTTTCTGGAGGGCT
TTCAGGCATGAAACCTGCTAGGAGGTTTAGAAATGTTCTTATGTTTATTAATATACCATTTGGAGTTTGAGGAAAT
TTGTTGTTTGGTTTATTTTCTCTCTAATCAAATTTACATTTGTTTCTTTGGACATCTAAAGCTTAACCTGGG
GGTACCCTAATTTATTTAACTAGTGGTAAGTAGACTGGTTTTACTCTATTTACCAGTACATTTTGGAGACAAAA
GTAGATTAAGCAGGAATTATCTTTAACTATTATGTTATTTGGAGGTAATTTAATCTAGTGGAATAATGTACTGT
TATCTAAGCATTTGCCCTGTACTGCACTGAAAGTAATTATTCTTTGACCTTATGTGAGGCACCTGGCTTTTGTG
GACCCCAAGTCAAAAACTGAAGAGACAGTATTAATAATGAAAAAATAATGACAGGTATACTCAGTGTAACC
TGGGTATAACCAAGATCTGCTGCCACTTACGAGCTGTGTTCCCTTGGGCAAGTAATTTCCCTTCACTGAGCTTGT
TTCTTCTCAAGGTTGTTGTGAAGATTAAATGAGTTGATATATATAAAATGCCCTAGCACATGTCACTCAATAAATT
CTGTTTGTGTTTAAATTTCAAAGGAATATATGAGGACTGAAATGAGAGAACATGTTTTAAGAACTTTTAGCTCCTTG
ACAAAGAAGTGCTTTTATACCTTAGCACTAAATATTTTAAATGCTTTATAAATGATATTATACTGTTATGGAATAT
TGATCATATTTAGTTTATTAATAATGTAGAAGAGGCTGGGCGCGGTGGCTCACGCCTGTAATCCTAGCACTTT
GGGAGGCCAAGGCGGGTGGATCACTTGAGGCCAGGAGTTCTAGATGAGCCTGGCCAGCACAGTGAAACCCCGTCT
CTACTAAAAATACAAACAAATTAGCTGGGCGTGGTGGCACACACCTGTAGTCCCAGCTACTCGGGAGGCTGAGGC
AGGAGAATCGGTTGAACCCGGGAGGTGGAGGTTGCAGTGAGCTGAGATCGCGCCACTGCACTCCAGCCTGGTGAG
AGAGGGGAGACTCTGTCTTAAAAAAAAAAAAAAAAAAAAAAAAA

285/615

FIGURE 284

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA64952

><subunit 1 of 1, 258 aa, 1 stop

><MW: 25716, pI: 8.13, NX(S/T): 5

MRS L P S L G G L A L L C C A A A A A V A S A A S A G N V T G G G G A A G Q V D A S P G P G L R G E P S H P F P R A T A P T A Q A P R T G P P R A
T V H R P L A A T S P A Q S P E T T P L W A T A G P S S T T F Q A P L G P S P T T P P A A E R T S T T S Q A P T R P A P T T L S T T T G P A P T T P V
A T T V P A P T T P R T P T P D L P S S S N S S V L P T P P A T E A P S S P P P E Y V C N C S V V G S L N V N R C N Q T T G Q C E C R P G Y Q G L H C
E T C K E G F Y L N Y T S G L C Q P C D C S P H G A L S I P C N R

Important features of the protein:**Signal peptide:**

amino acids 1-25

N-glycosylation sites.

amino acids 30-33, 172-175, 195-198, 208-211, 235-238

EGF-like domain cysteine pattern signature.

amino acids 214-226.

286/615

FIGURE 285

AACAGACGTTCCCTCGCGGCCCTGGCACCTCTAACCCACAGACATGCTGCTGCTGCTGCTGCCCTGCTCTGGGGG
AGGGAGAGGGCGGAAGGACAGACAAGTAAACTGCTGACGATGCAGAGTTCCGTGACGGTGCAGGAAGGCCTGTGT
GTCCATGTGCCCTGCTCCTTCTCCTACCCCTCGCATGGCTGGATTACCTGGCCAGTAGTTCATGGCTACTGG
TTCCGGGAAGGGGGCCAATACAGACCAGGATGCTCCAGTGGCCACAAACAACCCAGCTCGGGCAGTGTGGGAGGAG
ACTCGGGACCGATTCCACCTCCTTGGGGACCCACATACCAAGAATTGCACCCTGAGCATCAGAGATGCCAGAAGA
AGTGATGCGGGGAGATACTTCTTTTCGTATGGAGAAAGGAAGTATAAAATGGAATTATAAACATCACCGGCTCTCT
GTGAATGTGACAGCCTTGACCCACAGGCCCAACATCCTCATCCAGGCACCCTGGAGTCCGGCTGCCCCAGAAT
CTGACCTGCTCTGTGCCCTGGGCCTGTGAGCAGGGGACACCCCTATGATCTCCTGGATAGGGACCTCCGTGTCC
CCCCTGGACCCCTCCACCACCCGCTCCTCGGTGCTCACCTCATCCACAGCCCCAGGACCATGGCACCCAGCCTC
ACCTGTGAGGTGACCTTCCCTGGGGCCAGCGTGACCACGAACAAGACCGTCCATCTCAACGTGTCTTACCCGCT
CAGAACTTGACCATGACTGTCTTCCAAGGAGACGGCACAGTATCCACAGTCTTGGGAAATGGCTCATCTCTGTCA
CTCCAGAGGGCCAGTCTCTGCGCCTGGTCTGTGCAGTTGATGCAGTTGACAGCAATCCCCCTGCCAGGCTGAGC
CTGAGCTGGAGAGGCCTGACCCCTGTGCCCCCTCACAGCCCTCAAACCCGGGGGTGCTGGAGCTGCCTTGGGTGCAC
CTGAGGGATGCAGCTGAATTCACCTGCAGAGCTCAGAACCCTCTCGGCTCTCAGCAGGTCTACCTGAACGTCTCC
CTGCAGAGCAAAGCCACATCAGGAGTGACTCAGGGGTGGTCCGGGGAGCTGGAGCCACAGCCCTGGTCTTCTCTG
TCCTTCTGCGTCATCTTCTGTTGTAGTGAGGTCTGTCAGGAAGAAATCGGCAAGGCCAGCAGCGGGCGTGGGAGAT
ACGGGCATAGAGGATGCAAACGCTGTGAGGGGTTCAGCCTCTCAGGGGCCCTGACTGAACCTTGGGCAGAAGAC
AGTCCCCCAGACCAGCCTCCCCCAGCTTCTGCCCCGCTCCTCAGTGGGGGAAGGAGAGCTCCAGTATGCATCCCTC
AGCTTCCAGATGGTGAAGCCTTGGGACTCGCGGGGACAGGAGGCCACTGACACCGAGTACTCGGAGATCAAGATC
CACAGATGAGAACTGCAGAGACTCACCTGATTGAGGGATCACAGCCCTCCAGGCAAGGGAGAAGTCAGAGGC
TGATTCTTGTAGAATTAACAGCCCTCAACGTGATGAGCTATGATAACACTATGAATTATGTGCAGAGTGAAAAGC
ACACAGGCTTTAGAGTCAAAGTATCTCAAACCTGAATCCACACTGTGCCCTCCCTTTTATTTTAACTAAAAG
ACAGACAAATTCCTA

287/615

FIGURE 286

MLLLLLPLLWGRERAEGQTSKLLTMQSSVTVQEGLCVHVPCSFSPSHGWIYPGPVVHGYWFREGANTDQDAPVA
TNNPARAVWEETRDRFHLLGDPHTKNCTLSIRDARRSDAGRYFFRMEKGSIKWNYKHHRLSVNVTALTHRPNILI
PGTLESGCPQNLTCVWPWACEQGTTPPMISWIGTSVSPDPSTTRSSVLTLLIPQPQDHGTS LTCQVT FPGASVTTN
KTVHLNVSYPQNLTM TVFQGDGT VSTVLGNGSSLSLPEGQSLRLVCAVDAVDSNPPARLSLSWRGLTLCPSQPS
NPGVLELPWVHLRDAAEFTCRAQNPLGSQQVYLNVSLSQSKATSGVTQGVVGGAGATALVFLSFCVIFVVVRSCRK
KSARPAAGVGDGTGIEDANAVRGSA SQGPLTEPWAEDSPDP PPPASARSSVGE GELQYASLSFQMVKPWDSRGQE
ATDTEYSEIKIHR

Signal peptide:
amino acids 1-15

Transmembrane domain:
amino acids 351-370

288/615

FIGURE 287

CGCGAGCTGAGAGGAGCAGGTAGAGGGGCGAGGGCGGGACTGTCGTCTGGGGGAGCCGCCAGGAGGCTCCTCAG
GCCCACCCAGACCCTGGCTGGCCAGGATGAAGTATCTCCGGCACCGGCGGCCCAATGCCACCCTCATTTCTGGCC
ATCGGCGCTTTTACCCTCCTCCTCTTCAGTCTGCTAGTGTCACCAACCACCTGCAAGGTCCAGGAGCAGCCACCG
GCGATCCCCGAGGCCCCTGGCCTGGCCCACTCCACCCACCCGCCAGCCCCGGCCCCGTGCCATGCCAACACCTCT
ATGGTCACCCACCCGGACTTCGCCACGCAGCCGCGAGCACGTTCAGAACTTCCTCCTGTACAGACACTGCCGCCAC
TTTCCCCTGCTGCAGGACGTGCCCCCTCTAAGTGGCGCGAGCCGGTCTTCCTGCTGCTGGTGATCAAGTCCCTCC
CCTAGCAACTATGTGCGCCGCGAGCTGCTGCGGCGCACGTGGGGCCGCGAGCGCAAGGTACGGGGTTTGCAGCTG
CGCCTCCTCTTCCTGGTGGGCACAGCCTCCAACCCGACAGAGGCCCGCAAGGTCAACCGGCTGCTGGAGCTGGAG
GCACAGACTCACGGAGACATCCTGCAGTGGGACTTCACGACTCCTTCTTCAACCTCACGCTCAAGCAGGTCTCTG
TTCTTACAGTGGCAGGAGACAAGGTGCGCCAACGCCAGCTTCGTGCTCAACGGGGATGATGACGTCTTTGCACAC
ACAGACAACATGGTCTTCTACCTGCAGGACCATGACCCTGGCCGCCACCTCTTCGTGGGGCAACTGATCCAAAAC
GTGGGCCCCATCCGGGCTTTTGGAGCAAGTACTATGTGCCAGAGGTGGTGAAGTCAAGCGGTACCCACCC
TATTGTGGGGGTGGTGGCTTCTTGCTGTCCCCTTCACGGCCGCTGCCCTGCGCCGTGCTGCCCATGTCTTGGAC
ATCTTCCCCATTGATGATGTCTTCTGGGTATGTGTCTGGAGCTTGAGGGACTGAAGCCTGCCCTCCACAGCGGC
ATCCGCACGTCTGGCGTGGGGCTCCATCGCAACACCTGTCTCTCTTTGACCCCTGCTTCTACCGAGACCTGCTG
CTGGTGCACCGCTTCCTACCTTATGAGATGCTGCTCATGTGGGATGCGCTGAACAGCCCAACCTCACCTGCGGC
AATCAGACACAGATCTACTGAGTGCAGCATCAGGGTCCCCAGCCTCTGGGCTCCTGTTTCCATAGGAAGGGGCGAC
ACCTTCTCTCCAGGAAGCTGAGACCTTGTGGTCTGAGCATAAGGGAGTGCCAGGGAAGGTTTGGAGTTTGATGA
GTGAATATTCTGGCTGGCGAACTCCTACACATCCTTCAAAACCCACCTGGTACTGTTCCAGCATCTTCCCTGGAT
GGCTGGAGGAACCTCCAGAAAATATCCATCTTCTTTTGTGGCTGCTAATGGCAGAAGTGCCCTGTGCTAGAGTTCC
AACTGTGGATGCATCCGTCCCGTTTGAGTCAAAGTCTTACTTCCCTGCTCTCACCTACTCACAGACGGGATGCTA
AGCAGTGCACCTGCAGTGGTTAATGGCAGATAAGCTCCGTCTGCAGTTCAGGCCAGCCAGAACTCCTGTGTC
CACATAGAGCTGACGTGAGAAATATCTTTAGCCCAGGAGAGAGGGTCTGATCTTAACCTTTCTTGGGTCTC
AGACAACTCAGAAGGTTGGGGGGATACCAGAGAGGTGGTGGAAATAGGACCGCCCCCTCTTACTTGTGGGATCAA
ATGCTGTAATGGTGGAGGTGTGGGCAGAGGAGGGAGGCAAGTGTCTTTGAAAGTTGTGAGAGCTCAGAGTTTCTG
GGTCTCTATTAGGAGCCCCCATCCCTGTGTTCCCAAGAATTACAGAGAACAGCACTGGGGCTGGAATGATCTTT
AATGGGCCCCAAGGCCAACAGGCATATGCCTCACTACTGCCTGGAGAAGGGAGAGATTAGGTCTCCAGCAGCCT
CCCTCACCCAGTATGTTTTACAGATTACGGGGGGACGGGTGAGCCAGTGACCCCCCTGCAGCCCCCAGCTCAGG
CCTCAGTGTCTGCCAGTCAAGCTTCACAGGCATTGTGATGGGGCAGCCTTGGGGAATATAAAATTTTGTGAAGAA
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA

289/615

FIGURE 288

```
</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA65413
<subunit 1 of 1, 372 aa, 1 stop
<MW: 42515, pI: 8.92, NX(S/T): 6
MKYLRRRPNATLILAIGAFTLLLFSLLVSPPTCKVQEQPPAIPALAWPTPPTRPAPAPCHANTSMVTHPDFAT
QPQHVQNFLLYRHRHFPLLQDVPPSKCAQPVFLLLVIKSSPSNYVRRELLRRTWGRERKVRGLQLRLLFLVGTA
SNPHEARKVNRLLELEAQTHGDILQWDFHDSFFNLTLKQVLFLOWQETRCANASFVLNGDDDVFAHTDNMVFYLO
DHDPGRHLFVQGQLIQNVGPIRAFWSKYVPEVVTQNERYPYCYGGGGFLLSRFTAAALRRAAHVLDIFPIDDVFL
GMCLELEGLKPASHSGIRTSGVRAPSQHLSSFDPFCFYRDLLLVRHFLPYEMLLMWDALNQPNLTCGNQTQIY
```

Important features:**Type II transmembrane domain:**

Amino acids 15-34

N-glycosylation sites:

Amino acids 10-14;64-68;184-188;202-206;362-366;367-371

TonB-dependent receptor proteins signature 1:

Amino acids 1-32

N-myristoylation sites:

Amino acids 308-314;316-322

290/615

FIGURE 289A

CGCGCTCCCCGCGCGCCTCCTCGGGCTCCACGCGTCTTGCCCCGAGAGGCAGCCTCCTCCAGGAGCGGGGCCCT
GCACACCATGGCCCCCGGGTGGGCAGGGGTGGCGCCCGCGTGGCGCCCGCCTGGCGCTGGCCTTGGCGCTGGC
GAGCGTCTTGAGTGGGCCTCCAGCCGTGCGCTGCCCCACCAAGTGTACCTGCTCCGCTGCCAGCGTGGACTGCCA
CGGGCTGGGCCTCCGCGCGGTTCCTCGGGGCATCCCCGCAACGCTGAGCGCCTTGACCTGGACAGAAATAATAT
CACCAGGATCACCAAGATGGACTTCGCTGGGCTCAAGAACCTCCGAGTCTTGCACTCTGGAAGACAACCAGGTGAG
CGTCATCGAGAGAGGCGCCTTCCAGGACCTGAAGCAGCTAGAGCGACTGCGCCTGAACAAGAATAAGCTGCAAGT
CCTTCCAGAATTGCTTTTCCAGAGCAGCCGAAGCTCACCAGACTAGATTGAGTGAAAACCAGATCCAGGGGAT
CCCGAGGAAGGCGTTCCGCGGCATCACCGATGTGAAGAACCTGCAACTGGACAACAACCACATCAGCTGCATTGA
AGATGGAGCCTTCCGAGCGCTGCGCGATTGGAGATCCTTACCCTCAACAACAACAACATCAGTCGCATCCTGGT
CACCAGCTTCAACCACATGCCGAAGATCCGAACCTGCGCCTCCACTCCAACCACCTCTACTGCGACTGCCACCT
GGCCTGGCTCTCGGATTGGCTGCGACAGCGACGGACAGTTGGCCAGTTTCACTCTGCATGGCTCCTGTGCATTT
GAGGGGCTTCAACGTGGCGGATGTGCAGAAGAAGGAGTACGTGTGCCAGCCCCCACTCGGAGCCCCCATCCTG
CAATGCCAATCCATCTCCTGCCCTTGCCTTGCACGTGCAGCAATAACATCGTGGACTGTGAGGAAAGGGCTT
GATGGAGATTCTGCCAATTTGCCGGAGGGCATCGTCGAAATACGCCTAGAACAGAACTCCATCAAAGCCATCCC
TGCAGGAGCCTTCAACCAGTACAAGAACTGAAGCGAATAGACATCAGCAAGAATCAGATATCGGATATTGCTCC
AGATGCCTTCCAGGGCCTGAAATCACTCACATCGCTGGTCTGTATGGGAACAAGATCACCGAGATTGCCAAGGG
ACTGTTTGTATGGGTGGTGTCCCTACAGCTGCTCCTCCTCAATGCCAACAAGATCAACTGCCTGCGGGTGAACAC
GTTTCAGGACCTGCAGAACCTCAACTTGCTCTCCCTGTATGACAACAAGCTGCAGACCATCAGCAAGGGGCTCTT
CGCCCCCTTGCAGTCCATCCAGACACTCCACTTAGCCCAAACCCATTTGTGTGCGACTGCCACTTGAAGTGGCT
GGCCGACTACCTCCAGGACAACCCATCGAGACAAGCGGGGCGCGCTGCAGCAGCCCGCGCGACTCGCCAACAA
GCGCATCAGCCAGATCAAGAGCAAGAAGTTCCGCTGCTCAGGCTCCGAGGATTACCGCAGCAGGTTGAGCAGCGA
GTGCTTCATGGACCTCGTGTGCCCCGAGAAGTGTGCTGTGAGGGCACGATTGTGGACTGCTCCAACCAGAAGCT
GGTCCGCATCCCAAGCCACCTCCCTGAATATGTACCGACCTGCGACTGAATGACAATGAGGTATCTGTTCTGGA
GGCCACTGGCATCTTCAAGAAGTTGCCCAACCTGCGGAAAATAAATCTGAGTAACAATAAGATCAAGGAGGTGCG
AGAGGGAGCTTTCGATGGAGCAGCCAGCGTGCAGGAGCTGATGCTGACAGGGAACCAGCTGGAGACCGTGCACGG
GCGCGTGTTCGTTGGCCTCAGTGGCTCAAAACCTTGATGCTGAGGAGTAACCTGATCAGCTGTGTGAGTAATGA
CACCTTTGCCGGCCTGAGTTCCGTGAGACTGCTGTCCCTCTATGACAATCGGATCACCACCATCACCCCTGGGGC
CTTACCACGCTTGTCTCCCTGTCCACCATAAACCTCCTGTCCAACCCCTTCAACTGCAACTGCCACCTGGCCTG
GCTCGGCAAGTGGTTGAGGAAGAGGCGGATCGTCAGTGGGAACCCTAGGTGCCAGAAGCCATTTTCTCAAGGA
GATTTCCATCCAGGATGTGGCCATCCAGGACTTCACTGTGATGGCAACGAGGAGAGTAGTGCCAGCTGAGCCC
GCGCTGCCCGGAGCAGTGCACCTGTATGGAGACAGTGGTGCGATGCAGCAACAAGGGGCTCCGCGCCCTCCCCAG
AGGCATGCCCAAGGATGTGACCGAGCTGTACCTGGAAGGAAACCACCTAACAGCCGTGCCAGAGAGCTGTCCGC
CCTCCGACACCTGACGCTTATTGACCTGAGCAACAACAGCATCAGCATGCTGACCAATTACACCTTCAGTAACAT
GTCTCACCTCTCCACTCTGATCCTGAGCTACAACCGGCTGAGGTGCATCCCCGTCCACGCCTTCAACGGGCTGCG
GTCCCTGCGAGTGCTAACCTCCATGGCAATGACATTTCCAGCGTTCCTGAAGGCTCCTTCAACGACCTCACATC
TCTTTCCATCTGGCGCTGGGAACCAACCCACTCCACTGTGACTGCAGTCTTCGGTGGCTGTGCGAGTGGGTGAA
GGCGGGGTACAAGGAGCCTGGCATCGCCCGCTGCAGTAGCCCTGAGCCCATGGCTGACAGGCTCCTGCTCACCAC
CCCAACCCACCGCTTCCAGTGCAAAGGGCCAGTGGACATCAACATTGTGGCCAAATGCAATGCCTGCCTCTCCAG
CCCGTGCAAGAATAACGGGACATGCACCCAGGACCTGTGGAGCTGTACCGCTGTGCCTGCCCC

291/615

FIGURE 289B

TACAGCTACAAGGGCAAGGACTGCACTGTGCCCATCAACACCTGCATCCAGAACCCCTGTCAGCATGGAGGCACC
TGCCACCTGAGTGACAGCCACAAGGATGGGTTTCACTGCTCCTGCCCTCTGGGCTTTGAGGGGCAGCGGTGTGAG
ATCAACCCAGATGACTGTGAGGACAACGACTGCGAAAACAATGCCACCTGCGTGGACGGGATCAACAACCTACGTG
TGTATCTGTCCGCCTAACTACACAGGTGAGCTATGCGACGAGGTGATTGACCACTGTGTGCCTGAGCTGAACCTC
TGTGAGCATGAGGCCAAGTGATCATCCCCCTGGACAAAGGATTGAGTGCAGTGTGTCCCTGGCTACAGCGGGGAG
CTCTGTGAGACAGACAATGATGACTGTGTGGCCCAAGTGCCGCCACGGGGCCCCAGTGCCTGGACACAATCAAT
GGCTACACATGCACCTGCCCCCAGGGCTTCAGTGGACCCCTTCTGTGAACACCCCCACCCATGGTCCTACTGCAG
ACCAGCCCATGCGACCACTACGAGTGCCAGAACGGGGCCAGTGATCATCGTGGTGCAGCAGGAGCCCCACCTGCCGC
TGCCACCAGGCTTCGCGGGCCCCAGATGCGAGAAGCTCATCACTGTCAACTTCGTGGGCAAAGACTCCTACGTG
GAACTGGCCTCCGCCAAGGTCCGACCCCAGGCCAACATCTCCCTGCAGGTGGCCACTGACAAGGACAACGGCATC
CTTCTCTACAAAGGAGACAATGACCCCCTGGCACTGGAGCTGTACCAGGGCCACGTGCGGCTGGTCTATGACAGC
CTGAGTTCCCCTCCAACCACAGTGTACAGTGTGGAGACAGTGAATGATGGGCAGTTTCACAGTGTGGAGCTGGTG
ACGCTAAACCAGACCCCTGAACCTAGTAGTGGACAAAGGAAGTCCAAAGAGCCTGGGGAAGCTCCAGAAGCAGCCA
GCAGTGGGCATCAACAGCCCCCTCTACCTTGGAGGCATCCCCACCTCCACCGGCCTCTCCGCCTTGCGCCAGGGC
ACGGACCGGCCTCTAGGCGGCTTCCACGGATGCATCCATGAGGTGCGCATCAACAACGAGCTGCAGGACTTCAAG
GCCCTCCCACCACAGTCCCTGGGGGTGTACCAAGGCTGCAAGTCTGCACCGTGTGCAAGCACGGCCTGTGCCGC
TCCGTGGAGAAGGACAGCGTGGTGTGCGAGTGCCGCCAGGCTGGACCGGCCCACTCTGCGACCAAGGAGGCCCGG
GACCCCTGCCTCGGCCACAGATGCCACCATGGAAAATGTGTGGCAACTGGGACCTCATACATGTGCAAGTGTGCC
GAGGGCTATGGAGGGGACTTGTGTGACAACAAGAATGACTCTGCCAATGCCTGCTCAGCCTTCAAGTGTCAACAT
GGGCAGTGCCACATCTCAGACCAAGGGGAGCCCTACTGCCTGTGCCAGCCCGGCTTTAGCGGCGAGCACTGCCAA
CAAGAGAATCCGTGCCTGGGACAAGTAGTCCGAGAGGTGATCCGCCGCCAGAAAGGTTATGCATCATGTGCCACA
GCCTCCAAGGTGCCCATCATGGAATGTGCTGGGGGCTGTGGGCCCCAGTGCTGCCAGCCCACCCGAGCAAGCGG
CGGAAATACGTCTTCCAGTGCACGGACGGCTCCTCGTTTGTAGAAGAGGTGGAGAGACACTTAGAGTGC GGCTGC
CTCGCGTGTTCCTAAGCCCCCTGCCCGCCTGCCTGCCACCTCTCGGACTCCAGCTTGATGGAGTTGGGACAGCCAT
GTGGGACCCCCCTGGTGATTGAGCATGAAGGAAATGAAGCTGGAGAGGAAGGTAAAGAAGAAGAGAATATTAAGTA
TATTGTAAATAAACAAAAAATAGAACTTAAAAAAAAAAAAAAAAAAAAAAAAA

292/615

FIGURE 290

MAPGWAGVGA AVRARLALALASVLSGPPAVACPTKCTCSAASVDCHGLGLRAVPRGIPRNAERLDLDRNNITR
ITKMDFAGLKNLRVLHLEDNQVSVIERGAFQDLKQLERLRNLNKNKLQVLPPELLFQSTPKLTRLDLSENQIQGIPR
KAFRGITDVKNLQLDNNHISCIEDGAFRALRDLEILTNNNNNISRLVTSFNHMPKIRTLRLHSNHLYCDCHLAW
LSDWLRQRRTVGQFTLCMAPVHLRGFNVADVQKKEYVCPAPHSEPPSCNANSISCPSPCTCSNNI VDCRGKGLME
IPANLPEGIVEIRLEQNSIKAIPAGAFTQYKKLKRIDISKNQISDIAPDAFQGLKSLTSLVLYGNKITEIAKGLF
DGLVSLQLLLLNANKINCLRVNTFQDLQNLNLLSLYDNKLQTI SKGLFAPLQSIQTLHLAQNPFCVCDCHLKWLAD
YLQDNPIETSGARCSSPRLANKRISQIKSKKFRCSGSEDYRSRFSSECFMDLVCPEKCRCEGTIVDCSNQKLR
IPSHLPEYVTDLRRLNDNEVSVLEATGIFKKLPNLRKINLSNNKIKEVREGAFDGAASVQELMLTGNQLETVHGRV
FRGLSGLKTLMLRSNLISCVSNDTFAGLSSVRLLSLYDNRIITITPGAFTTLVSLSTINLLSNPFNCNCHLAWLG
KWLRKRRIVSGNPRCQKPFLLKEIPIQDVAIQDFTCDGNEESSCQLSPRCPEQCTCMETVVRC SNKGLRALPRGM
PKDVTLEYLEGNHLTAVPRELSALRHLLTIDLSNNSISMLTNYTFSNMSHLSTLILSYNRLRCIPVHAFNGLRSL
RVLTLLHGNDISSVPEGSFNDLTSLSHLALGTNPLHCDCLRWLSEWVKAGYKEPGIARCSSPEPMADRLLLTPT
HRFQCKGPVDINIVAKCNACLSSPCKNNGTCTQDPVELYRCACPYSYKGDCTVPINTCIQNPCQHGGTCHLSDS
HKDGFSCSCPLGFEGQRCEINPDDCEDNDCENNATCVDGINNYVCICPPNYTGELCDEVIDHCVP ELNLCQHEAK
CIPLDKGFSCECVPGYSGKLCETDNDDCVAHKCRHGAQCVDTINGYTCTCPQGFSGPFCEHPPPMVLLQTSPCDQ
YECQNGAQCI VVQOEPTCRCPGPFAGPRCEKLITVNFVGKDSYVELASAKVRPQANISLQVATDKDNGILLYKGD
NDPLALELYQGHVRLVYDSLSPPTTVYSVETVNDGQFHSVELVTNLNQLNLVVDKGT PKSLGKLQKQPAVGINS
PLYLGGIPTSTGLSALRQGTDRPLGGFHGCIHEVRINNELQDFKALPPQSLGVSPGCKSCTVCKHGLCRSVEKDS
VVCECRPGWTGPLCDQEARDPCLGHRCHHGKCVATGTSYMCKCAEGYGGDLCDNKND SANACSAFKCHHGQCHIS
DQGEPEYCLCPGFSGEHCQENPCLGQVVREVIRROKGYASCATASKVPIMECRGGCGPQCCQPTRSKRRKYVFQ
CTDGSSFVEEVERHLECGCLACS

Signal peptide:

amino acids 1-27

293/615

FIGURE 291

GGATGCAGGACGCTCCCCTGAGCTGCCTGTCACCGACTAGGTGGAGCAGTGTTTCTTCCGCAGACTCAACTGAGA
AGTCAGCCTCTGGGGCAGGCACCAGGAATCTGCCTTTTCAGTTCTGTCTCCGGCAGGCTTTGAGGATGAAGGCTG
CGGGCATTCTGACCCTCATTGGCTGCCTGGTCACAGGCGCCGAGTCCAAAATCTACACTCGTTGCAAACTGGCAA
AAATATTCTCGAGGGCTGGCCTGGACAATTACTGGGGCTTCAGCCTTGGAAGCTGGATCTGCATGGCATATTATG
AGAGCGGCTACAACACCACAGCCCCGACGGTCCTGGATGACGGCAGCATCGACTATGGCATCTTCCAGATCAACA
GCTTCGCGTGGTGCAGACGCGGAAAGCTGAAGGAGAACAACTGCCATGTCGCCTGCTCAGCCTTGATCACTG
ATGACCTCACAGATGCAATTATCTGTGCCAGGAAAATTGTTAAAGAGACACAAGGAATGAACTATTGGCAAGGCT
GGAAGAAACATTGTGAGGGCAGAGACCTGTCCGAGTGGAAGGCTGTGAGGTTTCCCTAACTGGAACTGGAC
CCAGGATGCTTTCAGCAACGCCCTAGGATTTGCAGTGAATGTCCAAATGCCTGTGTATCTTGTCCCGTTTCCT
CCCAATATTCTTCTCAAACCTTGAGAGGGAAAATTAAGCTATACTTTTAAGAAAATAAATATTTCCATTTAAATGTC

294/615

FIGURE 292

MKAAGILTLLIGCLVTGAESKIYTRCKLAKIFSRAGLDNYWGFSLGNWICMAYYESGYNTTAPTVLDDGSIDYGIF
QINSAWCRRGKLKENNHCHVACSALITDDLTDALICARKIVKETQGMNYWQGKKHCEGRDLSEWKKGCEVS

Signal peptide:
amino acids 1-19

295/615

FIGURE 293

AGAAAGCTGCACTCTGTTGAGCTCCAGGGCGCAGTGGAGGGAGGGAGTGAAGGAGCTCTCTGTACCCAAGGAAAG
TGCAGCTGAGACTCAGACAAGATTACAATGAACCAACTCAGCTTCCTGCTGTTTCTCATAGCGACCACCAGAGGA
TGGAGTACAGATGAGGCTAATACTTACTTCAAGGAATGGACCTGTTCTTCGTCTCCATCTCTGCCCAGAAGCTGC
AAGGAAATCAAAGACGAATGTCCTAGTGCATTTGATGGCCTGTATTTTCTCCGCACTGAGAATGGTGTTATCTAC
CAGACCTTCTGTGACATGACCTCTGGGGGTGGCGGCTGGACCCTGGTGGCCAGCGTGCATGAGAATGACATGCGT
GGGAAGTGCACGGTGGGCGATCGCTGGTCCAGTCAGCAGGGCAGCAAAGCAGACTACCCAGAGGGGGACGGCAAC
TGGGCCAACTACAACACCTTTGGATCTGCAGAGGCGGCCACGAGCGATGACTACAAGAACCCTGGCTACTACGAC
ATCCAGGCCAAGGACCTGGGCATCTGGCACGTGCCAATAAGTCCCCCATGCAGCACTGGAGAAACAGCTCCCTG
CTGAGGTACCGCACGGACACTGGCTTCCTCCAGACACTGGGACATAATCTGTTTGGCATCTACCAGAAATATCCA
GTGAAATATGGAGAAGGAAAGTGTGGACTGACAACGGCCCCGGTGATCCCTGTGGTCTATGATTTTGGCGACGCC
CAGAAAACAGCATCTTATTACTCACCCTATGGCCAGCGGGAATTCAGTGCGGGATTTGTTCAAGTTCAGGGTATTT
AATAACGAGAGAGCAGCCAACGCCTTGTGTGCTGGAATGAGGGTCACCGGATGTAACACTGAGCATCACTGCATT
GGTGGAGGAGGATACTTTCCAGAGGCCAGTCCCCAGCAGTGTGGAGATTTTCTGGTTTTGATTGGAGTGGATAT
GGAACTCATGTTGGTTACAGCAGCAGCCGTGAGATAACTGAGGCAGCTGTGCTTCTATCTATCGTTGAGAGTTT
TGTGGGAGGGAACCCAGACCTCTCCTCCCAACCATGAGATCCCAAGGATGGAGAACAACCTTACCCAGTAGCTAGA
ATGTTAATGGCAGAAGAGAAAACAATAAATCATATTGACTCAAGAAAAAAA

296/615

FIGURE 294

MNQLSFLFLIATTRGWSTDEANTYFKEWTCSSSPSLPRSCKEIKDECPSAFDGLYFLRTENGVIYQTFCDMTSG
GGGWTLVASVHENDMRGKCTVGDRWSSQQGSKADYPEGDGNWANYNTFGSAEAATSDDYKNPGYYDIQAKDLGIW
HVPNKSPMQHWRNSSLLRYRTDTGFLQTLGHNLFGIYQKYPVKYGEKGCWTDNGPVI PVVYDFGDAQKTASYISP
YGQREFTAGFVQFRVFNNERAANALCAGMRVTGCNTEHHCIGGGGYFPEASPQQCGDFSGFDWSGYGTHVGYSSS
REITEAAVLLFYR

297/615

FIGURE 295

CAGGCCATTTGCATCCCACTGTCCTTGTGTTCTGGAGCCAGGCCACACCGTCCTCAGCAGTGTCTATGTGTTAAAAA
CGCCAAGCTGAATATATCATGCCCCCTATTAAAACTTGTACATGGCTCCCCATTGGTTTTTGGAGAAAAGTTCAAG
CTTTTTACCTTGGTGTCTGCCTGTATCCCACTGTTTCAGGCTGGCTAGACGGCGGAAGAAGATCCTATTTTACTGT
CACTTCCCAGATCTGCTTCTCACCAAGAGAGATTCTTTTCTTAAACGACTATACAGGGCCCCAATTGACTGGATA
GAGGAATACACCACAGGCATGGCAGACTGCATCTTAGTCAACAGCCAGTTCACAGCTGCTGTTTTTAAGGAAACA
TTCAAGTCCCTGTCTCACATAGACCCTGATGTCCTCTATCCATCTCTAAATGTCACCAGCTTTGACTCAGTTGTT
CCTGAAAAGCTGGATGACCTAGTCCCCAAGGGGAAAAAATTCTGCTGCTCTCCATCAACAGATACGAAAAGGAAG
AAAAATCTGACTTTGGCACTGGAAGCCCTAGTACAGCTGCGTGGAAGATTGACATCCCAAGATTGGGAGAGGGTT
CATCTGATCGTGGCAGGTGGTTATGACGAGAGAGTCTGGGAGAATGTGGAACATTATCAGGAATTGAAGAAAATG
GTCCAACAGTCCGACCTTGGCCAGTATGTGACCTTCTTGAGGTCTTTCTCAGACAAACAGAAAATCTCCCTCCTC
CACAGCTGCACGTGTGTGCTTTACACACCAAGCAATGAGCACTTTGGCATTGTCCCTCTGGAAGCCATGTACATG
CAGTGCCCAAGTCATTGCTGTTAATTCTGGGTGGACCCCTGGAGTCCATTGACCACAGTGTACAGGGTTTTCTGTGT
GAGCCTGACCCGGTGCACCTTCTCAGAAGCAATAGAAAAGTTCATCCGTGAACCTTCCTTAAAAGCCACCATGGGC
CTGGCTGGAAGAGCCAGAGTGAAGGAAAAATTTTCCCCTGAAGCATTTACAGAACAGCTCTACCGATATGTTACC
AAACTGCTGGTATTAATCAGATTGTTTTTAAGATCTCCATTAATGTCAATTTTTATGGATTGTAGACCCAGTTTTGA
AACCAAAAAGAAAACCTAGAATCTAATGCAGAAGAGATCTTTTAAAAAATAAACTTGAGTCTTGAATGTGAGCCA
CTTTCCTATATACCACACCTCCCTGTCCACTTTTCAGAAAAACCATGTCTTTTATGCTATAATCATTCCAAATTT
TGCCAGTGTTAAGTTACAAATGTGGTGTCAATCCATGTTTCAGCAGAGTATTTTAATTATATTTTCTCGGGATTAT
TGCTCTTCTGTCTATAAATTTTGAATGATACTGTGCCTTAATTGGTTTTTCATAGTTTAAGTGTGTATCATTATCA
AAGTTGATTAATTTGGCTTCATAGTATAATGAGAGCAGGGCTATTGTAGTTCCCAGATTCAATCCACCGAAGTGT
TCACTGTCATCTGTTAGGGAATTTTGTGTTGCTGCTTTGCCTGGATCCATAGCGAGAGTGTCTGTATTTTT
TTTAAGATAATTTGTATTTTGCACACTGAGATATAATAAAAGGTGTTTATCATAAAAAAAAAAAAAAAAAA

298/615

FIGURE 296

MPLLKLVHGSPLVFGEKFKLFTLVSAIPVFRLLARRRKKILFYCHFPDLLLLTKRDSFLKRLYRAPIDWIEEYTTG
MADCILVNSQFTAAVFKETFKSLSHIDPDVLYPSLNVTSFDSVVPEKLDDLVPKGKKFLLLSINRYERKKNLTLA
LEALVQLRGRLTSQDWERVLIVAGGYDERVLENVEHYQELKKMVQQSDLGQYVTFILRSFSDKQKISLLHSCTCV
LYTPSNEHFGIVPLEAMYMQCPVIAVNSGGPLESIDHSVTGFLCEPDPVHFSEAEKFIREFSLKATMGLAGRAR
VKEKFSPEAFTEQLYRYVTKLLV

Signal peptide:

amino acids 1-15

299/615

FIGURE 297

GACTACGCCGATCCGAGACGTGGCTCCCTGGGCGGCAGAACCATGTTGGACTTCGCGATCTTCGCCGTTACCTTC
TTGCTGGCGTTGGTGGGAGCCGTGCTCTACCTCTATCCGGCTTCCAGACAAGCTGCAGGAATTCAGGGATTACT
CCAACTGAAGAAAAAGATGGTAATCTTCCAGATATTGTGAATAGTGGAAGTTTGCATGAGTTCCTGGTTAATTTG
CATGAGAGATATGGGCCTGTGGTCTCCTTCTGGTTTGGCAGGCGCCTCGTGGTTAGTTTGGGCACTGTTGATGTA
CTGAAGCAGCATATCAATCCCAATAAGACATCGGACCCTTTTGAAACCATGCTGAAGTCATTATTAAGGTATCAA
TCTGGTGGTGGCAGTGTGAGTGAAAACCACATGAGGAAAAAATTGTATGAAAATGGTGTGACTGATTCTCTGAAG
AGTAACTTTGCCCTCCTCCTAAAGCTTTTCAAGAAGATTATTAGATAAATGGCTCTCCTACCCAGAGACCCAGCAC
GTGCCCCCTCAGCCAGCATATGCTTGGTTTTGCTATGAAGTCTGTTACACAGATGGTAATGGGTAGTACATTTGAA
GATGATCAGGAAGTCATTTCGCTTCCAGAAGAATCATGGCACAGTTTGGTCTGAGATTGAAAAAGGCTTTCTAGAT
GGGTCACTTGATAAAAAACATGACTCGGAAAAACAATATGAAGATGCCCTCATGCAACTGGAGTCTGTTTTAAGG
AACATCATAAAAGAACGAAAAGGAAGGAACCTTCAGTCAACATATTTTTATTGACTCCTTAGTACAAGGGAACCTT
AATGACCAACAGATCCTAGAAGACAGTATGATATTTTCTCTGGCCAGTTGCATAATAACTGCAAAATTGTGTACC
TGGGCAATCTGTTTTTTAACCACCTCTGAAGAAGTTCAAAAAAATTATATGAAGAGATAAACCAAGTTTTTTGGA
AATGGTCCTGTACTCCAGAGAAAATTGAGCAGCTCAGATATTGTCAGCATGTGCTTTGTGAACTGTTCGAACT
GCCAACTGACTCCAGTTTCTGCCCAGCTTCAAGATATTGAAGGAAAAATTGACCGATTTATTATTCCTAGAGAG
ACCTTCGTCCTTTTATGCCCTTGGTGTGGTACTTCAGGATCCTAATACTTGGCCATCTCCACACAAGTTTGATCCA
GATCGGTTTGATGATGAATTAGTAATGAAACTTTTCTCACTTGGATTCTCAGGCACACAGGAGTGTCCAGAG
TTGAGGTTTGATATATGGTGACCACAGTACTTCTTAGTGTATTGGTGAAGAGACTGCACCTACTTTCTGTGGAG
GGACAGTTTATTGAAACAAAGTATGAACTGGTAACATCATCAAGGGAAGAAGCTTGGATCACTGTCTCAAAGAGA
TATTAAAATTTTATACATTTAAAATCATTGTAAATTGATTGAGGAAAACAACCATTAAAAAAAATCTATGTTG
AATCCTTTTATAAACAGTATCACTTTGTAATATAAACACCTATTTGTACTTAA

300/615

FIGURE 298

MLDFAIFAVTFLLALVGAVLYLYPASRQAAGIPGITPTEEKDGNLPDIVNSGSLHEFLVNLHERYGPVVSFWFGR
RLVVS LGTVDLKQHINPNKTSDFETMLKSLLRYQSGGGSVSENHMRKKLYENGVTDSLKSNFALLLLKLSEELL
DKWLSYPETQHVPLSQHMLGFAMKSVTQMVMGSTFEDDQEVIRFQKNHGTWVSEIGKGFLDGS LDKNMTRKKQYE
DALMQLESVLRNIIKERKGRNFSQHIFIDSLVQGNLNDQQILEDSMIFSLASCIITAKLCTWAICFLT TSEEVQK
KLYEEINQVFGNGPVTPEKIEQLRYCQHVL CETVRTAKLTPVSAQLQDIEGKIDRFIIPRETLVLYALGVVLQDP
NTWPSPHKFDPDRFDDELVMKTFSSSLGFSGTQECPELRFAYMVTTVLLSVLVKRLHLLSVEGQVIETKYELVTSS
REEAWITVSKRY

Signal peptide:

amino acids 1-18

Transmembrane domain:

amino acids 271-290

301/615

FIGURE 299

CTAGATTTGTCGGCTTGCGGGGAGACTTCAGGAGTCGCTGTCTCTGAACTTCCAGCCTCAGAGACCGCCGCCCTT
GTCCCGAGGGCCATGGGCCGGGTCTCAGGGCTTGTGCCCTCTCGCTTCCTGACGCTCCTGGCGCATCTGGTGGT
CGTCATCACCTTATTCTGGTCCCGGGACAGCAACATACAGGCCTGCCTGCCTCTCACGTTACCCCCGAGGAGTA
TGACAAGCAGGACATTCAGCTGGTGGCCGCGCTCTCTGTACCCTGGGCCTCTTGCAGTGGAGCTGGCCGGTTT
CCTCTCAGGAGTCTCCATGTTCAACAGCACCCAGAGCCTCATCTCCATTGGGGCTCACTGTAGTGCATCCGTGGC
CCTGTCCTTCTTCATATTCGAGCGTTGGGAGTGCCTACGTATTGGTACATTTTTGTCTTCTGCAGTGCCCTTCC
AGCTGTCACTGAAATGGCTTTATTCGTCACCGTCTTTGGGCTGAAAAGAAACCCTTCTTGATTACCTTCATGACG
GGAACCTAAGGACGAAGCCTACAGGGGCAAGGGCCGCTTCGTATTCTGGAAGAAGGAAGGCATAGGCTTCGGTT
TTCCCCTCGGAACTGCTTCTGCTGGAGGATATGTGTTGGAATAATTACGTCTTGAGTCTGGGATTATCCGCATT
GTATTTAGTGCTTTGTAATAAAATATGTTTTGTAGTAACATTAAGACTTATATACAGTTTtaggggacaattaaa
AAAAAAAAA

302/615

FIGURE 300

MGRVSGLVPSRFLTLLAHLVVVITLFWSRDSNIQACLPLTFTPEEYDKQDIQLVAALSVTLGLFAVELAGFLSGV
SMFNSTQSLISIGAHCSASVALSFFIFERWECTTYWYIFVFCALPAVTEMALFVTVFGLKKKPF

Transmembrane domain:

amino acids 12-28 (type II), 51-66, 107-124

303/615

FIGURE 301

CTGGGACCCCGAAAAGAGAAGGGGAGAGCGAGGGGACGAGAGCGGAGGAGGAAGATGCAACTGACTCGCTGCTGC
TTCGTGTTCTTGGTGCAGGGTAGCCTCTATCTGGTCATCTGTGGCCAGGATGATGGTCTCCCGGCTCAGAGGAC
CCTGAGCGTGATGACCACGAGGGCCAGCCCCGCCCCGGGTGCCTCGGAAGCGGGGCCACATCTCACCTAAGTCC
CGCCCCATGGCCAATTCCACTCTCCTAGGGCTGCTGGCCCCGCTGGGGAGGCTTGGGGCATTCTTGGGCAGCCC
CCCAACCGCCCCGAACCACAGCCCCCACCCTCAGCCAAGGTGAAGAAAATCTTTGGCTGGGGCGACTTCTACTCC
AACATCAAGACGGTGGCCCTGAACCTGCTCGTCACAGGGAAGATTGTGGACCATGGCAATGGGACCTTCAGCGTC
CACTTCCAACACAATGCCACAGGCCAGGGAAACATCTCCATCAGCCTCGTGCCCCCAGTAAAGCTGTAGAGTTC
CACCAGGAACAGCAGATCTTCATCGAAGCCAAGGCCTCCAAAATCTTCAACTGCCGGATGGAGTGGGAGAAGGTA
GAACGGGGCCCGCGGACCTCGCTTTGCACCCACGACCCAGCCAAGATCTGCTCCCCGAGACCACGCTCAGAGCTCA
GCCACCTGGAGCTGCTCCCAGCCCTTCAAAGTCGTCTGTGTCTACATCGCCTTCTACAGCACGGACTATCGGCTG
GTCCAGAAGGTGTGCCCAGATTACAACCTACCATAGTGATACCCCCCTACTACCCATCTGGGTGACCCCGGGGCAGGC
CACAGAGGCCAGGCCAGGGCTGGAAGGACAGGCCTGCCCATGCAGGAGACCATCTGGACACCGGGCAGGGAAGGG
GTTGGGCCTCAGGCAGGGAGGGGGGTGGAGACGAGGAGATGCCAAGTGGGGCCAGGGCCAAGTCTCAAGTGGCAG
AGAAAGGGTCCCAAGTGCTGGTCCCAACCTGAAGCTGTGGAGTGACTAGATCACAGGAGCACTGGAGGAGGAGTG
GGCTCTCTGTGCAGCCTCACAGGGCTTTGCCACGGAGCCACAGAGAGATGCTGGGTCCCCGAGGCCTGTGGGCAG
GCCGATCAGTGTGGCCCCAGATCAAGTCATGGGAGGAAGCTAAGCCCTTGGTTCTTGCCATCCTGAGGAAAGATA
GCAACAGGGAGGGGGGAGATTTCATCAGTGTGGACAGCCTGTCAACTTAGGATGGATGGCTGAGAGGGCTTCCTAG
GAGCCAGTCAGCAGGGTGGGTGGGGCCAGAGGAGCTCTCCAGCCCTGCCTAGTGGGCGCCCTGAGCCCCCTTGTC
GTGTGCTGAGCATGGCATGAGGCTGAAGTGGCAACCCTGGGGTCTTTGATGTCTTGACAGATTGACCATCTGTCT
CCAGCCAGGCCACCCCTTTCCAAAATTCCTCTTCTGCCAGTACTCCCCCTGTACCACCCATTGCTGATGGCACA
CCCATCCTTAAGCTAAGACAGGACGATTGTGGTCCTCCACACTAAGGCCACAGCCCATCCGCGTGCTGTGTGTC
CCTCTTCCACCCCAACCCCTGCTGGCTCCTCTGGGAGCATCCATGTCCCGGAGAGGGGTCCCTCAACAGTCAGCC
TCACCTGTCAGACCGGGGTCTCCCGGATCTGGATGGCGCCGCCCTCTCAGCAGCGGGCACGGGTGGGGCGGGGC
CGGGCCGCAGAGCATGTGCTGGATCTGTTCTGTGTGTCTGTCTGTGGGTGGGGGGAGGGGAGGGAAGTCTTGTGA
AACCGCTGATTGCTGACTTTTGTGTGAAGAATCGTGTCTTGGAGCAGGAAATAAAGCTTGCCCCGGGGCA

304/615

FIGURE 302

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA66521
><subunit 1 of 1, 252 aa, 1 stop
><MW: 28127, pI: 8.91, NX(S/T): 5
MQLTRCCFVFLVQGSLLVICGQDDGPPGSEDPERDDHEGQPRPRVPRKRGHISPKSRPMANSTLLGLLAPPGEA
WGILGQPPNRPNHSPPPSAKVKKIFGWGDFYSNIKTVALNLLVTGKIVDHGNGTFSVHFQHNATGQGNISISLVP
PSKAVEFHQEQQIFIEAKASKIFNCRMWEKVERGRRTSLCTHDPKICSRDHAQSSATWSCSQPFKVVVCYIAF
YSTDYRLVQKVC PDYNYHSDTPYYPSG
```

Important features of the protein:**Signal peptide:**

amino acids 1-14

N-glycosylation sites.

amino acids 62-65, 127-130, 137-140, 143-146

2-oxo acid dehydrogenases acyltransferase

amino acids 61-71

305/615

FIGURE 303

CGGTGGCCATGACTGCGGCCGTGTTCTTCGGCTGCGCCTTCATTGCCTTCGGGCCTGCGCTCGCCCTTTATGTCT
TCACCATCGCCATCGAGCCGTTGCGTATCATCTTCCTCATCGCCGAGCTTTCTTCTGGTTGGTGTCTCTACTGA
TTTCGTCCCTTGTTTGGTTCATGGCAAGAGTCATTATTGACAACAAAGATGGACCAACACAGAAATATCTGCTGA
TCTTTGGAGCGTTTGTCTCTGTCTATATCCAAGAAATGTTCCGATTTGCATATTATAAACTCTTAAAAAAGCCA
GTGAAGGTTTGAAGAGTATAAACCAGGTGAGACAGCACCTCTATGCGACTGCTGGCCTATGTTTCTGGCTTGG
GCTTTGGAATCATGAGTGGAGTATTTTCCTTTGTGAATACCCTATCTGACTCCTTGGGGCCAGGCACAGTGGGCA
TTCATGGAGATTCTCCTCAATTCTTCCTTTATTTCAGCTTTTCATGACGCTGGTCATTATCTTGCTGCATGTATTCT
GGGGCATTGTATTTTTTGTATGGCTGTGAGAAGAAAAAGTGGGGCATCCTCCTTATCGTTCTCCTGACCCACCTGC
TGGTGTGAGCCAGACCTTCATAAGTTCTTATTATGGAATAAACCTGGCGTCAGCATTATAATCCTGGTGCTCA
TGGGCACCTGGGCATTCTTAGCTGCGGGAGGCAGCTGCCGAAGCCTGAAACTCTGCCTGCTCTGCCAAGACAAGA
ACTTTCTTCTTTACAACCAGCGCTCCAGATAACTCAGGGAACCAGCACTTCCCAAACCGCAGACTACATCTTTA
GAGGAAGCACAACCTGTGCCTTTTTCTGAAAATCCCTTTTTCTGGTGGAATTGAGAAAGAAATAAACTATGCAGATA

306/615

FIGURE 304

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA66658
><subunit 1 of 1, 257 aa, 1 stop
><MW: 28472, pI: 9.33, NX(S/T): 0
MTAAVFFGCAFIAGFPALALYVETIAIEPLRIIFLIAGAFFWLVSLLISSLVWFMARVIIDNKGPTQKYLLIFG
AFVSVYIQEMFRFAYYKLLKKASEGLKSINPGETAPSMRLAYVSGLGFGIMSGVFSFVNTLSDSLGP GTVGIHG
DSPQFFLYSAFMTLVIILLHVFWGIVFFDGCCKKKGILLIVLLTHLLVSAQTFISSYYGINLASAFIILVLMGT
WAFLAAGGSCRSCLKCLLCQDKNFLYNQSR

Important features of the protein:**Signal peptide:**

amino acids 1-19

Transmembrane domains:

amino acids 32-51, 119-138, 152-169, 216-235

Glycosaminoglycan attachment site.

amino acids 120-123

Sodium:neurotransmitter symporter family protein

amino acids 31-65

[illegible]

311/615

FIGURE 309

GGCTGACCGTGCTACATTGCCTGGAGGAAGCCTAAGGAACCCAGGCATCCAGCTGCCCACGCCTGAGTCCAAGAT
TCTTCCCAGGAACACAAACGTAGGAGACCCACGCTCCTGGAAGCACCAGCCTTTATCTCTTCACCTTCAAGTCCC
CTTTCTCAAGAATCCTCTGTTCTTTGCCCTCTAAAGTCTTGGTACATCTAGGACCCAGGCATCTTGCTTTCCAGC
CACAAAGAGACAGATGAAGATGCAGAAAGGAAATGTTCTCCTTATGTTTGGTCTACTATTGCATTTAGAAAGCTGC
AACAAATTCCAATGAGACTAGCACCTCTGCCAACACTGGATCCAGTGTGATCTCCAGTGGAGCCAGCACAGCCAC
CAACTCTGGGTCCAGTGTGACCTCCAGTGGGGTCAGCACAGCCACCATCTCAGGGTCCAGCGTGACCTCCAATGG
GGTCAGCATAGTCACCAACTCTGAGTTCCATACAACCTCCAGTGGGATCAGCACAGCCACCAACTCTGAGTTCAG
CACAGCGTCCAGTGGGATCAGCATAGCCACCAACTCTGAGTCCAGCACAACTCCAGTGGGGCCAGCACAGCCAC
CAACTCTGAGTCCAGCACACCCTCCAGTGGGGCCAGCACAGTCCAACTCTGGGTCCAGTGTGACCTCCAGTGG
AGCCAGCACTGCCACCAACTCTGAGTCCAGCACAGTGTCCAGTAGGGCCAGCACTGCCACCAACTCTGAGTCTAG
CACACTCTCCAGTGGGGCCAGCACAGCCACCAACTCTGACTCCAGCACAACTCCAGTGGGGCTAGCACAGCCAC
CAACTCTGAGTCCAGCACAACTCCAGTGGGGCCAGCACAGCCACCAACTCTGAGTCCAGCACAGTGTCCAGTAG
GGCCAGCACTGCCACCAACTCTGAGTCCAGCACAACTCCAGTGGGGCCAGCACAGCCACCAACTCTGAGTCCAG
AACGACCTCCAATGGGGCTGGCACAGCCACCAACTCTGAGTCCAGCACGACCTCCAGTGGGGCCAGCACAGCCAC
CAACTCTGACTCCAGCACAGTGTCCAGTGGGGCCAGCACTGCCACCAACTCTGAGTCCAGCACGACCTCCAGTGG
GGCCAGCACAGCCACCAACTCTGAGTCCAGCACGACCTCCAGTGGGGCTAGCACAGCCACCAACTCTGACTCCAG
CACAACTCCAGTGGGGCCGGCACAGCCACCAACTCTGAGTCCAGCACAGTGTCCAGTGGGATCAGCACAGTCCAC
CAATTCTGAGTCCAGCACACCCTCCAGTGGGGCCACACAGCCACCAACTCTGAGTCCAGTACGACCTCCAGTGG
GGCCAACACAGCCACCAACTCTGAGTCCAGCACAGTGTCCAGTGGGGCCAGCACTGCCACCAACTCTGAGTCCAG
CACAACTCCAGTGGGGTCAGCACAGCCACCAACTCTGAGTCCAGCACAACTCCAGTGGGGCTAGCACAGCCAC
CAACTCTGACTCCAGCACAACTCCAGTGGGGCCAGCACAGCCACCAACTCTGAGTCTAGCACAGTGTCCAGTGG
GATCAGCACAGTCCAAATTCTGAGTCCAGCACAACTCCAGTGGGGCCAACACAGCCACCAACTCTGGGTCCAG
TGTGACCTCTGCAGGCTCTGGAACAGCAGCTCTGACTGGAATGCACACAACCTCCCATAGTGCATCTACTGCAGT
GAGTGAGGCAAGCCTGGTGGGTCCCTGGTGCCGTGGGAAATCTTCCTCATACCCTGGTCTCGGTGTGGCGGC
CGTGGGGCTCTTTGCTGGGCTCTTCTTCTGTGTGAGAAACAGCCTGTCCCTGAGAAACACCTTTAACACAGCTGT
CTACCACCCTCATGGCCTCAACCATGGCCTTGGTCCAGGCCCTGGAGGGAATCATGGAGCCCCCACAGGCCAG
GTGGAGTCTTAACCTGGTTCTGGAGGAGACCAGTATCATCGATAGCCATGGAGATGAGCGGGAGGAACAGCGGGCC
CTGAGCAGCCCCGGAAGCAAGTGCCGCATTCTTCAGGAAGGAAGAGACCTGGGCACCCAAGACCTGGTTTTCTTT
CATTCATCCCAGGAGACCCCTCCCAGCTTTGTTTGAGATCCTGAAAATCTTGAAGAAGGTATTCCTCACCTTTCT
TGCCTTTACACAGACACTGGAAGAGAAATACTATATTGCTCATTTAGCTAAGAAATAAATACATCTCATCTAACAC
ACACGACAAAGAGAAGCTGTGCTTGCCCCGGGGTGGGTATCTAGCTCTGAGATGAACTCAGTTATAGGAGAAAAC
CTCCATGCTGGACTCCATCTGGCATTCAAAATCTCCACAGTAAAATCCAAAGACCTCAAAAAAAAAAAAAAAAAA
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA

312/615

FIGURE 310

MKMQKGNVLLMFGLLLHLEAATNSNETSTSANTGSSVISSGASTATNSGSSVTSSGVSTATIS
GSSVTSNGVSIVTNSEFHTTSSGISTATNSEFSTASSGISIATNSESSTTSSGASTATNSESS
TPSSGASTVTNSGSSVTSSGASTATNSESSTVSSRASTATNSESSTLSSGASTATNSDSSTTS
SGASTATNSESSTTSSGASTATNSESSTVSSRASTATNSESSTTSSGASTATNSESRTTSNGA
GTATNSESSTTSSGASTATNSDSSTVSSGASTATNSESSTTSSGASTATNSESSTTSSGASTA
TNSDSSTTSSGAGTATNSESSTVSSGISTVTNSESSTPSSGANTATNSESSTTSSGANTATNS
ESSTVSSGASTATNSESSTTSSGVSTATNSESSTTSSGASTATNSDSSTTSSEASTATNSESS
TVSSGISTVTNSESSTTSSGANTATNSGSSVTSAGSGTAALTGMHTTSHSASTAVSEAKPGGS
LVPWEIFLITLVSVVAAGLFLAGLFFCVRNSLSLRNTFNTAVYHPHGLNHGLGPGPGGNHGAP
HRPRWSPNWFWRPVS SIAMEMSGRNSGP

Signal peptide:
amino acids 1-20

Transmembrane domain:
amino acids 510-532

314/615

FIGURE 311B

TTTATTTAATATCTGTTGTTTCAGAGCTCTGCCATTTCTTGAGTACCTGTTAGTTAGTATTATTTATGTGTATCGG
GAGTGTGTTTAGTCTGTTTATTTGCAGTAAACCGATCTCCAAAGATTTCTTTTGGAAACGCTTTTTCCCCTCC
TTAATTTTTATATTCCTTACTGTTTTACTAAATATTAAGTGTTCCTTGACAATTTTGGTGCTCATGTGTTTTGGG
GACAAAAGTGAAATGAATCTGTCATTATACCAGAAAGTTAAATTCTCAGATCAAATGTGCCTTAATAAATTTGTT
TTCATTTAGATTTCAAACAGTGATAGACTTGCCATTTTAATACACGTCATTGGAGGGCTGCGTATTTGTAAATAG
CCTGATGCTCATTTGGAAAAATAAACCAAGTGAACAATATTTTCTATTGTACTTTTCGAACCATTTTGTCTCATT
ATTCCTGTTTGTAGCTGAAGAATTGTATTACATTTGGAGAGTAAAAACTTAAACACGAAAAA

316/615

FIGURE 313

GGCCGGACGCCTCCGCGTTACGGGATGAATTAACGGCGGGTTCGGCACGGAGGTTGTGACCCC
TACGGAGCCCCAGCTTGCCACGCACCCCACTCGGCGTCGCGCGGCGTGCCCTGCTTGTCACA
GGTGGGAGGCTGGAAGTATCAGGCTGAAAAACAGAGTGGGTACTCTCTTCTGGGAAGCTGGCA
ACAAATGGATGATGTGATATATGCAATTCCAGGGGAAGGGAAATTGTGGTGCTTCTGAACCCAT
GGTCAATTAACGAGGCAGTTTCTAGCTACTGCACGTACTTCATAAAGCAGGACTCTAAAAGCT
TTGGAATCATGGTGTCTATGGAAAGGGATTTACTTTATACTGACTCTGTTTTGGGGAAGCTTTT
TTGGAAGCATTTTTCATGCTGAGTCCCTTTTTACCTTTGATGTTTGTAACCCATCTTGGTATC
GCTGGATCAACAACCGCCTTGTGGCAACATGGCTCACCCCTACCTGTGGCATTATTGGAGACCA
TGTTTGGTGTAAGAGTGATTATAAAGTGGGGATGCATTTGTTCCCTGGAGAAAGAAGTGTCATTA
TCATGAACCATCGGACAAGAATGGACTGGATGTTCCCTGTGGAATTGCCTGATGCGATATAGCT
ACCTCAGATTGGAGAAAATTTGCCTCAAAGCGAGTCTCAAAGGTGTTCCCTGGATTTGGTTGGG
CCATGCAGGCTGCTGCCTATATCTTCATTTCATAGGAAATGGAAGGATGACAAGAGCCATTTTCG
AAGACATGATTGATTACTTTTGTGATATTCACGAACCACTTCAACTCCTCATATTCCCAGAAG
GGACTGATCTCACAGAAAACAGCAAGTCTCGAAGTAATGCATTTGCTGAAAAAATGGACTTC
AGAAATATGAATATGTTTTACATCCAAGAACTACAGGCTTTACTTTTGTGGTAGACCGTCTAA
GAGAAGGTAAGAACCTTGATGCTGTCCATGATATCACTGTGGCGTATCCTCACAAACATTCCTC
AATCAGAGAAGCACCTCCTCCAAGGAGACTTTCCAGGGAAATCCACTTTCACGTCCACCGGT
ATCCAATAGACACCCTCCCCACATCCAAGGAGGACCTTCAACTCTGGTGCCACAAACGGTGGG
AAGAGAAAGAAGAGAGGCTGCGTTCCTTCTATCAAGGGGAGAAGAATTTTATTTTACCGGAC
AGAGTGTCAATCCACCTTGCAAGTCTGAACTCAGGGTCCTTGTGGTCAAATTGCTCTCTATAC
TGTATTGGACCTGTTTCAGCCCTGCAATGTGCCTACTCATATATTTGTACAGTCTTGTTAAGT
GGTATTTTATAATCACCATTGTAATCTTTGTGCTGCAAGAGAGAATATTTGGTGGACTGGAGA
TCATAGAAGTGCATGTTACCGACTTTTACACAAACAGCCACATTTAAATTCAAAGAAAAATG
AGTAAAGATTATAAGGTTTGCCATGTGAAAACCTAGAGCATATTTTGGAATGTTCTAAACCTT
TCTAAGCTCAGATGCATTTTTCATGACTATGTGCAATATTTCTTACTGCCATCATTATTTGT
TAAAGATATTTTGCACCTTAATTTTGTGGGAAAAATATTGCTACAATTTTTTTAATCTCTGAA
TGTAATTTTCGATACTGTGTACATAGCAGGGAGTGATCGGGGTGAAATAACTTGGGCCAGAATA
TTATTAAACAATCATCAGGCTTTTAA

318/615

FIGURE 315

CGGCTCGAGCGGCTCGAGTGAAGAGCCTCTCCACGGCTCCTGCGCCTGAGACAGCTGGCCTGA
CCTCCAAATCATCCATCCACCCCTGCTGTCATCTGTTTTTCATAGTGTGAGATCAACCCACAGG
AATATCC**ATG**GCTTTTGTGCTCATTTTGGTTCTCAGTTTCTACGAGCTGGTGTGAGGACAGTG
GCAAGTCACTGGACCGGGCAAGTTTGTCCAGGCCTTGGTGGGGGAGGACGCCGTGTTCTCCTG
CTCCCTCTTTCTGAGACCAGTGCAGAGGCTATGGAAGTGCGGTTCTTCAGGAATCAGTTCCA
TGCTGTGGTCCACCTCTACAGAGATGGGGAAGACTGGGAATCTAAGCAGATGCCACAGTATCG
AGGGAGAAGTGAAGTTTGTGAAGGACTCCATTGCGAGGGGGGCGTGTCTCTAAGGCTAAAAAA
CATCACTCCCTCGGACATCGGCCTGTATGGGTGCTGGTTCAGTTCCCAAGATTTACGATGAGGA
GGCCACCTGGGAGCTGCGGGTGGCAGCACTGGGCTCACTTCCTCTCATTTCCATCGTGGGATA
TGTTGACGGAGGTATCCAGTTACTCTGCCTGTCTCAGGCTGGTTCCCCCAGCCCACAGCCAA
GTGGAAAGGTCCACAAGGACAGGATTTGTCTTCAGACTCCAGAGCAAATGCAGATGGGTACAG
CCTGTATGATGTGGAGATCTCCATTATAGTCCAGGAAAATGCTGGGAGCATATTGTGTTCCAT
CCACCTTGCTGAGCAGAGTCATGAGGTGGAATCCAAGGTATTGATAGGAGAGACGTTTTTCCA
GCCCTCACCTTGGCGCCTGGCTTCTATTTTACTCGGGTTACTCTGTGGTGCCCTGTGTGGTGT
TGTCATGGGGATGATAATTGTTTTCTTCAAATCCAAAGGGAAAATCCAGGCGGAACTGGACTG
GAGAAGAAAGCACGGACAGGCAGAATTGAGAGACGCGCGAAACACGCAGTGGAGGTGACTCT
GGATCCAGAGACGGCTCACCCGAAGCTCTGCGTTTCTGATCTGAAAACGTGAACCCATAGAAA
AGCTCCCCAGGAGGTGCCTCACTCTGAGAAGAGATTTACAAGGAAGAGTGTGGTGGCTTCTCA
GGGTTTCCAAGCAGGGAGACATTACTGGGAGGTGGACGTGGGACAAAATGTAGGGTGGTATGT
GGGAGTGTGTCGGGATGACGTAGACAGGGGGAAGAACAATGTGACTTTGTCTCCCAACAATGG
GTATTGGGTCCCTCAGACTGACAACAGAACATTTGTATTTACATTCAATCCCCATTTTATCAG
CCTCCCCCCCAGCACCCCTCCTACACGAGTAGGGGTCTTCCTGGACTATGAGGGTGGGACCAT
CTCCTTCTTCAATACAAATGACCACTCCCTTATTTATACCCTGCTGACATGTGAGTTTGAAGG
CTTGTTGAGACCCTATATCCAGCATGCGATGTATGACGAGGAAAAGGGGACTCCCATATTCAT
ATGTCCAGTGTCTGGGGAT**GA**GACAGAGAAGACCCTGCTTAAAGGGCCCCACACCACAGACC
CAGACACAGCCAAGGGAGAGTGTCTCCCGACAGGTGGCCCCAGCTTCCTCTCCGGAGCCTGCGC
ACAGAGAGTCACGCCCCCACTCTCCTTTAGGGAGCTGAGGTTCTTCTGCCCTGAGCCCTGCA
GCAGCGGCAGTCACAGCTTCCAGATGAGGGGGGATTGGCCTGACCCTGTGGGAGTCAGAAGCC
ATGGCTGCCCTGAAGTGGGGACGGAATAGACTCACATTAGGTTTAGTTTGTGAAAACCTCCATC
CAGCTAAGCGATCTTGAACAAGTCACAACCTCCAGGCTCCTCATTTGCTAGTCACGGACAGT
GATTCTGCTCACAGGTGAAGATTAAAGAGACAACGAATGTGAATCATGCTTGCAGGTTTGA
GGGCACAGTGTGTTGCTAATGATGTGTTTTTATATTATACATTTTCCCACCATAAACTCTGTTT
GCTTATTCCACATTAATTTACTTTTCTCTATACCAAATCACCCATGGAATAGTTATTGAACAC
CTGCTTTGTGAGGCTCAAAGAATAAAGAGGAGGTAGGATTTTCACTGATTCTATAAGCCAG
CATTACCTGATACCAAACCAGGCAAAGAAAACAGAAGAAGAGGAAGGAAAACCTACAGGTCCA
TATCCCTCATTAACACAGACACAAAATTCTAAATAAAATTTTAACAAATTAACTAAACAAT
ATATTTAAAGATGATATATACTACTCAGTGTGGTTTGTCCACAAATGCAGAGTTGGTTTAA
TATTTAAATATCAACCAGTGTAATTCAGCACATTAATAAAGTAAAAAAGAAAACCATAAAAAA
AAAAAAA

319/615

FIGURE 316

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA68866

><subunit 1 of 1, 466 aa, 1 stop

><MW: 52279, pI: 6.16, NX(S/T): 2

MAFVLILVLSFYELVSGQWQVTGPGKFVQALVGEDAVFSCSLFPETSAEAMEVRFFRNQFHAV
VHLYRDGEDWESKQMPQYRGRTEFVKDSIAGGRVSLRLKNITPSDIGLYGCWFSSQIYDEEAT
WELRVAALGSLPLISIVGYVDGGIQLLCLSSGWFPQPTAKWKGPQGQDLSSDSRANADGYSLY
DVEISIIIVQENAGSILCSIHLEQSHVESKVLIGETFFQSPWRLASILLGLLCGALCGVVM
GMIIVFFKSKGKIQAELDWRKKGQAELRDARKHAVEVTLPETAHPKLCVSDLKTVTHRKA
QEVPHSEKRFTRKSVVASQGFQAGRHYWEVDVGQNVGWYVGVCRDDVDVRGKNNVTLS
PNNGYWVLRLTTEHLYFTFNPHFISLPPSTPPTRVGVFLDYEGGTISFFNTNDQSLIYTL
LTCQFEGLLRPYIQHAMYDEEKGTPIFICPVS

:P

IQ

Signal peptide:

amino acids 1-17

Transmembrane domains:

amino acids 131-150, 235-259

322/615

FIGURE 319

CCTTCACAGGACTCTTCATTGCTGGTTGGCAATGATGTATCGGCCAGATGTGGTGAGGGCTAG
GAAAAGAGTTTGGTTGGGAACCCTGGGTTATCGGCCTCGTCATCTTCATATCCCTGATTGTCCT
GGCAGTGTGCATTGGACTCACTGTTTATTATGTGAGATATAATCAAAAGAAGACCTACAATTA
CTATAGCACATTGTCAATTTACAACCTGACAACTATATGCTGAGTTTGGCAGAGAGGCTTCTAA
CAATTTTACAGAAATGAGCCAGAGACTTGAATCAATGGTGAAAAATGCATTTTATAAATCTCC
ATTAAGGGAAGAATTTGTCAAGTCTCAGGTTATCAAGTTCAGTCAACAGAAGCATGGAGTGTT
GGCTCATATGCTGTTGATTTGTAGATTTCACTCTACTGAGGATCCTGAACTGTAGATAAAAT
TGTTCAACTTGTTTTACATGAAAAGCTGCAAGATGCTGTAGGACCCCTAAAGTAGATCCTCA
CTCAGTTAAAATTAAAAAATCAACAAGACAGAAACAGACAGCTATCTAAACCATTGCTGCGG
AACACGAAGAAGTAAACTCTAGGTCAGAGTCTCAGGATCGTTGGTGGGACAGAAGTAGAAGA
GGGTGAATGGCCCTGGCAGGCTAGCCTGCAGTGGGATGGGAGTCATCGCTGTGGAGCAACCTT
AATTAATGCCACATGGCTTGTGAGTGCTGCTCACTGTTTTACAACATATAAGAACCCTGCCAG
ATGGACTGCTTCCTTTGGAGTAACAATAAAACCTTCGAAAATGAAACGGGGTCTCCGGAGAAT
AATTGTCCATGAAAAATACAAACACCCATCACATGACTATGATATTTCTCTTGACAGAGCTTTC
TAGCCCTGTTCCCTACACAAATGCAGTACATAGAGTTTGTCTCCCTGATGCATCCTATGAGTT
TCAACCAGGTGATGTGATGTTTGTGACAGGATTTGGAGCACTGAAAAATGATGGTTACAGTCA
AAATCATCTTCGACAAGCACAGGTGACTCTCATAGACGCTACAACCTTGCAATGAACCTCAAGC
TTACAATGACGCCATAACTCCTAGAATGTTATGTGCTGGCTCCTTAGAAGGAAAAACAGATGC
ATGCCAGGGTGACTCTGGAGGACCACTGGTTAGTTCAGATGCTAGAGATATCTGGTACCTTGC
TGGAATAGTGAGCTGGGGAGATGAATGTGCGAAACCCAACAAGCCTGGTGTTTATACTAGAGT
TACGGCCTTGCGGGACTGGATTACTTCAAAAACCTGGTATCTAAGAGACAAAAGCCTCATGGAA
CAGATAACATTTTTTTTTTGGTTTGGGTGTGGAGGCCATTTTATAGAGATACAGAATTGGAGA
AGACTTGCAAAACAGCTAGATTTGACTGATCTCAATAAACTGTTTGCTTGATGCATGTATTTT
CTTCCCAGCTCTGTTCCGCACGTAAGCATCCTGCTTCTGCCAGATCAACTCTGTCATCTGTGA
GCAATAGTTGAACTTTATGTACATAGAGAAATAGATAATACAATATTACATTACAGCCTGTA
TTCATTTGTTCTCTAGAAGTTTTGTCAGAATTTTGAAGTTGTTGACATAAATTTGTAATGCATA
TATACAATTTGAAGCACTCCTTTTCTTCAGTTCCTCAGCTCCTCTCATTTTCAGCAAATATCCA
TTTTCAAGGTGCAGAACAAAGGAGTGAAAGAAAATATAAGAAGAAAAAATCCCCTACATTTTA
TTGGCACAGAAAAGTATTAGGTGTTTTTCTTAGTGGAATATTAGAAATGATCATATTATTAT
GAAAGGTCAAGCAAAGACAGCAGAATACCAATCACTTCATCATTTAGGAAGTATGGGAACATA
GTTAAGGAAGTCCAGAAAGAAGCCAAGATATATCCTTATTTTCATTTCCAAACAACACTACTATG
ATAAATGTGAAGAAGATTCTGTTTTTTGTGACCTATAATAATTATACAACTTCATGCAATG
TACTTGTTCTAAGCAAATTAAAGCAAATATTTATTTAACATTGTTACTGAGGATGTCAACATA
TAACAATAAAATATAAATCACCCA

324/615

FIGURE 321

CCGGGCTCCTGGGTGAGGCCGGCAAGTTTGGAGCGTGGTCAGACAATAGGGGCGTGGCTACGG
CTCGCGGAGCGCAACCAACGCTCTAGACCAGACCTGGGCTCGAGACCATAACTGTTTGGCTTT
AACAGTACGTGGGCGGCCGGAATCCGGGAGTCCGGTGACCCGGGCTGTGGTCTAGCATAAAGG
CGGAGCCCAGAAGAAGGGGCGGGGTATGGGAGAAGCCTCCCCACCTGCCCCCGCAAGGCGGCA
TCTGCTGGTCCTGCTGCTGCTCCTCTCTACCCTGGTGATCCCCTCCGCTGCAGCTCCTATCCA
TGATGCTGACGCCCAAGAGAGCTCCTTGGGTCTCACAGGCCTCCAGAGCCTACTCCAAGGCTT
CAGCCGACTTTTCCTGAAAGGTAACCTGCTTCGGGGCATAGACAGCTTATTCTCTGCCCCCAT
GGACTTCCGGGGCCTCCCTGGGAACTACCACAAAGAGGAGAACCAGGAGCACCAGCTGGGGAA
CAACACCCTCTCCAGCCACCTCCAGATCGACAAGATGACCGACAACAAGACAGGAGAGGTGCT
GATCTCCGAGAATGTGGTGGCATCCATTCAACCAGCGGAGGGGAGCTTCGAGGGTGATTTGAA
GGTACCCAGGATGGAGGAGAAGGAGGCCCTGGTACCCATCCAGAAGGCCACGGACAGCTTCCAC
ACAGAACTCCATCCCCGGGTGGCCTTCTGGATCATTAAAGCTGCCACGGCGGAGGTCCCACCAG
GATGCCCTGGAGGGCGGCCACTGGCTCAGCGAGAAGCGACACCGCCTGCAGGCCATCCGGGAT
GGACTCCGCAAGGGGACCCACAAGGACGTCTAGAAAGAGGGGACCGAGAGCTCCTCCCACTCC
AGGCTGTCCCCCGAAAGACCCACTTACTGTACATCCTCAGGCCCTCTCGGCAGCTGTAGGGG
TGGGGACCGGGGAGCACCTGCCTGTAGCCCCCATCAGACCCTGCCCCAAGCACCATATGGAAA
TAAAGTTCTTTCTTACATCTAAAAA

326/615

FIGURE 323

AGAGAAAGAAGCGTCTCCAGCTGAAGCCAATGCAGCCCTCCGGCTCTCCGCGAAGAAGTTCCC
TGCCCCGATGAGCCCCCGCCGTGCGTCCCCGACTATCCCCAGGCGGGCGTGGGGCACCGGGCC
CAGCGCCGACGATCGCTGCCGTTTTTGCCCTTGGGAGTAGGATGTGGTGAAAGGATGGGGCTTC
TCCCTTACGGGGCTCACAATGGCCAGAGAAGATTCCGTGAAGTGTCTGCGCTGCCTGCTCTAC
GCCCTCAATCTGCTCTTTTGGTTAATGTCCATCAGTGTGTTGGCAGTTTCTGCTTGATGAGG
GACTACCTAAATAATGTTCTCACTTTAACTGCAGAAACGAGGGTAGAGGAAGCAGTCATTTTG
ACTTACTTTTCTGTGGTTCATCCGGTCATGATTGCTGTTTGGCTGTTTCTTATCATTGTGGGG
ATGTTAGGATATTGTGGAACGGTGAAAAGAAATCTGTTGCTTCTTGCATGGTACTTTGGAAGT
TTGCTTGTCAATTTTCTGTGTAGAACTGGCTTGTGGCGTTTGGACATATGAACAGGAACCTTATG
GTTCCAGTACAATGGTCAGATATGGTCACTTTGAAAGCCAGGATGACAAATTATGGATTACCT
AGATATCGGTGGCTTACTCATGCTTGGAAATTTTTTTTCAGAGAGAGTTTAAAGTGTGTGGAGTA
GTATATTTCACTGACTGGTTGGAAATGACAGAGATGGACTGGCCCCAGATTCTGCTGTGTT
AGAGAATTTCCAGGATGTTCCAAACAGGCCCCACCAGGAAGATCTCAGTGACCTTTATCAAGAG
GGTTGTGGGAAGAAAATGTATTCCTTTTTTGAGAGGAACCAACAACACTGCAGGTGCTGAGGTTT
CTGGGAATCTCCATTGGGGTGACACAAATCCTGGCCATGATTCTCACCATTACTCTGCTCTGG
GCTCTGTATTATGATAGAAGGGAGCCTGGGACAGACCAATGATGTCCTTGAAGAATGACAAC
TCTCAGCACCTGTCTGTCCTCAGTAGAACTGTTGAAACCAAGCCTGTCAAGAATCTTTGAA
CACACATCCATGGCAAACAGCTTTAATACACACTTTGAGATGGAGGAGTTATAAAAAGAAATG
TCACAGAAGAAAACCAAACTTGTTTTATTGGACTTGTGAATTTTGGAGTACATACTATGTG
TTTCAGAAATATGTAGAAATAAAAATGTTGCCATAAAATAACACCTAAGCATATACTATTCTA
TGCTTTAAATGAGGATGGAAAAGTTTCATGTCATAAGTCACCACCTGGACAATAATTGATGC
CCTTAAATGCTGAAGACAGATGTCATACCCACTGTGTAGCCTGTGATGACTTTTACTGAAC
ACAGTTATGTTTTGAGGCAGCATGGTTTGATTAGCATTTCCGCATCATGCAAACGAGTCACA
TATGGTGGGACTGGAGCCATAGTAAAGGTTGATTTACTTCTACCAACTAGTATATAAAGTACT
AATTAAATGCTAACATAGGAAGTTAGAAAATACTAATAACTTTTATTACTCAGCGATCTATTC
TTCTGATGCTAAATAAATTATATATCAGAAAACCTTCAATATTGGTGACTACCTAAATGTGAT
TTTTGCTGGTTACTAAAATATTCTTACCCTTAAAAGAGCAAGCTAACACATTGTCTTAAGCT
GATCAGGGATTTTTTGTATATAAGTCTGTGTTAAATCTGTATAATTCAAGTCGATTTCAAGTTCT
GATAATGTTAAGAATAACCATTATGAAAAGGAAAATTTGTCCTGTATAGCATCATTATTTTAA
GCCTTTCTGTGTTAATAAAGCTTTACTATTCTGTCTGGGCTTATATTACACATATAACTGTTA
TTTAAATACTTAACCACTAATTTTGAAAATTACCACTGTGATACATAGGAATCATTATTCAGA
ATGTAGTCTGGTCTTTAGGAAGTATTAATAAGAAAATTTGCACATAACTTAGTTGATTCAGAA
AGGACTTGATGCTGTTTTTCTCCAAATGAAGACTCTTTTGGACACTAAACACTTTTTTAAAA
AGCTTATCTTTGCCTTCTCCAAACAAGAAGCAATAGTCTCCAAGTCAATATAAATTCTACAGA
AAATAGTGTTCTTTTCTCCAGAAAAATGCTTGTGAGAATCATTAAAACATGTGACAATTTAG
AGATTCTTTGTTTTTATTTCACTGATTAATATACTGTGGCAAATTACACAGATTATTAAATTTT
TTTACAAGAGTATAGTATATTTATTTGAAATGGGAAAAGTGCATTTTACTGTATTTTGTGTAT
TTTGTATTCTCAGAATATGGAAAGAAAATTTAAATGTGTCAATAAATATTTTCTAGAGAG
TAA

329/615

FIGURE 326

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA68882
><subunit 1 of 1, 557 aa, 1 stop
><MW: 63818, pI: 8.61, NX(S/T): 3
MESERSKRMGNACIPLKRIAYFLCLLSALLLTEGKKPAKPKCPAVCTCTKDNCENARS
IPRTVPPDVISLSFVRSGFTEISEGSFLFTPSLQLLLFTSNSFDVISDDAFIGLPHLEYL
FIENNNIKSISRHTFRGLKSLIHLSLANNNLQTLPKDIFKGLDSLTVNVDLRGNSFNCDC
LKWLVEWLGHGTNATVEDIYCEGPPEYKKRKINSLSSKDFDCIITEFAKSQDLPHYQSL
TFSYLNDEYVVIAQPFTGKCIFLEWDHVEKTFRNYDNITGTSTVVKPIVIETQLYVIVA
QLFGGSHIYKRDSFANKFIKIQDIEILKIRKPNDIETFKIENNWFVVDSSKAGFTTIY
KWNNGGFYSHQSLHAWYRDTDVEYLEIVRTPQTLRTPHLILSSSSQRPVIYQWNKATQLF
TNQTDIPNMEDVYAVKHFSVKGDVYICLTRFIGDSKVMKWGGSSFQDIQRMPSRGSVMFQ
PLQINNYQYAILGSDYSFTQVYNWDAEKAKFVKFQELNVQAPRSFTHVSINKRNFLFASS
FKGNTQIYKHVIVDLA
```

Important features of the protein:**Signal peptide:**

Amino acids 1-34

Transmembrane domain:

Amino acids 281-306

N-glycosylation sites:

Amino acids 192-196;277-281;422-426

cAMP- and cGMP-dependent protein kinase phosphorylation site:

Amino acids 310-314

Tyrosine kinase phosphorylation sites:

Amino acids 228-235;378-385

N-myristoylation sites:

Amino acids 172-178;493-499

Amidation site:

Amino acids 33-37

331/615

FIGURE 328

MPPFLLLTCLFITGTSVSPVALDPCSAYISLNEPWRNTDHQLDESQGPPLCDNHVNGEWYHFT
GMAGDAMPTEFCIPENHCGTHAPVWLNGSHPLEGDGIVQRQACASFNGNCCLWNTTVEVKACPG
YYYVYRLTKPSVCFHVYCGHFYDIEDCHGSCSDTSECTCAPGTVLGPDRQTCFDENECEQN
NGGCSEICVNLKNSYRCECGVGRVLRSDGKTCEDEVEGCHNNNGGCSHSCLGSEKGYQCECPRG
LVLSEDNHTCQVPVLCKSNAIEVNIPRELVGGLFLTLNTSCRGVSNNGTHVNILFSLKTCGTV
VDVVNDKIVASNLVTGLPKQTPGSSGDFIIRTSKLLIPVTCEFPRLYTISEGYVPNLRNSPLE
IMSRNHGIFPFTLEIFKDNEFEPEPYREALPTLKLRLDSLYFGIEPVVHVSGLESLVESCFATPT
SKIDEVLKYYLIRDGCVSDDSVKQYTSRDHLAKHFQVPVFKFVGKDHKEVFLHCRVLVCGVLD
ERSRCAQGCHRRMRRGAGGEDSAGLQGQTLTGGPIRIDWED

Important features of the protein:**Signal peptide:**

amino acids 1-16

N-glycosylation sites.

amino acids 89-93, 116-120, 259-263, 291-295, 299-303

Tyrosine kinase phosphorylation sites.

amino acids 411-418, 443-451

N-myristoylation sites.amino acids 226-232, 233-239, 240-246, 252-258, 296-302, 300-306,
522-528, 531-537**Aspartic acid and asparagine hydroxylation site.**

amino acids 197-209

ZP domain proteins.

amino acids 431-457

Calcium-binding EGF-like proteins.

amino acids 191-212, 232-253

334/615

FIGURE 331

AGTGGTTTCGATGGGAAGGATCTTTCTCCAAGTGGTTCTTCTGAGGGGAGCATTCTGCTGGC
TCCAGGACTTTGGCCATCTATAAAGCTTGGCAATGAGAAATAAGAAAATTCTCAAGGAGGACG
AGCTCTTGAGTGAGACCCAACAAGCTGCTTTTCACCAAATTGCAATGGAGCCTTTCGAAATCA
ATGTTCCAAAGCCCAAGAGGAGAAATGGGGTGAACCTTCTCCCTAGCTGTGGTGGTCATCTACC
TGATCCTGCTCACCCTGGCGCTGGGCTGCTGGTGGTCCAAGTTCTGAATCTGCAGGCGCGGC
TCCGGGTCTTGAGATGTATTTCTCAATGACACTCTGGCGGCTGAGGACAGCCCGTCCTTCT
CCTTGCTGCAGTCAGCACACCCTGGAGAACACCTGGCTCAGGGTGCATCGAGGCTGCAAGTCC
TGCAGGCCCCAACTCACCTGGGTCCGCGTCAGCCATGAGCACTTGCTGCAGCGGGTAGACA
TCACTCAGAACCCAGGGATGTTTCAAGTCAAAGGTGAACAAGGCGCCCCAGGTCTTCAAGGTC
ACAAGGGGGCCATGGGCATGCCTGGTGCCCTGGCCCGCCGGGACCACCTGCTGAGAAGGGAG
CCAAGGGGGCTATGGGACGAGATGGAGCAACAGGCCCCCTCGGGACCCCAAGGCCACCGGGAG
TCAAGGGAGAGGGCGGGCCTCCAAGGACCCAGGGTGCTCCAGGGAAGCAAGGAGCCACTGGCA
CCCCAGGACCCCAAGGAGAGAAGGGCAGCAAAGGCGATGGGGGTCTCATTGGCCCCAAAAGGGG
AAACTGGAATAAGGGAGAGAAAGGAGACCTGGGTCTCCAGGAAGCAAAGGGGACAGGGGCA
TGAAAGGAGATGCAGGGGTCTGAGGGCTCTGGAGCCCAGGGGAGTAAAGGTGACTTCGGGA
GGCCAGGCCCACCAGGTTTGGCTGGTCTTCTGGAGCTAAAGGAGATCAAGGACAACCTGGAC
TGCAGGGTGTTCGGGGCCCTCCTGGTGCAGTGGGACACCCAGGTGCCAAGGGTGAGCCTGGCA
GTGCTGGCTCCCCTGGGCGAGCAGGACTTCCAGGGAGCCCCGGGAGTCCAGGAGCCACAGGCC
TGAAAGGAAGCAAAGGGGACACAGGACTTCAAGGACAGCAAGGAAGAAAAGGAGAATCAGGAG
TTCCAGGCCCTGCAGGTGTGAAGGGAGAACAGGGGAGCCCAGGGCTGGCAGGTCCCAAGGGAG
CCCCTGGACAAGCTGGCCAGAAGGGAGACCAGGGAGTGAAAGGATCTTCTGGGGAGCAAGGAG
TAAAGGGAGAAAAAGGTGAAAGAGGTGAAACTCAGTGTCCGTGAGGATTGTCGGCAGTAGTA
ACCGAGGCCGGGCTGAAGTTTACTACAGTGGTACCTGGGGGACAATTTGCGATGACGAGTGGC
AAAATTCTGATGCCATTGTCTTCTGCCGATGCTGGGTACTCCAAAGGAAGGGCCCTGTACA
AAGTGGGAGCTGGCACTGGGCAGATCTGGCTGGATAATGTTTCAAGTGTGCGGGCACGGAGAGTA
CCCTGTGGAGCTGCACCAAGAATAGCTGGGGCCATCATGACTGCAGCCACGAGGAGGACGCAG
GCGTGGAGTGCAGCGTCTGACCCCGAAACCTTTCACTTCTCTGCTCCCGAGGTGTCTCTGGG
CTCATATGTGGGAAGGCAGAGGATCTCTGAGGAGTTCCCTGGGGACAACCTGAGCAGCCTCTGG
AGAGGGGCCATTAATAAAGCTCAACATCATTGA

335/615

FIGURE 332

></usr/seqdb2/sst/DNA/Dnaseqs.full/ss.DNA68886
><subunit 1 of 1, 520 aa, 1 stop
><MW: 52658, pI: 9.16, NX(S/T): 3
MRNKKILKEDELLSETQQAAFHQIAMEPFEINVPKPKRRNGVNFSLAVVVIYLILLTAGAGLL
VVQVLNLQARLRVLEMYFLNDTLAAEDSPSFSLLQSAHPGEHLAQGASRLQVLQAQLTWVRVS
HEHLLQRVNDNFTQNPGRFRIKGEQGAPGLQGHKGAMMPGAPGPPGPPAEKGAKGAMGRDGAT
GPSGPQGPVGKGEAGLQGPQGAPGKQGATGTPGPQGEKSGKGDGGLIGPKGETGKGEKGD
GLPGSKGDRGMKGDAGVMGPPGAQGSKGDFGRPGPPGLAGFPGAKGDQGPGLQGVPPGAV
GHPGAKGEPGSAGSPGRAGLPGSPGSPGATGLKGSKGDGTLQGGQGRKGESGVPGPAGVKGEQ
GSPGLAGPKGAPGQAGQKGDQGVKGSSGEQGVKGEKGERGENSVSVRIVGSSNRGRAEVYYSG
TWGTICDDEWQNSDAIVFCRMLGYSKGRALYKVGAGTGQIWLNDNVQCRGTESTLWSCTKNSWG
HHDCSHEEDAGVECSV

Transmembrane domain:

amino acids 47-66 (type II)

N-glycosylation sites.

amino acids 43-47, 83-87, 136-140

Tyrosine kinase phosphorylation site.

amino acids 432-440

N-myristoylation sites.amino acids 41-47, 178-184, 253-259, 274-280, 340-346, 346-352,
400-406, 441-447, 475-481, 490-496, 515-521**Amidation site.**

amino acids 360-364

Leucine zipper pattern.

amino acids 56-78

Speract receptor repeat

amino acids 422-471, 488-519

Clq domain proteins.

amino acids 151-184, 301-334, 316-349

336/615

FIGURE 333

GGGCTGTTGATTTGTGGGGGATTTTGAAGAGAGGAGGAATAGGAGGAAGGGGTTGAGGGGCTG
CCTCTGGCATATGCACACACTCACACATTCTGTACACCCGTCACACACACATACCATGTTCT
CCATCCCCCAGGTCCAGCCCTCAGTGCTGTCCCATCCAGCAGGGCTACCCTGAAGCTCTGGC
TGCAGCCCTCCCGTCCAGTGGGCAGGCGGCTTCATCCCTCCTTTCTCTCCCAAAGCCCAACTG
CTGTCACTGCATGCTCTGCCAAGGAGGAGGGAAGTGCAGTGACAGCAGGAGTAAGAGTGGGAG
GCAGGACAGAGCTGGGACACAGGTATGGAGAGGGGGTTTCAGCGAGCCTAGAGAGGGCAGACTA
TCAGGGTGCCGGCGGTGAGAATCCAGGGAGAGGAGCGGAAACAGAAGAGGGGCAGAAGACCGG
GGCACTTGTGGGTTGCAGAGCCCCCTCAGCCATGTTGGGAGCCAAGCCACACTGGCTACCAGGT
CCCCTACACAGTCCCGGGCTGCCCTTGGTTCTGGTGCTTCTGGCCCTGGGGGCCGGGTGGGCC
CAGGAGGGGTTCAGAGCCCGTCTGTGGAGGGGGAGTGCCTGGTGGTCTGTGAGCCTGGCCGA
GCTGCTGCAGGGGGGGCCCGGGGAGCAGCCCTGGGAGAGGCACCCCTGGGCGAGTGGCATT
GCTGCGGTCCGAAGCCACCACCATGAGCCAGCAGGGGAAACCGGCAATGGCACCAGTGGGGCC
ATCTACTTCGACCAGTCTTGGTGAACGAGGGCGGTGGCTTTGACCGGGCCTCTGGCTCCTTC
GTAGCCCTGTCCGGGGTGTCTACAGCTTCGGTTCCATGTGGTGAAGGTGTACAACGCCAA
ACTGTCCAGGTGAGCCTGATGCTGAACACGTGGCCTGTCTCAGCCTTGCCAATGATCCT
GACGTGACCCGGGAGGCAGCCACCAGCTCTGTGCTACTGCCCTTGACCCTGGGACCGAGTG
TCTCTGCGCCTGCGTCGGGGGAATCTACTGGGTGGTTGGAAATACTCAAGTTTCTCTGGCTTC
CTCATCTTCCCTCTCTGAGGACCCAAGTCTTTCAAGCACAGAATCCAGCCCTGACAACCTTT
CTTCTGCCCTCTCTTGCCCCAGAAACAGCAGAGGCAGGAGAGAGACTCCCTCTGGCTCCTATC
CCACCTCTTTGCATGGGACCCTGTGCCAAACACCCAAGTTTAAGAGAAGAGTAGAGCTGTGGC
ATCTCCAGACCAGGCCTTTCCACCCACCCACCCCAAGTTACCCTCCCAGCCACCTGCTGCATC
TGTTCTGCTGCTGAGCCCTAGGATCAGGGCAAGGTTTGGCAAGAAGGAAGATCTGCACTACTT
TGCGGCCTCTGCTCCTCCGTTCCCCCACCCAGCTTCTGCTCAATGCTGATCAGGGACAGG
TGGCGCAGGTGAGCCTGACAGGCCCCCACAGGAGCCCAGATGGACAAGCCTCAGCGTACCCTG
CAGGCTTCTTCTGTGAGGAAAGCCAGCATCACGGATCTCAGCCAGCACCGTCAGAAGCTGAG
CCAGCACCGTATGGGCTAGGGTGGGAGGCTCAGCCACAGGCAGAAGGGTGGGAAGGGCCTGGA
GTCTGTGGCTGGTGAGGAAGGAAGGAGGGTGTATTGTCTAGACTGAACATGGTACACATTCTG
CATGTATAGCAGAGCAGCCAGCAGGTAGCAATCCTGGCTGTCTTCTATGCTGGATCCCAGAT
GGACTCTGGCCCTTACCTCCCCACCTGAGATTAGGGTGAGTGTGTTTGCTCTGGCTGAGAGCA
GAGCTGAGAGCAGGTATACAGAGCTGGAAGTGGACCATGGAAAACATCGATAACCATGCATCC
TCTTGCTTGGCCACCTCCTGAAACTGCTCCACCTTTGAAGTTTGAACCTTTAGTCCCTCCACAC
TCTGACTGCTGCCTCCTTCTCCAGCTCTCTCACTGAGTTATCTTCACTGTACCTGTTCCAG
CATATCCCCACTATCTCTCTTCTCCTGATCTGTGCTGTCTTATTCTCCTCCTTAGGCTTCT
ATTACCTGGGATTCCATGATTCATTCTTCTCAGACCCTCTCCTGCCAGTATGCTAAACCCCTCCC
TCTCTCTTTCTTATCCCGCTGTCCCATTTGGCCAGCCTGGATGAATCTATCAATAAAACA
AGAGAATGGTGGTCAGTGAGACACTATAGAATTACTAAGGAGAAGATGCCTCTGGAGTTTGG
TCGGGTGTTACAGGTACAAGTAGGTATGTTGCAGAGGAAAATAAATATCAAACCTGTATACTAA
AATTAAAAA

339/615

FIGURE 336

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA71184
><subunit 1 of 1, 388 aa, 1 stop
><MW: 43831, pI: 9.64, NX(S/T): 3
MKTLLIAAYSGVLRGERQAEADRSQRSHGGPALSREGSGRWGTGSSILSALQDLFSVTWLNRSK
VEKQLQVISVLQWVLSFLVLGVACSAILMYIFCTDCWLIADVLYFTWLVDWNTPKKGGRRSQW
VRNWAVWRYFRDYFPIQLVKTHNLLTTRNYIFGYHPHGIMGLGAFCNFSTEATEVSKKFPGIR
PYLATLAGNFRMPVLREYLMSSGGICPVSRDTIDYLLSKNGSGNAIIIVGGAAESLSSMPGKN
AVTLRNRKGFVKLALRHGADLVPIYSFGENEVYKQVIFEEGSWGRWVQKKFQKYIGFAPCIFH
GRGLFSSDTWGLVPYSKPITTVVGEPITIPKLEHPTQQDIDLYHTMYEALVKLFDKHKTKFG
LPETEVLEVN

Important features of the protein:**Transmembrane domain:**

amino acids 76-97

N-glycosylation sites.

amino acids 60-63, 173-176, 228-231

N-myristoylation sites.amino acids 10-15, 41-46, 84-89, 120-125, 169-174, 229-234, 240-
245, 318-323, 378-383G
C
T
A
C
T
G
T
G
T
C
C
A
C
C
C
A
A
T
G
A

345/615

FIGURE 342

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA71269
><subunit 1 of 1, 220 aa, 1 stop
><MW: 24075, pI: 7.67, NX(S/T): 3
MAGLSRGSARALLAALLASTLLALLVSPARGRGGRDHGDWDEASRLPPLPPREDAARVAR
FVTHVSDWGALATISTLEAVRGRPFADVLSDLSDGPPGAGSGVPYFYLSPLQLSVSNLQEN
PYATLTMTLAQTNFCKKHGFDPQSPLCVHIMLSGTVTKVNETEMDIAKHSLFIRHPEMKT
WPSSHNWFFAKLNITNIWVLDYFGGPKIVTPEEYYNVTVQ

Important features of the protein:**Transmembrane domain:**

Amino acids 11-29

N-glycosylation sites:

Amino acids 160-164;193-197;216-220

N-myristoylation sites:

Amino acids 3-9;7-13;69-75;97-103

346/615

FIGURE 343

GGCTGGACTGGAACTCCTGGTCCCAAGTGATCCACCCGCCTCAGCCTCCCAAGGTGCTGTGAT
TATAGGTGTAAGCCACCGTGTCTGGCCTCTGAACAACCTTTTTCAGCAACTAAAAAAGCCACAG
GAGTTGAACTGCTAGGATTCTGACTATGCTGTGGTGGCTAGTGCTCCTACTCCTACCTACATT
AAAATCTGTTTTTTGTTCTCTTGTAAGTACCTTTACCTTCCTAACACAGAGGATCTGTCACT
GTGGCTCTGGCCCAAACCTGACCTTCACTCTGGAACGAGAACAGAGGTTTCTACCCACACCGT
CCCCTCGAAGCCGGGGACAGCCTCACCTTGCTGGCCTCTCGCTGGAGCAGTGCCCTCACCAAC
TGTCTCACGTCTGGAGGCACTGACTCGGGCAGTGACGGTAGCTGAGCCTCTTGGTAGCTGCGG
CTTTC AAGGTGGGCCCTTGCCCTGGCCGTAGAAGGGATTGACAAGCCCGAAGATTTTCATAGGCG
ATGGCTCCCACTGCCCAGGCATCAGCCTTGCTGTAGTCAATCACTGCCCTGGGGCCAGGACGG
GCCGTGGACACCTGCTCAGAAGCAGTGGGTGAGACATCACGCTGCCCGCCCATCTAACCTTTT
CATGTCCTGCACATCACCTGATCCATGGGCTAATCTGAACTCTGTCCCAAGGAACCCAGAGCT
TGAGTGAGCTGTGGCTCAGACCCAGAAGGGGTCTGCTTAGACCACCTGGTTTTATGTGACAGGA
CTTGCAATTCTCCTGGAACATGAGGGAAACGCCGGAGGAAAGCAAAGTGGCAGGGAAGGAACTTG
TGCCAAATTATGGGTGAGAAAAGATGGAGGTGTTGGGTATCACAAGGCATCGAGTCTCCTGC
ATTCAGTGGACATGTGGGGGAAGGGCTGCCGATGGCGCATGACACACTCGGGACTCACCTCTG
GGGCCATCAGACAGCCGTTTCCGCCCCGATCCACGTACCAGCTGCTGAAGGGCAACTGCAGGC
CGATGCTCTCATCAGCCAGGCAGCAGCCAAAATCTGCGATCACCAGCCAGGGGCAGCCGTCTG
GGAAGGAGCAAGCAAAGTGACCATTTCTCCTCCCCTCCTTCCCTCTGAGAGGCCCTCCTATGT
CCCTACTAAAGCCACCAGCAAGACATAGCTGACAGGGGCTAATGGCTCAGTGTTGGCCCAGGA
GGTCAGCAAGGCCTGAGAGCTGATCAGAAGGGCCTGCTGTGCGAACACGGAAATGCCTCCAGT
AAGCACAGGCTGCAAAATCCCCAGGCAAAGGACTGTGTGGCTCAATTTAAATCATGTTCTAGT
AATTGGAGCTGTCCCCAAGACCAAAGGAGCTAGAGCTTGGTTCAAATGATCTCCAAGGGCCCT
TATACCCCAGGAGACTTTGATTTGAATTTGAAACCCCAAATCCAAACCTAAGAACCAGGTGCA
TTAAGAATCAGTTATTGCCGGGTGTGGTGGCCTGTAATGCCAACATTTTGGGAGGCCGAGGCG
GGTAGATCACCTGAGGTCAGGAGTTCAAGACCAGCCTGGCCAACATGGTGAAACCCCTGTCTC
TACTAAAAATACAAAAAACTAGCCAGGCATGGTGGTGTGTGCCTGTATCCCAGCTACTCGGG
AGGCTGAGACAGGAGAATTACTTGAACCTGGGAGGTGAAGGAGGCTGAGACAGGAGAATCACT
TCAGCCTGAGCAACACAGCGAGACTCTGTCTCAGAAAAAATAAAAAAAGAATTATGGTTATTT
GTAA

349/615

FIGURE 346

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA71286

><subunit 1 of 1, 671 aa, 1 stop

><MW: 74317, pI: 7.61; NX(S/T): 0

MPHAFKPGDLVFAKMKGYPHWPARIDDIADGAVKPPPKNKYPIFFFGTHETAFLGPKDLFPYDK
CKDKYGKPNKRKGFNEGLWEIQNNPHASYSAPPPVSSSDSEAPEANPADGSDADEDEDDEDRGVM
AVTAVTATAASDRMESDSDSDKSSDNSGLKRKTPALKMSVSKRARKASSDLQASVSPSEEN
SESSSESEKTSQDFTPEKKA AVRAPRRGPLGGRKKKKAPSASDSDSKADSDGAKPEPVAMAR
SASSSSSSSSSSSDSDSVKPKPPRGRKPAEKPLPKPRGRKPKPERPPSSSSSDSDSDEVDRISE
WKRRDEARRRELEARRRREQEEELRRLREQEKEEKERRRERADRGEAERGSGGSSGDELREDD
EPVKKRGRKGRGRGPPSSSDSEPEAELEAREAKKSAKKPQSSSTEPARKPGQKEKVRPEEKQQ
AKPVKVERTRKRSEGFSMDRKVEKKKEPSVEEKLQKLHSEIKFALKVDS PDVKRCLNALEELG
TLQVTSQILQKNTDVVATLKKIRRYKANKDVMEKAAEVYTRLKSRVLGPKIEAVQKVNKAGME
KEKAEELKAGEELAGEEAPQEKAEDKPSTDLSAPVNGEATSQKGESAEDKEHEEGRDSEEGPR
CGSSEDLHDSVREGPDLD RPGSDRQERERARGDSEALDEES

Signal peptide:

amino acids 1-13

354/615

FIGURE 351A

CACAGGGAGACCCACAGACACATATGCACGAGAGAGACAGAGGAGGAAAGAGACAGAGACAAAGGCACAGCGGAA
GAAGGCAGAGACAGGGCAGGCACAGAAGCGGCCAGACAGAGTCTTACAGAGGGAGAGGCCAGAGAAGCTGCAGA
AGACACAGGCAGGGAGAGACAAAGATCCAGGAAAGGAGGGCTCAGGAGGAGAGTTTGGAGAAGCCAGACCCCTGG
GCACCTCTCCCAAGCCCAAGGACTAAGTTTTCTCCATTTCTTTAACGGTCTCAGCCCTTCTGAAAACCTTTGCC
TCTGACCTTTGGCAGGAGTCCAAGCCCCAGGCTACAGAGAGGAGCTTTCCAAAGCTAGGGTGTGGAGGACTTGGT
GCCCTAGACGGCCTCAGTCCCTCCCAGCTGCAGTACCAGTGCCTATGCCATGCCAGACAGGCTCGCATCCCGGGAGGGG
CTTGGCAGGGCGCTGGCTGTGGGGAGCCCCAACCTGCTCCTGCTCCCCATTGTGCCGCTCTCCTGGCTGGTGTG
GCTGCTTCTGCTACTGCTGGCCTCTCTCCTGCCCTCAGCCCGGCTGGCCAGCCCCCTCCCCGGGAGGAGGAGAT
CGTGTTCAGAGAAAGCTCAACGGCAGCGTCTGCTGCTGCGGGCGCCCTGCCAGGCTGTTGTGCCGCTTGCA
GGCCTTTGGGGAGACGCTGCTACTAGAGCTGGAGCAGGACTCCGGTGTGCAGGTCGAGGGGTGACAGTGCAGTA
CCTGGGGCCAGGCGCCTGAGCTGCTGGGTGGAGCAGAGCCTGGCACCTACCTGACTGGCACCATCAATGGAGATCC
GGAGTCGGTGGCATCTCTGCAGTGGGATGGGGGAGCCCTGTTAGGCGTGTACAATATCGGGGGGCTGAATCCA
CCTCCAGCCCTGGAGGGGAGCCACCCCTAACTCTGCTGGGGGAGCTGGGGCTCACATCCTACGCCGGAAGAGTCC
TGCCAGCGGTCAAGGTCCCAGTGTGCAACGTCAAGGCTCCTCTTGGGAAGCCCCAGCCCCAGCCCCGAAGAGCCAA
GCGCTTTGCTTCACTGAGTAGATTTGTGGAGACACTGGTGGTGGCAGATGACAAGATGGCCGCATTCACGGTGC
GGGGCTAAAGCGCTACCTGCTAACAGTGATGGCAGCAGCAGCCAAGGCCTTCAAGCACCCAAGCATCCGCAATCC
TGTGAGCTTGGTGGTGAATCGGCTAGTGATCCTGGGGTCAGGCGAGGAGGGGGCCCAAGTGGGGCCAGTGCTGC
CCAGACCCTGCGCAGCTTCTGTGCTGGCAGCGGGGCTCAACACCCCTGAGGACTCGGGCCCTGACCACTTTGA
CACAGCCATTCTGTTTACCCGTCAGGACCTGTGTGGAGTCTCCACTTGCACACGCTGGGTATGGCTGATGTGGG
CACCGTCTGTGACCCGGCTCGGAGCTGTGCCATTGTGGAGGATGATGGGCTCCAGTCAGCCCTTCACTGCTGCTCA
TGAAGTGGGTGATGTCTTCAACATGCTCCATGACAACCTCAAGCCATGCATCAGTTTGAATGGGCCTTTGAGCAC
CTCTCGCCATGTATGGCCCTGTGATGGCTCATGTGGATCCTGAGGAGCCCTGGTCCCCCTGCAGTGCCCGCTT
CATCACTGACTTCCCTGGACAATGGCTATGGGCACTGTCTCTTAGACAAACAGAGGCTCCATTGCATCTGCCTGT
GACTTTCCCTGGCAAGGACTATGATGCTGACCGCCAGTGCCAGCTGACCTTCGGGCCCCGACTCACGCCATTGTCC
ACAGCTGCCGCCGCCCTGTGCTGCCCTCTGGTGTCTGCGCCACCTCAATGGCCATGCCATGTGCCAGACCAACA
CTCGCCCTGGGCGGATGGCACACCCCTGCGGGCCCCGACAGGCCTGCATGGGTGGTGGCTGCCCTCCACATGGACCA
GCTCCAGGACTTCAATATTCCACAGGCTGGTGGCTGGGTCCTTGGGGACCATGGGGTGACTGCTCTCGGACCTG
TGGGGGTGGTGTCCAGTTCTCCTCCCAGAGCTGACAGAGGCTGTCCCCCGGAATGGTGGCAAGTACTGTGAGG
CCGCCGTACCGCTTCCGCTCCTGCAACACTGAGGACTGCCCAACTGGCTCAGCCCTGACCTTCCGCGAGGAGCA
GTGTGCTGCCACAACACCGCACCGACCTCTTCAAGAGCTTCCCAGGGCCCATGGACTGGGTTCCTCGCTACAC
AGGCGTGGCCCCCAGGACCAGTGCAAACTACCTGCCAGGCCCCGGGCACTGGGCTACTACTATGTGCTGGAGCC
ACGGGTGGTAGATGGGACCCCTGTTCCCCGGACAGCTCCTCGGTCTGTGTCCAGGGCCGATGCATCCATGCTGG
CTGTGATCGCATCATTGGCTCCAAGAAGAAGTTTGACAAGTGCATGGTGTGCGGAGGGGACGGTTCTGGTTGCAG
CAAGCAGTCAGGCTCCTTCAGGAAATTCAGGTACGGATACAACAATGTGGTCACTATCCCCGCGGGGGCCACCCA
CATTCTTGTCCGGCAGCAGGAAACCCCTGGCCACCGGAGCATCTACTTGGCCCTGAAGCTGCCAGATGGCTCCTA
TGCCCTCAATGGTGAATACAGCTGATGCCCTCCCCACAGATGTGGTACTGCCTGGGGCAGTCAGCTTGGCCTA
CAGCGGGGCCACTGCAGCCTCAGAGACACTGTGAGGCACTGGGCCACTGGCCAGCCTTTGACACTCAAGTCCCT
AGTGGCTGGCAACCCCCAGGACACACGCTCCGATACAGCTTCTTCGTGCCCGGGCCGACCCCTTCAACGCCACG
CCCCACTCCCCAGGACTGGCTGCACCGAAGAGCACAGATTCTGAGATCCTTCGGCGGCGCCCTGGGCGGGCAG
GAAATAACCTCACTATCCCGGCTGCCCTTCTGGGACCCGGGGCTCGGACTTAGCTGGGAGAAAGAGAGAGCTT
CTGTTGCTGCCCTCATGCTAAGACTCAGTGGGAGGGGCTGTGGCGTGAGACCTGCCCTCCTCTGCCCTAAT
GCGCAGGCTGGCCCTGCCCTGGTTTCTGCCCTGGGAGGCAGTGATGGGTTAGTGGATGGAAGGGGCTGACAGAC
AGCCCTCCATCTAAACTGCCCCCTCTGCCCTGCGGTCACAGGAGGAGGGGGAAGGCAGGGAGGGCTGGGCC
CAGTTGTATTTATTTAGTATTTATTTACTTTTATTTAGCACCAGGGAAGGGGACAAGGACTAGGGTCTGGGGAA
CCTGACCCCTGACCCCTCATAGCCCTCACCTGGGGCTAGGAAATCCAGGGTGGTGGTATAGGTATAAGTGGTG
TGTGTATGCGTGTGTGTGTGTGTGTGAAAATGTGTGTGTGCTTATGTATGAGGTACAACCTGTCTGCTTTCTC
TTCCTGAATTTTATTTTTTGGGAAAAGAAAAGTCAAGGGTAGGGTGGGCCTTCAGGGAGTGAGGGATTATCTTTT
TTTTTTTTTTCTTTCTTTCTTTCTTTTTTTTTTTTTTGTAGACAGAATCTCGCTCTGTGCCCCAGGCTGGAGTGCAATG
GCACAATCTCGGCTCACTGCATCCTCCGCCCTCCCGGGTCAAGTGATTCTCATGCCTCAGCCTCCTGAGTAGCTG
GGATTACAGGCTCCTGCCACCACGCCAGCTAATTTTTGTTTTGTTTTGTTGGAGACAGAGTCTCGCTATTGTG
ACCAGGGCTGGAATGATTTCAAGTCACTGCAACCTTCGCCACCTGGGTTCCAGCAATTCTCCTGCCCTCAGCCTCC
CGAGTAGCTGAGATTATAGGCACCTACCACCACGCCCGGCTAATTTTTGTATTTTATGTAGAGACGGGGTTTCAC
CATGTTGGCCAGGCTGGTCTCGAATCCTGACCTTAGGTGATCCACTCGCCTTCATCTCCCAAAGTGTGGGATT
ACAGGCGTGAGCCACCGTGCTGGCCACGCCCACTAATTTTTGTATTTTATGTAGAGACAGGGTTTACCATGT
TGGCCAGGCTGCTCTTGAACCTCCTGACCTCAGGTAATCGACCTGCCTCGGCCTCCCAAAGTGTGGGATTACAGG

358/615

FIGURE 354

MASTAVQLLGFLLSFLGMVGTLLITTLPHWRRRTAHVGTNILTAVSYLKGLWMECVWHSTGIYQ
CQIYRSLLALPQDLQAARALMVISCLLSGIACACAVIGMKCTRCAKGTPAKTTFAILGGTLFI
LAGLLCMVAVSWTTNDVVQNFYNPLLPSPGMKFEIGQALYLGFISSSLIGGTLLCLSCQDEA
PYRPHYQAPPRATTTTANTAPAYQPPAAYKDNRAPSVTSATHSGYRLNDYV

Important features of the protein:

Signal peptide:

amino acids 1-21

Transmembrane domains:

amino acids 82-103, 115-141, 160-182

359/615

FIGURE 355

GAGCTCCCCTCAGGAGCGCGTTAGCTTCACACCTTCGGCAGCAGGAGGGCGGCAGCTTCTCGC
AGGCGGCAGGGCGGGCGGCCAGGATCATGTCCACCACCACATGCCAAGTGGTGGCGTTCCTCC
TGTCATCCTGGGGCTGGCCGGCTGCATCGCGGCCACCGGGATGGACATGTGGAGCACCCAGG
ACCTGTACGACAACCCCGTCACCTCCGTGTTCCAGTACGAAGGGCTCTGGAGGAGCTGCGTGA
GGCAGAGTTCAGGCTTCACCGAATGCAGGGCCCTATTTACCATCCTGGGACTTCCAGCCATGC
TGCAGGCAGTGCAGGCCCTGATGATCGTAGGCATCGTCTGGGTGCCATTGGCCTCCTGGTAT
CCATCTTTGCCCTGAAATGCATCCGCATTGGCAGCATGGAGGACTCTGCCAAAGCCAACATGA
CACTGACCTCCGGGATCATGTTCAATTGTCTCAGGTCTTTGTGCAATTGCTGGAGTGTCTGTGT
TTGCCAACATGCTGGTGACTAACTTCTGGATGTCCACAGCTAACATGTACACCGGCATGGGTG
GGATGGTGCAGACTGTTGAGACCAGGTACACATTGGGTGCGGCTCTGTTCTGTTGGGCTGGGTG
CTGGAGGCCTCACACTAATTGGGGGTGTGATGATGTGCATCGCCTGCCGGGGCCTGGCACCAG
AAGAAACCAACTACAAAGCCGTTTCTTATCATGCCTCAGGCCACAGTGTTCCTACAAGCCTG
GAGGCTTCAAGGCCAGCACTGGCTTTGGGTCCAACACCAAAAACAAGAAGATATACGATGGAG
GTGCCCCGCACAGAGGACGAGGTACAATCTTATCCTTCCAAGCACGACTATGTGTAATGCTCTA
AGACCTCTCAGCACGGGCGGAAGAACTCCCGGAGAGCTCACCCAAAAACAAGGAGATCCCA
TCTAGATTTCTTCTTGCTTTTGACTCACAGCTGGAAGTTAGAAAAGCCTCGATTTTCATCTTTG
GAGAGGCCAAATGGTCTTAGCCTCAGTCTCTGTCTCTAAATATTCCACCATAAAACAGCTGAG
TTATTTATGAATTAGAGGCTATAGCTCACATTTTCAATCCTCTATTTCTTTTTTAAATATAA
CTTTCTACTCTGATGAGAGAATGTGGTTTTAATCTCTCTCACATTTTGATGATTTAGACAG
ACTCCCCCTCTTCCTCCTAGTCAATAAACCCATTGATGATCTATTTCCAGCTTATCCCCAAG
AAAACTTTTGAAAGGAAAGAGTAGACCCAAAGATGTTATTTTCTGCTGTTTGAATTTTGTCTC
CCCACCCCAACTTGGCTAGTAATAAACACTTACTGAAGAAGAAGCAATAAGAGAAAGATATT
TGTAATCTCTCCAGCCCATGATCTCGGTTTTCTTACACTGTGATCTTAAAAGTTACCAAACCA
AAGTCATTTTCAGTTTGAGGCAACCAAACCTTTCTACTGCTGTTGACATCTTCTTATTACAGC
AACACCATTCTAGGAGTTTCCTGAGCTCTCCACTGGAGTCCTCTTTCTGTGCGGGTCAAGAA
TTGTCCCTAGATGAATGAGAAAATTATTTTTTTTAAATTAAGTCCTAAATATAGTTAAAATAA
ATAATGTTTTTAGTAAATGATACACTATCTCTGTGAAATAGCCTCACCCCTACATGTGGATAG
AAGGAAATGAAAAATAATTGCTTTGACATTGTCTATATGGTACTTTGTAAAGTCATGCTTAA
GTACAAATTCCATGAAAAGCTCACACCTGTAATCCTAGCACTTTGGGAGGCTGAGGAGGAAGG
ATCACTTGAGCCCAGAAGTTCGAGACTAGCCTGGGCAACATGGAGAAGCCCTGTCTCTACAAA
ATACAGAGAGAAAAAATCAGCCAGTCATGGTGGCATAACCTGTAGTCCCAGCATTCGGGGAG
GCTGAGGTGGGAGGATCACTTGAGCCCAGGGAGGTGGGGCTGCAGTGAGCCATGATCACACC
ACTGCACTCCAGCCAGGTGACATAGCGAGATCCTGTCTAAAAAATAAAAAATAAATAATGGA
ACACAGCAAGTCCTAGGAAGTAGGTTAAAACCTAATCTTTAA

362/615

FIGURE 358

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA73735

><subunit 1 of 1, 225 aa, 1 stop

><MW: 24845, pI: 9.07, NX(S/T): 0

MATHALEIAGLFLGGVGMVGTVAVTVMPPQWRVSAFIENNIVVFENFWEGLWMNCVRQANIRMQ
CKIYDSLLALSPDLQAARGLMCAASVMSFLAFMMAILGMKCTRCTGDMNEKVKAHILLTAGIIF
IITGMVVLIPVSWVANAIIRDFYNSIVNVAQKRELGEALYLGWTTALVLIVGGALFCCVFCCN
EKSSSYRYSIPSHRTTQKSYHTGKKSPSVYSRSQYV

Signal peptide:

amino acids 1-17

Transmembrane domains:

amino acids 82-101, 118-145, 164-188

363/615

FIGURE 359

CCCGCGCCCGGTTCTCCCTCGCAGCACCTCGAAGTGCGCCCTCGCCCTCCTGCTCGCGCCCC
GCCGCCATGGGCTGCCTCCCCCGCGCGGCCTGCTGTCTTGGCCCTGACCGGGCTGGCGCTGCTC
CTGCTCCTGTGCTGGGGCCCAGGTGGCATAAGTGGAAATAAACTCAAGCTGATGCTTCAAAAA
CGAGAAGCACCTGTTCCAACTAAGACTAAAGTGGCCGTTGATGAGAATAAAGCCAAAGAATTC
CTTGGCAGCCTGAAGCGCCAGAAGCGGCAGCTGTGGGACCGGACTCGGCCCGAGGTGCAGCAG
TGGTACCAGCAGTTTCTCTACATGGGCTTTGATGAAGCGAAATTTGAAGATGACATCACCTAT
TGGCTTAACAGAGATCGAAATGGACATGAATACTATGGCGATTACTACCAACGTCACTATGAT
GAAGACTCTGCAATTGGTCCCCGGAGCCCCTACGGCTTTAGGCATGGAGCCAGCGTCAACTAC
GATGACTACTTAACCATGACTTGCCACACGCTGTACAAGAAGCAAATAGCGATTCTCTTCATGT
ATCTCCTAATGCCTTACACTACTTGGTTTCTGATTTGCTCTATTTTCAGCAGATCTTTTCTACC
TACTTTGTGTGATCAAAAAAGAAGAGTTAAAACAACACATGTAAATGCCTTTTGATATTTTCAT
GGGAATGCCTCTCATTTAAAAATAGAAATAAAGCATTTTGTAAAAAGA

365/615

FIGURE 361

GAGATTGGAAACAGCCAGGTTGGAGCAGTGAGTGAGTAAGGAAACCTGGCTGCCCTCTCCAGA
TTCCCCAGGCTCTCAGAGAAGATCAGCAGAAAGTCTGCAAGACCCTAAGAACCATCAGCCCTC
AGCTGCACCTCCTCCCCTCCAAGGATGACAAAGGCGCTACTCATCTATTTGGTCAGCAGCTTT
CTTGCCCTAAATCAGGCCAGCCTCATCAGTCGCTGTGACTTGGCCCAGGTGCTGCAGCTGGAG
GACTTGGAATGGGTTTGAGGGTTACTCCCTGAGTGACTGGCTGTGCCTGGCTTTTGTGGAAAGC
AAGTTCAACATATCAAAGATAAATGAAAATGCGGATGGAAGCTTTGACTATGGCCTCTTCCAG
ATCAACAGCCACTACTGGTGCAACGATTATAAGAGTTACTCGGAAAACCTTTGCCACGTAGAC
TGTCAAGATCTGCTGAATCCCAACCTTCTTGACGGCATCCACTGCGCAAAAAGGATTGTGTCC
GGAGCACGGGGGATGAACAACTGGGTAGAATGGAGGTTGCACTGTTCAGGCCGGCCACTCTCC
TACTGGCTGACAGGATGCCGCCTGAGATTGAAACAGGGTGCGGGTGCACCGTGAGTCATTCCA
AGACTCCTGTCCTCACTCAGGGATTCTTCATTTCTTCTTCCTACTGCCTCCACTTCATGTTAT
TTTCTTCCCTTCCCATTACAACTAAAACAGACCAGAGCCCCAGGAATAAATGGTTTTCTTGG
CTTCCTCCTTACTCCCATCTGGACCCAGTCCCCTGGTTCCTGTCTGTTATTTGTAACTGAGG
ACCACAATAAAGAAATCTTTATATTTATCG

366/615

FIGURE 362

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA73746

><subunit 1 of 1, 148 aa, 1 stop

><MW: 16896, pI: 6.05, NX(S/T): 1

MTKALLIYLVSSFLALNQASLISRCDLAQVLQLEDLDGFEGYSLSDWLCCLAFVESKFNISKIN
ENADGSFDYGLFQINSHYWCNDYKSYSENLC HVDCQDLLNP NLLAGIHC AKRIVSGARGMNNW
VEWRLHCSGRPLSYWLTGCRLR**Signal peptide:**

amino acids 1-18

367/615

FIGURE 363

TCTGACCTGACTGGAAGCGTCCAAAGAGGGACGGCTGTCAGCCCTGCTTGACTGAGAACCCAC
CAGCTCATCCCAGACACCTCATAGCAACCTATTTATACAAAGGGGGAAAGAAACACCTGAGCA
GAATGGAATCATTATTTTTTTCCCAAGGAGAAAACCGGGGTAAAGGGAGGGGAAGCAATTCAAT
TTGAAGTCCCTGTGAATGGGCTTTCAGAAGGCAATTAAAGAAATCCACTCAGAGAGGACTTGG
GGTGAAACTTGGGTCCTGTGGTTTTCTGATTGTAAGTGGAAGCAGGTCTTGACACGCTGTTG
GCAAATGTCAGGACCAGGTTAAGTGACTGGCAGAAAACTTCCAGGTGGAACAAGCAACCCAT
GTTCTGCTGCAAGCTTGAAGGAGCCTGGAGCGGGAGAAAGCTAACTTGAACATGACCTGTTGC
ATTTGGCAAGTTCTAGCAACATGCTCCTAAGGAAGCGATACAGGCACAGACCATGCAGACTCC
AGTTCCTCCTGCTGCTCCTGATGCTGGGATGCGTCCTGATGATGGTGGCGATGTTGCACCCTC
CCCACCACACCCTGCACCAGACTGTACAGCCCCAAGCCAGCAAGCACAGCCCTGAAGCCAGGT
ACCGCCTGGACTTTGGGGAATCCAGGATTGGGTACTGGAAGCTGAGGATGAGGGTGAAGAGT
ACAGCCCTCTGGAGGGCCTGCCACCCTTTATCTCACTGCGGGAGGATCAGCTGCTGGTGGCCG
TGGCCTTACCCAGGCCAGAAGGAACCAGAGCCAGGGCAGGAGAGGTGGGAGCTACCGCCTCA
TCAAGCAGCCAAGGAGGCAGGATAAGGAAGCCCCAAAGAGGGGACTGGGGGGCTGATGAGGACG
GGGAGGTGTCTGAAGAAGAGGAGTTGACCCCGTTCAGCCTGGACCCACGTGGCCTCCAGGAGG
CACTCAGTGCCCGCATCCCCCTCCAGAGGGCTCTGCCCGAGGTGCGGCACCCACTGTGTCTGC
AGCAGCACCCCTCAGGACAGCCTGCCACAGCCAGCGTCATCCTCTGTTTCCATGATGAGGCCT
GGTCCACTCTCCTGCGGACTGTACACAGCATCCTCGACACAGTGCCAGGGCCTTCCCTGAAGG
AGATCATCCTCGTGACGACCTCAGCCAGCAAGGACAACCTCAAGTCTGCTCTCAGCGAATATG
TGGCCAGGCTGGAGGGGGTGAAGTTACTCAGGAGCAACAAGAGGCTGGGTGCCATCAGGGCCC
GGATGCTGGGGGCCACCAGAGCCACCGGGGATGTGCTCGTCTTCATGGATGCCCACTGCGAGT
GCCACCCAGGCTGGCTGGAGCCCCTCCTCAGCAGAATAGCTGGTGACAGGAGCCGAGTGGTAT
CTCCGGTGATAGATGTGATTGACTGGAAGACTTTCAGTATTACCCCTCAAAGGACCTGCAGC
GTGGGGTGTGACTGGAAGCTGGATTTCAGTGGGAACCTTTGCCAGAGCATGTGAGGAAGG
CCCTCCAGTCCCCATAAGCCCCATCAGGAGCCCTGTGGTGCCCGGAGAGGTGGTGGCCATGG
ACAGACATTACTTCCAAAACACTGGAGCGTATGACTCTCTTATGTCGCTGCGAGGTGGTGAAA
ACCTCGAAGTGTCTTTCAAGGCCTGGCTCTGTGGTGGCTCTGTTGAAATCCTTCCCTGCTCTC
GGGTAGGACACATCTACCAAAATCAGGATTCCCATTTCCCCCTCGACCAGGAGGCCACCCTGA
GGAACAGGGTTTCGCATTGCTGAGACCTGGCTGGGGTCATTCAAAGAAACCTTCTACAAGCATA
GCCCAGAGGCCTTCTCCTTGAGCAAGGCTGAGAAGCCAGACTGCATGGAACGCTTGACAGCTGC
AAAGGAGACTGGGTTGTGCGACATTCCACTGGTTTCTGGCTAATGTCTACCCTGAGCTGTACC
CATCTGAACCCAGGCCCAGTTTCTCTGGAAAGCTCCACAACACTGGACTTGGGCTCTGTGCAG
ACTGCCAGGCAGAAGGGGACATCCTGGGCTGTCCCATGGTGTGGCTCCTTGACGTGACAGCC
GGCAGCAACAGTACCTGCAGCACACCAGCAGGAAGGAGATTCACTTTGGCAGCCACAGCACC
TGTGCTTTGCTGTTCAGGCAGGAGCAGGTGATTCTTCAGAACTGCACGGAGGAAGGCCTGGCCA
TCCACCAGCAGCACTGGGACTTCCAGGAGAATGGGATGATTGTCCACATTCTTTCTGGGAAAT
GCATGGAAGCTGTGGTGCAAGAAAACAATAAAGATTTGTACCTGCGTCCGTGTGATGGAAAAG
CCCGCCAGCAGTGGCGATTTGACCAGATAAATGCTGTGGATGAACGATGAATGTCAATGTGAG
AAGGAAAAGAGAATTTTGGCCATCAAAATCCAGCTCCAAGTGAACGTAAAGAGCTTATATATT
TCATGAAGCTGATCCTTTTGTGTGTGTCTCCTTGTGTTAGGAGAGAAAAAGCTCTATGAAA
GAATATAGGAAGTTTCTCCTTTTACACCTTATTTCAATTGACTGCTGGCTGCTTA

368/615

FIGURE 364

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA73760
><subunit 1 of 1, 639 aa, 1 stop
><MW: 73063, pI: 6.84, NX(S/T): 2
MLLRKRYRHRPCRLQFLLLLLMLGCVLMMVAMLHPPHHTLHQTVTAQASKHSPEARYRLDFGE
SQDWVLEAEDEGE EYSPLLEGLPPFISLREDQLLVAVALPQARRNQSQGRRGGSYRLIKQPRRQ
DKEAPKRDWGADEDEGEVSEEEELTPFSLDPRGLQEALSARIPLQRALPEVRHPLCLQQHPQDS
LPTASVILCFHDEAWSTLLRTVHSILDTVPRAFLKEIILVDDLSQQGQLKSALSEYVARLEGV
KLLRSNKRLGAIRARMLGATRATGDVLVFMDAHCECHPGWLEPLLSRIAGDRSRVVSVIDVI
DWKTFQYYPSKDLQRGVLDWKLDHFHWEPLPEHVVRKALQSPISPIRSPVVPGEVVAMDRHYFQN
TGAYDSLMSLRGGENLELSFKAWLCGGSVEILPCSRVGHYQNDQSHSPLDQEATLRNRVRIA
ETWLGSEFKETFYKHSPEAFSLSKAEKPDCMERLQLQRRLGCRTFHWFLANVYPELYPSEPRPS
FSGKLHNTGLGLCADCAEGDILGCPMVLAPCSDSRQQQYLQHTSRKEIHFGSPQHLCFAVRQ
EQVILQNCTEEGLAIHQHWDQFQENGMIVHILSGKCMEAVVQENNKDLYLRPCDGKARQQWRF
DQINAVDER
```

Signal peptide:

amino acids 1-28

369/615

FIGURE 365

GGAGAGAGGCGCGCGGGTGAAAGGCGCATTGATGCAGCCTGCGGCGGCCTCGGAGCGCGGCGG
AGCCAGACGCTGACCACGTTCTCTCTCGGTCTCTCCGCCTCCAGCTCCGCGCTGCCCGGC
AGCCGGGAGCCATGCGACCCCAGGGCCCCGCCGCCTCCCCGCAGCGGCTCCGCGGCCTCCTGC
TGCTCCTGCTGCTGCAGCTGCCCCGCGCCGTCGAGCGCCTCTGAGATCCCCAAGGGGAAGCAAA
AGGCGCAGCTCCGGCAGAGGGAGGTGGTGGACCTGTATAATGGAATGTGCTTACAAGGGCCAG
CAGGAGTGCCTGGTCGAGACGGGAGCCCTGGGGCCAATGTTATTCCGGGTACACCTGGGATCC
CAGGTCGGGATGGATTCAAAGGAGAAAAGGGGGAATGTCTGAGGGAAAGCTTTGAGGAGTCCT
GGACACCCAACTACAAGCAGTGTTTCATGGAGTTCATTGAATTATGGCATAGATCTTGGGAAAA
TTGCGGAGTGACATTTACAAAGATGCGTTCAAATAGTGCTCTAAGAGTTTTGTTCACTGGCT
CACTTCGGCTAAAATGCAGAAATGCATGCTGTCAGCGTTGGTATTTACATTCAATGGAGCTG
AATGTTTCAGGACCTCTTCCCATTGAAGCTATAATTTATTTGGACCAAGGAAGCCCTGAAATGA
ATTCAACAATTAATATTCATCGCACTTCTTCTGTGGAAGGACTTTGTGAAGGAATTGGTGCTG
GATTAGTGGATGTTGCTATCTGGGTTGGCACTTGTTTCAGATTACCCAAAAGGAGATGCTTCTA
CTGGATGGAATTCAGTTTCTCGCATCATTATTGAAGAACTACCAAAATTAAATGCTTTAATTTT
CATTTGCTACCTCTTTTTTTTATTATGCCTTGGAATGGTTCACTTAAATGACATTTTAAATAAG
TTTATGTATACATCTGAATGAAAAGCAAAGCTAAATATGTTTACAGACCAAAGTGTGATTTCA
CACTGTTTTTAAATCTAGCATTATTCATTTTGCTTCAATCAAAAGTGGTTTCAATATTTTTTT
TAGTTGGTTAGAATACTTTCTTCATAGTCACATTCTCTCAACCTATAATTTGGAATATTGTTG
TGGTCTTTTGTTTTTTCTCTTAGTATAGCATTTTTTAAAAAATATAAAAGCTACCAATCTTTG
TACAATTTGTAAATGTTAAGAATTTTTTTTATATCTGTAAATAAAAATTATTTCCAACA

370/615

FIGURE 366

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA76393

><subunit 1 of 1, 243 aa, 1 stop

><MW: 26266, pI: 8.43, NX(S/T): 1

MRPQGPAASPQRLRGLLLLLLLLQLPAPSSASEIPKGKQKAQLRQREVVDLYNGMCLQGPAGVP
GRDGSPGANVIPGTPGIPGRDGFKEKGECLRESFEESWTPNYKQCSWSSLNYGIDLGKIAEC
TFTKMRSNSALRVLFSGSLRLKCRNACCQRWYFTFNGAECGPLPIEAIYLDQGSPEMNSTI
NIHRTSSVEGLCEGIGAGLVDVAIWVGTCSDYPKGDASTGWNSVSRIIEELPK

Signal peptide:

amino acids 1-30

Transmembrane domain:

amino acids 195-217

371/615

FIGURE 367

GTTAACCAGCGCAGTCCTCCGTGCGTCCCGCCCGCCGCTGCCCTCACTCCCGGCCAGGATGGC
ATCCTGTCTGGCCCTGCGCATGGCGCTGCTGCTGGTCTCCGGGGTTCTGGCCCTGCGGTGCT
CACAGACGATGTTCCACAGGAGCCCGTGCCACGCTGTGGAACGAGCCGGCCGAGCTGCCGTC
GGGAGAAGGCCCCGTGGAGAGCACCAGCCCCGGCCGGGAGCCCGTGGACACCGGTCCCCCAGC
CCCCACCGTCGCGCCAGGACCCGAGGACAGCACCGCGCAGGAGCGGCTGGACCAGGGCGGCGG
GTCGCTGGGGCCCGGCGCTATCGCGGCCATCGTGATCGCCGCCCTGCTGGCCACCTGCGTGGT
GCTGGCGCTCGTGGTCGTGCGCTGAGAAAGTTTTCTGCCTCCTTGAAGCGAATAAAGGGGCCG
CGCCCGCCGCGGCGCGACTCGGCAAAAAAAAAAAAAA

372/615

FIGURE 368

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA76398
><subunit 1 of 1, 121 aa, 1 stop
><MW: 12073, pI: 4.11, NX(S/T): 0
MASCLALRMALLLVSGVLAPAVLTDDVPQEPVPTLWNEPAELPSGEGPVESTSPGREPVDGTP
PAPTVPAGPEDSTAQERLDQGGGSLGPGAIAAIVIAALLATCVVLALVVVALRKFSAS

Important features of the protein:**Signal peptide:**

amino acids 1-19

Transmembrane domain:

amino acids 91-110

Glycosaminoglycan attachment site.

amino acids 44-47

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 116-119

N-myristoylation site.

amino acids 91-96

373/615

FIGURE 369

GGCCGTTGGTTGGTGCGCGGCTGAAGGGTGTGGCGCGAGCAGCGTCGTTGGTTGGCCGGCGGC
GGGCCGGGACGGGCATGGCCCTGCTGCTGTGCCTGGTGTGCCTGACGGCGGCGCTGGCCACG
GCTGTCTGCACTGCCACAGCAACTTCTCCAAGAAAGTTCTCCTTCTACCGCCACCATGTGA
TCAAGTCTGGTGGGTGGGCGACATCCCCGTGTGAGGGGCGCTGCTCACCAGCTGGAGCGACG
ACACGATGAAGGAGCTGCACCTGGCCATCCCCGCCAAGATCACCCGGGAGAAGCTGGACCAAG
TGGCGACAGCAGTGTACCAGATGATGGATCAGCTGTACCAGGGGAAGATGTACTTCCCCGGGT
ATTTCCCCAACGAGCTGCGAAACATCTCCGGGAGCAGGTGCACCTCATCCAGAACGCCATCA
TCGAAAGGCACCTGGCACCAGGCAGCTGGGGAGGAGGGCAGCTCTCCAGGGAGGGACCCAGCC
TAGCACCTGAAGGATCAATGCCATCACCCCGCGGGGACCTCCCCTAAGTAGCCCCCAGAGGCG
CTGGGAGTGTTGCCACCGCCCTCCCCTGAAGTTTGCTCCATCTCACGCTGGGGGTCAACCTGG
GGACCCCTTCCCTCCGGGCCATGGACACACATACATGAAAACCAGGCCGCATCGACTGTCAGC
ACCGCTGTGGCATCTTCCAGTACGAGACCATCTCCTGCAACAACCTGCACAGACTCGCACGTG
CCTGCTTTGGCTATAACTGCGAGTAGGGCTCAGGCATCACACCCACCCGTGCCAGGGCCCTAC
TGTCCTTGGGGTCCCAGGCTCTCCTTGGAGGGGGCTCCCCGCCTTCCACCTGGCTGTTCATCGG
GTAGGGCGGGGCGGTGGGTTGAGGGGCGCACCACTTCCAAGCCTGTGTCCCACAGGTCTTCGG
CGCAGTGGAAGTCAGCTGTCCAGGGCCTCCTGAACTACATAAATAACTGGCACAAGTAAGTCC
CCTCCTCAAACCAACACAGGCAGTGTGTGTATGTGAGCACCTCGTGGGTGAGTATGTGTGGGG
CACAGGCTGGCTCCCTCAGCTCCACGTCCTAGAGGGGGCTCCCGAGGAGGTGGAACCTCAACC
CAGCTCTGCGCAGGAGGCGGGCTGCAGTCCTTTTCTCCCTCAAAGGTCTCCGACCCTCAGCTGG
AGGCGGGCATCTTTCTAAAGGGTCCCCATAGGGTCTGGTTCCACCCCATCCCAGGTCTGTGG
TCAGAGCCTGGGAGGGTTCCTTACGATGGTTAGGGGTGCCCCATGGAGGGGGCTGACTGCCCA
CATTGCCTTTCAGACAGGACACGAGCATGAGGTAAGGCCGCCCTGACCTGGACTTCAGGGGGA
GGGGGTAAAGGGAGAGAGGAGGGGGGGCTAGGGGGTCTCTAGATCAGTGGGGGCACTGCAGGT
GGGGCTCTCCCTATACCTGGGACACCTGCTGGATGTCACCTCTGCAACCACACCCATGTGGTG
GTTTCATGAACAGACCACGCTCCTCTGCCTTCTCCTGGCCTGGGACACACAGAGCCACCCGG
CCTTGTGAGTGACCCAGAGAAGGGAGGCCTCGGGAGAAGGGGTGCTCGTAAGCCAACACCAGC
GTGCCGCGGCCTGCACACCCTTCGGACATCCCAGGCACGAGGGTGTCTGGATGTGGCCACAC
ATAGGACCACACGTCCCAGCTGGGAGGAGAGGCCTGGGGCCCCCAGGGAGGGAGGCAGGGGGT
GGGGGACATGGAGAGCTGAGGCAGCCTCGTCTCCCCGACGCTGGTATCGCCAGCCTTAAGGT
GTCTGGAGCCCCCACACTTGGCCAACCTGACCTTGGGAAGATGCTGCTGAGTGTCTCAAGCAGC
ACTGACAGCAGCTGGGCCTGCCCCAGGGCAACGTGGGGGCGGAGACTCAGCTGGACAGCCCCT
GCCTGTCACTCTGGAGCTGGGCTGCTGCTGCCTCAGGACCCCTCTCCGACCCCGGACAGAGC
TGAGCTGGCCAGGGCCAGGAGGGCGGGAGGGAGGGAATGGGGGTGGGCTGTGCGCAGCATCAG
CGCCTGGGCAGGTCCGCAGAGCTGCGGGATGTGATTAAAGTCCCTGATGTTTCTC

374/615

FIGURE 370

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA76399

><subunit 1 of 1, 157 aa, 1 stop

><MW: 17681, pI: 7.65, NX(S/T): 1

MALLLCLVCLTAALAHGCLHCHSNFSKKFSFYRHHVNFKSWWVGDI PVSGALLTDWSDDTMKE
LHLAIPAKITREKLDQVATAVYQMMDQLYQGKMYFPGYFPNELRNIFREQVHLIQNAIIERHL
APGSWGGGQLSREGPSLAPEGSMPSPRGDLP

Signal peptide:

amino acids 1-15

375/615

FIGURE 371

GCCGGCTGTGCAGAGACGCC**ATG**TACCGGCTCCTGTCAGCAGTGACTGCCCGGGCTGCCGCC
CCGGGGGCTTGGCCTCAAGCTGCGGACGACGCGGGGTCCATCAGCGCGCCGGGGCTGCCGCCTC
TCGGCCACGGCTGGGTCTGGGGGCCTCGGGCTGGGGCTGGGGCTGGCGCTCGGGGTGAAGCTGG
CAGGTGGGCTGAGGGGCGCGGCCCCGGCGCAGTCCCCCGCGGCCCCCGACCCCTGAGGCGTCTGC
CTCTGGCCGAGCCGCCACAGGAGCAGTCCCTCGCCCCGTGGTCTCCGCAGACCCCGGCGCCGC
CCTGCTCCAGGTGCTTCGCCAGAGCCATCGAGAGCAGCCGCGACCTGCTGCACAGGATCAAGG
ATGAGGTGGGCGCACCGGGCATAGTGGTTGGAGTTTCTGTAGATGGAAAAGAAGTCTGGTCAG
AAGGTTTAGGTTATGCTGATGTTGAGAACCGTGTACCATGTAAACCAGAGACAGTTATGCGAA
TTGCTAGCATCAGCAAAAGTCTCACCATGGTTGCTCTTGCCAAATTGTGGGAAGCAGGGAAAC
TGGATCTTGATATTCCAGTACAACATTATGTTCCCGAATTCCCAGAAAAAGAATATGAAGGTG
AAAAGGTTTCTGTCAACAACAAGATTACTGATTTCCCATTTAAGTGGAATTTCGTCATTATGAAA
AGGACATAAAAAAGGTGAAAGAAGAGAAAGCTTATAAAGCCTTGAAGATGATGAAAGAGAATG
TTGCATTTGAGCAAGAAAAAGAAGGCAAAAGTAATGAAAAGAATGATTTTACTAAATTTAAAA
CAGAGCAGGAGAATGAAGCCAAATGCCGGAATTCAAAACCTGGCAAGAAAAAGAATGATTTTG
AACAAGGCGAATTATATTTGAGAGAAAAGTTTGAAAATTCAATTGAATCCCTAAGATTATTTA
AAAATGATCCTTTGTTCTTCAAACCTGGTAGTCAGTTTTTGTATTCAACTTTTGGCTATACCC
TACTGGCAGCCATAGTAGAGAGAGCTTCAGGATGTAAATATTTGGACTATATGCAGAAAATAT
TCCATGACTTGATATGCTGACGACTGTGCAGGAAGAAAACGAGCCAGTGATTTACAATAGAG
CAAGG**TAA**ATGAATACCTTCTGCTGTGTCTAGCTATATCGCATCTTAACACTATTTTATTAAT
TAAAAGTCAAATTTTCTTTGTTTCCATTCCAAAATCAACCTGCCACATTTTGGGAGCTTTTCT
ACATGTCTGTTTTCTCATCTGTAAAGTGAAGGAAGTAAAACATGTTTATAAAGTAAAAAA

376/615

FIGURE 372

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA76522

><subunit 1 of 1, 373 aa, 1 stop

><MW: 41221, pI: 8.54, NX(S/T): 0

MYRLLSAVTARAAAPGGLASSCGRRGVHQRAGLPPLGHGWVGGLGLGLGLALGVKLAGGLRGA
APAQSPAAPDPEASPLAEPPQEQSLAPWSPQTPAPPCSRCFARAIESSRDLLHRIKDEVGAPG
IVVGVSVVDGKEVWSEGLGYADVENRVPCKPETVMRIASISKSLTMVALAKLWEAGKLDLDIPV
QHYPPEFPEKEYEGEKVSVTTRLLISHLSGIRHYEKDIKKVKEEKAYKALKMMKENVAFEQEK
EGKSNEKNDFTKFKTEQENEAKCRNSKPGKKKNDFEQGELYLREKFENSIESLRLFKNDPLFF
KPGSQFLYSTFGYTLAAIVERASGCKYLDYMQKIFHDLDMLTTVQEENEPVIYNRAR

Signal peptide:

amino acids 1-19

Transmembrane domain:

amino acids 39-60

377/615

FIGURE 373

GACTACGGGGAGAGAGAGAGAGACCAGGACAGCTGCTGAGACCTCTAAGAAGTCCAGATACTAA
GAGCAAAGATGTTTCAAACCTGGGGGCCTCATTGTCTTCTACGGGCTGTTAGCCCAGACCATGG
CCCACTTTGGAGGCCTGCCCGTGCCCTGGACCAGACCCTGCCCTTGAATGTGAATCCAGCCCTG
CCCTTGAGTCCACAGGTCTTGCAGGAAGCTTGACAAATGCCCTCAGCAATGGCCTGCTGTCT
GGGGGCCTGTTGGGCATTCTGGAAAACCTTCCGCTCCTGGACATCCTGAAGCCTGGAGGAGGT
ACTTCTGGTGGCCTCCTTGGGGGACTGCTTGGAAGTGAACGTCAGTGATTCTTGGCCTGAAC
AACATCATTGACATAAAGGTCACCTGACCCCCAGCTGCTGGAACCTGGCCTTGTGCAGAGCCCT
GATGGCCACCGTCTCTATGTACCATCCCTCTCGGCATAAAGCTCCAAGTGAATACGCCCCCTG
GTCGGTGCAAGTCTGTTGAGGCTGGCTGTGAAGCTGGACATCACTGCAGAAATCTTAGCTGTG
AGAGATAAGCAGGAGAGGATCCACCTGGTCCTTGGTGACTGCACCCATTCCCCTGGAAGCCTG
CAAATTTCTCTGCTTGATGGACTTGGCCCCCTCCCCATTCAAGGTCTTCTGGACAGCCTCACA
GGGATCTTGAATAAAGTCCTGCCTGAGTTGGTTCAGGGCAACGTGTGCCCTCTGGTCAATGAG
GTTCTCAGAGGCTTGGACATCACCTGGTGCATGACATTGTTAACATGCTGATCCACGGACTA
CAGTTTGTCAATCAAGGTCTTAAGCCTTCCAGGAAGGGGCTGGCCTCTGCTGAGCTGCTTCCCAG
TGCTCACAGATGGCTGGCCCATGTGCTGGAAGATGACACAGTTGCCTTCTCTCCGAGGAACCT
GCCCCCTCTCCTTTCCCACCAGGCGTGTAACATCCCATGTGCCTCACCTAATAAAATGGCT
CTTCTTATGCA

378/615

FIGURE 374

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA76533

><subunit 1 of 1, 256 aa, 1 stop

><MW: 26713, pI: 5.62, NX(S/T): 0

MFQTGGLIVFYGLLAQTMAQFGGLPVPLDQTLPLNVNPALPLSPTGLAGSLTNALSNGLL
SGLLGILENLPLLDILKPGGGTSGGLLGGLLGKVTSVIPGLNNIIDIKVTDQPQLLELGL
VQSPDGHRLYVTIPLGIKLQVNTPLVGASLLRLAVKLDITAEILAVRDKQERIHLVLGDC
THSPGSLQISLLDGLGPLPIQGLLDSL TGILNKVLPPELVQGNVCPLVNEVLRGLDITLVH
DIVNMLIHGLQFVIKV

Important features of the protein:**Signal peptide:**

Amino acids 1-19

Transmembrane domain:

Amino acids 79-97

N-myristoylation sites:

Amino acids 46-52;49-55;58-64;62-68;66-72;80-86;81-87;
82-88;85-91;86-92;89-95;202-208;233-239

379/615

FIGURE 375

AGTTCTGAGAAAGAAGGAAATAAACACAGGCACCAAACCACTATCCTAAGTTGACTGTCCTTT
AAATATGTCAAGATCCAGACTTTTTCAGTGTCACCTCAGCGATCTCAACGATAGGGATCTTGTG
TTTGCCGCTATTCCAGTTGGTGCTCTCGGACCTACCATGCGAAGAAGATGAAATGTGTGTAAA
TTATAATGACCAACACCCTAATGGCTGGTATATCTGGATCCTCCTGCTGCTGGTTTTGGTGGC
AGCTCTTCTCTGTGGAGCTGTGGTCCTCTGCCTCCAGTGCTGGCTGAGGAGACCCCGAATTGA
TTCTCACAGGCGCACCATGGCAGTTTTTGTCTGTTGGAGACTTGGACTCTATTTATGGGACAGA
AGCAGCTGTGAGTCCAACCTGTTGGAATTCACCTTCAAACCTCAAACCCCTGACCTATATCCTGT
TCCTGCTCCATGTTTTGGCCCTTTAGGCTCCCCACCTCCATATGAAGAAATTGTAAAAACAAC
CTGATTTTTAGGTGTGGATTATCAATTTAAAGTATTAACGACATCTGTAATTCCAAAACATCAA
ATTTAGGAATAGTTATTTTCAGTTGTTGGAAATGTCCAGAGATCTATTCATATAGTCTGAGGAA
GGACAATTCGACAAAAGAATGGATGTTGGAAAAAATTTTGGTCATGGAGATGTTTAAATAGTA
AAGTAGCAGGCTTTTGATGTGTCACTGCTGTATCATACTTTTATGCTACACAACCAAATTAAT
GCTTCTCCACTAGTATCCAAACAGGCAACAATTAGGTGCTGGAAGTAGTTTCCATCACATTTA
GGACTCCACTGCAGTATACAGCACACCATTTTCTGCTTTAAACTCTTTCCTAGCATGGGGTCC
ATAAAAATTATTATAATTTAACAATAGCCCAAGCCGAGAATCCAACATGTCCAGAACCAGAAC
CAGAAAGATAGTATTTGAATGAAGGTGAGGGGAGAGAGTAGGAAAAAGAAAAGTTTGGAGTTG
AAGGGTAAAGGATAAATGAAGAGGAAAAGGAAAAGATTACAAGTCTCAGCAAAAACAAGAGGT
TTTATGCCCCAACCTGAAGAGGAAGAAATTGTAGATAGAAGGTGAAGGAGATTGCTGAAGATA
TAGAGCACATATAATGCCAACACGGGGAGAAAAGAAAATTTCCCCTTTTACAGTAATGAATGT
GGCCTCCATAGTCCATAGTGTTTCTCTGGAGCCTCAGGGCTTGGCATTATTTGCAGCATCATG
CTAAGAACCTTCGGCATAGGTATCTGTTCCCATGAGGACTGCAGAAGTAGCAATGAGACATCT
TCAAGTGGCATTTTGGCAGTGGCCATCAGCAGGGGGACAGACAAAACATCCATCACAGATGA
CATATGATCTTCAGCTGACAAATTTGTTGAACAAAACAATAAACATCAATAGATATCTAAAAA

380/615

FIGURE 376

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA77303

><subunit 1 of 1, 146 aa, 1 stop

><MW: 16116, pI: 4.99, NX(S/T): 0

MSRSRLFSVTSAISTIGILCLPLFQLVLSDLPCCEEDEMCVNYNDQHPNGWYIWILLLLVLVAA
LLCGAVVLCLQCWLRRPRIDSHRRTMAVFAVGDLDSIYGTEAAVSPTVGIHLQTQTPDLYPVP
APCFGPLGSPPPYEEIVKTT

Signal peptide:

amino acids 1-29

Transmembrane domain:

amino acids 52-70

381/615

FIGURE 377

CGCGGATCGGACCCAAGCAGGTCGGCGGCGGGCGGCAGGAGAGCGGCCGGGCGTCAGCTCCTCG
ACCCCCGTGTCTGGGCTAGTCCAGCGAGGCGGACGGGCGGGCGTGGGCCCCATGGCCAGGCCCCGGC
ATGGAGCGGTGGCGCGACCGGCTGGCGCTGGTGACGGGGGGCCTCGGGGGGGCATCGGCGCGGGC
GTGGCCCGGGCCCTGGTCCAGCAGGGACTGAAGGTGGTGGGCTGCGCCCGCACTGTGGGCAAC
ATCGAGGAGCTGGCTGCTGAATGTAAGAGTGCAGGCTACCCCGGGACTTTGATCCCCTACAGA
TGTGACCTATCAAATGAAGAGGACATCCTCTCCATGTTCTCAGCTATCCGTTCTCAGCACAGC
GGTGTAGACATCTGCATCAACAATGCTGGCTTGGCCCGGCTGACACCCCTGCTCTCAGGCAGC
ACCAGTGGTTGGAAGGACATGTTCAATGTGAACGTGCTGGCCCTCAGCATCTGCACACGGGAA
GCCTACCAGTCCATGAAGGAGCGGAATGTGGACGATGGGCACATCATTAAACATCAATAGCATG
TCTGGCCACCGAGTGTTACCCCTGTCTGTGACCCACTTCTATAGTGCCACCAAGTATGCCGTC
ACTGCGCTGACAGAGGGACTGAGGCAAGAGCTTCGGGAGGCCCAGACCCACATCCGAGCCACG
TGCATCTCTCCAGGTGTGGTGGAGACACAATTCGCCTTCAAACCCGAGGATGTGGCCGAGGCTGTT
AAGGCAGCTGCCACCTATGAGCAAATGAAGTGTCTCAAACCCGAGGATGTGGCCGAGGCTGTT
ATCTACGTCTCAGCACCCCCGCACACATCCAGATTGGAGACATCCAGATGAGGCCCACGGAG
CAGGTGACCCTAGTGACTGTGGGAGCTCCTCCTTCCCTCCCCACCCTTCATGGCTTGCCTCCTG
CCTCTGGATTTTAGGTGTTGATTTCTGGATCACGGGATACCACTTCCTGTCCACACCCCGACC
AGGGGCTAGAAAATTTGTTTGAGATTTTTATATCATCTTGTCAAATTGCTTCAGTTGTAAATG
TGAAAAATGGGCTGGGGAAAGGAGGTGGTGTCCCTAATTGTTTTACTTGTTAACTTGTTCTTG
TGCCCCCTGGGCACTTGGCCTTTGTCTGCTCTCAGTGTCTTCCCTTTGACATGGGAAAGGAGTT
GTGGCCAAAATCCCCATCTTCTTGCACCTCAACGTCTGTGGCTCAGGGCTGGGGTGGCAGAGG
GAGGCCTTCACCTTATATCTGTGTTGTTATCCAGGGCTCCAGACTTCCTCCTCTGCCTGCCCC
ACTGCACCCTCTCCCCCTTATCTATCTCCTTCTCGGCTCCCCAGCCCAGTCTTGGCTTCTTGT
CCCCCTCTGGGGTCATCCCTCCACTCTGACTCTGACTATGGCAGCAGAACACCAGGGCCTGGC
CCAGTGGATTTTCATGGTGATCATTAAAAAAGAAAAATCGCAACCAAAAAAAAAAAAAA

382/615

FIGURE 378

MARPGMERWRDRLALVTGASGGIGA A VARALVQQGLKVVG CARTVGNIEELAAECKSAGYPGT
LIPYRCDL SNEEDILSMFSAIRSQHSGVDICINNAGLARPD TLLSGSTSGWKDMFNVNVLALS
ICTREAYQSMKERNVDDGHIININSMGHRVLP LSVTHFYSATKYAVTALTEGLRQELREAQT
HIRATCISPGVVETQFAFKLHDKDPEKAAATYEQMKCLKPEDVAEAVIYVLSTPAHIQIGDIQ
MRPTEQVT

Important features of the protein:

Signal peptide:

amino acids 1-17

N-myristoylation sites.

amino acids 18-24, 21-27, 22-28, 24-30, 40-46, 90-96, 109-115,
199-205

Short-chain alcohol dehydrogenase.

amino acids 30-42, 104-114

383/615

FIGURE 379

GAGCGGAGTAAATCTCCACAAGCTGGGAACAAACCTCGTCCCAACTCCCACCCACCGGCGTT
TCTCCAGCTCGATCTGGAGGCTGCTTCGCCAGTGTGGGACGCAGCTGACGCCCGCTTATTAGC
TCTCGCTGCGTCGCCCCGGCTCAGAAGCTCCGTGGCGGGCGGCGACCGTGACGAGAAGCCCACG
GCCAGCTCAGTTCTCTTCTACTTTGGGAGAGAGAGAAAGTCAGATGCCCTTTTAAACTCCCT
CTTCAAACTCATCTCCTGGGTGACTGAGTTAATAGAGTGGATACAACCTTGCTGAAGATGAA
GAATATACAATATTGAGGATATTTTTTTCTTTTTTTTTTCAAGTCTTGATTTGTGGCTTACCT
CAAGTTACCATTTTTTCAGTCAAGTCTGTTGTTTGCTTCTTCAGAAATGTTTTTACAATCTC
AAGAAAAAATATGTCCAGAAATTGAGTTTACTGTTGCTTGATTTGGACTCATTTGGGGATT
GATGTTACTGCACTATACTTTTCAACAACCAAGACATCAAAGCAGTGTCAAGTTACGTGAGCA
AATACTAGACTTAAGCAAAAGATATGTTAAAGCTCTAGCAGAGGAAAATAAGAACACAGTGGA
TGTGAGAACGGTGCTTCTATGGCAGGATATGCGGATCTGAAAAGAACAATTGCTGTCCTTCT
GGATGACATTTTGCAACGATTGGTGAAGCTGGAGAACAAGTTGACTATATTGTTGTGAATGG
CTCAGCAGCCAACACCACCAATGGTACTAGTGGGAATTTGGTGCCAGTAACCACAAATAAAAG
AACGAATGTCTCGGGCAGTATCAGATAGCAGTTGAAAATCACCTTGCTGCTCCATCCACTG
TGGATTATATCCTATGGCAGAAAAGCTTTATAATTGCTGGCTTAGGACAGAGCAATACTTTAC
AATAAAAGCTCTACACATTTTCAAGGAGTATGCTGGATTCATGGAACCTCAATTCTGTACATA
AAAATTTTAAAGTTATTTGTTTGCTTTTCAGGCAAGTCTGTTCAATGCTGTACTATGTCCTTAA
AGAGAATTTGGTAACTTGTTGATGTGGTAAGCAGATAGGTGAGTTTTGTATAAATCTTTTGT
GTTTGAGATCAAGCTGAAATGAAAACACTGAAAACATGGATTCAATTCATCTGTCATTTGTTCTC
TTAAGTATATAACACGTTTTTTGGACAAGTGAAGAAATGTTAATCATTCTGTCATTTGTTCTC
AATAGATGTAACGTGTTAGACTACGGCTATTTGAAAAAATGTGCTTATTGTACTATATTTTGT
ATTCCAATTATGAGCAGAGAAAGGAAATATAATGTTGAAAATAATGTTTTGAAATCATGACCC
AAAGAATGTATTGATTTGCACTATCCTTCAGAATAACTGAAGGTTAATTATTGTATATTTTTTA
AAAATTACACTTATAAGAGTATAATCCTTGAAATGGGTAGCAGCCACTGTCCATTACCTATCGT
AAACATTGGGGCAATTTAATAACAGCATTAAAATAGTTGTAACTCTAATCTTATACTTATTG
AAGAATAAAAGATATTTTTATGATGAGAGTAACAATAAAGTATTCATGATTTTTTCACATACAT
GAATGTTCAATTTAAAAGTTTAATCCTTTGAGTGTCTATGCTATCAGGAAAGCACATTATTTCC
ATATTTGGGTTAATTTTGCTTTTATTATATTGGTCTAGGAGGAAGGGACTTTGGAGAATGGAA
CTCTTGAGGACTTTAGCCAGGTGTATATAATAAAGGTACTTTTGTGCTGCATTAAATTGCTTG
GAAAGTGTTAACATTATATTATATAAGAGTATCCTTTATGAAATTTTGAATTTGTATAACAGA
TGCATTAGATATTCATTTTATATAATGGCCACTTAAAATAAGAACATTTAAAATATAAACTAT
GAAGATTGACTATCTTTTCAGGAAAAAAGCTGTATATAGCACAGGGAACCCTAATCTTGGGTA
ATTCTAGTATAAAACAAATTATACTTTTATTTAAATTTCCCTGTAGCAAATCTAATTGCCAC
ATGGTGCCCTATATTTTCATAGTATTTATTCTCTATAGTAACTGCTTAAGTGCAGCTAGCTTCT
AGATTTAGACTATATAGAATTTAGATATTGTATTGTTTCGTCATTATAATATGCTACCACATGT
AGCAATAATTACAATATTTTATTAAATAAATATGTGAAATATTGTTTCATGAAAGACAGATT
TCCAAATCTCTCTTCTCTTCTGTACTGTCTACCTTTATGTGAAGAAATTAATTATATGCCA
TTGCCAGGT

384/615

FIGURE 380

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA77648

><subunit 1 of 1, 140 aa, 1 stop

><MW: 15668, pI: 10.14, NX(S/T): 5

MFFTISRKNMSQKLSLLLLVFGLIWGLMLLHYTFQQPRHQSSVKLREQILDLSKRYVKALAE
NKNTVDVENGASMAGYADLKRTIAVLLDDILQRLVKLENKVDYIVVNGSAANTTNGTSGNLVP
VTTNKRTNVSGSIR

Important features of the protein:**Signal peptide:**

amino acids 1-26

385/615

FIGURE 381

AACTTCTACATGGGCCTCCTGCTGCTGGTGCTCTTCCTCAGCCTCCTGCCGGTGGCCTACACC
ATCATGTCCCTCCCACCCTCCTTTGACTGCGGGCCGTTCAAGTGCAGAGTCTCAGTTGCCCGG
GAGCACCTCCCCTCCCGAGGCAGTCTGCTCAGAGGGCCTCGGCCCAGAATTCCAGTTCTGGTT
TCATGCCAGCCTGTAAAAGGCCATGGAACCTTTGGGTGAATCACCGATGCCATTTAAGAGGGTT
TTCTGCCAGGATGGAAATGTTAGGTCGTTCTGTGTCTGCGCTGTTTCATTTCAGTAGCCACCAG
CCACCTGTGGCCGTTGAGTGCTTGAAATTGAGGAAGTGAAGAAATTAATTTCTCATGTATTTTT
CTCATTTATTTATTAATTTTTTAAGTATAGTTGTACATATTTGGGGGTACATGTGATATTTGG
ATACATGTATACAATATATAATGATCAAATCAGGGTAAGTGGGATATCCATCACATCAAACAT
TTATTTTTTTATTTCTTTTTTAGACAGAGTCTCACTCTGTCACCCAGGCTGGAGTGCAGTGGTGCC
ATCTCAGCTTACTGCAACCTCTGCCTGCCAGGTTCAAGCGATTCTCATGCCTCCACCTCCCAA
GTAGCTGGGACTACAGGCATGCACCACAATGCCCAACTAATTTTTGTATTTTTAGTAGAGACG
GGGTTTTGCCATGTTGCCCAGGCTGGCCTTGAATCCTGGCCTCAAACAATCCACTTGCCTCG
GCCTCCCAAAGTGTTATGATTACAGGCGTGAGCCACCGTGCCTGGCCTAAACATTTATCTTTT
CTTTGTGTTGGGAACCTTTGAAATTATACAATGAATTATTGTTAACTGTCATCTCCCTGCTGTG
CTATGGAACACTGGGACTTCTTCCCTCTATCTAACTGTATATTTGTACCAGTTAACCAACCGT
ACTTCATCCCCACTCCTCTCTATCCTTCCCAACCTCTGATCACCTCATTCTACTCTCTACCTC
CATGAGATCCACTTTTTTTAGCTCCCACATGTGAGTAAGAAAATGCAATATTTGTCTTTCTGTG
CCTGGCTTATTTCACTTAACATAATGACTTCCTGTTCCATCCATGTTGCTGCAAATGACAGGA
TTTCGTTCTTAATTTCAATTAAATAACCACACATGGCAAAA

386/615

FIGURE 382

MGLLLLVLFLSLLPVAYTIMSLPPSFDCGPFRCRVSVAREHLPSRGSLLRGPRPRIPVLVSCQ
PVKGHGTLGESPMFPKRVFCQDGNVRSFCVCAVHFSSHQPPVAVECLK

Important features of the protein:

Signal peptide:

amino acids 1-18

N-myristoylation site.

amino acids 86-92

Zinc carboxypeptidases, zinc-binding region 2 signature.

amino acids 68-79

387/615

FIGURE 383

TTCTGAAGTAACGGAAGCTACCTTGTATAAAGACCTCAACACTGCTGACCATGATCAGCGCAG
CCTGGAGCATCTTCCTCATCGGGACTAAAATTGGGGCTGTTTCCTTCAAGTAGCACCTCTATCAG
TTATGGCTAAATCCTGTCCATCTGTGTGTCGCTGCGATGCGGGTTTCATTTACTGTAATGATC
GCTTTCTGACATCCATTCCAACAGGAATACCAGAGGATGCTACAACCTCTCTACCTTCAGAACA
ACCAAATAAATAATGCTGGGATTCCTTCAGATTTGAAAACTTGCTGAAAGTAGAAAGAATAT
ACCTATACCACAACAGTTTAGATGAATTTCTTACCAACCTCCCAAAGTATGTAAAAGAGTTAC
ATTTGCAAGAAAATAACATAAGGACTATCACTTATGATTCACTTTCAAAAATTCCCTATCTGG
AAGAATTACATTTAGATGACAACCTCTGTCTCTGCAGTTAGCATAGAAGAGGGAGCATTCCGAG
ACAGCAACTATCTCCGACTGCTTTTCCTGTCCCGTAATCACCTTAGCACAAATTCCCTGGGGTT
TGCCCAGGACTATAGAAGAACTACGCTTGGATGATAATCGCATATCCACTATTTTCATCACCAT
CTCTTCAAGGTCTCACTAGTCTAAAACGCCTGGTTCTAGATGGAAACCTGTTGAACAATCATG
GTTTAGGTGACAAAGTTTCTTCAACCTAGTTAATTTGACAGAGCTGTCCCTGGTGCGGAATT
CCCTGACTGCTGCACCAGTAAACCTTCCAGGCACAAACCTGAGGAAGCTTTATCTTCAAGATA
ACCACATCAATCGGGTGCCCCCAAATGCTTTTTCTTATCTAAGGCAGCTCTATCGACTGGATA
TGTCCAATAATAACCTAAGTAATTTACCTCAGGGTATCTTTGATGATTTGGACAATATAACAC
AACTGATTCTTCGCAACAATCCCTGGTATTGCGGGTGCAAGATGAAATGGGTACGTGACTGGT
TACAATCACTACCTGTGAAGGTCAACGTGCGTGGGCTCATGTGCCAAGCCCCAGAAAAGGTTTC
GTGGGATGGCTATTAAGGATCTCAATGCAGAACTGTTTGATTGTAAGGACAGTGGGATTGTAA
GCACCATTTCAGATAACCACTGCAATACCCAACACAGTGTATCCTGCCCAAGGACAGTGGCCAG
CTCCAGTGACCAAACAGCCAGATATTAAGAACCCAAGCTCACTAAGGATCAACAAACCACAG
GGAGTCCCTCAAGAAAAACAATTACAATTACTGTGAAGTCTGTACCTCTGATAACCATTTCATA
TCTCTTGGAACCTTGCTCTACCTATGACTGCTTTGAGACTCAGCTGGCTTAACTGGGCCATA
GCCCCGCATTTGGATCTATAACAGAAACAATTGTAACAGGGGAACGCAGTGAGTACTTGGTCA
CAGCCCTGGAGCCTGATTCACCCTATAAAGTATGCATGGTTCCCATGGAAACCAGCAACCTCT
ACCTATTTGATGAAACTCCTGTTTGATTGAGACTGAACTGCACCCCTTCGAATGTACAACC
CTACAACCACCCTCAATCGAGAGCAAGAGAAAGAACCTTACAAAAACCCCAATTTACCTTTGG
CTGCCATCATTGGTGGGGCTGTGGCCCTGGTTACCATTGCCCTTCTTGCTTTAGTGTGTTGGT
ATGTTTCATAGGAATGGATCGCTCTTCTCAAGGAACCTGTGCATATAGCAAAGGGAGGAGAAGAA
AGGATGACTATGCAGAAGCTGGCACTAAGAAGGACAACCTCTATCCTGGAAATCAGGGAAACTT
CTTTTCAGATGTTACCAATAAGCAATGAACCCATCTCGAAGGAGGAGTTTGTAAATACACACCA
TATTTCTCCTAATGGAATGAATCTGTACAAAACAATCACAGTGAAAGCAGTAGTAACCGAA
GCTACAGAGACAGTGGTATTCAGACTCAGATCACTCACACTCATGATGCTGAAGGACTCACA
GCAGACTTGTGTTTTGGGTTTTTTAAACCTAAGGGAGGTGATGGT

388/615

FIGURE 384

MISAAWSIFLIGTKIGLFLQVAPLSVMAKSCPSVCRCDAGFIYCNDRFLTSIPTGIPEDATTL
YLQNNQINNAGIPSDLKNLLKVERIYLYHNSLDEFPTNLPKYVKELHLQENNIIRTITYDSLK
IPYLEELHLDDNSVSAVSIIEGAFRDSNYLRLLFLSRNHLSTIPWGLPRTIEELRLDDNRIST
ISSPSLQGLTSLKRLVLDGNLLNNHGLGDKVFFNLVNLTELSLVRNSLTAAPVNLPGTNLRKL
YLQDNHINRVPPNAFSYLRLQLYRLDMSNNLSNLPQGIFDDLDNITQLILRNNPWYCGCKMKW
VRDWLQSLPVKVNVRGLMCQAPEKVRGMAIKDLNAELFDCKDSGIVSTIQITTAIPNTVYPAQ
GQWPAPVTKQPDIKNPCLTKDQQTGSPSRKTITITVKSVTSDTIHISWKLALPMTALRLSWL
KLGHSAPFGSITETIVTGERSEYLVTALEPDSPYKVCMPMETSNLYLFDETPVCJETETAPL
RMYNPPTTLNREQEKEPYKNPNLPLAAIIGGAVALVTIALALLVCWYVHRNGSLFSRNCAYSK
GRRRKDDYAEAGTKKDNSILEIRETSFQMLPISNEPISKEEFVIHTIFPPNGMNLYKNNHSES
SSNRSYRDSGIPDSHSHS

Important features of the protein:**Signal peptide:**

amino acids 1-28

Transmembrane domain:

amino acids 531-552

N-glycosylation sites.

amino acids 226-229, 282-285, 296-299, 555-558, 626-629, 633-636

Tyrosine kinase phosphorylation site.

amino acids 515-522

N-myristoylation sites.amino acids 12-17, 172-177, 208-213, 359-364, 534-539, 556-561,
640-645**Amidation site.**

amino acids 567-570

Leucine zipper pattern.

amino acids 159-180

Phospholipase A2 aspartic acid active site.

amino acids 34-44

389/615

FIGURE 385

CCGTCATCCCCCTGCAGCCACCCTTCCCAGAGTCCTTTGCCAGGCCACCCCAGGCTTCTTGG
CAGCCCTGCCGGGGCCACTTGTCTTCATGCTCTGCCAGGGGGAGGTGGGAAGGAGGTGGGAGGAG
GGCGTGCAGAGGCAGTCTGGGCTTGGCCAGAGCTCAGGGTGCTGAGCGTGTGACCAGCAGTGA
GCAGAGGCCGGCCATGGCCAGCCTGGGGCTGCTGCTCCTGCTCTTACTGACAGCACTGCCACC
GCTGTGGTCCTCCTCACTGCCTGGGCTGGACACTGCTGAAAGTAAAGCCACCATTGCAGACCT
GATCCTGTCTGCGCTGGAGAGAGCCACCGTCTTCTAGAACAGAGGCTGCCTGAAATCAACCT
GGATGGCATGGTGGGGGTCCGAGTGCTGGAAGAGCAGCTAAAAAGTGTCCGGGAGAAGTGGGC
CCAGGAGCCCCCTGCTGCAGCCGCTGAGCCTGCGCGTGGGGATGCTGGGGGAGAAGCTGGAGGC
TGCCATCCAGAGATCCCTCCACTACCTCAAGCTGAGTGATCCCAAGTACCTAAGAGAGTTCCA
GCTGACCCTCCAGCCCCGGGTTTGGGAAGCTCCCACATGCCTGGATCCACACTGATGCCTCCTT
GGTGTACCCACGTTTCGGGCCCCAGGACTCATTCTCAGAGGAGAGAAGTGACGTGTGCCTGGT
GCAGCTGCTGGGAACCGGGACGGACAGCAGCGAGCCCTGCGGCCTCTCAGACCTCTGCAGGAG
CCTCATGACCAAGCCCCGGCTGCTCAGGCTACTGCCTGTCCCACCAACTGCTCTTCTTCTCTG
GGCCAGAATGAGGGGATGCACACAGGGACCACTCCAACAGAGCCAGGACTATATCAACCTCTT
CTGCGCCAACATGATGGACTTGAACCGCAGAGCTGAGGCCATCGGATACGCCTACCCTACCCG
GGACATCTTCATGGAAAACATCATGTTCTGTGGAATGGGCGGCTTCTCCGACTTCTACAAGCT
CCGGTGGCTGGAGGCCATTCTCAGCTGGCAGAAACAGCAGGAAGGATGCTTCGGGGAGCCTGA
TGCTGAAGATGAAGAATTATCTAAAGCTATTCAATATCAGCAGCATTTTTTCGAGGAGAGTGAA
GAGGCGAGAAAAACAATTTCAGATTCTCGCTCTGTTGCTCAGGCTGGAGTACAGTGGCGCAA
TCTCGGCTCACTGCAACCTTTGCCTCCTGGGTTCAAGCAATTCTCTTGCCTCATCCTCCCGAG
TAGCTGGGACTACAGGAGCGTGCCACCATACTGGCTAATTTTTTATATTTTTTTTAGTAGAGAC
AGGGTTTCATCATGTTGCTCATGCTGGTCTCGAACTCCTGATCTCAAGAGATCCGCCCACCTC
AGGCTCCCAAAGTGTGGGATTATAGGTGTGAGCCACCGTGTCTGGCTGAAAAGCACTTTCAAA
GAGACTGTGTTGAATAAAGGGCCAAGGTTCTTGCCACCCAGCACTCATGGGGGCTCTCTCCCC
TAGATGGCTGCTCCTCCCACAACACAGCCACAGCAGTGGCAGCCCTGGGTGGCTTCCTATACA
TCCTGGCAGAATACCCCCCAGCAAACAGAGAGCCACACCCATCCACACCGCCACCACCAAGCA
GCCGCTGAGACGGACGGTTCCATGCCAGCTGCCTGGAGGAGGAACAGACCCCTTTAGTCCTCA
TCCCTTAGATCCTGGAGGGCACGGATCACATCCTGGGAAGAAGGCATCTGGAGGATAAGCAAA
GCCACCCCGACACCCAATCTTGGAAGCCCTGAGTAGGCAGGGCCAGGGTAGGTGGGGGCGGG
AGGGACCCAGGTGTGAACGGATGAATAAAGTTCAACTGCAACTGAAAAAAAAA

391/615

FIGURE 387

GGTCTGAGTGCAGAGCTGCTGTCA**ATG**GCGGCCGCTCTGTGGGGCTTCTTTCCCGTCCTGCTGC
TGCTGCTGCTATCGGGGGATGTCCAGAGCTCGGAGGTGCCCCGGGGCTGCTGCTGAGGGATCGG
GAGGGAGTGGGGTCTGGCATAGGAGATCGCTTCAAGATTGAGGGGCGTGCAAGTTGTTCCAGGGG
TGAAGCCTCAGGACTGGATCTCGGCGGCCCGAGTGCTGGTAGACGGAGAAGAGCACGTCGGTT
TCCTTAAGACAGATGGGAGTTTTGTGGTTCATGATATACCTTCTGGATCTTATGTAGTGGAAG
TTGTATCTCCAGCTTACAGATTTGATCCCGTTCGAGTGGATATCACTTCGAAAGGAAAAATGA
GAGCAAGATATGTGAATTACATCAAAACATCAGAGGTTGTCAGACTGCCCTATCCTCTCCAAA
TGAAATCTTCAGGTCCACCTTCTTACTTTATTAAAAGGGAATCGTGGGGCTGGACAGACTTTC
TAATGAACCCAATGGTTATGATGATGGTTCTTCCTTTATTGATATTTGTGCTTCTGCCTAAAG
TGGTCAACACAAGTGATCCTGACATGAGACGGGAAATGGAGCAGTCAATGAATATGCTGAATT
CCAACCATGAGTTGCCTGATGTTTCTGAGTTCATGACAAGACTCTTCTCTTCAAATCATCTG
GCAAATCTAGCAGCGGCAGCAGTAAAACAGGCAAAAGTGGGGCTGGCAAAAGGAGG**TAG**TCAG
GCCGTCCAGAGCTGGCATTTGCACAAACACGGCAACACTGGGTGGCATCCAAGTCTTGAAAAA
CCGTGTGAAGCAACTACTATAAACTTGAGTCATCCCGACGTTGATCTCTTACAACTGTGTATGTT
AACTTTTTAGCACATGTTTTGTACTTGGTACACGAGAAAACCCAGCTTTCATCTTTTGTCTGT
ATGAGGTCAATATTGATGTCACTGAATTAATTACAGTGTCTATAGAAAATGCCATTAATAAA
TTATATGAACACTACTATACATTATGTATATTAATTAAACATCTTAATCCAGAAATCAAAAAA
AAAAAAAAAAAAAAAAAAAAA

392/615

FIGURE 388

MAAALWGFFPVLLLLLLLLSGDVQSSEVPGAAAEGSGSGVGIGDRFKIEGRAVVPGVKPQDWIS
AARVLVDGEEHVGFLKTDGSFVVHDI PSGSYVVEVVSPAYRFPVRVDITSKGKMRARYVNYI
KTSEVVRLPYPLQMKSSGPPSYFIKRESWGWTDFLMNPMVMMVLPLLI FVLLPKVVNTSDPD
MRREMEQSMNMLNSNHELPDVSEFMTRLFSSKSSGKSSSGSSSKTGKSGAGKRR

Important features of the protein:**Signal sequence:**

amino acids 1-23

Transmembrane domain:

amino acids 161-182

N-glycosylation site.

amino acids 184-187

Glycosaminoglycan attachment sites.

amino acids 37-40, 236-239

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 151-154

N-myristoylation sites.

amino acids 33-38, 36-41, 38-44, 229-234

Amidation site.

amino acids 238-241

ATP/GTP-binding site motif A (P-loop).

amino acids 229-236

393/615

FIGURE 389

GTCGTGTGCTTGGAGGAAGCCGCGGAACCCCCAGCGTCCGTCC**ATG**GCGTGGAGCCTTGGGAG
CTGGCTGGGTGGCTGCCTGCTGGTGTGTCAGCATTGGGAATGGTACCACCTCCCGAAAATGTCAG
AATGAATTCTGTTAATTTCAAGAACATTCTACAGTGGGAGTCACCTGCTTTTGCCAAAGGGAA
CCTGACTTTCACAGCTCAGTACCTAAGTTATAGGATATTCCAAGATAAATGCATGAATACTAC
CTTGACGGAATGTGATTTCTCAAGTCTTTCCAAGTATGGTGACCACACCTTGAGAGTCAAGGC
TGAATTTGCAGATGAGCATTGAGACTGGGTAAACATCACCTTCTGTCTGTGGATGACACCAT
TATTGGACCCCTGGAATGCAAGTAGAAGTACTTGCTGATTCTTTACATATGCGTTTCTTAGC
CCCTAAAATTGAGAATGAATACGAACTTGAGCTATGAAGAATGTGTATAACTCATGGACTTA
TAATGTGCAATACTGGAAAAACGGTACTGATGAAAAGTTTCAAATTACTCCCCAGTATGACTT
TGAGGTCTCTCAGAAACCTGGAGCCATGGACAACCTATTGTGTTCAAGTTCGAGGGTTTCTTCC
TGATCGGAACAAAGCTGGGGAATGGAGTGAGCCTGTCTGTGAGCAAACAACCCATGACGAAAC
GGTCCCCTCCTGGATGGTGGCCGTACCTCATGCGCTCGGTCTTCATGGTCTGCCTGGCACT
CCTCGGCTGCTTCTCCTTGCTGTGGTGCCTTTACAAGAAGACAAAGTACGCCTTCTCCCTAG
GAATTCTCTTCCACAGCACCTGAAAGAGTTTTTTGGGCCATCCTCATCATAACACACTTCTGTT
TTTCTCCTTTCCATTGTCGGATGAGAATGATGTTTTTGACAAGCTAAGTGTCAATTGCAGAAGA
CTCTGAGAGCGGCAAGCAGAATCCTGGTGACAGCTGCAGCCTCGGGACCCCGCCTGGGCAGGG
GCCCCAAAGCT**TAG**GCTCTGAGAAGGAAACACACTCGGCTGGGCACAGTGACGTACTCCATCTC
ACATCTGCCTCAGTGAGGGATCAGGGCAGCAAACAAGGGCCAAGACCATCTGAGCCAGCCCCA
CATCTAGAACTCCAGACCTGGACTTAGCCACCAGAGAGCTACATTTTAAAGGCTGTCTTGGCA
AAAATACTCCATTTGGGAACCTCACTGCCTTATAAAGGCTTTTCATGATGTTTTCAGAAGTTGGC
CACTGAGAGTGTAATTTTCAGCCTTTTATATCACTAAAATAAGATCATGTTTTAATTGTGAGA
AACAGGGCCGAGCACAGTGGCTCACGCCTGTAATACCAGCACCTTAGAGGTGAGGCAGGCGG
ATCACTTGAGGTCAGGAGTTCAAGACCAGCCTGGCCAATATGGTGAAAACCCAGTCTCTACTAA
AAATACAAAAATTAGCTAGGCATGATGGCGCATGCCTATAATCCCAGCTACTCGAGTGCCTGA
GGCAGGAGAATTGCATGAACCCGGGAGGAGGAGGAGGAGGTTGCAGTGAGCCGAGATAGCGGC
ACTGCACTCCAGCCTGGGTGACAAAGTGAGACTCCATCTCAAAAAAAAAAAAAAAAAAATTGTG
AGAAACAGAAATACTTAAAATGAGGAATAAGAATGGAGATGTTACATCTGGTAGATGTAACAT
TCTACCAGATTATGGATGGACTGATCTGAAAATCGACCTCAACTCAAGGGTGGTCAGCTCAAT
GCTACACAGAGCACGGACTTTTGGATTCTTTGCAGTACTTTGAATTTATTTTCTACCTATAT
ATGTTTTATATGCTGCTGGTGCTCCATTAAAGTTTTACTCTGTGTTGC

394/615

FIGURE 390

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA83551
><subunit 1 of 1, 325 aa, 1 stop
><MW: 37011, pI: 5.09, NX(S/T): 4
MAWSLGSWLGGCLLVSA LGMVPPPENVRMNSVNFKNILQWESPAFAKGNLTFTAQYLSYRIFQ
DKCMNTTLTECDFSSLSKYGDHTLRVRAEFADHSDWVNITFCPVDDTIIGPPGMQVEVLADS
LHMRFLAPKIENEYETWTMKNVYNSWTYNVQYWKNGTDEKFQITPQYDFEVLRLNLEPWTTYCV
QVRGFLPDRNKAGEWSEPVCEQTTHDETVP SWMVAVILMASVFMVCLALLGCFSLLWC VYKKT
KYAFSPRNSLPQHLKEFLGHPPHNTLLFFSFPLSDENDVFDKLSVIAEDSESGKQNP GDSCSL
GTPPGQGPQS

Important features of the protein:**Signal peptide:**

amino acids 1-19

Transmembrane domain:

amino acids 222-245

N-glycosylation sites.

amino acids 49-53, 68-72, 102-106, 161-165

N-myristoylation sites.

amino acids 6-12, 316-322

396/615

FIGURE 392

MRKHLSSWWLATVCMLLFSHL SAVQTRGIKHRIKWNRKALPSTAQITEAQVAENRPGAFIKQG
RKLDIDFGAEGNRYYEANYWQFPDGIHYNGCSEANVTKEAFVTGCINATQAANQGEFQKPDNK
LHQQVLWRLVQELCSLKHCEFWLERGAGLRVTMHQPVLLCLLALIWLMLVK

Important features of the protein:**Signal peptide:**

amino acids 1-26

Transmembrane domain:

amino acids 157-171

N-glycosylation sites.

amino acids 98-102, 110-114

Tyrosine kinase phosphorylation site.

amino acids 76-83

N-myristoylation sites.

amino acids 71-77, 88-94, 93-99, 107-113, 154-160

Amidation site.

amino acids 62-66

397/615

FIGURE 393

TGAAATGACTTCCACGGCTGGGACGGGAACCTTCCACCCACAGCTATGCCTCTGATTGGTGAA
TGGTGAAGGTGCCTGTCTAACTTTTCTGTAAAAAGAACCAGCTGCCTCCAGGCAGCCAGCCCT
CAAGCATCACTTACAGGACCAGAGGGACAAGACATGACTGTGATGAGGAGCTGCTTTCGCCAA
TTTAACACCAAGAAGAATTGAGGCTGCTTGGGAGGAAGGCCAGGAGGAACACGAGACTGAGAG
ATGAATTTTCAACAGAGGCTGCAAAGCCTGTGGACTTTAGCCAGACCCTTCTGCCCTCCTTTG
CTGGCGACAGCCTCTCAAATGCAGATGGTTGTGCTCCCTTGCCTGGGTTTTACCCTGCTTCTC
TGGAGCCAGGTATCAGGGGGCCAGGGCCAAGAATTCCACTTTGGGGCCCTGCCAAGTGAAGGGG
GTTGTTCCCCAGAACTGTGGGAAGCCTTCTGGGCTGTGAAAGACACTATGCAAGCTCAGGAT
AACATCACGAGTGCCCGGCTGCTGCAGCAGGAGGTTCTGCAGAACGTCTCGGATGCTGAGAGC
TGTTACCTTGTCACACCCTGCTGGAGTTCTACTTGAAAACGTTTTTCAAAAACCACCACAAT
AGAACAGTTGAAGTCAGGACTCTGAAGTCATTCTCTACTCTGGCCAACAACCTTTGTTCTCATC
GTGTCACAACTGCAACCCAGTCAAGAAAATGAGATGTTTTCCATCAGAGACAGTGCACACAGG
CGGTTTCTGCTATTCCGGAGAGCATTCAAACAGTTGGACGTAGAAGCAGCTCTGACCAAAGCC
CTTGGGGAAGTGGACATTCTTCTGACCTGGATGCAGAAATTCTACAAGCTCT**TGA**ATGTCTAGA
CCAGGACCTCCCTCCCCCTGGCACTGGTTTGTTCCTGTGTCATTTCAAACAGTCTCCCTTCC
TATGCTGTTCACTGGACACTTCACGCCCTTGGCCATGGGTCCCATTCTTGGCCCAGGATTATT
GTCAAAGAAGTCATTCTTTAAGCAGCGCCAGTGACAGTCAGGGAAGGTGCCTCTGGATGCTGT
GAAGAGTCTACAGAGAAGATTCTTGATTTTATTACAACCTCTATTTAATTAATGTCAGTATTC
AACTGAAGTTCTATTTATTTGTGAGACTGTAAGTTACATGAAGGCAGCAGAATATTGTGCCCC
ATGCTTCTTTACCCCTCACAATCCTTGCCACAGTGTGGGGCAGTGGATGGGTGCTTAGTAAGT
ACTTAATAAACTGTGGTGCTTTTTTTGGCCTGTCTTTGGATTGTTAAAAAACAGAGAGGGATG
CTTGGATGTAAAACTGAACTTCAGAGCATGAAAATCACACTGTCTTCTGATATCTGCAGGGAC
AGAGCATTTGGGGTGGGGGTAAAGGTGCATCTGTTTGAAAAGTAAACGATAAAATGTGGATTAAA
GTGCCCAGCACAAAGCAGATCCTCAATAAACATTTTCAATTTCCCACCCACACTCGCCAGCTCAC
CCCATCATCCCTTTCCCTTGGTGCCCTCCTTTTTTTTTTATCCTAGTCATTCTTCCCTAATCT
TCCACTTGAGTGTCAAGCTGACCTTGCTGATGGTGACATTGCACCTGGATGTACTATCCAATC
TGTGATGACATTCCCTGCTAATAAAAGACAACATAACTCCAAAAAAAAAAAAAAAAAAAAA
AAAA

398/615

FIGURE 394

></usr/seqdb2/sst/DNA/Dnaseqs.full/ss.DNA88002

><subunit 1 of 1, 206 aa, 1 stop

><MW: 23799, pI: 9.12, NX(S/T): 3

MNFQQRQLQSLWTLARPFPCPPLLATASQMOMVVLPCLGFTLLLWSQVSGAQGQEFHFGPCQVKG
VVPQKLWEAFWAVKDTMQAQDNITSARLLQQEVLQNVSDAESCYLEVHTLLEFYLKTVFKNHHN
RTVEVRTLKSFSTLANNFVLIVSQLQPSQENEMFSIRDSAHRRFLLFRRAFKQLDVEAALTKA
LGEVDILLTWMQKFYKL

Signal sequence:

amino acids 1-42

N-glycosylation sites.

amino acids 85-89, 99-103, 126-130

399/615

FIGURE 395

GCCTTGGCCTCCCAAAGGGCTGGGATTATAGGCGTGACCACCATGTCTGGTCCAGAGTCTCAT
TTCCTGATGATTTATAGACTCAAAGAAAACTATGTTTCAGAAGCTCTCTTCTCTTCTGGCCTC
CTCTCTGTCTTCTTTCCCTCTTTCTTCTTATTTTAATTAGTAGCATCTACTCAGAGTCATGCA
AGCTGGAAATCTTTCATTTTGCTTGTCAGTGGGGTAGGTCAGTCTTAGTTTTTATTTTT
TGAAATTTCACTTTTCAGATTCAGGGGGTACATGTGAAGGTTTGTTTTATGAGTATATTGCAT
GATGCTGAGGTTTGGGGT

400/615

FIGURE 396

MFRSSLLFWPPLCLLSLFLILISSIYSECKLEIFHFACQWGRSLSLSFYFLKFQLSDSGGT
CEGLFYEYIA

Important features of the protein:

Signal peptide:

amino acids 1-25

N-myristoylation site.

amino acids 62-68

401/615

FIGURE 397

CATGCCCGCTGCCGCCGCTGCTGCTGTTGCTCCTGGCGGCGCCTTG GGGGACGGGCAGTTCCCTG
TGTCTCTGGTGGTTTGCCTAAACCTGCAAACATCACCTTCTTATCCATCAACATGAAGAATGT
CCTACAATGGACTCCACCAGAGGGTCTTCAAGGAGTTAAAGTTACTTACACTGTGCAGTATTT
CATATATGGGCAAAAAGAAATGGCTGAATAAATCAGAATGCAGAAATATCAATAGAACCTACTG
TGATCTTTCTGCTGAAACTTCTGACTACGAACACCAGTATTATGCCAAAGTTAAGGCCATTTG
GGGAACAAAGTGTTCCAAATGGGCTGAAAGTGGACGGTTCTATCCTTTTTTTAGAAACACAAAT
TGGCCCACCAGAGGTGGCACTGACTACAGATGAGAAGTCCATTTCTGTTGTCTGACAGCTCC
AGAGAAGTGGAAGAGAAATCCAGAAGACCTTCCTGTTTCCATGCAACAAATATACTCCAATCT
GAAGTATAACGTGTCTGTGTTGAATACTAAATCAAACAGAACGTGGTCCCAGTGTGTGACCAA
CCACACGCTGGTGCTCACCTGGCTGGAGCCGAACACTCTTACTGCGTACACGTGGAGTCCTT
CGTCCCAGGGCCCCCTCGCCGTGCTCAGCCTTCTGAGAAGCAGTGTGCCAGGACTTTGAAAGA
TCAATCATCAGAGTTCAAGGCTAAAATCATCTTCTGGTATGTTTTGCCCATATCTATTACCGT
GTTTCTTTTTTCTGTGATGGGCTATTCCATCTACCGATATATCCACGTTGGCAAAGAGAAACA
CCCAGCAAATTTGATTTTGATTTATGGAAATGAATTTGACAAAAGATTCTTTGTGCCTGCTGA
AAAAATCGTGATTAACTTTATCACCTCAATATCTCGGATGATTCTAAAATTTCTCATCAGGA
TATGAGTTTACTGGGAAAAAGCAGTGATGTATCCAGCCTTAATGATCCTCAGCCCAGCGGGAA
CCTGAGGCCCCCTCAGGAGGAAGAGGAGGTGAAACATTTAGGGTATGCTTCGCATTTGATGGA
AATTTTTTGTGACTCTGAAGAAAACACGGAAGGTACTTCTCTCAGCCAGCAAGAGTCCCTCAG
CAGAACAATACCCCCGGATAAAACAGTCATTGAATATGAATATGATGTCAGAACCACTGACAT
TTGTGCGGGGCCTGAAGAGCAGGAGCTCAGTTTGCAGGAGGAGGTGTCCACACAAGGAACATT
ATTGGAGTCGCAGGCAGCGTTGGCAGTCTTGGGCCCGCAAACGTTACAGTACTCATACCCCC
TCAGCTCCAAGACTTAGACCCCCTGGCGCAGGAGCACACAGACTCGGAGGAGGGGCGGAGGA
AGAGCCATCGACGACCCTGGTCGACTGGGATCCCCAAACTGGCAGGCTGTGTATTCTTTCGCT
GTCCAGCTTCGACCAGGATTCAGAGGGCTGCGAGCCTTCTGAGGGGGATGGGCTCGGAGAGGA
GGGTCTTCTATCTAGACTCTATGAGGAGCCGGCTCCAGACAGGCCACCAGGAGAAAATGAAAC
CTATCTCATGCAATTCATGGAGGAATGGGGGTATATGTGCAGATGGAAAAC**TGA**TGCCAACA
CTTCCTTTTGCCTTTTGTTCCTGTGCAAACAAGTGAGTCACCCCTTTGATCCCAGCCATAAA
GTACCTGGGATGAAAGAAGTTTTTTCCAGTTTGTGAGTGCTGTGAGAA

402/615

FIGURE 398

MPLPPLLLLLLLAAPWGRAVPCVSGGLPKPANITFLSINMKNVLQWTPPEGLQGVKVTYTVQYF
IYGQKKWLNKSECRNINRTYCDLSAETSDYEHQYYAKVKAIWGTKCSKWAESGRFYPFLETQI
GPPEVALTTDEKSISVVLTAPEKWKRNPEDLPVSMQQIYSNLKYNVSVLNTKSNRTWSQCVTN
HTLVLTWLEPNTLYCVHVESFVPGPPRAQPSEKQCARTLKDQSSEFKAKIIFWYVLPISITV
FLFSVMGYSIYRYIHVGKEKHPANLILYIGNEFDKRFFVPAEKIVINFITLNISSDDSKISHQD
MSLLGKSSDVSSLNDPQPSGNLRPPQEEEEVKHLGYASHLMEIFCDSEENTEGTSLTQQESLS
RTIPDPKTVIEYEYDVRTTDICAGPEEQELSLQEEVSTQGTLLSQALAVLGPOTLQYSYTP
QLQDLPLAQEHTDSEEGPEEEPSTTLVDWDPQTGRLCIPSLSSFDQDSEGCEPSEG DGLGEE
GLLSRLYEPPAPDRPPGENETYLMQFMEEWGLYVQMEN

Signal sequence:

amino acids 1-18

Transmembrane domain:

amino acids 240-260

N-glycosylation sites.amino acids 31-34, 72-75, 80-83, 171-174, 180-183, 189-192,
304-307, 523-526**Tyrosine kinase phosphorylation site.**

amino acids 385-392, 518-526

N-myristoylation sites.

amino acids 53-58, 106-111, 368-373, 492-497

Tissue factor

amino acids 1-278

403/615

FIGURE 399

CCGGCGATGTCGCTCGTGCTGCTAAGCCTGGCCGCGCTGTGCAGGAGCGCCGTACCCCGAGAG
CCGACCGTTCAATGTGGCTCTGAACTGGGCCATCTCCAGAGTGGATGCTACAACATGATCTA
ATCCCCGGAGACTTGAGGGACCTCCGAGTAGAACCTGTTACAACACTAGTGTTGCAACAGGGGAC
TATTC AATTTTGATGAATGTAAGCTGGGTACTCCGGGCAGATGCCAGCATCCGCTTGTTGAAG
GCCACCAAGATTTGTGTGACGGGCAAAAGCAACTTCCAGTCCTACAGCTGTGTGAGGTGCAAT
TACACAGAGGCCTTCCAGACTCAGACCAGACCCTCTGGTGGTAAATGGACATTTTCCTACATC
GGCTTCCCTGTAGAGCTGAACACAGTCTATTTTCATTGGGGCCCATAATATTCCTAATGCAAAAT
ATGAATGAAGATGGCCCTTCCATGTCTGTGAATTTACCTCACCAGGCTGCCTAGACCACATA
ATGAAATATAAAAAAAGTGTGTCAAGGCCGGAAGCCTGTGGGATCCGAACATCACTGCTTGT
AAGAAGAATGAGGAGACAGTAGAAGTGAACCTTCACAACCACTCCCCTGGGAAACAGATACATG
GCTCTTATCCAACACAGCACTATCATCGGGTTTTCTCAGGTGTTTGAGCCACACCAGAAGAAA
CAAACGCGAGCTTCAGTGGTGATTCCAGTGACTGGGGATAGTGAAGGTGCTACGGTGCAGCTG
ACTCCATATTTTCCTACTTGTGGCAGCGACTGCATCCGACATAAAGGAACAGTTGTGCTCTGC
CCACAAACAGGCGTCCCTTTCCCTCTGGATAACAACAAAAGCAAGCCGGGAGGCTGGCTGCCT
CTCCTCCTGCTGTCTCTGCTGGTGGCCACATGGGTGCTGGTGGCAGGGATCTATCTAATGTGG
AGGCACGAAAGGATCAAGAAGACTTCCTTTTCTACCACCACACTACTGCCCCCATTAAGGTT
CTTGTGGTTTACCCATCTGAAATATGTTTCCATCACACAATTTGTTACTTCACTGAATTTCTT
CAAAACCATTCAGAAAGTGAGGTCATCCTTGAAAAGTGGCAGAAAAAGAAAATAGCAGAGATG
GGTCCAGTGCAGTGGCTTGCCACTCAAAGAAGGCAGCAGACAAAGTCGTCTTCCTTCTTTCC
AATGACGTCAACAGTGTGTGCGATGGTACCTGTGGCAAGAGCGAGGGCAGTCCCAGTGAGAAC
TCTCAAGACCTCTTCCCCCTTGCCTTTAACCTTTTCTGCAGTGATCTAAGAAGCCAGATTCAT
CTGCACAAATACGTGGTGGTCTACTTTAGAGAGATTGATACAAAAGACGATTACAATGCTCTC
AGTGTCTGCCCCAAGTACCACCTCATGAAGGATGCCACTGCTTTCTGTGCAGAACTTCTCCAT
GTCAAGCAGCAGGTGTCAGCAGGAAAAAGATCACAGCCTGCCACGATGGCTGCTGCTCCTTG
TAG

404/615

FIGURE 400

MSLVLLSLAALCRSAVPREPTVQCGSETGPSPEWMLQHDLI PGDLRLDLRVEPVTT SVATGDYS
ILMNVS WVL RADASIRLLKATKICVTGKSNFQSYSCVRCNYTEAFQTQTRPSGGKWTFSYIGF
PVELNTVYFIGAHNIPNANMNEDGPSMSVNFTSPGC LDHIMKYKKKCVKAGSLWDPNITACKK
NEETVEVNFTTTPLGNRYMALIQHSTIIGFSQVFEPHQKKQTRASVVIPVTGDSEGATVQLTP
YFPTCGSDCIRHKGT VVLC PQTGVFPFLDNNKSKPGGWLP LLLL SLLVATWVLVAGIYLMWRH
ERIKTSFSTTTLLPPIKVLVVYPSEICFHHTICYFTEFLQNHCRSEVILEKWQKKKIAEMGP
VQWLATQKKAADKVVFLSNDVNSVCDGTCGKSEGPSSENSQDLFPLAFNLFCSDLRSQIHLH
KYVVVYFREIDTKDDYNALSVC PKYHLMKDATAFCAELLHV KQQVSAGKRSQACHDGCCSL

Important features of the protein:**Signal peptide:**

amino acids 1-14

Transmembrane domain:

amino acids 290-309

N-glycosylation sites.amino acids 67 - 71, 103 - 107, 156 - 160, 183 - 187, 197 - 201
and 283 - 287**cAMP- and cGMP-dependent protein kinase phosphorylation sites.**

amino acids 228 - 232 and 319 - 323

Casein kinase II phosphorylation sites.

amino acids 178 - 182, 402 - 406, 414 - 418 and 453 - 457

N-myristoylation site.

amino acids 116-122

Amidation site.

amino acids 488-452

405/615

FIGURE 401

GGGAACAGGGAACTATCAGCCCGTCGGCCTCCGGGCCCTGCATTCTCTAGCC**ATG**GACCG
GGACCTTTTGCGGCAGTCGCTAAATTGCCACGGGTCGTCTTTGCTCTCTCTACTTCGGAG
CGAACAGCAGGACAATCCACACTTCCGTAGCCTCCTGGGGTCGGCCGCCGAGCCAGCCCCG
GGGCCCCGCCGCCCCAGCACCCGTTGCAGGGCAGAAAAGAGAAGAGAGTTGACAACATCGA
GATACAGAAATTCATCTCCAAAAAAGCGGATCTGCTTTTTGCACTTTCCTGGAAATCAGA
TGCACCTGCAACTTCTGAAATTAATGAAGACAGTGAAGATCATTATGCAATCATGCCACC
TTTAGAGCAATTCATGGAGATACCTAGTATGGATCGGAGAGAGCTGTTTTTCCGAGATAT
TGAGCGTGGTGATATAGTGATTGGAAGAATTAGTTCTATTTCGGGAATTCGGTTTTTTCAT
GGTGTGATCTGTTTAGGAAGTGGTATCATGAGAGATATAGCCCACTTAGAAATCACAGC
TCTTTGTCCCTTAAGAGATGTGCCTTCTCACAGTAACCATGGGGATCCTTTATCATATTA
CCAAACTGGTGACATCATTCGAGCTGGAATCAAGGATATTGACAGATACCATGAAAAGCT
AGCAGTATCTCTGTATAGCTCTTCTCTCCACCACACCTATCTGGTATTTAAATTAGGTGT
AATTAGCTCTGAAGAGCTTCCTTTATACTACAGGAGAAGTGTTGAGCTAAATAGCAATTC
TTTGGAGTCCTATGAAAATGTCATGCAGAGTTCCTTGGGATTTGTTAATCCAGGAGTAGT
TGAATTCCTTCTAGAAAACTAGGAATAGATGAATCTAATCCACCATCTTTAATGAGAGG
CCTACAAAGCAAAAATTTCTCTGAAGATGATTTTGCTTCTGCATTGAGAAAAAACAATC
CGCATCTTGGGCTTTAAATGTGTGAAGATCGGAGTTGACTATTTTAAAGTTGGACGCCA
TGTGGATGCTATGAATGAATACAATAAAGCTTTGGAAATAGACAAACAAAACGTGGAAGC
TTTGGTAGCTCGTGGAGCATTATATGCGACAAAAGGAAGTTTGAACAAAGCAATAGAAGA
TTTTGAGCTTGCAATTAGAAAAGTGTCCAACCTCACAGAAATGCAAGAAAATACCTCTGCCA
GACACTTGTAGAGAGAGGAGGACAGTTAGAAGAAGAAGAAAAGTTTTTAAATGCTGAAAG
TTACTATAAGAAAGCCTTGGCTTTGGATGAGACTTTTTAAAGATGCAGAGGATGCTTTGCA
GAACTTCATAAATATATGCAGAAATCTTTGGAATTAAGAGAAAAACAAGCTGAAAAGGA
AGAAAAGCAGAAAACAAGAAAATAGAAACAAGTGCAGAAAAGTTGCGTAAGCTCTTAAA
AGAAGAGAAGAGGCTAAAGAAGAAAAGAAGAAAATCAACTTCTTCTTCAAGTGTTCCTC
TGCTGATGAATCAGTGTCTTCATCATCATCCTCTTCTCTCTGGTCACAAAAGGCATAA
GAAACATAAGAGGAACCGTTCAGAGTCTTCTCGCAGTTCCAGAAGGCATTTCATCTAGGGC
ATCCTCAAATCAGATAGATCAGAATAGGAAAGATGAGTGCTACCCAGTTCCAGCTAATAC
TTCAGCATCTTTTCTTAACCATAAACAAGAAGTGGAGAACTACTGGGGAAGCAGGATAG
GTTACAGTATGAAAAGACACAGATAAAAGAGAAAGATAGATGCCCTCTCTCTTCATCTTC
ACTTGAAATACCGGATGATTTTGGAGTGTAATCTTATTTTAAAGTTAACTATAAA
ACAGCCTCAGGCAGGTCCTTCAGGAGATATTCCAGAAGAGGGCATTGTTATCATAGATGA
CAGCTCCATTTCATGTTACTGACCCTGAAGACCTTCAAGTGGGACAAGATATGGAGGTGGA
AGACAGTGGTATTGATGATCCTGACCACGGG**TAG**GCTTAGGTTTATGTGTGTGTATGTGT
CTTAGTTTTTAACAAAAAATTAATAAAGTAAAAAACTAAAAATAGAAAAATGCTTAGAG
AATAAGGATATAAAGAATATTTTTGTGCAGTTGAACAATGAGTGCTTAAGCTAAATGTCA
TCACAAAAGAGTAAAAAATTTTACAAAATTAATAAATGTTTAAAGTTAAAAGCTCTAGG
AAGCTAAGGTCAATTTATTATTGGAGAAATAAATAATTTTTTATGAATTTACTGT

406/615

FIGURE 402

MDRDLLRQSLNCHGSSLLSLLRSEQQDNPHFRSLLGSAAEPARGPPPQHPLQGRKEKRVD
NIEIQKFISKKADLLFALSWKSDAPATSEINEDSEDHYAIMPPELQFMEIPSMRRELFF
RDIERGDIVIGRISSIREFGFFMVLICLGSGIMRDIAHLEITALCPLRDVPSHSNHGDPL
SYYQTGDIIRAGIKDIDRYHEKLAVSLYSSSLPPLHLSGIKLGVISSEELPLYRRSVELN
SNSLESYENVMQSSSLGFVNPGVVEFLLEKLGIDESNPPSLMRGLQSKNFSEDDFASALRK
KQSASWALKCVKIGVDYFKVGRHVDAMNEYNKALEIDKQNVREALVARGALYATKGS LNKA
IEDFELALENCPTHNRKYLQCTLVERGGQLEEEEEKFLNAESYYKKALALDETFKDAED
ALQKLHKYMQKSLELREKQAEKEEKQTKKIETSAEKLRLKLLKEEKRLKKKRRKSTSSSS
VSSADESVSSSSSSSSSGHKKRHHKHKRNRSESSRRHSSRRASSNQIDQNRKDECYPVP
ANTSASFNLHKQVEKLLGKQDRLOQYEKTOIKEKDRCPLSSSSLEIPDDFGVYSYLFKKL
TIKQPQAGPSGDIPEEGIVIIDSSIHVTDPEDLQVGQDMEVEDSGIDDPDHG

Important features of the protein:**Signal peptide:**

Amino acids 1-23

Transmembrane domain:

Amino acids 138-155

N-glycosylation sites:

Amino acids 288-292;508-512;542-546

cAMP- and cGMP-dependent protein kinase phosphorylation sites:

Amino acids 300-304;472-476;473-477;517-521;598-602

N-myristoylation sites:

Amino acids 218-224;222-228;271-277;348-354

Amidation site:

Amino acids 52-56

Cell attachment sequence:

Amino acids 125-128

407/615

FIGURE 403

CCGAGGCGGGAGGAGCCCGAGGGGGCGCGAGCCCCGCATGAATCATTGTAGTCAATCATTTTC
CAGTTCTCAGCCGCTCAGTTGTGATCAAGGGACACGTGGTTTTCCGAACTGCCAGCTCAGAATA
GGAAAATAACTTGGGATTTTATATTGGAAGACA**ATGG**ATCTTGCTGCCAACGAGATCAGCATTT
ATGACAAACTTTTCAGAGACTGTTGATTTGGTGAGACAGACCGGCCATCAGTGTGGCATGTCAG
AGAAGGCAATTGAAAAATTTATCAGACAGCTGCTGGAAAAGAATGAACCTCAGAGACCCCCC
CGCAGTATCCTCTCCTTATAGTTGTGTATAAGGTTCTCGCAACCTTGGGATTAATCTTGCTCA
CTGCCTACTTTGTGATTCAACCTTTCAGCCCATTAGCACCTGAGCCAGTGCTTTCTGGAGCTC
ACACCTGGCGCTCACTCATCCATCACATTAGGCTGATGTCCTTGCCCATTTGCCAAGAAGTACA
TGTCAGAAAATAAGGGAGTTCCTCTGCATGGGGGTGATGAAGACAGACCCCTTTCAGACTTTG
ACCCCTGGTGGACAAACGACTGTGAGCAGAATGAGTCAGAGCCCATTCCTGCCAACTGCACTG
GCTGTGCCCAGAAACACCTGAAGGTGATGCTCCTGGAAGACGCCCCAAGGAAATTTGAGAGGC
TCCATCCACTGGTGATCAAGACGGGAAAGCCCTGTTGGAGGAAGAGATTCAGCATTTTTTGT
GCCAGTACCCTGAGGCGACAGAAGGCTTCTCTGAAGGGTTTTTCGCCAAGTGGTGGCGCTGCT
TTCCTGAGCGGTGGTTCCCATTTCTTATCCATGGAGGAGACCTCTGAACAGATCACAAATGT
TACGTGAGCTTTTTCTGTTTTCACTCACCTGCCATTTCCAAAAGATGCCTCTTTAAACAAGT
GCTCCTTTCTTCACCCAGAACCTGTTGTGGGGAGTAAGATGCATAAGATGCCTGACCTATTTA
TCATTGGCAGCGGTGAGGCCATGTTGCAGCTCATCCCTCCCTTCCAGTGCCGAAGACATTGTC
AGTCTGTGGCCATGCCAATAGAGCCAGGGGATATCGGCTATGTCGACACCACCCACTGGAAGG
TCTACGTTATAGCCAGAGGGGTCCAGCCTTTGGTCATCTGCGATGGAACCGCTTTCTCAGAAC
TG**TAG**GAAATAGAACTGTGCACAGGAACAGCTTCCAGAGCCGAAAACCAGGTTGAAAGGGGAA
AAATAAAAACAAAACGATGAACTGCAAAA

408/615

FIGURE 404

MDLAANEISYDKLSETVDLVRQTGHQCGMSEKAIEKFIRQLLEKNEPQRPPPQYPLLIVVYK
VLATLGLILLTAYFVIQPFSPLAPEPVLGAHTWRSLIHHIRLMSLPPIAKKYMSENKGVPLHG
GDEDRPFPDFDPWWTNDCEQNESEPI PANCTGCAQKHLKVMLLEDAPRKFERLHPLVIKTGKP
LLEEEIQHFLCQYPEATEGFSEGFFAKWWRCFPERWFPPYPWRRPLNRSQMLRELFVFTHL
PFPKDASLNKCSFLHPEPVVGSKMHKMPDLFIIGSGEAMLQLIPPFQCRRHCSVAMPIEPGD
IGYVDTTHWKVYVIARGVQPLVICDGTAFSEL

409/615

FIGURE 405

TGCCGGGCTGCGGGGCGCCTTGACTCTCCCTCCACCCTGCCTCCTCGGGCTCCACTCGTCTGCCCCCTGGACTCCC
GTCTCCTCCTGTCTCCTCCGGCTTCCCAGAGCTCCCCTCTTATGGCAGCAGCTTCCCGCGTCTCCGGCGCAGCTTCT
CAGCGGACGACCCTCTCGCTCCGGGGCTGAGCCAGTCCCTGGATGTTGCTGAAACTCTCGAGATCATGCGCGGG
TTTGGCTGCTGCTTCCCGCGCGGTGCCACTGCCACCGCGCGCCTCTGCTGCCCGCGTCCGCGGGATGCTCAG
TAGCCCCGCTGCCCCGCCCCCGGATCCTGTGTTCTCGGAAGCCGTTTGCTGCTGCAGAGTTGCACGAAC TAGTC
ATGGTGCTGTGGGAGTCCCCGCGGAGTGCAGCAGCTGGACACTTTGCGAGGGCTTTTGCTGGCTGCTGCTGCTG
CCCGTCATGCTACTCATCGTAGCCCGCCCGGTGAAGCTCGCTGCTTTCCCTACCTCCTTAAGTGACTGCCAAACG
CCCACCGGCTGGAATTGCTCTGGTTATGATGACAGAGAAAATGATCTCTTCTCTGTGACACCAACACCTGTAAA
TTTGATGGGGAATGTTTAAGAATTGGAGACACTGTGACTTGCGTCTGTGAGTTCAAGTGCAACAATGACTATGTG
CCTGTGTGTGGCTCCAATGGGGAGAGCTACCAGAATGAGTGTTACCTGCGACAGGCTGCATGCAAACAGCAGAGT
GAGATACTTGTGGTGTGAGAAGGATCATGTGCCACAGATGCAGGATCAGGATCTGGAGATGGAGTCCATGAAGGC
TCTGGAGAACTAGTCAAAGGAGACATCCACCTGTGATATTTGCCAGTTTGGTGCAGAATGTGACGAAGATGCC
GAGGATGTCTGGTGTGTGTGTAATATGACTGTTCTCAAACCAACTTCAATCCCCTCTGCGCTTCTGATGGGAAA
TCTTATGATAATGCATGCCAAATCAAAGAAGCATCGTGTGAGAAACAGGAGAAAATTGAAGTCATGTCTTTGGGT
CGATGTCAAGATAACACAACACTACAATACTAAGTCTGAAGATGGGCATTATGCAAGAACAGATTATGCAGAGAAT
GCTAACAAATTAGAAGAAAGTGCCAGAGAACACCACATACTTGTCCGGAACATTACAATGGCTTCTGCATGCAT
GGGAAGTGTGAGCATTCTATCAATATGCAGGAGCCATCTTGCAGGTGTGATGCTGGTTATACTGGACAACACTGT
GAAAAAAAGGACTACAGTGTTCTATACGTTGTTCCCGGTCTGTACGATTTAGTATGTCTTAATCGCAGCTGTG
ATTGGAACAATTAGATTGCTGTCTGTGTGGTGGTCCTCTGCATCACAAGGAAATGCCCGAGGCAACAGA
ATTCACAGACAGAAGCAAATACAGGGCACTACAGTTTACAGACAATAACAAGAGCGTCCACGAGGTTAATCTAA
AGGGAGCATGTTTACAGTGGCTGGACTACCGAGAGCTTGGACTACACAATACAGTATTATAGACAAAAGAATAA
GACAAGAGATCTACACATGTTGCCTTGCATTTGTGGTAATCTACACCAATGAAAACATGTACTACAGCTATATTT
GATTATGTATGGATATATTTGAAATAGTATACATTGTCTTGATGTTTTTCTGTAATGTAAATAAACTATTTATA
TCACACAATATAGTTTTTTCTTTCCCATGTATTTGTTATATATAATAAAATACTCAGTGATGAG

411/615

FIGURE 407

CTCGCAGCCGAGCGCGGCCGGGGAAGGGCTCTCCTTCCAGCGCCGAGCACTGGGCCCTGGCAG
ACGCCCCAAGATTGTTGTGAGGAGTCTAGCCAGTTGGTGAGCGCTGTAATCTGAACCAGCTGT
GTCCAGACTGAGGCCCATTTGCATTGTTTAACATACTTAGAAAATGAAGTGTTTCAATTTTAA
CATTCCTCCTCCAATTGGTTTAAATGCTGAATTACTGAAGAGGGCTAAGCAAAACCAGGTGCTT
GCGCTGAGGGCTCTGCACTGGCTGGGAGGACCCCGGCGCTCTCCCCGTGTCCTCTCCACGACT
CGCTCGGCCCTCTGGAATAAAACACCCGCGAGCCCCGAGGGCCCAGAGGAGGCCGACGTGCC
CGAGCTCCTCCGGGGGTCCCGCCCGCGAGCTTTCTTCTCGCCTTCGCATCTCCTCCTCGCGCG
TCTTGGACATGCCAGGAATAAAAAGGATACTCACTGTTACCATTCTGGCTCTCTGTCTTCCAA
GCCCTGGGAATGCACAGGCACAGTGCACGAATGGCTTTGACCTGGATCGCCAGTCAGGACAGT
GTTTAGATATTGATGAATGCCGAACCATCCCCGAGGCCTGCCGAGGAGACATGATGTGTGTTA
ACCAAAATGGCGGGTATTTATGCATTCCCCGACAAACCCTGTGTATCGAGGGCCCTACTCGA
ACCCCTACTCGACCCCTACTCAGGTCCGTACCCAGCAGCTGCCCCACCACCTCTCAGCTCCAA
ACTATCCCACGATCTCCAGGCCTCTTATATGCCGCTTTGGATACCAGATGGATGAAAGCAACC
AATGTGTGGATGTGGACGAGTGTGCAACAGATTCCCACCAGTGCAACCCACCCAGATCTGCA
TCAATACTGAAGGCGGGTACACCTGCTCCTGCACCGACGGATATTGGCTTCTGGAAGGCCAGT
GCTTAGACATTGATGAATGTCGCTATGGTTACTGCCAGCAGCTCTGTGCGAATGTTTCTGGAT
CCTATTCTTGTACATGCAACCCTGGTTTTTACCCTCAATGAGGATGGAAGGTCTTGCCAAGATG
TGAACGAGTGTGCCACCGAGAACCCCTGCGTGCAAACCTGCGTCAACACCTACGGCTCTCTCA
TCTGCCGCTGTGACCCAGGATATGAACTTGAGGAAGATGGCGTTCATTGCAGTGATATGGACG
AGTGCAGCTTCTCTGAGTTCCTCTGCCAACATGAGTGTGTGAACCAGCCCGGCACATACTTCT
GCTCCTGCCCTCCAGGCTACATCCTGCTGGATGACAACCGAAGCTGCCAAGACATCAACGAAT
GTGAGCACAGGAACCACACGTGCAACCTGCAGCAGACGTGCTACAATTTACAAGGGGGCTTCA
AATGCATCGACCCCATCCGCTGTGAGGAGCCTTATCTGAGGATCAGTGATAACCGCTGTATGT
GTCCTGCTGAGAACCCTGGCTGCAGAGACCAGCCCTTTACCATCTTGTACCGGGACATGGACG
TGGTGTGAGGACGCTCCGTTCCCGCTGACATCTTCCAAATGCAAGCCACGACCCGCTACCCCTG
GGGCCTATTACATTTTCCAGATCAAATCTGGGAATGAGGGCAGAGAATTTTACATGCGGCAAA
CGGGCCCCATCAGTGCCACCCTGGTGATGACACGCCCCATCAAAGGGCCCCGGGAAATCCAGC
TGGACTTGGAATGATCACTGTCAACACTGTCATCAACTTCAGAGGCAGCTCCGTGATCCGAC
TGCGGATATATGTGTCGCACTACCCATTCTAGAGCCTCGGGCTGGAGCCTCCGACGCTGCCTCT
CATTGGCACCAAGGGACAGGAGAAGAGAGGAAATAACAGAGAGAATGAGAGCGACACAGACGT
TAGGCATTTTCTGCTGAACGTTTCCCCGAAGAGTCAGCCCCGACTTCCTGACTCTCACCTGTA
CTATTGCAGACCTGTCACCCTGCAGGACTTGCCACCCCCAGTTCCTATGACACAGTTATCAAA
AAGTATTATCATTGCTCCCCTGATAGAAGATTGTTGGTGAATTTTCAAGGCCTTCAGTTTATT
TCCACTATTTTCAAAGAAAATAGATTAGGTTTGGGGGGTCTGAGTCTATGTTCAAAGACTGT
GAACAGCTTGCTGTCACTTCTTCACCTCTTCCACTCCTTCTCTCACTGTGTTACTGCTTTGCA
AAGACCCGGGAGCTGGCGGGGAACCTGGGAGTAGCTAGTTTGGCTTTTTGCGTACACAGAGAA
GGCTATGTAAACAAACCACAGCAGGATCGAAGGGTTTTTAGAGAATGTGTTTCAAACCATGC
CTGGTATTTTCAACCATAAAAGAAGTTTCAGTTGTCCTTAAATTTGTATAACGGTTTAATTCT
GTCTTGTTTCAATTTTGAAGTATTTTAAAAAATATGTCGTAGAATTCCCTTCGAAAGGCCTTCAGA
CACATGCTATGTTCTGTCTTCCCAAACCCAGTCTCCTCTCATTTTAGCCAGTGTTTTCTTT
GAGGACCCCTTAATCTTGCTTCTTTAGAATTTTACCCAATTGGATTGGAATGCAGAGGTCT
CCAAACTGATTAAATATTTGAAGAGA

412/615

FIGURE 408

MPGIKRILTVTILALCLPSPGNAQAQCTNGFDLDRQSGQCLDIDECRTIPEACRGDMMCVNQNGGYLCIPRTNPVYRGPYSNPYSTPYSGPYPAAPPLSAPNYPTISRPLICRFGYQMDASNQCVDVDECATDSHQCNPTQICINTEGGYTCSCTDGYWLLEGQCLDIDECRYGYCQQLCANVPGSYSTCNPFGFTLNEDGRSCQDVNECATENPCVQTCVNTYGSILICRCDPGYELEEDGVHCSDMDECSFSEFLCQHECVNQPGTYFCSCPPGYILLDDNRSCQDINECEHRNHTCNLQQTCYNLQGGFKCIDPIRCEEPYLRISDNRCMCPAENPGCRDQPFITILYRDMDVVSGRSVPADIFQMQAATTRYPGAYYIFQIKSGNEGREFYMRQTGPISATLVMTRPIKGPREIQLDLEMITVNTVINFRGSSVIRLRIYVSQYPF

Important features of the protein:**Signal peptide:**

amino acids 1-25

N-glycosylation sites.

amino acids 283-287, 296-300

N-myristoylation sites.

amino acids 21-27, 64-70, 149-155, 186-192, 226-232, 242-248, 267-273, 310-316

Aspartic acid and asparagine hydroxylation sites.

amino acids 144-156, 181-193, 262-274

Cell attachment sequence.

amino acids 54-57

Calcium-binding EGF-like.

amino acids 131-166, 172-205, 211-245, 251-286

414/615

FIGURE 410

MVGAMWKVIVSLVLLMPGPCDGLFRSLYRSVSMPPKGDGQPLFLTPYIEAGKIQKGRELSLV
GPFPGLNMKSYAGFLTVNKTYSNLFFWFFPAQIQPEDAPVVLWLQGGPGGSSMFGLFVEHGP
YVVTSNMTLRDRDFPWTTLTSLMLYIDNPVGTGFSFTDDTHGYAVNEDDVARDLYSALIQFFQI
FPEYKNNDFYVTGESYAGKYVPAIAHLIHSNPNVREVKINLNGIAIGDGYSDPESIIGGYAEF
LYQIGLLDEKQKKYFQKQCHECIEHIRKQNWFEAFEILDKLLDGDLTSDPSYFQNVGTGCSNYY
NFLRCTEPEDQLYYVKFLSLPEVRQAIHVGNQTFNDGTIVEKYLREDTVQSVKPWLTEIMNNY
KVLIIYNGQLDIIVAAALTERSLMGMDWKGSQYKKAEEKVWKIFKSDSEVAGYIRQAGDFHQV
IIRGGGHILPYDQPLRAFDMINRFIYGKGWDPYVG

Signal sequence:

amino acids 1-22

N-glycosylation site.

amino acids 81-85, 132-136, 307-311, 346-350

Casein kinase II phosphorylation site.amino acids 134-138, 160-164, 240-244, 321-325, 334-338, 348-352,
353-357, 424-428**Tyrosine kinase phosphorylation site.**

amino acids 423-432

N-myristoylation site.

amino acids 22-28, 110-116, 156-162, 232-238

Serine carboxypeptidases, serine active site.

amino acids 200-208

Crystallins beta and gamma 'Greek key' motif signature.

amino acids 375-391

415/615

FIGURE 411

GCAAGCCAAGGCGCTGTTTGAGAAGGTGAAGAAGTTCGGGACCCATGTGGAGGAGGGGGACATTGTGTACCGCCT
CTACATGCGGCAGACCATCATCAAGGTGATCAAGTTCATCCTCATCATCTGCTACACCGTCTACTACGTGCACAA
CATCAAGTTCGACGTGGACTGCACCGTGGACATTGAGAGCCTGACGGGCTACCGCACCTACCGCTGTGCCACCC
CCTGGCCACACTCTTCAAGATCCTGGCGTCTTCTACATCAGCCTAGTCATCTTCTACGGCCTCATCTGCATGTA
CACACTGTGGTGGATGCTACGGCGCTCCCTCAAGAAGTACTCGTTTGAGTCGATCCGTGAGGAGAGCAGCTACAG
CGACATCCCCGACGTCAAGAACGACTTCGCCTTCATGCTGCACCTCATTGACCAATACGACCCGCTCTACTCCAA
GCGCTTCGCGCTCTTCCCTGTCGGAGGTGAGTGAGAACAAGCTGCGGCAGCTGAACCTCAACAACGAGTGGACGCT
GGACAAGCTCCGGCAGCGGCTCACCAAGAACGCGCAGGACAAGCTGGAGCTGCACCTGTTTCATGCTCAGTGGCAT
CCCTGACACTGTGTTTGACCTGGTGGAGCTGGAGGTCTCAAGCTGGAGCTGATCCCCGACGTGACCATCCCCGCC
CAGCATTGCCCAGCTCACGGGCTCAAGGAGCTGTGGCTTACACACAGCGGCCAAGATTGAAGCGCCTGCGCT
GGCCTTCCTGCGCGAGAACCTGCGGGCGCTGCACATCAAGTTCACCGACATCAAGGAGATCCCGCTGTGGATCTA
TAGCCTGAAGACACTGGAGGAGCTGCACCTGACGGGCAACCTGAGCGCGGAGAACACCGCTACATCGTCATCGA
CGGGCTGCGGGAGCTCAAACGCCTCAAGGTGCTGCGGCTCAAGAGCAACCTAAGCAAGCTGCCACAGGTGGTCAC
AGATGTGGGCGTGCACCTGCAGAAGCTGTCCATCAACAATGAGGGCACCAGCTCATCTCTCAACAGCCTCAA
GAAGATGGCGAACCTGACTGAGCTGGAGCTGATCCGCTGCGACCTGGAGCGCATCCCCACTCCATCTTCAGCCT
CCACAACCTGCAGGAGATTGACCTCAAGGACAACAACCTCAAGACCATCGAGGAGATCATCAGCTTCCAGCACCT
GCACCGCTCACCTGCCTTAAGCTGTGGTACAACCACATCGCCTACATCCCCATCCAGATCGGCAACCTCACCAA
CCTGGAGCGCCTTACCTGAACCGCAACAAGATCGAGAAGATCCCCACCCAGCTCTTCTACTGCCGCAAGCTGCG
CTACCTGGACCTCAGCCACAACAACCTGACCTTCTCCCTGCCGACATCGGCCCTCTGCAAGACCTCCAGAACCT
AGCCATCACGGCCAACCGGATCGAGACGCTCCCTCCGGAGCTCTTCCAGTGCCGGAAGCTGCGGGCCCTGCACCT
GGGCAACAACGTGCTGCACTGCTGCCCTCCAGGGTGGGCGAGCTGACCAACCTGACGCAGATCGAGCTGCGGGG
CAACCGGCTGGAGTGCCTGCCTGTGGAGCTGGGCGAGTGCCCACTGCTCAAGCGCAGCGGCTTGGTGGTGGAGGA
GGACCTGTTCAACACACTGCCACCCGAGGTGAAGGAGCGGCTGTGGAGGGCTGACAAGGAGCAGGCTGAGCGGAG
GCCGGCCAGCACAGCAAGCAGCAGGACCGCTGCCAGTCTCAGGCCGGAGGGGCGAGGCTAGCTTCTCCAG
AACTCCCGGACAGCCAGGACAGCCTCGCGGCTGGCGAGGAGCCTGGGGCCGCTTGTGAGTCAGGCCAGAGCGAGA
GGACAGTATCTGTGGGGCTGGCCCCCTTTCTCCCTGAGAGCTCAGTCCCCCAGGGCAAGTGCTTGTGGAGGAG
AGCAAGTCTCAAGAGCGCAGTATTTGGATAATCAGGGTCTCCTCCCTGGAGGCCAGCTCTGCCCCAGGGGCTGAG
CTGCCACCAGAGGTCTTGGGACCTCACTTTAGTTCTTGGTATTTATTTTCTCCATCTCCACCTCCTTCATCC
AGATAACTTATACATTCCCAAGAAAGTTGAGCCAGATGGAAGGTGTTGAGGAAAGGTGGGCTGCCTTTTCCCC
TTGTCTTTATTTAGCGATGCCGCGGGCATTAAACACCCACCTGGACTTCAGCAGAGTGGTCCGGGGCGAACCAG
CCATGGGACGGTCACCCAGCAGTGCCGGGCTGGGCTCTGCGGTGCGGTCCACGGGAGAGCAGGCTCCAGCTGGA
AAGGCCAGGCTGGAGCTTGCCCTCTCAGTTTTTGTGGCAGTTTTAGTTTTTTGTTTTTTTTTTTAAATCAAA
AAACAATTTTTTTTAAAAAAGCTTTGAAAATGGATGGTTTTGGGTATTAAGAAAGAAAAAAGCTTAAAAA
AAAAGACACTAACGGCCAGTGAGTTGGAGTCTCAGGGCAGGGTGGCAGTTTCCCTTGAGCAAAGCAGCCAGACGT
TGAAGTGTGTTTCCCTTCCCTGGGCGCAGGGTGCAGGGTGTCTTCCGATCTGGTGTGACCTTGGTCCAGGAGTT
CTATTTGTTTCTGGGGAGGGAGGTTTTTTGTTTGTGTTTTTGGGTTTTTTTGGTGTCTTGTGTTTTCTCTCTCC
ATGTGTCTTGGCAGGCACTCATTTCTGTGGCTGTCGGCCAGAGGGAATGTTCTGGAGCTGCCAAGGAGGGAGGAG
ACTCGGGTGGCTAATCCCCGGATGAACGGTGTCTCATTGCGACCTCCCTCCTCGTGCCCTGCCCTGCCTCTCCA
CGCACAGTGTAAAGGAGCCAAGAGGAGCCACTTCGCCAGACTTTGTTTTCCCACTCCTGCGGCATGGGTGTGT
CCAGTGCCACCGCTGGCCTCCGCTGCTTCCATCAGCCCTGTCGCCACCTGGTCCCTTCATGAAGAGCAGACACTTA
GAGGCTGGTGGGAATGGGGAGGTCGCCCTGGGAGGGCAGGCGTTGGTTCCAAGCCGGTTCCCGTCCCTGGCGC
CTGGAGTGCACACAGCCAGTCGGCACCTGGTGGCTGGAAGCCAACCTGCTTATAGTCACTCGGGTCCCCACCTT
AGAAGGGTCCCCGCTTAGATCAATCAGTGGACATAAGGCACGTTTTAGAGTCTTGTCTTAATGATTATGT
CCATCCGTCTGTCCGTCCATTGTGTTTTCTGCGTCTGTGTCATTGGATATAATCCTCAGAAATAATGCACACTAG
CCTCTGACAACCATGAAGCAAAAATCCGTTACATGTGGGTCTGAAGTGTAGACTCGGTACAGTATCAAATAAA
ATCTATAACAGAAAAAAAAAAAAAAAAA

416/615

FIGURE 412

MRQTIKVIKFILIICYTVYYVHNIKFDVDCTVDIESLTGYRITYRCAHPLATLFKILASFYIS
LVIFYGLICMYTLWWMLRRSLKKYSFESIREESSYSDIPDVKNDFAFMLHLIDQYDPLYSKRF
AVFLSEVSENKLRQLNLNNEWTLDKLRQLTKNAQDKLELHFLMLSGIPDPTVFDLVELEVKL
ELIPDVTIPPSIAQLTGLKELWLYHTAAKIEAPALAFRLRENLRALHIKFTDIKEIPLWIYSLK
TLEELHLTGNLSEAENNRYYIVIDGLRELKRLKVLRLKSNLSKLPQVVTDVGVHLQKLSINNEG
KLIVLNSLKKMANLTELELIRCDLERIPHSIFSLHNLQEIIDLKDNNLKTIEEIIISFQHLHRLT
CLKLWYNHIAIYIPIQIGNLTNLERLYLNRNKIEKIPTQLFYCRKRLRYLDLSHNNLTFLPADIG
LLQNLQNLAITANRIETLPPPELFQCRKRLALHLGNNVLQSLPSRVGELTNLTQIELRGNRLEC
LPVELGECPLLKRSGLVVEEDLFNTLPPEVKERLWRADKEQA

Transmembrane domain:

amino acids 51-75 (type II)

N-glycosylation site.

amino acids 262-266, 290-294, 328-332, 396-400, 432-436, 491-495

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 85-89

Casein kinase II phosphorylation site.amino acids 91-95, 97-101, 177-181, 253-257, 330-334, 364-368,
398-402, 493-497**N-myristoylation site.**

amino acids 173-179, 261-267, 395-401, 441-447

417/615

FIGURE 413

GAATCATCCACGCACCTGCAGCTCTGCTGAGAGAGTGCAAGCCGTGGGGGTTTTGAGCTCATC
TTCATCATTATGAGGAAATAAGTGGTAAATCCTTGGAAATACAATGAGACTCATCAGAA
ACATTTACATATTTTGTAGTATTGTTATGACAGCAGAGGGTGATGCTCCAGAGCTGCCAGAAG
AAAGGGAAGTATGACCAACTGCTCCAACATGTCTCTAAGAAAGGTTCCCGCAGACTTGACCC
CAGCCACAACGACACTGGATTTATCCTATAACCTCCTTTTTCAACTCCAGAGTTTCAAGATTTTC
ATTCTGTCTCCAACTGAGAGTTTTGATTCTATGCCATAACAGAATTCAACAGCTGGATCTCA
AAACCTTTTGAATTCAACAAGGAGTTAAGTATTTAGATTTTGTCTAATAACAGACTGAAGAGTG
TAACTTGGTATTTACTGGCAGGTCTCAGGTATTTAGATCTTTCTTTTAAATGACTTTGACACCA
TGCCTATCTGTGAGGAAGCTGGCAACATGTCACACCTGGAAATCCTAGGTTTGAGTGGGGCAA
AAATACAAAATCAGATTTCCAGAAAATTGCTCATCTGCATCTAAATACTGTCTTCTTAGGAT
TCAGAACCTTTCCTCATTATGAAGAAGGTAGCTGCCATCTTAAACACAACAAAACGCACA
TTGTTTTACCAATGGACACAAATTTCTGGGTCTTTTTGCGTGATGGAATCAAGACTTCAAAAA
TATTAGAAATGACAAATATAGATGGCAAAAGCCAATTTGTAAGTTATGAAATGCAACGAAATC
TTAGTTTAGAAAATGCTAAGACATCGGTTCTATTGCTTAATAAAGTTGATTTACTCTGGGACG
ACCTTTTCTTATCTTACAATTTGTTGGGCTGCTCTTTCAGGTGGAACACTTTTCAAGATCCGAAATG
TGACTTTTGGTGGTAAGGCTTATCTTGACCACAATTCATTTGACTACTCAAATACTGTAATGA
GAACTATAAAATTTGGAGCATGTACATTTTCAAGAGTGTGTTTACATTCACAGGATAAAATCTATT
TGCTTTTGACCAAAATGGACATAGAAAACCTGACAATATCAAATGCACAAATGCCACACATGC
TTTTCCCGAATTATCCTACGAAATTCGAATATTTAAATTTTGCCAAATAATATCTTAACACG
AGTTGTTTTAAAGAAGTATCCAACCTGCCTCACTTGAAAACCTCTCATTTTGAATGGCAATAAAC
TGGAGACACTTTCTTTAGTAAGTTGCTTTGCTAACAACACACCTTTGGAACACTTTGGATCTGA
GTCAAAATCTATTACAACATAAAATGATGAAAATTGCTCATGGCCAGAACTGTGGTCAATA
TGAATCTTCATACATAAAATTTGCTGATCTGCTTTCAGGTGCTTGGCCAAATATCTTAACAA
TACTTGACCTAAATAATAACCAATCCAACTGTACCTAAAGAGACTATTCATCTGATGGCCT
TACGAGAAGTAAATATTGCATTTAATTTTCTAAGTATCTCCCTGGATGCAGTCATTTCAAGTA
GACTTTCAGTTCTGAACATTGAAATGAACCTTCACTTCAAGCCATCTCTGGATTTTGTTCAGA
GCTGCCAGGAAGTTAAAACTCTAAATGCGGGAAGAAATCCATTCCGGTGTACCTGTGAATTA
AAAATTTTCACTCAGCTTGAACATATTCAGAGGTCATGATGGTTGGATGGTCAGATTCATACA
CCTGTGAATACCTTTTAAACCTAAGGGGAACTAGGTTTAAAGACGTTTCACTCCACGAATTTAT
CTTGCAACACAGCTCTGTTGATTGTCACCATTTGCTGGTTATTATGCTAGTTCTGGGGTTGGCTG
TGGCCTTCTGCTGTCTCCACTTTGATCTGCCCCGTTGATCTCAGGATGCTAGGTCAATGCACAC
AAACATGGCACAGGGTTAGGAAAACAACCCAAGAACAACTCAAGAGAAATGTCCGATTCACAG
CATTTATTTTATACAGTGAACATGATTCTCTGTGGGTGAAGAATGAATTGATCCCCAATCTAG
AGAAGGAAGATGGTTCTATCTTGATTGCTTTGCTTTGAAAGCTACTTTGACCCTGGCAAAAGCA
TTAGTGAATAATTTGTAAGCTTCACTTGAGAAAAGCTATAAGTCCATCTTTGTTTTGTCTCCCA
ACTTTGTCCAGAATGAGTGGTGCCATTATGAATTTCTACTTTGCCCACCACAATCTCTTCCATG
AAAATTTCTGATCATATAATTCTTATCTTACTGGAACCCATTCCATTCTATTGCAATTTCCACCA
GGTATCATAAACTGAAAGCTCTCCTGGAAAAAAGCATACTTGGAATGGCCCAAGGATAGGC
GTAAATGTGGGCTTTTCTGGGCAACCTTCGAGCTGCTATTAATGTTAATGTATTAGCCACCA
GAGAAATGTATGAAGTGCAGACATTACAGAGTTAAATGAAGAGTCTCGAGGTTCTACAATCT
CTCTGATGAGAACAGATTGTCTATAAATCCCACAGTCTTTGGGAAGTTGGGGACCACATACA
CTGTTGGGATGTACATTGATACAACCTTTATGATGGCAATTTGACAATATTTATTAATAATAA
AAATGGTTATTTCCCTTCATATCAGTTTCTAGAAGGATTTCTAAGAATGTATCCTATAGAAACA
CCTTCACAAGTTTATAAGGGCTTATGGAAAAGGTGTTTATCCAGGATTGTTTATAATCATG
AAAAATGTGGCCAGGTGCAGTGGCTCACTCTGTAATCCAGCACTATGGGAGGCCAAGGTGG
GTGACCCACGAGGTCAAGAGATGGAGACCATCTGGCCAAACATGGTGAACCCCTGTCTCTACT
AAAAATACAAAATTTAGCTGGGCGTGATGGTGACGCGCTGTAGTCCAGCTACTTTGGGAGGCT
GAGGCAGGAGAATCGCTTGAACCCGGGAGGTGGCAGTTGCAGTGAGCTGAGATCGAGCCACTG
CACTCCAGCCTGGTGACAGAGCGAGACTCCATCTCAAAAAAAGAAAAAAGAAAAA
ATGGAACATCCTCATGGCCACAAAATAAGGTCTAATTCAATAAATTATAGTACATTAATGT
AATATAATATTACATGCCACTAAAAAGAATAAGGTAGCTGTATATTTCTGTTGATGGAAAAA
CATATTAATATGTTATAAACTATTAGGTTGGTGCAAACTAATTGTGGTTTTTGCCATTGAAA
TGGCATTGAAATAAAAGTGTAAAGAAATCTATACCAGATGTAGTAACAGTGGTTTGGGTCTGG
GAGGTTGGATTACAGGGAGCATTTGATTCTATGTTGTGATTTTCTATAATGTTGAATTTGTT
TAGAATGAATCTGTATTTCTTTTATAAGTAGAAAAAATAAAGATAGTTTTTACAGCCT

418/615

FIGURE 414

MRLIRNIYIFCSIVMTAEGDAPELPEEREIMTNC SNMSLRKVPADLTPATTTLDLSYNLLFQL
QSSDFHSVSKLRVLILCHNRIQQDLKTFEFNKELRYLDLSNNRLKSVTWYLLAGLRYLDLSF
NDFDTMPICEEAGNMSHLEILGLSGAKIQKSDFQKIAHLHLNTVFLGFRTLPHYEEGSLPILN
TTKLHIVLPMDTNFWVLLRDGIKTSKILEMTNIDGKSQFVSYEMQRNLSLENAKTSVLLLNKV
DLLWDDLFLILQFVWHTSVEHFQIRNVTFGGKAYLDHNSFDYSNTVMRTIKLEHVHFRVFIQ
QDKIYLLLTkMDIENLTISNAQMPHMLFPNYPTKFQYLN FANNILTDELFKRTIQLPHLKTLI
LNGNKLETLSLVSCFANNTPLEHLDLSQNLLQHKNDENC SWPETVVNMNLSYNKLSDSVFRCL
PKSIQILD LNNNQIQTPKETIHLMALRELNIAFNFLTDLP GC SHFSRLSVLNIEMNFILSPS
LDFVQSCQEVKTLNAGRNPFRCTCELKNFIQLETYSEVMMVGWSDSYTCEYPLNLRGTRLKDV
HLHELSCNTALLIVTIVVIMLVGLAVAFCC LHFDPWYLRMLGQCTQTWHRVRKTTQEQLKR
NVRFHAFISYSEHDSLWVKNELIPNLEKEDGSILICLYESYFDPGKSISENIVSFIEKSYKSI
FVLSPNFVQNEWCHYEFYFAHHNLFHENS DHIILILLEPIPFYCIPTRYHKLKALLEKKAYLE
WPKDRRKCGLFWANLRAAINVNVLATREMYELQTFTELNEESRGSTISLMRTDCL

419/615

FIGURE 415

CGGACGCGTGGGCGGACGCGTGGGCCTGGGCAAGGGCCGGGGCGCCGGGCGAGCCACCTCTTCCCCTCCCCCGG
TTCCCTGTGCGCGCTCCGCTGGCTGGACGCGCTGGAGGAGTGGAGCAGCACCCGGCCGGCCCTGGGGGCTGACAGT
CGGCAAAGTTTGGCCCGAAGAGGAAGTGGTCTCAAACCCCGGAGGTGGCGACCAGGCCAGACCAGGGGCGCTCG
CTGCCTGCGGGCGGGCTGTAGGCGAGGGCGCGCCCCAGTGCCGAGACCCGGGGCTTCAGGAGCCGGCCCCGGGAG
AGAAGAGTGC CGCGCGGACGGAGAAAACAACCTCAAAGTTGGCGAAAGGCACCGCCCCCTACTCCCGGGCTGCCG
CCGCCTCCCCGGCCCCAGCCCTGGCATCCAGAGTACGGGTGAGCCCGGGCCATGGAGCCCCCTGGGGAGGCGG
CACCAGGGAGCCTGGGCGCCCGGGGCTCCGCCGCGACCCCATCGGGTAGACCACAGAAGCTCCGGGACCCCTCCG
GCACCTCTGGACAGCCAGGATGCTGTTGGCCACCCTCCTCCTCCTCCTTGGAGGCGCTCTGGCCCATCCAG
ACCGGATTATTTTTCCAAATCATGCTTGTGAGGACCCCCAGCAGTGCTCTTAGAAGTGCAGGGCACCTTACAGA
GGCCCCCTGGTCCGGGACAGCCGCACCTCCCCTGCCAAGTGCACCTGGCTCATCTGGGCGAGCAAGGAACAGACTG
TCACCATCAGGTTCCAGAAGCTACACCTGGCCTGTGGCTCAGAGCGCTTAACCTACGCTCCCCTCTCCAGCCAC
TGATCTCCCTGTGTGAGGCACCTCCCAGCCCTCTGCAGCTGCCCGGGGGCAACGTACCATCACTTACAGCTATG
CTGGGGCCAGAGCACCCATGGGCCAGGGCTTCTGCTCTCCTACAGCCAAGATTGGCTGATGTGCCTGCAGGAAG
AGTTTCAGTGCCCTGAACCACCGCTGTGTATCTGCTGTCCAGCGCTGTGATGGGGTTGATGCCTGTGGCGATGGCT
CTGATGAAGCAGGTTGCAGCTCAGACCCCTTCCCTGGCCTGACCCCAAGACCCGTCCCCTCCCTGCCTTGCAATG
TCACCTTGGAGGACTTCTATGGGGTCTTCTCCTCTCCTGGATATACACACCTAGCCTCAGTCTCCCACCCCACT
CCTGCCATTGGCTGCTGGACCCCCATGATGGCCGGCGGCTGGCCGTGCGCTTACAGCCCTGGACTTGGGCTTTG
GAGATGCAGTGCATGTGTATGACGGCCCTGGGCCCCCTGAGAGTCCCGACTACTGCGTAGTCTACCCACTTCA
GCAATGGCAAGGCTGTCACTGTGGAGACACTGTCTGGCCAGGCTGTTGTGCTTACCACACAGTTGCTTGGAGCA
ATGGTCGTGGCTTCAATGCCACCTACCATGTGCGGGGCTATTGCTTGCCTTGGGACAGACCCCTGTGGCTTAGGCT
CTGGCCTGGGAGCTGGCGAAGGCCTAGGTGAGCGCTGCTACAGTGAGGCACAGCGCTGTGACGGCTCATGGGACT
GTGCTGACGGCACAGATGAGGAGGACTGCCAGGCTGCCACCTGGACACTTCCCCTGTGGGGCTGCTGGCACCT
CTGGTGCCACAGCCTGTACCTGCCTGCTGACCGCTGCAACTACCAGACTTTCTGTGCTGATGGAGCAGATGAGA
GACGCTGTCCGCATTGCCAGCCTGGCAATTTCCGATGCCGGGACGAGAAGTGCCTGTATGAGACGTGGGTGTGCG
ATGGGCAGGCAGACTGTGCGGACGGCAGTGATGAGTGGGACTGCTCCTATGTTCTGCCCCGCAAGGTCAATTACAG
CTGCAGTCATTGGCAGCCTAGTGTGCGGCCTGCTCCTGGTATCGCCCTGGGCTGCACCTGCAAGCTCTATGCCA
TTCGCACCCAGGAGTACAGCATCTTTGCCCCCTCTCCCGATGGAGGCTGAGATTGTGCAGCAGCAGGCACCCC
CTTCCCTACGGGCGAGCTCATTGCCAGGGTGCCATCCCACCTGTAGAAGACTTTCTACAGAGAATCCTAATGATA
ACTCAGTGTGGGCAACCTGCGTTCTCTGTACAGATCTTACGCCAGGATATGACTCCAGGAGGTGGCCCAAGTG
CCCGCCGTCGTACGCGGGGCGGCTTGATGCGACGCTGGTACGCCGTCTCCGCCGTGGGGCTTGTCTCCCTCGAA
CCAACACCCCGGCTCGGGCCTCTGAGGCCAGATCCCAGGTACACCTTCTGTGCTCCCCTTGGGGCCCTAGATG
GTGGCACAGTCCAGCCCGTGAGGGCGGGGAGTGGGTGGGCAAGATGGGGAGCAGGCACCCCACTGCCCATCA
AGGCTCCCCCTCCCATCTGTAGCACGTCTCAGCCCCCACTACTGTCCCTGAAGCCCCAGGGCCACTGCCCTCAC
TGCCCCCTAGAGCCATCACTATTGTCTGGAGTGGTGAGGCCCTGCGAGGCCGCTGTTGCCAGCCTGGGGCCCC
CAGGACCAACCCGGAGCCCCCTGGACCCACACAGCAGTCTGGCCCTGGAAGATGAGGACGATGTGCTACTGG
TGCCACTGGCTGAGCCGGGGTGTGGGTAGCTGAGGCAGAGGATGAGCCACTGCTTACCTGAGGGGACCTGGGGG
CTCTACTGAGGCTCTCCCCTGGGGGCTCTACTCATAGTGGCACAACTTTTAGAGGTGGGTGAGCCTCCCCTCC
ACCACTTCCCTTCCCTGTCCCTGGATTTAGGGACTTGGTGGGCCTCCCGTTGACCCTATGTAGCTGTATAAAGT
TAAGTGTCCCTCAGGCAGGGAGAGGGCTCACAGAGTCTCCTCTGTACGTGGCCATGGCCAGACACCCCACTCCCT
TCACCACCACCTGCTCCCCACGCCACCACCATTTGGGTGGCTGTTTTTAAAAAGTAAAGTTCTTAGAGGATCATA
GGTCTGGACACTCCATCCTTGCCAAACCTCTACCCAAAAGTGGCCTTAAGCACCAGGAATGCCAATTAAGTAGAGA
CCCTCCAGCCCCAAGGGGAGGATTTGGGCAGAACCTGAGGTTTTGCCATCCACAATCCCTCCTACAGGGCCTGG
CTCACAAAAGAGTGCAACAAATGCTTCTATTCCATAGCTACGGCATTGCTCAGTAAGTTGAGGTCAAAAATAAA
GGAATCATACATCTC

420/615

FIGURE 416

</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA49631

<subunit 1 of 1, 713 aa, 1 stop

<MW: 76193, pI: 5.42, NX(S/T): 4

MLLATLLLLLLGGALAHDPRIIFPNHACEDPPAVLLEVOGTLQRPLVRDSRTSPANCTWLILG
SKEQTVTIRFQKLHLACGSERLTLRSPLQPLISLCEAPPSPLQLPGGNVTITYSYAGARAPMG
QGFLLSYSQDWLMCLQEETFQCLNHRCVSAVQRCDGVDACGDGSDEAGCSSDPFPGLTTPRPVPS
LPCNVTLEDFYGVFSSPGYTHLASVSHPOSCHWLLDPHDGRRRLAVRFTALDLGFGDAVHVYDG
PGPPESSRLRLSLTHFSNGKAVTVETLSGQAVVSYHTVAWSNGRGFNATYHVRGYCLPWDRPC
GLGSGLGAGEGLGERCYSEAQRCDGSWDCADGTDEEDCPGCPPGHFPCGAAGTSGATACYLPA
DRCNYQTFCADGADERRCRHCQPGNFRRCRDEKCVYETWVCDGQPDGADGSDEWDCSYVLPKRV
ITAAVIGSLVCGLLLVIALGCTCKLYAIRTQEYSIFAPLSRMEAEIVQQQAPPSYGQLIAQGA
IPPVEDFPTENPNDNSVLGNLRSLLQILRQDMTPGGGPGARRRQRGRLMRRLVRRLLRRWGLLP
RTNTPARASEARSQVTPSAAPLEALDGGTGPAAREGGAVGGQDGEQAPPLPIKAPLPSASTSPA
PTTVPEAPGPLPSLPLEPSLLSGVVQALRGRLLPPLGPPGPTSPPGPHTAVLALEDEDDVLL
VPLAEPGVWVAEAEDEPLLT

Important features:**Signal peptide:**

amino acids 1-16

Transmembrane domain:

amino acids 442-462

LDL-receptor class A (LDLRA) domain proteins

amino acids 411-431, 152-171, 331-350 and 374-393

421/615

FIGURE 417

GTCGTTCCCTTTGCTCTCTCGCGCCAGTCCTCCTCCCTGGTTCTCCTCAGCCGCTGTGCGGAGGAGAGCACCCGGA
GACGCGGGCTGCAGTCGCGGCGGCTTCTCCCCGCTGGGCGGCTCGCCGCTGGGCAGGTGCTGAGCGCCCCTAG
AGCCTCCCTTGCCGCTCCCTCCTCTGCCCCGCGCAGCAGTGCACATGGGGTGTTGGAGGTAGATGGGCTCCCG
GCCCCGGAGGCGGCGGTGGATGCGGCGCTGGGCAGAAGCAGCCGCGGATTCCAGCTGCCCGCGCGCCCCGGGCG
CCCCTGCGAGTCCCGGTTTCAAGCATGGGGACCTCTCCGAGCAGCAGCACCGCCCTCGCCTCCTGCAGCCGCATC
GCCCCCGAGCCACAGCCACGATGATCGCGGGCTCCCTTCTCCTGCTTGGATTCTTAGCACCACCACAGCTCAG
CCAGAACAGAAGGCCCTCGAATCTCATTGGCACATACCCCATGTTGACCGTGCCACCAGGTCGCTAACCTGT
GACAAGTGTCCAGCAGGAACCTATGTCTCTGAGATCTGTACCAACACAAGCCTGCGCGTCTGCAGCAGTTGCCCT
GTGGGGACCTTTACCAGGCATGAGAATGGCATAGAGAAATGCCATGACTGTAGTCAGCCATGCCCATGGCCAATG
ATTGAGAAATTACCTTGTGCTGCTTGTACTGACCGAGAATGCACTTGCCCCACCTGGCATGTTCCAGTCTAACGCT
ACCTGTGCCCCCATACGGTGTGTCTGTGGGTTGGGGTGTGCGGAAGAAAGGGACAGAGACTGAGGATGTGCGG
TGTAAGCAGTGTGCTCGGGGTACCTTCTCAGATGTGCTTCTAGTGTGATGAAATGCAAAGCATACACAGACTGT
CTGAGTCAGAACCCTGGTGGTGATCAAGCCGGGGACCAAGGAGACAGACAACGTCTGTGGCACACTCCCGTCTTTC
TCCAGCTCCACCTCACCTTCCCTGGCACAGCCATCTTTCACGCCCTGAGCACATGGAAACCCATGAAGTCCCT
TCCTCCACTTATGTTCCCAAAGGCATGAAGTCAACAGAATCCAATCTTCTGCCTCTGTTAGACCAAAGGTACTG
AGTAGCATCCAGGAAGGGACAGTCCCTGACAACACAAGCTCAGCAAGGGGGAAGGAAGACGTGAACAAGACCCCTC
CCAAACCTTCAGGTAGTCAACCACAGCAAGGCCCCACCACAGACACATCCTGAAGCTGCTGCCGTCCATGGAG
GCCACTGGGGGCGAGAAGTCCAGCACGCCCCATCAAGGGCCCCAAGAGGGGACATCCTAGACAGAACCTACACAAG
CATTTTGACATCAATGAGCATTTGCCCTGGATGATTGTGCTTTTCTGCTGCTGGTGCTTGTGGTGATTGTGGTG
TGCAGTATCCGGAAGAGCTCGAGGACTCTGAAAAGGGGCCCCGGCAGGATCCAGTGCCATTGTGGAAGGCA
GGGCTGAAGAAATCCATGACTCCAACCCAGAACCAGGGGAGAAATGGATCTACTACTGCAATGGCCATGGTATCGAT
ATCCTGAAGCTTGTAGCAGCCCAAGTGGGAAGCCAGTGGAAAGATATCTATCAGTTTCTTTGCAATGCCAGTGAG
AGGGAGGTTGCTGCTTCTCCAATGGGTACACAGCCGACACAGCGGGCCTACGCAGCTCTGCAGCACTGGACC
ATCCGGGGCCCCGAGGCCAGCTCGCCCAGCTAATTAGCGCCCTGCGCCAGCACCCGGAACGATGTTGTGGAG
AAGATTCTGGGCTGATGGAAGACACCACCCAGAACCTGGAACCTGACAACTAGCTCTCCGATGAGCCCCAGCCG
CTTAGCCCCAGCCCCATCCCCAGCCCCAACGCGAACTTGAGAATTCCGCTCTCCTGACGGTGGAGCCTTCCCCA
CAGGACAAGAACAAGGGCTTCTTCGTGGATGAGTCGGAGCCCTTCTCCGCTGTGACTCTACATCCAGCGGCTCC
TCCGCGCTGAGCAGGAACGGTTCTTTATTACCAAAGAAAAGAAGGACACAGTGTGCGGCAGGTACGCCTGGAC
CCCTGTGACTTGCAACCTATCTTTGATGACATGCTCCACTTTCTAAATCCTGAGGAGCTGCGGGTGATTGAAGAG
ATTCCCCAGGCTGAGGACAACTAGACCGGCTATTGAAATTATTGGAGTCAAGAGCCAGGAAGCCAGCCAGACC
CTCCTGGACTCTGTTTATAGCCATCTTCCTGACCTGCTGTAGAACATAGGGATACTGCATTCTGGAATTTACTCA
ATTTAGTGGCAGGGTGGTTTTTTAATTTTCTTCTGTTTCTGATTTTGTGTTTGGGGTGTGTGTGTGTGTGTTGT
GTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTTAACAGAGAATATGGCCAGTGCTTGAGTTCTTCTCCTTCTC
TCTCTCTCTTTTTTTTTTAAATAACTCTTCTGGGAAGTTGGTTTATAAGCCTTTGCCAGGTGAAGTGTGTGAA
ATACCCACCACTAAAGTTTTTAAAGTTCCATATTTTCTCCATTTTGCTTCTTATGTATTTTCAAGATTATTCTG
TGCATTTTAAATTTACTTAACTTACCATAAATGCAGTGTGACTTTTCCACACACTGGATTGTGAGGCTCTTAAC
TTCTTAAAGTATAATGGCATCTTGTGAATCCTATAAGCAGTCTTTATGTCTCTTAACATTACACCTACTTTTT
AAAAACAAATATTATTACTATTTTTATTATTGTTGTCCTTTATAAATTTTCTTAAAGATTAAGAAAATTTAAGA
CCCCATTGAGTTACTGTAATGCAATTCACCTTTGAGTTATCTTTTAAATATGTCTTGTATAGTTTCATATTCATGG
CTGAAACTTGACCACACTATTGCTGATTGTATGGTTTTTACCTGGACACCGTGTAGAATGCTTGATTACTTGTAC
TCTTCTTATGCTAATATGCTCTGGGCTGGAGAAATGAAATCCTCAAGCCATCAGGATTTGCTATTTAAGTGGCTT
GACAACTGGGCCACCAAGAACTTGAACCTTACCTTTTAGGATTTGAGCTGTTCTGGAACACATTGCTGCACTTT
GGAAAGTCAAAATCAAGTGCAGTGGCGCCCTTCCATAGAGAATTTGCCAGCTTTGCTTTAAAGATGTCTTG
TTTTTTATATACATAATCAATAGGTCCAATCTGCTCTCAAGGCCTTGGTCTGGTGGGATTCCCTCACCATAAT
ACTTTAATTAATAATGGCTGCAACTGTAAGAACCCTTGTCTGATATTTGCAACTATGCTCCCATTTACAAATG
TACCTTCTAATGCTCAGTTGCCAGGTTCCAATGCAAGGTGGCGTGGACTCCCTTTGTGTGGGTGGGGTTTGTGG
GTAGTGGTGAAGGACCGATATCAGAAAAATGCCTTCAAGTGTACTAATTTATTAATAAACATTAGGTGTTTGTGTA
AAAAAAAA

422/615

FIGURE 418

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA52594
><subunit 1 of 1, 655 aa, 1 stop
><MW: 71845, pI: 8.22, NX(S/T): 8
MGTSPPSSSTALASCSRIARRATATMIAGSLLLLGFLSTTTAQPEQKASNLIQTYRHVDRATGO
VLTCCKCPAGTYVSEHCTNTSLRVCSSCPVGTFTRHENGIEKCHDCSQPCPWPMIEKLPCAAL
TDRECTCPPGMFQSNATCAPHTVCPVGWGVRRKGTETEDVRCKQCARGTFSDVPSSVMCKKAY
TDCLSQNLVVIKPGTKETDNVCGTLPSFSSSTSPSPGTAFPRPEHMETHEVPSSTYVPKGMN
STESNSSASVRPKVLSSIQEGTVPDNTSSARGKEDVNKTLPNLQVVNHQQGPHHRHILKLLPS
MEATGGEKSSTPIKGPKRGHPRQNLHKHFDINEHLPWMIVLFLLLVLVVIIVVCSIRKSSRTLK
KGPRQDPSAIVEKAGLKKSMTPTQNREKWIYYCNGHGIDILKLVAQVGSQWKDIYQFLCNAS
EREVAAFSNGYTADHERAYAAALQHWITIRGPEASLAQLISALRQHRRNDVVEKIRGLMEDTTQL
ETDKLALPMSPLSPSPPIPSNAKLENSALLTVEPSPQDKNKGFFVDESEPLLRCSTSSGS
SALSRNGSFITKEKKDVTLRQVRLDPCDLQPIFDDMLHFLNPEELRVIEEIPQAEDKLDRLFE
IIGVKSQEASQTLLDSVYSHLPDLL
```

Signal sequence:

amino acids 1-41

Transmembrane domain:

amino acids 350-370

423/615

FIGURE 419

ATGGCTGGTGACGGCGGGGCCGGGCAGGGGACCGGGCCGCGGGCCGGGAGCGGGCCAGCTGCCGGGAGCCCTGA
ATCACCGCCTGGCCCCGACTCCACCATGAACGTCGCGCTGCAGGAGCTGGGAGCTGGCAGCAACGTGGGATTCCAG
AAGGGGACAAGACAGCTGTTAGGCTCACGCACGCAGCTGGAGCTGGTCTTAGCAGGTGCCTCTCTACTGCTGGCT
GCAGTGCTTCTGGGCTGCCTTGTGGCCCTAGGGGTCCAGTACCACAGAGACCCATCCACAGCACCTGCCTTACA
GAGGCTGCATTGAGTGGCTGGAAAAATCCTGGAGTCCCTGGACCGAGGGGTGAGCCCCCTGTGAGGACTTTTAC
CAGTTCTCCTGTGGGGGCTGGATTTCGGAGGAACCCCTGCCCGATGGGCGTTCTCGCTGGAACACCTTCAACAGC
CTCTGGGACCAAAACCAGGCCATACTGAAGCACCTGCTTGA~~AA~~AACACCACCTTCAACTCCAGCAGTGAAGCTGAG
CAGAAGACACAGCGCTTCTACCTATCTTGCCTACAGGTGGAGCGCATTGAGGAGCTGGGAGCCACGCCACTGAGA
GACCTCATTGAGAAGATTGGTGGTTGGAACATTACGGGGCCCTGGGACCAGGACAACCTTTATGGAGGTGTTGAAG
GCAGTAGCAGGGACCTACAGGGCCACCCATTCTTACCGTCTACATCAGTGCCGACTCTAAGAGTTCCAACAGC
AATGTTATCCAGGTGGACCAGTCTGGGCTCTTCTGCCCTCTCGGGATTACTACTAAACAGAAGTGCCAATGAG
AAAGTGCTCACTGCCTATCTGGATTACATGGAGAACTGGGGATGCTGCTGGGTGGGCGGGCCACCTCCACGAGG
GAGCAGATGCAGCAGGTGCTGGAGTTGGAGATACAGCTGGCCAACATCACAGTGCCCCAGGACCAGCGGCGCGAC
GAGGAGAAGATCTACCACAAGATGAGCATTTCGGAGCTGCAGGCTCTGGCGCCCTCCATGGACTGGCTTGAGTTC
CTGTCTTCTTGTCTGTCAACATTGGAGTTGAGTGACTCTGAGCCTGTGGTGGTGTATGGGATGGATTATTTGCAG
CAGGTGTCAGAGCTCATCAACCGCACGGAACCAAGCATCCTGAACAATTACCTGATCTGGAACCTGGTGCAAAAG
ACAACCTCAAGCCTGGACCGACGCTTTGAGTCTGCACAAGAGAAGCTGCTGGAGACCCTCTATGGCACTAAGAAG
TCCTGTGTGCCGAGGTGGCAGACCTGCATCTCCAACACGGATGACGCCCTTGGCTTTGCTTTGGGGTCACTCTTC
GTGAAGGCCACGTTTGACCGGCAAAGCAAAGAAATTGCAGAGGGGATGATCAGCGAAATCCGGACCGCATTTGAG
GAGGCCCTGGGACAGCTGGTTTGGATGGATGAGAAGACCCGCCAGGCAGCCAAGGAGAAAGCAGATGCCATCTAT
GATATGATTGGTTTCCAGACTTTATCCTGGAGCCCAAAGAGCTGGATGATGTTTATGACGGGTACGAAATTTCT
GAAGATTCTTTCTTCCAAAACATGTTGAATTTGTACAACCTTCTCTGCCAAGGTTATGGCTGACCAGCTCCGCAAG
CCTCCCAGCCGAGACCAGTGGAGCATGACCCCCCAGACAGTGAATGCCTACTACCTTCCA~~AA~~CTAAGAATGAGATC
GTCTTCCCCGCTGGCATCCTGCAGGCCCCCTTCTATGCCCGCAACCAACCCCAAGGCCCTGAAC~~TT~~CGGTGGCATC
GGTGTGGTTCATGGGCCATGAGTTGACGCATGCCTTTGATGACCAAGGGCGCGAGTATGACAAAGAAGGGAACCTG
CGGCCCTGGTGGCAGAATGAGTCCCTGGCAGCCTTCCGGAACCAACACGGCCTGCATGGAGGAACAGTACAATCAA
TACCAGGTCAATGGGGAGAGGCTCAACGGCCGCCAGACGCTGGGGGAGAACATTACTGACAACGGGGGGCTGAAG
GCTGCCACAATGCTTACAAAGCATGGCTGAGAAAGCATGGGGAGGAGCAGCAACTGCCAGCCGTGGGGCTCACC
AACCACCAGCTCTTCTTCGTGGGATTTGCCAGGTGTGGTGCTCGGTCCGCACACCAGAGAGCTCTCACGAGGGG
CTGGTGACCGACCCCCACAGCCCTGCCCGCTTCCGCGTGTGGGCACTCTCTCCA~~AA~~CTCCCGTGACTTCCTGCGG
CACTTCGGCTGCCCTGTGCGCTCCCCATGAACCCAGGGCAGCTGTGTGAGGTGTGGTAGACCTGGATCAGGGGA
GAAATGGCCAGCTGTCAACAGACCTGGGGCAGCTCTCCTGACAAAGCTGTTTGCTCTTGGGTGGGAGGAAGCAA
ATGCAAGCTGGGCTGGGTCTAGTCCCTCCCCCCACAGGTGACATGAGTACAGACCCTCCTCAATCACCACATTG
TGCTCTGCTTTGGGGGTGCCCTGCCTCCAGCAGAGCCCCCACCATTCACTGTGACATCTTCCGTGTCAACCT
GCCTGGAAGAGGTCTGGGTGGGAGGCCAGTTCCCATAGGAAGGAGTCTGCC

424/615

FIGURE 420

MNVALQELGAGSNVGFQKGTRQLLGSRTQLELVLAGASLLLAALLLGCLVALGVQYHRDPSHS
TCLTEACIRVAGKILES LDRGVSPCEDFYQFSCGGWIRRNPLPDGRSRWNTFNSLWDQNQAIL
KHLENTTFNSSSEAEQKTQRFYLSCLQVERIEELGAQPLRDLIEKIGGWNITGPWDQDNFME
VLKAVAGTYRATPFFFTVYISADSKSSNSNVIQVDQSGFLPSRDYYLNRTANEKVLTA YLDYM
EELGMLLGGRPTSTREQMQQVLELEIQLANITVPQDQRRDEEKIYHKMSISELQALAPSMDWL
EFLSFLLSPLELSDSEPVVVYGMDYLQQVSELINRTEPSILNNYLIWNLVQKTSSLD RRFES
AQEKLLETLYGTTKKSCVPRWQTCISNTDDALGFALGSLFVKATFDROSKEIAEGMISEIRTA F
EEALGQLVWMDEKTRQAAKEKADAIYDMIGFPDFILEPKELDDVYDGYEISEDSFFQNM LNL
NFSAKVMADQLRKPPSRDQWSMTPQTVNAYYLP TKNEIVFPAGILQAPFYARNHPKALNFGGI
GVVMGHELTHAFDDQGREYDKEGNLRPWWQNESLA AFRNHTACMEEQYNQYQVNGERLNGRQT
LGENITDNGGLKAAYNAYKAWLRKHGEEQQLPAVGLTNHQLFFVGFAQVWC SVRTPESSHEGL
VTDPHSPARFRVLGTLSNSRDFLRHFGCPVGSPMNP GQLCEVW

Type II Transmembrane domain:
amino acids 32-57

425/615

FIGURE 421

GGCGCCGCGTAGGCCCGGGAGGCCGGGCGGCCGGGCTGCGAGCGCCTGCCCCATGCGCCGCC
GCCTCTCCGCACG**ATG**TTCCCCCTCGCGGAGGAAAGCGGCGCAGCTGCCCTGGGAGGACGGCAG
GTCCGGGTTGCTCTCCGGCGGCCTCCCTCGGAAGTGTTCCGTCTTCCACCTGTTTCGTGGCCTG
CCTCTCGCTGGGCTTCTTCTCCCTACTCTGGCTGCAGCTCAGCTGCTCTGGGGACGTGGCCCCG
GGCAGTCAGGGGACAAGGGCAGGAGACCTCGGGCCCTCCCCGTGCCTGCCCCCAGAGCCGCC
CCCTGAGCACTGGGAAGAAGACGCATCCTGGGGCCCCCACC GCCTGGCAGTGCTGGTGCCCTT
CCGCGAACGCTTCGAGGAGCTCCTGGTCTTCGTGCCCCACATGCGCCGCTTCTGAGCAGGAA
GAAGATCCGGCACCATCTACGTGCTCAACCAGGTGGACCACTTCAGGTTCAACCGGGCAGC
GCTCATCAACGTGGGCTTCTGGAGAGCAGCAACAGCACGGACTACATTGCCATGCACGACGT
TGACCTGCTCCCTCTCAACGAGGAGCTGGACTATGGCTTTCCTGAGGCTGGGCCCTTCCACGT
GGCCTCCCCGGAGCTCCACCCTCTTACCACTACAAGACCTATGTCGGCGGCATCCTGCTGCT
CTCCAAGCAGCACTACCGGCTGTGCAATGGGATGTCCAACCGCTTCTGGGGCTGGGGCCGCGA
GGACGACGAGTTCTACCGGCGCATTAAGGGAGCTGGGCTCCAGCTTTTCCGCCCTCGGGAAT
CACAACCTGGGTACAAGACATTTGCCACCTGCATGACCCAGCCTGGCGGAAGAGGGACCAGAA
GCGCATCGCAGCTCAAAAACAGGAGCAGTTCAAGGTGGACAGGGAGGGAGGCCTGAACACTGT
GAAGTACCATGTGGCTTCCCGCACTGCCCTGTCTGTGGGCGGGGCCCCCTGCACTGTCCTCAA
CATCATGTTGGACTGTGACAAGACCGCCACACCCTGGTGCACATT**CAGCTGAG**CTGGATGGAC
AGTGAGGAAGCCTGTACCTACAGGCCATATTGCTCAGGCTCAGGACAAGGCCTCAGGTCGTGG
GCCAGCTCTGACAGGATGTGGAGTGGCCAGGACCAAGACAGCAAGCTACGCAATTGCAGCCA
CCCGGCCGCCAAGGCAGGCTTGGGCTGGGCCAGGACACGTGGGGTGCTGGGACGCTGCTTGC
CATGCACAGTGATCAGAGAGAGGCTGGGGTGTGTCTGTCCGGGACCCCCCTGCCTTCCTGC
TCACCCTACTCTGACCTCCTTCACGTGCCAGGCCTGTGGGTAGTGGGGAGGGCTGAACAGGA
CAACCTCTCATCACCTACTCTGACCTCCTTCACGTGCCAGGCCTGTGGGTAGTGGGGAGGG
CTGAACAGGACAACCTCTCATCACCCCCAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
AAAAAAAAAAAAA

426/615

FIGURE 422

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA56531
><subunit 1 of 1, 327 aa, 1 stop
><MW: 37406, pI: 9.30, NX(S/T): 1
MFPSRRKAAQLPWEDGRSGLLSGGLPRKCSVFHLFVACLSLGFFSLLWLQLSCSGDVARAVRG
QGQETSGPPRACPPPEPPPEHWEEDASWGPHRLAVLVPPFRERFEELLVFVPHMRRFLSRKKIRH
HIYVLNQVDHFRFNRAALINVGFLESSNSTDYIAMHDVDLLPLNEELDYGFPPEAGPFHVASPE
LHPLYHYKTYVGGILLLSKQHYRLCNGMSNRFWGWGREDDFYRRIKGAGLQLFRPSGITTGY
KTRFRLHDPAWRKRDQKRIAAQKQEQFKVDREGGLNTVKYHVASRTALSVGGAPCTVLNIMLD
CDKTATPWCTFS

Signal peptide:
amino acids 1-42

Transmembrane domain:
amino acids 29-49 (type II)

N-glycosylation site.
amino acids 154-158

cAMP- and cGMP-dependent protein kinase phosphorylation site.
amino acids 27-31

Tyrosine kinase phosphorylation site.
amino acids 226-233

N-myristoylation site.
amino acids 19-25, 65-71, 247-253, 285-291, 303-309, 304-310

427/615

FIGURE 423

CCATCCCTGAGATCTTTTTATAAAAAACCCAGTCTTTGCTGACCAGACAAGCATACCAGATC
TCACCAGAGAGTCGCAGACACTATGCTGCCTCCCATGGCCCTGCCAGTGTGTCTGGATGCT
GCTTTCCTGCCTCATTCTCCTGTGTCTCAGGTTCAAGGTGAAGAAACCCAGAAGGAAGTGCCTC
TCCACGGATCAGCTGTCCCAAAGGCTCCAAGGCCTATGGCTCCCCCTGCTATGCCTTGTTTTT
GTCACCAAATCCTGGATGGATGCAGATCTGGCTTGCCAGAAGCGGCCCTCTGGAAAAGTGGT
GTCTGTGCTCAGTGGGGCTGAGGGATCCTTCGTGTCCTCCCTGGTGAGGAGCATTAGTAACAG
CTACTCATACATCTGGATTGGGCTCCATGACCCACACAGGGCTCTGAGCCTGATGGAGATGG
ATGGGAGTGGAGTAGCACTGATGTGATGAATTACTTTGCATGGGAGAAAAATCCCTCCACCAT
CTTAAACCCTGGCCACTGTGGGAGCCTGTCAAGAAGCACAGGATTTCTGAAGTGGAAGATTA
TAACTGTGATGCAAAGTTACCCTATGTCTGCAAGTTCAAGGACTAGGGCAGGTGGGAAGTCAG
CAGCCTCAGCTTGGCGTGCAGCTCATCATGGACATGAGACCAGTGTGAAGACTCACCCCTGGAA
GAGAATATTCTCCCCAAACTGCCCTACCTGACTACCTTGTGATGATCCTCCTTCTTTTCTCTT
TTTCTTCACCTTCATTTAGGCTTTTCTCTGTCTTCCATGTCTTGAGATCTCAGAGAATAATA
ATAAAAATGTTACTTTATAAAAAAAAAAAAAAAAAAAAAA

428/615

FIGURE 424

</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA56965

<subunit 1 of 1, 175 aa, 1 stop

<MW: 19330, pI: 7.25, NX(S/T): 1

MLPPMALPSVSWMLLSCLILLCQVQGEETQKELPSPRISCPKGSKAYGSPCYALFLSPKSWMD

ADLACQKRPSGKLVSVLSGAEGSFVSSLVRSISNSYSYIWIGLHDPTQGSEPDGDGWESSTD

VMNYFAWEKNPSTILNPGHCGSLSRSTGFLKWKDYNCDAKLPYVCKEKD

Important features:**Signal peptide:**

amino acids 1-26

C-type lectin domain signature.

amino acids 146-171

429/615

FIGURE 425

CGGACGCGTGGGCGGCCACCTCCGGAACAAGCC**ATGGT**GGCGGGCGACGGTGGCAGCGGCGGTGG
CTGCTCCTGTGGGCTGCGGCCTGCGCGCAGCAGGAGCAGGACTTCTACGACTTCAAGGCGGTC
AACATCCGGGGCAAACCTGGTGTGCTGGAGAAGTACCGCGGATCGGTGTCCCTGGTGGTGAAT
GTGGCCAGCGAGTGCGGCTTCACAGACCAGCACTACCGAGCCCTGCAGCAGCTGCAGCGAGAC
CTGGGCCCCCACCACCTTTAACGTGCTCGCCTTCCCCTGCAACCAGTTTGGCCAACAGGAGCCT
GACAGCAACAAGGAGATTGAGAGCTTTGCCCCGCCGACCTACAGTGTCTCATTCCCCATGTTT
AGCAAGATTGCAGTCACCGGTACTGGTGCCCATCCTGCCTTCAAGTACCTGGCCCAGACTTCT
GGGAAGGAGCCCACCTGGAACCTTCTGGAAGTACCTAGTAGCCCCAGATGGAAAGGTGGTAGGG
GCTTGGGACCCAACTGTGTGTCAGTGGAGGAGGTGAGACCCAGATCACAGCGCTCGTGAGGAAG
CTCATCCTACTGAAGCGAGAAGACTT**TAA**CCACCGCGTCTCCTCCTCCACCACCTCATCCCG
CCCACCTGTGTGGGGCTGACCAATGCAAACCTCAAATGGTGCTTCAAAGGGAGAGACCCACTGA
CTCTCCTTCCCTTTACTCTTATGCCATTGGTCCCATCATTCTTGTGGGGGAAAAATTCTAGTAT
TTTGATTATTTGAATCTTACAGCAACAAATAGGAACTCCTGGCCAATGAGAGCTCTTGACCAG
TGAATCACCAGCCGATACGAACGTCTTGCCAACAAAAATGTGTGGCAAATAGAAGTATATCAA
GCAATAATCTCCCACCCAAGGCTTCTGTAACTGGGACCAATGATTACCTCATAGGGCTGTTG
TGAGGATTAGGATGAAATACCTGTGAAAGTGCCTAGGCAGTGCCAGCCAAATAGGAGGCATTC
AATGAACATTTTTTGCATATAAACCAAAAAATAACTTGTTATCAATAAAAACTTGCATCCAAC
ATGAATTTCCAGCCGATGATAATCCAGGCCAAAGGTTTAGTTGTTGTTATTTCTCTGTATTA
TTTTCTTCATTACAAAAGAAATGCAAGTTCATTGTAACAATCCAAACAATACCTCACGATATA
AAATAAAAATGAAAGTATCCTCCTCAAAA

430/615

FIGURE 426

MVAATVAAAWLLLWAAACAQQEQDFYDFKAVNIRGKLVSLEKYRGSVSLVNVASECGFTDQH
YRALQQLORDLGPHHFNVLAFFPCNQFGQQEPDSNKEIESFARRTYSVSFPMFSKIAVTGTGAH
PAFKYLAQTSGKEPTWNFWKYLVPDGVVGAWDPTVSVEEVRPQITALVRKLILLKREDL

431/615

FIGURE 427

CAGTTCTGAAATCAATGGAGTTAATTTAGGGAATACAAACCAGCCATGGGGGTGGAGATTGCC
TTTGCCTCAGTGATTCTCACCTGCCTCTCCCTTCTGGCAGCAGGAGTCTCCCAGGTTGTTCTT
CTCCAGCCAGTTCCAACCTCAGGAGACAGGTCCCAAGGCCATGGGAGATCTCTCCTGTGGCTTT
GCCGGCCACTCATGAGAGTGTTTTTGTGTAAAGTATTTTTTAGAATACTGTTGACTTCTTCAT
GATTTAATAACCATCCTTTGCGAAGTTTATGAGGCTTTAGGGGAATGTCAACCCTCAAATTT
TTGTTATACTAGATGGCTTCCATTTACCCACCACTATTTTAAGGTCCCTTTATTTTTAGGTTC
AAGGTTCAATTGACTTGAGAAAGTGCCCTTCTGCAGCTTCATTGATTTGTTTATCTTCACTA
TTAATTGTAACGATTAAAAAGAATAAGAGCACGCAGACCTCTAGGAGAATATTTTATCCCTG
GGTCCCCCTGACACATTTATGTAGTGATCCCAAAATGTGATTGTTAATTTAAATGTTATTCT
AATATTAGTACATTCAAGTTGTGATGTAATATGAATAACCAGAATCTATTTCTTAAAAGTTTTC
AGTATATTTTTCAACTAGATATTTGTATAGAAAGACTGAATAGTGATG

432/615

FIGURE 428

MGVEIAFASVILTCLSLAAGVSQVLLQPVPTQETGPKAMGDLSCGFAGHS

433/615

FIGURE 429

CCAAAGTGATCATTTGAAAAAGAGATATCCACATCTTCAAGCCCATATAAAGGATAGAAGCTG
CACAGGGCAGCTTTACTTACTCCAGCACCTTCCTCTCCCAGGCAAATGGTGCTGACCATCTTT
GGGATACAATCTCATGGATACGAGGTTTTTAACATCATCAGCCCAAGCAACAATGGTGGCAAT
G TTCAGGAGACAGTGACAATTGATAATGAAAAAATACCGCCATCGTTAACATCCATGCAGGA
TCATGCTCTTCTACCACAATTTTTGACTATAAACATGGCTACATTGCATCCAGGGTGCTCTCC
CGAAGAGCCTGCTTTATCCTGAAGATGGACCATCAGAACATCCCTCCTCTGAACAATCTCCAA
TGGTACATCTATGAGAAACAGGCTCTGGACAACATGTTCTCCAACAAATACACCTGGGTCAAG
TACAACCCTCTGGAGTCTCTGATCAAAGACGTGGATTGGTTCCTGCTTGGGTCACCCATTGAG
AAACTCTGCAAACATATCCCTTTGTATAAGGGGGGAAGTGGTTGAAAACACACATAATGTCGGT
GCTGGAGGCTGTGCAAAGGCTGGGCTCCTGGGCATCTTGGGAATTTCAATCTGTGCAGACATT
CATGTTTAGGATGATTAGCCCTCTTGTTTTATCTTTTCAAAGAAATACATCCTTGGTTTACAC
TCAAAGTCAAATTAAATTCTTTCCCAATGCCCCAACTAATTTTGAGATTGAGTCAGAAATA
TAAATGCTGTATTTATA

434/615

FIGURE 430

><ss.DNA57834

><subunit 1 of 1, 176 aa, 1 stop

><MW: 19616, pI: 7.11, NX(S/T): 0

MVLTIFFGIQSHGYEVFNIIISPSNNGGNVQETVTIDNEKNTAIVNIHAGSCSSTTIFDYKH
GYIASRVLSRRACFILKMDHQNIPLNQLWYIYEKQALDNMFSNKYTWWKYNPLESLIK
DVDWFLLGSPIEKLCKHIPLYKGEVVENTHNVGAGGCAKAGLLGILGISICADIHV**Important features:****Signal peptide:**

Amino acids 1-26

N-myristoylation sites:

Amino acids 48-54;153-159;156-162;167-173

435/615

FIGURE 431

GCGTGGGGATGCTAGGAGCTCGAAGGTGGTGCTGGGCCTCTCGGTGCTGCTGACGGCGGCCA
CAGTGGCCGGCGTACATGTGAAGCAGCAGTGGGACCAGCAGAGGCTTCGTGACGGAGTTATCA
GAGACATTGAGAGGCCAAATTCGGAAAAAGAAAACATTTCGTCTTTTGGGAGAACAGATTATTT
TGACTGAGCAACTTGAAGCAGAAAGAGAGAAGATGTTATTGGCAAAGGATCTCAAAAATCAT
GACTTGAATGTGAAATATCTGTTGGACAGACAACACGAGTTTGTGTGTGTGTGTTGATGGAGA
GTAGCTTAGTAGTATCTTCATCTTTTTTTTTTGGTCACTGTCCTTTTAACTTGATCAAATAAA
GGACAGTGGGTCATATAAGTTACTGCTTTCAGGGTCCCTTATATCTGAATAAAGGAGTGTGGG
CAGACACTTTTTGGAAGAGTCTGTCTGGGTGATCCTGGTAGAAGCCCCATTAGGGTCACTGTC
CAGTGCTTAGGGTTGTTACTGAGAAGCACTGCCGAGCTTGTGAGAAGGAAGGGATGGATAGTA
GCATCCACCTGAGTAGTCTGATCAGTCGGCATGATGACGAAGCCACGAGAACATCGACCTCAG
AAGGACTGGAGGAAGGTGAAGTGGAGGGAGAGACGCTCCTGATCGTCGAATCC

436/615

FIGURE 432

MSRSSKVVVLGLSVLLTAATVAGVHVKKQWDQQRLRDGVIRDIERQIRKKENIRLLGEQIILTE
QLEAEREKMLLAKGSQKS

437/615

FIGURE 433

GAATTCGTGTCTCGGCACCTCACTCCCGGCCGCCGGACAGGGAGCTTTCGCTGGCGCGCTTGGCCGGCGACAGGA
CAGGTTCCGGGACGTCCATCTGTCCATCCGTCCGGAGAGAAATTACAGATCCGCAGCCCCGGGATGGGGCCGGCCC
CGCTGCCGCTGCTGCTGGGCCTCTTCTCCCGCGCTCTGGCGTAGAGCTATCACTGAGGCAAGGGAAGAAGCCA
AGCCTTACCCGCTATTCCCGGGACCTTTTCCAGGGAGCCTGCAAACTGACCACACACCGCTGTATCCCTTCCTC
ACGCCAGTGGGTACCAGCCTGCCTTGATGTTTTACCACCCAGCCTGGAAGACCACATACAGGAAACGTAGCCATT
CCCCAGGTGACCTCTGTCTGAATCAAAGCCCCCTACCGCCTCTTGCCCTCAAACACACAGTTGGACACATAATACTT
TCTGAACATAAAGGTGTCAAATTTAATTGCTCAATCAATGTACCTAATATATACCAGGACACCACAATTTCTTGG
TGGAAAGATGGGAAGGAATTGCTTGGGGGACATCATCGAATTACACAGTTTTATCCAGATGATGAAGTTACAGCA
ATAATCGCTTCTTCAGCATAACCAGTGTGCAGCGTTCAGACAATGGGTGCTATATCTGTAAAGATGAAAATAAAC
AATGAAGAGATCGTGTCTGATCCCATCTACATCGAAGTACAAGGACTTCTCACTTTACTAAGCAGCCTGAGAGC
ATGAATGTCACCAGAAACACAGCCTTCAACCTCACCTGTCAAGGTGTGGGCCCGCTGAGCCCGTCAACATTTTC
TGGGTTCAAACAGTAGCCGTGTTAACGAACAGCCTGAAAAATCCCCCGCGTGCTAACTGTTCCAGGCCTGACG
GAGATGGCGGTCTTCAGTTGTGAGGCCCAATGACAAAGGGCTGACCGTGTCCAGGGAGTGAGATCAACATC
AAAGCAATTCCTCCCCACCACTGAAGTCAGCATCCGTAACAGCACTGCACACAGCATTCTGATCTCTGGGTT
CTGGTTTTTGATGGATACTCCCCGTTCCAGGAATTGCAGCATTCAAGTCAAGGAAGCTGATCCGCTGGGTAAATGGC
TCAGTCATGATTTTTAACACCTCTGCCTTACCACATCTGTACCAATCAAGCAGCTGCAAGCCCTGGCTAATTAC
AGCATTGGTGTTTTCTGCATGAATGAAATAGGCTGGTCTGCAGTGAGCCCTGGATTCTAGCAAGCAGACTGAA
GGAGCCCCATCAGTAGCACCTTTAAATGTCACTGTGTTTCTGAATGAATCTAGTGATAATGTGGACATCAGATGG
ATGAAGCCTCCGACTAAGCAGCAGGATGGAGAACTGGCAGAAATGGCAGCCGAGCTCGGATCTCTGTTCAAGTCCACAATGCT
ATTTCCAAAGAGCTCTTGGAGGAAGTTGGCCAGAAATGGCAGCCGAGCTCGGATCTCTGTTCAAGTCCACAATGCT
ACGTGCACAGTGAAGATTGCAGCCGTCAACAGAGGGGAGTTGGGCCCTTCAGTGATCCAGTGAAAATATTTATC
CCTGCACACGGTTGGGTAGATTATGCCCCCTCTTCAACTCCGGCGCCTGGCAACGCAGATCCTGTGCTCATCATC
TTTGGCTGCTTTTGTGGATTATTTTGATTGGGTTGATTTTATACATCTCCTTGGCCATCAGAAAAAGAGTCCAG
GAGACAAAGTTTTGGGAATGCATTACAGAGGAGGATTCTGAATTAGTGGTGAATTATAGCAAAAGAAATCCTTC
TGTCGGCGAGCCATTGAACCTTACCTTACATAGCTTGGGAGTCAGTGAGGAACCTACAAAATAAACTAGAAGATGTT
GTGATTGACAGGAATCTCTAATCTTGGAAAAATTCTGGGTGAAGGAGAGTTTGGGTCTGTAATGGAAGGAAT
CTTAAGCAGGAAGATGGGACCTCTCTGAAAGTGGCAGTGAAGACCATGAAGTTGGACAACCTCTTCACATCGGGAG
ATCGAGGAGTTTTCTCAGTGAGGCAGCGTGCATGAAAGACTTCAGCCACCCAAATGTCACTTCGACTTCTAGGTGTG
TGTATAGAAATGAGCTCTCAAGGCATCCCAAAGCCATGGTAATTTTACCCTTCATGAAATACGGGGACCTGCAT
ACTTACTTACTTTATTCCCGATTGGAGACAGGACCAAAGCATATTCTCTGCAGACACTATTGAAGTTCATGGTG
GATATTGCCCTGGGAATGGAGTATCTGAGCAACAGGAATTTTCTTCATCGAGATTTAGCTGCTCGAAACTGCATG
TTGCGAGATGACATGACTGTCTGTGTTGCGGACTTCGGCCCTCTCTAAGAAGATTTACAGTGGCGATTATTACCGC
CAAGGCCGCTTGCTAAGATGCCTGTTAAATGGATCGCCATAGAAAGTCTTGCAAGCCGAGTCTACACAAGTAAA
AGTGATGTGTGGGCATTGGCGTGACCATGTGGGAATACGTACGCGGGGAATGACTCCCTATCCTGGGGTCCAG
AACCATGAGATGTATGACTATCTTCTCCATGGCCACAGGTTGAAGCAGCCCCGAAGACTGCCTGGATGAAGTGTAT
GAAATAATGTACTCTTGCTGGAGAACCGATCCCTTAGACCGCCCCACCTTTTCAGTATTGAGGCTGCAGCTAGAA
AACTCTTAGAAAGTTTGCTGACGTTTCGGAACCAAGCAGACGTTATTTACGTCAATACACAGTTGCTGGAGAGC
TCTGAGGGCCTGGCCAGGGCCCCACCCTTGCTCCACTGGACTTGAACATCGACCCTGACTCTATAATTGCCCTCC
TGCACTCCCCGCGCTGCCATCAGTGTGGTACAGCAGAAGTTCATGACAGCAAACCTCATGAAGGACGGTACATC
CTGAATGGGGGCACTGAGGAATGGGAAGATCTGACTTCTGCCCCCTCTGCTGCAGTCACAGCTGAAAAGAACAGT
GTTTTACCGGGGAGAGACTTGTAGGAATGGGCTCTCTGGTCCCATTCGAGCATGCTGCCCTTGGGAAGCTCA
TTGCCCGATGAACTTTTGTTTGCTGACGACTCCTCAGAAGGCTCAGAAGTCTGATGTGAGGAGAGGTGCGGGGA
GACATTCCAAAAATCAAGCCAATTCTTCTGCTGTAGGAGAATCCAATTGTACCTGATGTTTTTGGTATTTGTCTT
CCTTACCAAGTGAACCTCCATGGCCCCAAAGCACCAGATGAATGTTGTTAAGGAAGCTGTCATTAAAAATACATAA
TTTCATTTCACTTATCTTGCATATCTTAAATAAAGCTTCAGCTGCTCCTTGATATTAACCTTTGTACAGAGTTG
AAGTTGTTTTTCAACTTCTTTTCTTTTTCATTACTATTAATGTAAAAATATTTGTAAATGAATGCCATATT
TGACTTGGCTTCTGGTCTTGATGTATTTGATAAGAATGATTAATTTTCTGATATGGCTTCATAATAAATGAA
ATAGGA

438/615

FIGURE 434

MGPAPLPILLGLFLPALWRRRAITEAREEAKPYPLFPGPFPFPGSLQTDHTPLLSLPHASGYQPALMFSPQTQGRPHT
GNVAIPQVTSVESKPLPPLAFKHTVGHIILSEHKGVKFNCSINVPNYQDTTISWWKDGKELLGGHHRITQFYPD
DEVTAIASFSITSVQSRDNGSYICKMKINNEEIVSDPIYIEVQGLPHFTKQPESMNVTRNTAFNLTCQAVGPPE
PVNIFWVQNSSRVNEQPEKSPGVLTVPGLTEMAVFSCAEHNDKGLTVSQGVQINIKAIKPSPTTEVSIRNSTAHSI
LISWVPGFDGYSPFRNCISIQVKEADPLGNGSVMIFNTSALPHLYQIKQLQALANYSIGVSCMNEIGWSAVSPWIL
ASTTEGAPSVAPLNVTVFLNESSDNVDIRWMKPPTKQQDQELVGYRISHVWQSAGISKELLEEVGQNGSRARISV
QVHNATCTVRIAAVTRGGVGPFSDPVKIFIPAHGWVDYAPSSTPAPGNADPVLIIIFGCFCGFILIGLILYISLAI
RKRVOETKFGNAFTEEDSELVVNYIAKKSFCRRAIELTLHSLGVSEELQNKLEDVVIDRNLILLGKILGEGEFGS
VMEGNLQKQEDGTSLKVAVKTMKLDNSSHREIEEFLSEAACMKDFSHPNVIRLLGVCIESSQGIKPKMVILPFMK
YGD LH TYLLYSRLETGPKHIPLQTLKFMVDIALGMEYLSNRNFLHRDLAARNCMLRDDMTVCVADFGLSKKIYS
GDYYRQGRIAKMPVKWIAIESLADRVYTSKSDVWAFGVTMWEIRTRGMTYPYGVQNHMYDYLLHGHRLKQPEDC
LDELYEIMYSCWRTDPLDRPTFSVLRLQLEKLLSELPDVRNQADVIVNTQLLESSEGLAQGPTIAPLDLNIIDPD
SIIASCTPRAAISVVTAEVHDSKPHEGRYIILNGGSEEWEDLTSAPSAAVTAEKNSVLPGERLVRNGVSWSHSSML
PLGSSLPDELLFADDSSEGSEVLM

Signal sequence:

Amino acids 1-18

Transmembrane domain:

Amino acids 501-520

N-glycosylation sites:

Amino acids 114-118;170-174;207-211;
215-219;234-238;294-298;316-320;329-333;
336-340;354-358;389-393;395-399;442-446;
454-458;625-629

Tyrosine kinase phosphorylation sites:

Amino acids 675-683;865-873;923-930

N-myristoylation sites:

Amino acids 41-47;110-116;171-177;
269-275;275-281;440-446;507-513;535-541;
966-972

Prokaryotic membrane lipoprotein lipid attachment site:

Amino acids 351-362

Tyrosine protein kinases specific active-site signature:

Amino acids 719-732

439/615

FIGURE 435

AATGTGAGAGGGGCTGATGGAAGCTGATAGGCAGGACTGGAGTGTTAGCACCAGTACTGGATG
TGACAGCAGGCAGAGGAGCACTTAGCAGCTTATTAGTGTCCGATTCTGATTCCGGCAAGGAT
CCAAGC**ATG**GAATGCTGCCGTCCGGGCAACTCCTGGCACACTGCTCCTCTTTCTGGCTTTCCTG
CTCCTGAGTTCCAGGACCGCACGCTCCGAGGAGGACCGGGACGGCCTATGGGATGCCTGGGGC
CCATGGAGTGAATGCTCACGCACCTGCGGGGGAGGGGCCTCCTACTCTCTGAGGCGCTGCCTG
AGCAGCAAGAGCTGTGAAGGAAGAAATATCCGATACAGAACATGCAGTAATGTGGACTGCCCA
CCAGAAGCAGGTGATTTCGAGCTCAGCAATGCTCAGCTCATAATGATGTCAAGCACCATGGC
CAGTTTTATGAATGGCTTCCTGTGTCTAATGACCCTGACAACCCATGTTCACTCAAGTGCCAA
GCCAAAGGAACAACCCCTGGTTGTTGAAGTACCTAAGGTCTTAGATGGTACGCGTTGCTAT
ACAGAATCCTTGGATATGTGCATCAGTGGTTTATGCCAAATTGTTGGCTGCGATCACCAGCTG
GGAAGCACCGTCAAGGAAGATAACTGTGGGGTCTGCAACGGAGATGGGTCCACCTGCCGGCTG
GTCCGAGGGCAGTATAAATCCCAGCTCTCCGCAACCAAATCGGATGATACTGTGGTTGCACTT
CCCTATGGAAGTAGACATATTGCGCTTGTCTTAAAGGTCTGATCACTTATATCTGGAAACC
AAAACCCCTCCAGGGGACTAAAGGTGAAAACAGTCTCAGCTCCACAGGAACTTTCCTTGTGGAC
AATTCTAGTGTGGACTTCCAGAAATTTCCAGACAAAGAGATACTGAGAATGGCTGGACCACTC
ACAGCAGATTTCAATTGTCAAGATTCGTAACCTCGGGCTCCGCTGACAGTACAGTCCAGTTCATC
TTCTATCAACCCATCATCCACCGATGGAGGGAGACGGATTTCTTTCCTTGCTCAGCAACCTGT
GGAGGAGGTTATCAGCTGACATCGGCTGAGTGCTACGATCTGAGGAGCAACCGTGTGGTTGCT
GACCAATACTGTCACTATTACCCAGAGAACATCAAACCCAAACCCAAAGCTTCAGGAGTGCAAC
TTGGATCCTTGTCCAGCCAGTGACGGATACAAGCAGATCATGCCTTATGACCTCTACCATCCC
CTTCCTCGGTGGGAGGCCACCCCATGGACCGCGTGCTCCTCCTCGTGTGGGGGGGGCATCCAG
AGCCGGGCAGTTTCCTGTGTGGAGGAGGACATCCAGGGGCATGTCACTTCAGTGGAAGAGTGG
AAATGCATGTACACCCCTAAGATGCCCATCGCGCAGCCCTGCAACATTTTGGACTGCCCTAAA
TGGCTGGCACAGGAGTGGTCTCCGTGCACAGTGACATGTGGCCAGGGCCTCAGATACCGTGTG
GTCCTCTGCATCGACCATCGAGGAATGCACACAGGAGGCTGTAGCCCCAAAACAAAGCCCCAC
ATAAAAGAGGAATGCATCGTACCCACTCCCTGCTATAAACCCAAAGAGAACTTCCAGTTCGAG
GCCAAGTTGCCATGGTTCAAACAAGCTCAAGAGCTAGAAGAAGGAGCTGCTGTGTGTCAGAGGAG
CCCTCGT**TAA**GTTGTAAAAGCACAGACTGTTCTATATTTGAAACTGTTTTGTTTAAAGAAAGCA
GTGTCTCACTGGTTGTAGCTTTCATGGGTTCTGAACTAAGTGTAATCATCTCACCAAAGCTTT
TTGGCTCTCAAATTAAAGATTGATTAGTTTCAAAAAAAAAA

440/615

FIGURE 436

</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA58847
<subunit 1 of 1, 525 aa, 1 stop
<MW: 58416, pI: 6.62, NX(S/T): 1
MECCRRATPGTLLLFLAFLLLSSRTARSEEDRDGLWDAWGPWSECSRTCAGGASYSRLRCLSS
KSCEGRNIRYRTCSNVDCPPEAGDFRAQQCSAHNDVKHHGQFYEWLPVSNPDNPNCSLKCQAK
GTTLVVELAPKVLDTGTRCYTESLDMCISGLCQIVGCDHQLGSTVKEDNCGVCNGDGSTCRLVR
GQYKSQLSATKSDDTVVALPYGSRHRLVVLKGPDLHLYLETKTLQGTKGENSLSSSTGTFLVDNS
SVDFQKFPDKIELRMAGPLTADFIVKIRNSGSADSTVQFIFYQPIIHRWRETDFFPSCATCGG
GYQLTSAECYDLRSNRVVADQYCHYYPENIKPKPKLQECNLDPCPASDGYKQIMPYDLYHPLP
RWEATPWTACSSSCGGGIQSRVSCVEEDIQGHVTSVEEWKCMYTPKMPIAQPCNIFDCPKWL
AQEWSPCTVTCGQGLRYRVVLCIDHRGMHTGGCSPKTKPHIKEECIVPTPCYKPKEKLPVEAK
LPWFKQAQEELEGA AVSEEPS

Important features:**Signal peptide:**

amino acids 1-25

N-glycosylation site.

amino acids 251-254

Thrombospondin 1

amino acids 385-399

von Willebrand factor type C domain proteins

amino acids 385-399, 445-459 and 42-56

441/615

FIGURE 437

AACTGGAAGGAAAAGAAAGAAAGGTCAGCTTTGGCCCAGATGTGGTTACCCCTTGGTCTCCTGT
CTTTATGTCTTTCTCCTCTTCCTATTCTGTCACTCTCCCTCACTTAAGTCTCAGGCCTGTCAGC
AGCTCCTGTGGACATTGCCATCCCCCTCTGGTAGCCTTCAGAGCAAACAGGACAACCTATGTTA
TGGATGTTTTCCACCAACCAGGGTAGTGGCATGGAGCACCGTAACCATCTGTGCTTCTGTGATC
TCTATGACAGAGCCACTTCTCCACCTCTGAAATGTTCCCTGCTCTTGAAATCTGGCATGAGATG
GCACAGGTGACCACGCAGAAGCCACCAGAATCTTGCCTGCCCTATTCCTCCTCCCAAGTCTGT
TCTCTTATTGTCAACCTCAGCACAAACAGGCTGGCGCCAATGGCATTACAGAGAAAGCAATCTG
TGTGGCTAGTGGGCAGATTACCATGCAAGCCCCAGGAGAAATGGAGGAGCTTTGTAGCCACCT
CCCTGTCAGCCAGTATTAACATGTCCCCTTCCCCCTGCCCCGCCGTAGATTACAGGACATTCGC
CCCTGTGTGCCACCAAACCAGGACTTTCCCCTTGGCTTGGCATCCCTGGCTCTCTCCTGGTAC
CCAGCAAGACGTCTGTTCCAGGGCAGTGTAGCATCTTTCAAGCTCCGTTACTATGGCGATGGC
CATGATGTTACAATCCCACTTGCCTGAATAATCAAGTGGGAAGGGGAAGCAGAGGGGAAATGGG
GCCATGTGAATGCAGCTGCTCTGTTCTCCCTACCCTGAGGAAAAACCAAAGGGGAAGCAACAGG
AACTTCTGCAACTGGTTTTTATCGGAAAGATCATCCTGCCTGCAGATGCTGTTGAAGGGGCAC
AAGAAATGTAGCTGGAGAAGATTGATGAAAGTGCAGGTGTGTAAGGAAATAGAACAGTCTGCT
GGGAGTCAGACCTGGAATTCTGATTCCAAACTCTTTATTACTTTGGGAAGTCACTCAGCCTCC
CCGTAGCCATCTCCAGGGTGACGGAACCCAGTGTATTACCTGCTGGAACCAAGGAAACTAACA
ATGTAGGTTACTAGTGAATACCCCAATGGTTTCTCCAATTATGCCCATGCCACCAAAACAATA
AAACAAAATTCTCTAACA CTGAAA

442/615

FIGURE 438

MWLPLGLLSLCLSPILSSPSLKSQACQQLLWTLPSPLVAFRANRTTYVMDVSTNQSGMEH
RNHLCFCDLYDRATSPPLKCSLL

443/615

FIGURE 439

GTTCCTCATAGTTGGCGTCTTCTAAAGGAAAAACACTAAAATGAGGAACTCAGCGGACCGGGAGCGACGCAGCTT
GAGGGAAGCATCCCTAGCTGTTGGCGCAGAGGGGCGAGGCTGAAGCCGAGTGGCCCCGAGGTGTCTGAGGGGCTGG
GGCAAAGGTGAAAGAGTTTCAGAACAAAGCTTCTGGAAACCCATGACCCATGAAGTCTTGTGACATTTATACCGT
CTGAGGGTAGCAGCTCGAAACTAGAAGAAGTGGAGTGTGGCCAGGGACGGCAGTATCTCTTTGTGTGACCCTGGC
GGCCTATGGGACGTTGGCTTCAGACCTTTGTGATACACCATGCTGCGTGGGACGATGACGGCGTGGAGAGGAATG
AGGCCGTAGGTCACACTGGCTTGCCCTCCTCCTAGCCACAGCAGGCTGCTTTGCTGACTTGAACAGAGGTCCTCAG
GTCACCGTCCAGCCTGCGTCCACCGTCCAGAAGCCCGAGGCACTGTGATCTTGGGCTGCGTGGTGGAACTCCCA
AGGATGAATGTAACCTGGCGCCTGAATGGAAAGGAGCTGAATGGCTCGGATGATGCTCTGGGTGTCTCATCACC
CACGGGACCCTCGTCATCACTGCCCTTAACAACCACACTGTGGGACGGTACCAGTGTGTGGCCCCGATGCTGCG
GGGGCTGTGGCCAGCGTGCCAGCCACTGTGACACTAGCCAACTCTCCAGGACTTCAAGTTAGATGTGCAGCAGTG
ATTGAAGTGGATGAGGGAAACACAGCAGTCAATTGCCTGCCACCTGCCTGAGAGCCACCCCAAAGCCAGGTCCGG
TACAGCGTCAAACAAGAGTGGCTGGAGGCTCCAGAGGTAACCTACCTGATCATGCCCTCAGGGAACCTCCAGATT
GTGAATGCCAGCCAGGAGGACGAGGCACTGTACAAGTGTGCAGCCTACAACCCAGTGACCCAGGAAGTGAACACC
TCCGGCTCCAGCGACAGGCTACGTGTGCGCCGCTCCACCGCTGAGGCTGCCCGCATCATCTACCCCCCAGAGGCC
CAAACCTATCGTCACCAAAGGCCAGAGTCTCATTTCTGGAGTGTGTGGCCAGTGGAACTCCACCCCCACGGGTG
ACCTGGGCCAAGGATGGGTCCAGTGTACCCGGCTACAACAAGACGGCTTCTGTGAGCAACCTCCTCATCGAC
ACCACCAGCGAGGAGGACTCAGGCACCTACCGCTGCATGGCCGACAATGGGGTTGGGCAGCCCCGGGGCAGCGGTG
ATCCTCTACAATGTCCAGGTGTTTGAACCCCTGAGGTACCATGGAGCTATCCAGCTGGTTCATCCCCCTGGGGC
CAGAGTGCCAAAGCTTACCTGTGAGGTGCGTGGGAACCCCCCGCCCTCCGTGCTGTGGCTGAGGAATGCTGTGCCC
CTCATCTCCAGCCAGCGCCTCCGGCTCTCCCGCAGGGCCCTGCGCGTGCTCAGCATGGGGCTGAGGACGAAGGC
GTCTACCACTGCATGGCCGAGAACGAGGTTGGGAGCGCCATGCCGTAGTCCAGCTGCGGACCTCCAGGCCAAGC
ATAACCCCAAGGCTATGGCAGGATGCTGAGCTGGCTACTGGCACACCTCCTGTATCACCTCCAACTCGGGCAAC
CCTGAGCAGATGCTGAGGGGGCAACCGGCGCTCCCCAGACCCCAACGTCAAGTGGGGCTGCTTCCCCGAAGTGT
CCAGGAGAGAAGGGGCAGGGGGCTCCCGCCGAGGCTCCCATCATCTCAGCTCGCCCCGCACCTCCAAGACAGAC
TCATATGAAGTGGTGTGGCGGCTCGGCATGAGGGCAGTGGCCGGGGCGCAATCCTCTACTATGTGGTGAACAC
CGCAAGCAGGTACAAATTCTCTGACGATTGGACCATCTCTGGCATTCCAGCCAACCCAGCACCGCTGACCCCTC
ACCAGACTTGACCCCGGGAGCTTGTATGAAGTGGAGATGGCAGCTTACAACCTGTGCGGGAGAGGGCCAGACAGCC
ATGGTTCACCTTCCGAAGTGGACGGCGGCCAAACCCGAGATCATGGCCAGCAAAGAGCAGCAGATCCAGAGAGAC
GACCCTGGAGCCAGTCCCCAGAGCAGCAGCCAGCAGCAACCGCCGCTCTCCCCCAGAAGCTCCCCGACAGG
CCCACCATCTCCACGGCTCCGAGACCTCAGTGTACGTGACCTGGATTCGCCGTGGGAATGGTGGGTCCCCAATC
CAGTCTTCCGTGTGGAGTACAAGAAGCTAAAGAAAGTGGGAGACTGGATTCTGGCCACCAGCGCCATCCCCCA
TCGCGGCTGTCCGTGGAGATCACGGGCTAGAGAAAGGCACCTCCTACAAGTTTCGAGTCCGGGCTCTGAACATG
CTGGGGGAGAGCGACGCCAGCGCCCCCTCTCGGCCCTACGTGGTGTGCGGCTACAGCGGTCCGCTGTACGAGG
CCCGTGGCAGGTCTTATATACCTTACGGATGCGGTCAATGAGACCACCATCATGCTCAAGTGGATGTACATC
CCAGCAAGTAACAACAACACCCCAATCCATGGCTTTTATATCTATTATCGACCCACAGACAGTGACATGATAGT
GACTACAAGAAGGATATGGTGGAAGGGGACAAGTACTGGCACTCCATCAGCCACCTGCAGCCAGAGACCTCCTAC
GACATTAAGATGCAGTGCTTCAATGAAGGAGGGGAGAGCGAGTTCAGCAACGTGATGATCTGTGAGACCAAAGCT
CGGAAGTCTTCTGGCCAGCCTGGTGCAGTGCACCCCAACTCTGGCCCCACCAAGCCGCCCCCTTCTGAAACC
ATAGAGCGGGTGGGCTGAGGCTGAGGCTGAGTGGCTCGCTCCAGCGACCTGCCCTATCTGATTGTGCGGGTCTG
CTGGGCTCCATCGTTCTCATCATCGTCACCTTCATCCCCCTCTGCTTGTGGAGGGCCTGGTCTAAGCAAAAACAT
ACAACAGACCTGGGTTTTCTCGAAGTGCCCTTCCACCCCTCCTGCCGTATACCTATGGTGCCATTGGGAGGACTC
CCAGGCCACCCAGGCCAGTGGACAGCCCTACCTCAGTGGCATCAGTGGACGGGCTGTGCTAATGGGATCCACATG
AATAGGGGCTGCCCCCTCGGCTGCAGTGGGCTACCCGGGCTATGAAGCCCAAGCAGCACTGCCAGGCGAGCTTCAG
CAGCAGAGTGACACCAGCAGCCTGCTGAGGCGAGCCATCTTGGCAATGGATATGACCCCAAAGTACCAGATC
ACGAGGGGTCCTCAAGTCTAGCCCGGACGAGGGCTCTTTCTTATACACACTGCCCGACGACTCCACTCACCAGCTG
CTGCAGCCCCATCAGCACTGCTGCCAACGCCAGGAGCAGCCTGCTGTGTTGGGCCAGTCAGGGGTGAGGAGAGCC
CCCGACAGTCTGTCTTGAAGCAGTGTGGGACCTCCATTTCACTCAGGGCCCCCATGCTGCTTGGGCTTGTG
CCAGTTGAAGAGGTGGACAGTCTGACTCCTGCCAAGTGAAGTGGAGGAGACTGGTGTCCCCAGCACCCCGTAGGG
GCCTACGTAGGACAGGAACCTGGAATGCAGCTTCCCCGGGGCCACTGGTGCCTGTCTTTGAAACACCACT
CTCACAATTTAGGCAGAAGCTGATATCCAGAAAGCTATATATTTTAAAAAAGAGAAAGAA
AGAGACAGAGAAAATTGGTATTTATTTTCTATTATAGCCATATTTATATATTTATGCACTTGTAAATAAATGTA
TATGTTTTATAATTCTGGAGAGACATAAGGAGTCTACCCGTGAGGTTGGAGAGGGAAATAAAGAGCTGCCA
CCTAACAGGAGTCACCCAGGAAGCACCGCACAGGCTGGCGCGGGACAGACTCCTAACCTGGGGCTCTGCAAGT
GCAGGCGAGGCTGCAGGAGGCCACAGATAAGCTGGCAAGAGGAAGGATCCAGGCACATGGTTCATCAGAGCA
TGAGGGAAACAGCAAGGGGCACGGTATCACAGCCTGGAGACCCACACAGATGGCTGGATCCGGTGTACGGGAA
ACATTTTCTAAGATGCCCATGAGAACAGACCAAGATGTGTACAGCACTATGAGCATTAATAAACCTTCCAGAAT
CAATAATCCGTGGCAACATATCTGTAAAAACAACACTGTAACCTTCTAAATAAATGTTTAGTCTTCCCTGTAAAA

444/615

FIGURE 440

MLRGTMATAWRGMRPEVTILACLLLATAGCFADLNEVPQVTVQPASTVQKPGGTIVILGCVVEPPR
MNVTRWRLNGKELNGSDDALGVLITHGTLVITALNNHTVGRYQCVARMPAGAVASVPATVTLAN
LQDFKLDVQHVIIEVDEGNTAVIACHLPESHKPAQVRYSVKQEWLEASRGNYLIMPSGNLQIVN
ASQDEDEGMYKCAAYNPVTQEVKTSGSSDRLRVRRSTAEAAARIITYPPEAQTIIVTKGQSLILEC
VASGI PPPRVTWAKDGSSVTGYNKTRFLLSNLLIDTTSEEDSGTYRCMADNGVGQPGAIVILY
NVQVFEPPEVTMELSQLVIPWGQSAKLTCEVRGNPPPSVLWLRNAVPLISSQRLRLSRRALRV
LSMGPEDEGVYQCAENEVGSAHAVVQLRTSRPSITPRLWQDAELATGTPPVSPSKLGNPEQM
LRGQPALPRPPTSVGPASPKCPGEGKGQGAPEAPIILSSPRTSKTDSYELVWRPRHEGSGRAP
ILYYVVKHRKQVTNSSDDWTISGIPANQHRLLTLRLDPGSLYEVEVMAAYNCAGEGQTAMVTFR
TGRRPKPEIMASKEQQIQRDDPGASPOSSSQPDHGRLSPPEAPDRPTISTASETSVYVTWIPR
GNGGFPIQSFVEYKKLKKVGDWILATSAIPPSRLSVEITGLEKGTSYKFRVRALNMLGESEP
SAPSRPYVVS GYSGRVYERP VAGPYITFTDAVNETTIMLKWMIIPASNNNTPIHGFIYYRPT
DSDNDS DYK KDMVEGD KYWHSISHLQ PETS YDIKMQC FNEGGESEFSNVMICETKARKSSGQP
GRLPPPTLAPPQPLPETIERPVGTGAMVARSSDLPYLIVGVVLGSIVLIIVTFIPFCLWRAW
SKQKHTTDLGFPRSALPPSCPYTMVPLGGLPGHQASGQPYLSGISGRACANGIHMNRGCP SAA
VGYPGMKPQQHCPGELQQQSDTSSLLRQTHLGNGYDPQSHQITRGPKSSPDEGSFLYTL PDDS
THQLLQPHHDCCQRQE QPAAVGQSGVRRAPDSPVLEAVWDPPFHSGPPCCLGLVPVEEVDSPD
SCQVSGGDWCPQHFPVGAYVGQEPGMQLSPGPLVRVSFETPPLTI

Signal peptide:

amino acids 1-30

Transmembrane domain:

amino acids 16-30 (type II), 854-879

445/615

FIGURE 441

GAGAGAATAGCTACAGATTCTCCATCCTCAGTCTTTGCAAGGCGACAGCTGTGCCAGCCGGGC
TCTGGCAGGCTCCTGGCAGC**ATGG**CAGTGAAGCTTGGGACCCTCCTGCTGGCCCTTGCCCTGG
GCCTGGCCCAGCCAGCCTCTGCCCCGCCGAAGCTGCTGGTGTCTCTGCTGGATGGTTTTCTGCT
CAGACTACATCAGTGATGAGGCGCTGGAGTCATTGCCTGGTTTTCAAAGAGATTGTGAGCAGGG
GAGTAAAAGTGGATTACTTGACTCCAGACTTCCCTAGTCTCTCGTATCCCAATTATTATACCC
TAATGACTGGCCGCCATTGTGAAGTCCATCAGATGATCGGGAACCTACATGTGGGACCCACCA
CCAACAAGTCCTTTGACATTGGCGTCAACAAAGACAGCCTAATGCCTCTCTGGTGGAAATGGAT
CAGAACCTCTGTGGGTCACTCTGACCAAGGCCAAAAGGAAGGTCTACATGTACTACTGGCCAG
GCTGTGAGGTTGAGATTCTGGGTGTGAGACCCACCTACTGCCTAGAATATAAAAATGTCCCAA
CGGATATCAATTTTGCCAATGCAGTCAGCGATGCTCTTGACTCCTTCAAGAGTGGCCGGGCCG
ACCTGGCAGCCATATACCATGAGCGCATTGACGTGGAAGGCCACCACTACGGGCCTGCATCTC
CGCAGAGGAAAGATGCCCTCAAGGCTGTAGACACTGTCTGAAGTACATGACCAAGTGGATCC
AGGAGCGGGGCCTGCAGGACCGCCTGAACGTCATTATTTCTCGGATCACGGAATGACCGACA
TTTTCTGGATGGACAAAGTGATTGAGCTGAATAAGTACATCAGCCTGAATGACCTGCAGCAAG
TGAAGGACCGCGGGCCTGTTGTGAGCCTTTGGCCGGCCCCCTGGGAAACACTCTGAGATATATA
ACAACTGAGCACAGTGGAACACATGACTGTCTACGAGAAAGAAGCCATCCCAAGCAGGTTCT
ATTACAAGAAAGGAAAGTTTGTCTCTCTTTGACTTTAGTGGCTGATGAAGGCTGGTTCATAA
CTGAGAATCGAGAGATGCTTCCGTTTTGGATGAACAGCACCGGCAGGCGGGAAGGTTGGCAGC
GTGGATGGCACGGCTACGACAACGAGCTCATGGACATGCGGGGCATCTTCTGTCCTTCGGAC
CTGATTTCAAATCCAACCTCAGAGCTGCTCCTATCAGGTCGGTGGACGTCTACAATGTCATGT
GCAATGTGGTGGGCATCACCCCGCTGCCCCAACACGGATCCTGGTCCAGGGTGATGTGCATGC
TGAAGGGCCGCGCCGGCACTGCCCCGCCTGTCTGGCCCAGCCACTGTGCCCTGGCACTGATTC
TTCTCTTCTGCTTGCA**TAA**CTGATCATATTGCTTGTCTCAGAAAAAACACCATCAGCAAAG
TGGGCCTCCAAAGCCAGATGATTTTCATTTTATGTGTGAATAATAGCTTCATTAACACAATCA
AGACCATGCACATTGTAAATACATTATTCTTGGATAATTCTATACATAAAAGTTCCTACTTGT
TAAA

446/615

FIGURE 442

MAVKLGTLALLALGLAQPASARRKLLVFLLDGFRSDYISDEALES LPGFKEIVSRGVKVDYL
TPDFPSLSYPNYYTLMTGRHCEVHQMIGNYMWDPTTNKSF DIGVNKDSL MPLWNGSEPLWVT
LTKAKRKVYMYYPGCEVEILGVRPTYCLEYKNVPTDINFANAVSDALDSFKSGRADLA AIYH
ERIDVEGHHYGPASPQRKDALKAVDTVLKYMTKWIQERGLQDRLNVIIFSDHGMTDIFWMDKV
IELNKYISLNDLQQVKDRGPVVS LWPAPGKHSEIYNKLSTVEHMTVYEKEAIPSRFYKKGKF
VSPLTLVADEGWFITENREMLPFWMNSTGRREGWQRGWHGYDNELMDMRGIFLAFGPDFKSNF
RAAPIRSVDVYNVMCNVVGITPLPNNGSWSRVMCMLKGRAGTAPPVWPSHCALALILLELLA

Important features of the protein:**Signal peptide:**

amino acids 1-22

N-glycosylation sites.

amino acids 100-104, 118-122, 341-345, 404-408

N-myristoylation sites.

amino acids 148-154, 365-371

Amidation site.

amino acids 343-347

447/615

FIGURE 443

AGTGACTGCAGCCTTCCTAGATCCCCCTCCACTCGGTTTCTCTCTTTGCAGGAGCACCGGCAGC
ACCAGTGTGTGAGGGGAGCAGGCAGCGGTCCTAGCCAGTTCCTTGATCCTGCCAGACCACCCA
GCCCCCGGCACAGAGCTGCTCCACAGGCACCATGAGGATCATGCTGCTATTACAGCCATCCT
GGCCTTCAGCCTAGCTCAGAGCTTTGGGGCTGTCTGTAAGGAGCCACAGGAGGAGGTGGTTCC
TGGCGGGGGCCGCAGCAAGAGGGATCCAGATCTCTACCAGCTGCTCCAGAGACTCTTCAAAG
CCACTCATCTCTGGAGGGATTGCTCAAAGCCCTGAGCCAGGCTAGCACAGATCCTAAGGAATC
AACATCTCCCGAGAAACGTGACATGCATGACTTCTTTGTGGGACTTATGGGCAAGAGGAGCGT
CCAGCCAGAGGGAAAGACAGGACCTTTCTTACCTTCAGTGAGGGTTCCTCGGCCCTTCATCC
CAATCAGCTTGGATCCACAGGAAAGTCTTCCCTGGGAACAGAGGAGCAGAGACCTTTATTAAGA
CTCTCCTACGGATGTGAATCAAGAGAACGTCCCCAGCTTTGGCATCCTCAAGTATCCCCCGAG
AGCAGAATAGGTACTCCACTTCCGGACTCCTGGACTGCATTAGGAAGACCTCTTTCCCTGTCC
CAATCCCCAGGTGCGCACGCTCCTGTTACCCTTTCTCTTCCCTGTTCTTGTAACATTCTTG
CTTTGACTCCTTCTCCATCTTTTCTACCTGACCCTGGTGTGGAACTGCATAGTGAATATCCC
CAACCCCAATGGGCATTGACTGTAGAATACCCTAGAGTTCCTGTAGTGTCTACATTAAAAAT
ATAATGTCTCTCTATTCTCAACAATAAAGGATTTTTGCATATGAAAAAAAAAAAAAAAAA
AAAAAAAAAAAAAAAAAAAAAAAAAAAA

448/615

FIGURE 444

MRIMLLFTAILAFSLAQSFQAVCKEPQEEVVPGGGRSKRDPDLYQLLQRLFKSHSSLEGLLKA
LSQASTDPKESTSPEKRDMDHDFVGLMGKRSVQPEGKTGPFLPSVRVPRPLHPNQLGSTGKSS
LGTEEQRPL

Important features:

Signal peptide:

amino acids 1-18

Tyrosine kinase phosphorylation site.

amino acids 36-45

N-myristoylation site.

amino acids 33-39, 59-65

Amidation site.

amino acids 90-94

Leucine zipper pattern.

amino acids 43-65

Tachykinin family signature.

amino acids 86-92

449/615

FIGURE 445

TGGACTTCTCTGGACCACAGTCCTCTGCCAGACCCCTGCCAGACCCAGTCCACCAATGATCCATCTGGGTCACAT
CCTCTTCCTGCTTTTGGTCCCAGTGGCTGCAGCTCAGACGACTCCAGGAGAGAGATCATCACTCCCTGCCTTTTA
CCCTGGCACTTCAGGCTCTTGTTCCGGATGTGGGTCCCTCTCTCTGCCGCTCCTGGCAGGCCTCGTGGCTGCTGA
TGCGGTGGCATCGCTGCTCATCGTGGGGGCGGTGTTCCCTGTGCGCACGCCCACGCCGCAGCCCCGCCCAAGATGG
CAAAGTCTACATCAACATGCCAGGCAGGGGCTGACCCTCCTGCAGCTTGGACCTTTGACTTCTGACCCCTCTCATC
CTGGATGGTGTGTGGTGGCACAGGAACCCCGCCCCAACTTTTGGATTGTAATAAAACAATTGAAACACCA

450/615

FIGURE 446

MIHLGHILFLLLLPVAAAQTTPGERSSLP AFYPGTSGSCSGCSLSLPLLAGLVAADAVASLLIVGAVFLCARPR
RSPAQDGKVIINMPGRG

Signal peptide:	Amino acids 1-18
transmembrane domain:	Amino acids 51-70
Glycosaminoglycan attachment site:	Amino acids 40-44
N-myristoylation sites:	Amino acids 34-40;37-43;52-58
Prokaryotic membrane lipoprotein lipid attachment site:	Amino acids 29-40

451/615

FIGURE 447

GCCAGGTGTGCAGGCCGCTCCAAGCCCAGCCTGCCCCGCTGCCGCCACCA**ATG**ACGCTCCTCCC
CGGCCTCCTGTTTCTGACCTGGCTGCACACATGCCTGGCCCACCATGACCCCTCCCTCAGGGG
GCACCCCCACAGTCACGGTACCCACACTGCTACTCGGCTGAGGAACTGCCCCTCGGCCAGGC
CCCCCACACCTGCTGGCTCGAGGTGCCAAGTGGGGGCAGGCTTTGCCTGTAGCCCTGGTGTC
CAGCCTGGAGGCAGCAAGCCACAGGGGGAGGCACGAGAGGCCCTCAGCTACGACCCAGTGCCC
GGTGCTGCGGCCGGAGGAGGTGTTGGAGGCAGACACCCACCAGCGCTCCATCTCACCCCTGGAG
ATACCGTGTGGACACGGATGAGGACCGCTATCCAAGCTGGCCTTCGCCGAGTGCCCTGTG
CAGAGGCTGTATCGATGCACGGACGGGCCGCGAGACAGCTGCGCTCAACTCCGTGCGGCTGCT
CCAGAGCCTGCTGGTGCTGCGCCGCCGGCCCTGCTCCCGCGACGGCTCGGGGCTCCCCACACC
TGGGGCCTTTGCCTTCCACACCGAGTTCATCCACGTCCCCGTCGGCTGCACCTGCGTGCTGCC
CCGTTCACTG**TGA**CCGCCGAGGCCGTGGGGCCCCCTAGACTGGACACGTGTGCTCCCCAGAGGG
CACCCCTATTTATGTGTATTTATTGTTATTTATATGCCTCCCCAACACTACCCCTGGGGTC
TGGGCATTCCCCGTGTCTGGAGGACAGCCCCCACTGTTCTCCTCATCTCCAGCCTCAGTAGT
TGGGGGTAGAAGGAGCTCAGCACCTCTTCCAGCCCTTAAAGCTGCAGAAAAGGTGTCACACGG
CTGCCTGTACCTTGGCTCCCTGTCCTGCTCCCGGCTTCCCTTACCCTATCACTGGCCTCAGGC
CCCGCAGGCTGCCTCTTCCCAACCTCCTTGGAAGTACCCCTGTTTCTTAAACAATTATTTAAG
TGTACGTGTATTATTAAACTGATGAACACATCCCCAAA

452/615

FIGURE 448

MTLLPGLLFLTWLHTCLAHHDPSLRGHPHSHGTPHCYSAEELPLGQAPPHLLARGAKWQALP
VALVSSLEAASHRGRHERPSATTQCPVLRPEEVLEADTHQRSISPWRYRVDTDED RYPQKLAF
AECLCRGCIDARTGRETAALNSVRLQLSLLVLRRRRPCSRDGSGLPTPGAFAFHTEFIHVPVGC
TCVLPRSV

Important features:

Signal peptide:

amino acids 1-18

Tyrosine kinase phosphorylation site.

amino acids 112-121

N-myristoylation sites.

amino acids 32-38, 55-61, 133-139

Leucine zipper pattern.

amino acids 3-25

Homologous region to IL-17.

amino acids 99-195

453/615

FIGURE 449

TGCAGAGCTTGTGGAGGCCATGGGGGCGCGTCGTCGCGGAGCTCGTCTCCTCGCTGCTGGGGTT
GTGGCTGTTGCTGTGCAGCTGCGGATGCCCCGAGGGCGCCGAGCTGCGTGCTCCGCCAGATAA
AATCGCGATTATTGGAGCCGGAATTGGTGGCACTTCAGCAGCCTATTACCTGCGGCAGAAATT
TGGGAAAGATGTGAAGATAGACCTGTTTGAAGAGAAGAGGTCGGGGGCCGCTGGCTACCAT
GATGGTGCAGGGGCAAGAATACGAGGCAGGAGGTTCTGTCTCATCCATCCTTTAAATCTGCACAT
GAAACGTTTTGTCAAAGACCTGGGTCTCTCTGCTGTTTCAGGCCTCTGGTGGCCTACTGGGGAT
ATATAATGGAGAGACTCTGGTATTTGAGGAGAGCAACTGGTTCATAATTAACGTGATTAAATT
AGTTTGGCGCTATGGATTTCAATCCCTCCGTATGCACATGTGGGTAGAGGACGTGTTAGACAA
GTTTCATGAGGATCTACCGCTACCACTCTCATGACTATGCCTTCAGTAGTGTCGAAAAATTACT
TCATGCTCTAGGAGGAGATGACTTCCTTGAATGCTTAATCGAACACTTCTTGAAACCTTGCA
AAAGGCCGGCTTTTCTGAGAAGTTCCTCAATGAAATGATTGCTCCTGTTATGAGGGTCAATTA
TGGCCAAAGCACGGACATCAATGCCTTTGTGGGGGCGGTGTCACTGTCCTGTTCTGATTCTGG
CCTTTGGGCAGTAGAAGGTGGCAATAAACTTGTTTGTCTCAGGGCTTCTGCAGGCATCCAAAAG
CAATCTTATATCTGGCTCAGTAATGTACATCGAGGAGAAAACAAAGACCAAGTACACAGGAAA
TCCAACAAAGATGTATGAAGTGGTCTACCAAATTGGAAGTGAAGTTCAGACTCGTTCAGACTTCTATGA
CATCGTCTTGGTGGCCACTCCGTTGAATCGAAAAATGTGGAATATTACTTTTCTCAACTTTGA
TCCTCCAATTGAGGAATTCCATCAATATTATCAACATATAGTGACAACTTTAGTTAAGGGGGA
ATTGAATACATCTATCTTTAGCTCTAGACCCATAGATAAATTTGGCCTTAATACAGTTTTAAC
CACTGATAATTCAGATTTGTTTCATTAAACAGTATTGGGATTGTGCCCTCTGTGAGAGAAAAGGA
AGATCCTGAGCCATCAACAGATGGAACATATGTTTGAAGATCTTTTCCCAAGAACTCTTAC
TAAAGCACAATTTTAAAGCTCTTTCTGTCTCTATGATTATGCTGTGAAGAAGCCATGGCTTGC
ATATCCTCACTATAAGCCCCCGAGAAATGCCCTCTATCATTCTCCATGATCGACTTTATTA
CCTCAATGGCATAGAGTGTGTCAGCAAGTGCCATGGAGATGAGTGCCATTGCAGCCCACAACGC
TGCACTCCTTGCCATATCACCGCTGGAACGGGACACACAGACATGATTGATCAGGATGGCTTATA
TGAGAACTTAAAACTGAACTATTGAAGTGACACACTCCTTTTTCCCCTCCTAGTTCCAAATGA
CTATCAGTGGCAAAAAAGAACAAAATCTGAGCAGAGATGATTTTGAACCAGATATTTTGCCAT
TATCATTGTTTAATAAAAGTAATCCCTGCTGGTCATAGGAAAAAAAAAAAAA

454/615

FIGURE 450

```
</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA62880
<subunit 1 of 1, 505 aa, 1 stop
<MW: 56640, pI: 6.10, NX(S/T): 4
MGRVVAELVSSLLGLWLLLCSCGCEGAELRAPDPKIAIIGAGIGGTSAAYYLRQKFGKDVKI
DLFEREEVGGRLATMMVQGQYEAGGSVIHPLNLHMKRFVKDLGLSAVQASGGLLGIYNGETL
VFEESNWFIIINVIKLVWRYGFQSLRMHMMWVEDVLDKFMRIYRYQSHDYAFSSVEKLLHALGGD
DFLGMNLNRTLLETLOKAGFSEKFLNEMIAPVMRVNYGQSTDINAFVGAVSLSCSDSGLWAVEG
GNKLVCSGLLQASKSNLISGSVMYIEEKTCTKYTGNTKMYEVVYQIGTETRSDFYDIVLVAT
PLNRKMSNITFLNFDPPIEEFHQYYQHIVTTLVKGELNTSIFSSRPIDKFGNLTVLTTDNSDL
FINSIGIVPSVREKEDPEPSTDGTIVVWKIFSQETLTKAQILKLFLSYDYAVKKPWLAYPHYKP
PEKCPSIILHDLRYLNGIECAASAMEMSAIAAHNAALLAYHRWNGHTDMIDQDGLYEKLKTEL
```

Important features:**Signal peptide:**

amino acids 1-23

N-glycosylation sites.

amino acids 196-200, 323-327, 353-357

Tyrosine kinase phosphorylation site.

amino acids 291-298

N-myristoylation sites.amino acids 23-29, 41-47, 43-49, 45-51, 46-52, 72-78, 115-121,
119-125, 260-266, 384-390, 459-465**Prokaryotic membrane lipoprotein lipid attachment site.**

amino acids 12-23, 232-243

455/615

FIGURE 451

CAACCATGCAAGGACAGGGCAGGAGAAGAGGAACCTGCAAAGACATATTTTGTTCCTAAAATGG
CATCTTACCTTTATGGAGTACTCTTTGCTGTTGGCCTCTGTGCTCCAATCTACTGTGTGTCCC
CGGCCAATGCCCCCAGTGCATACCCCCGCCCTTCTCCACAAAGAGCACCCCTGCCTCACAGG
TGTATTCCCTCAACACCGACTTTGCCTTCCGCCTATACCGCAGGCTGGTTTTGGAGACCCCGA
GTCAGAACATCTTCTTCTCCCCTGTGAGTGTCTCCACTTCCCTGGCCATGCTCTCCCTTGGGG
CCCACTCAGTCACCAAGACCCAGATTCTCCAGGGCCTGGGCTTCAACCTCACACACACACCAG
AGTCTGCCATCCACCAGGGCTTCCAGCACCTGGTTCACTCACTGACTGTTCCCAGCAAAGACC
TGACCTTGAAGATGGGAAGTGCCTCTTCGTCAAGAAGGAGCTGCAGCTGCAGGCAAATTTCT
TGGGCAATGTCAAGAGGCTGTATGAAGCAGAAGTCTTTTCTACAGATTTCTCCAACCCCTCCA
TTGCCCAGGCGAGGATCAACAGCCATGTGAAAAAGAAGACCCAAGGGAAGTTGTAGACATAA
TCCAAGGCCTTGACCTTCTGACGGCCATGGTTCTGGTGAATCACATTTTCTTTAAAGCCAAGT
GGGAGAAGCCCTTTCACCTTGAATATACAAGAAAGAACTTCCCATTCCTGGTGGGCGAGCAGG
TCACTGTGCAAGTCCCCATGATGCACCAGAAAGAGCAGTTTCGCTTTTGGGGTGGATACAGAGC
TGAAGTGCCTTTGTGCTGCAGATGGATTACAAGGGAGATGCCGTGGCCTTCTTTGTCTCCCTA
GCAAGGGCAAGATGAGGCAACTGGAACAGGCCTTGTGAGCCAGAACACTGATAAAGTGGAGCC
ACTCACTCCAGAAAAGGTGGATAGAGGTGTTTCATCCCCAGATTTTCCATTTCTGCCTCCTACA
ATCTGGAAACCATCCTCCCGAAGATGGGCATCCAAAATGCCTTTGACAAAAATGCTGATTTTT
CTGGAATTGCAAAGAGAGACTCCCTGCAGGTTTCTAAAGCAACCCACAAGGCTGTGCTGGATG
TCAGTGAAGAGGGCACTGAGGCCACAGCAGCTACCACCACCAAGTTCATAGTCCGATCGAAGG
ATGGTCCCTCTTACTTCACTGTCTCCTTCAATAGGACCTTCCTGATGATGATTACAAATAAAG
CCACAGACGGTATTCTCTTTCTAGGGAAAGTGGAAAATCCCACTAAATCCTAGGTGGGAAATG
GCCTGTAACTGATGGCACATTGCTAATGCACAAGAAATAACAAACCACATCCCTCTTTCTGT
TCTGAGGGTGCATTTGACCCCAAGTGGAGCTGGATTTCGCTGGCAGGGATGCCACTTCCAAGGCT
CAATCACCAAACCATCAACAGGGACCCAGTCACAAGCCAACACCCATTAACCCCAAGTCAGTG
CCCTTTTCCACAAATTTCTCCAGGTAAGTACGCTTCATGGGATGTTGCTGGGTACCATATTTT
CATTCCTTGGGGCTCCAGGAATGGAAATACGCCAACCAGGTTAGGCACCTCTATTGCAGAA
TTACAATAACACATTCAATAAACTAAATATGAATTCAAAAAAAAAAAAAAAAAAAAAAAAAA
AA

456/615

FIGURE 452

MASYLYGVLFVAVGLCAPIYCVSPANAPSAYPRPSSTKSTPASQVYSLNTDFAFRLYRRLVLET
PSQNIFFSPVSVSTSLAMLSLGAHSVTKTQILQGLGFNLTHTPESAIHQGFQHLVHSLTVPSK
DLTLKMGSALFVKKELQLQANFLGNVKRLYEAEVFSTDFSNPSIAQARINSHVKKKTQGKVVD
IIQGLDLLTAMVLVNHIFFKAKWEKPFHLEYTRKNFPFLVGEQVTVQVPMMHQKEQFAFGVDT
ELNCFVLQMDYKGDVAFFVLPSKGMRLQEQALSARTLIKWSHSLQKRWIEVFIPRFSISAS
YNLETILPKMGIQNAFDKNADFSGIAKRDSLQVSKATHKAVLDVSEEGTEATAATTTKFIVRS
KDGPSYFTVSFNRTFLMMITNKATDGILFLGKVENPTKS

Signal peptide:
amino acids 1-20

457/615

FIGURE 453

CTCCGGGTCCCCAGGGGCTGCGCCGGGCGGCGCTGGCAAGGGGGACGAGTCAGTGGACACTCCAGGAAGAGCGGC
CCCCGGGGGGGCGATGACCGTGCGCTGACCCTGACTCACTCCAGGTCCGGAGGCGGGGGCCCCGGGGCGACTCG
GGGGCGGACCGCGGGGGCGGAGCTGCCGCCGTGAGTCCGGCCGAGCCACCTGAGCCCCGAGCCGCGGGACACCGTC
GCTCCTGCTCTCCGAATGCTGCGCACCGCGATGGGCCTGAGGAGCTGGCTCGCCGCCCATGGGGCGCGCTGCCG
CCTCGGCCACCGCTGCTGCTGCTCCTGCTGCTGCTGCTCCTGCTGCGAGCCGCCGCTCCGACCTGGGCGCTCAGC
CCCCGGATCAGCCTGCCTCTGGGCTCTGAAGAGCGGCCATTCTCAGATTCTGAAGCTGAACACATCTCCAACCTAC
ACAGCCCTTCTGCTGAGCAGGGATGGCAGGACCTGTACGTGGGTGCTCGAGAGGGCCCTCTTTCAGCTCAGTAGC
AACCTCAGCTTCTTCCAGGCGGGGAGTACCAGGAGCTGCTTTGGGGTGCAGACGAGAGAAGAAACAGCAGTGC
AGCTTCAAGGGCAAGGACCCACAGCGCGACTGTCAAAACTACATCAAGATCCTCCTGCCGCTCAGCGGCAGTCAC
CTGTTACCTGTGGCACAGCAGCCTTCAGCCCCATGTGTACCTACATCAACATGGAGAACTTACCCTGGCAAGG
GACGAGAAGGGGAATGTCTCCTGGAAGATGGCAAGGGCGGTTGTCCCTTCGACCCGAATTTCAAGTCCACTGCC
CTGGTGGTTGATGGCGAGCTCTACACTGGAACAGTCAGCAGCTTCAAGGGAATGACCCGGCCATCTCGCGGAGC
CAAAGCCTTCGCCCCACCAAGACCGAGAGCTCCCTCAACTGGCTGCAAGACCCAGCTTTTGTGGCCTCAGCTAC
ATTCTGAGAGCCTGGGCGCTTGCAGGCGATGATGACAAGATCTACTTTTTCTTCAGCGAGACTGGCCAGGAA
TTTGAGTTCTTTGAGAACACCATTTGTGTCCCGCATTGCCCGCATCTGCAAGGGCGATGAGGGTGGAGAGCGGGTG
CTACAGCAGCGCTGGACCTCCTCCTCAAGGCCAGCTGCTGTGCTCACGGCCCGACGATGGCTTCCCCTTCAAC
GTGCTGCAGGATGTCTTACGCTGAGCCCCAGCCCCAGGACTGGCGTGACACCTTTTCTATGGGCTCTTCACT
TCCAGTGGCACAGGGGAACACAGAAGGCTCTGCCGTCTGTGTCTTACAATGAAGGATGTGCAGAGAGTCTTTC
AGCGGCCTCTACAAGGAGGTGAACCGTGAGACACAGCAGTGGTACACCGTGACCCACCCGTTGCCACACCCCGG
CCTGGAGCGTGCATCACCAACAGTGCCCCGGGAAGGAAGATCAACTCATCCCTGCAGCTCCAGACCGCGTGTCTG
AACTTCTCAAGGACCACTTCTGATGGACGGGCGAGTCCGAAGCCGATGCTGCTGCTGCAGCCCCAGGCTCGC
TACCAGCGCTGGCTGTACACCGCTCCCTGGCCTGCACACACCTACGATGTCTCTTCTGGGCACTGGTGAC
GGCCGGCTCCACAAGGCGAGTGGCGTGGGCCCCGGGTGCACATCATGAGGAGCTGCAGATCTTCTCATCGGGA
CAGCCCGTGCAGAATCTGCTCCTGGACACCCACAGGGGGCTGCTGTATGCGGCCCTCACACTCGGGCGTAGTCCAG
GTGCCCATGGCCAACTGCAGCCTGTACCGGAGCTGTGGGGAGTGCCTCCTCGCCCGGGACCCCTACTGTGCTTGG
AGCGGCTCCAGCTGCAAGCACGTACGCTTACGCTTACCCAGCTCAGCTGGCCACCAGGCGTGTGAGGAGCTGAG
GGAGCCAGCGCCAAGGACCTTTCAGCGCGTCTTCGGTTGTGTCCCCGTCTTTTGTACCAACAGGGGAGAAGCCA
TGTGAGCAAGTCCAGTTCAGCCCCAACAGTGAACACTTTGGCCTGCCCGCTCCTCTCCAACCTGGCGACCCGA
CTCTGGCTACGCAACGGGGCCCCCGTCAATGCCTCGGCCTCCTGCCAGTGCTACCCACTGGGGACCTGCTGCTG
GTGGGCACCCAACAGCTGGGGGAGTTCAGTGTGCTGCTACTAGAGGAGGGCTTCAGCAGCTGGTAGCCAGCTAC
TGCCAGAGGTGGTGGAGGACGGGGTGGCAGACCAACAGATGAGGTTGGCAGTGTACCCGTCAATATCAGCACA
TCGCGTGTGAGTGACCAAGCTGGTGGCAAGGCCAGCTGGGGTGCAGACAGGTCTACTGGAAGGAGTTCTTGGTG
ATGTGCACGCTCTTTGTGCTGGCCGTGCTGCTCCAGTTTTATTTCTGCTTACCGGCACCGGAACAGCATGAAA
GTCTTCTGAAGCAGGGGGAATGTGCCAGCGTGACCCCAAGACCTGCCCTGTGGTGCTGCCCCCTGAGACCCGC
CCACTCAACGGCTAGGGCCCCCTAGCACCCCGCTCGATCACCGAGGGTACCAGTCCCTGTGAGACAGCCCCCG
GGGGCCCCGAGTCTTCACTGAGTCAGAGAAGAGGCCACTCAGCATCCAAGACAGCTTCGTGGAGGTATCCCCAGTG
TGCCCCCGGCCCCGGTCCGCTTGGCTCGGAGATCCGTGACTCTGTGGTGTGAGAGCTGACTTCCAGAGGACGC
TGCCCTGGCTTCAGGGGCTGTGAATGCTCGGAGAGGGTCAACTGGACCTCCCTCCGCTCTGCTCTTCTGGAAC
ACGACCGTGGTGCCCGGCCCTTGGGAGCCTTGGAGCCAGCTGGCCTGCTGCTCTCCAGTCAAGTAGCGAAGCTCC
TACCACCCAGACACCCAAACAGCCGTGGCCCCAGAGGCTTGGCCAAATATGGGGGCCCTGCCAGGTTGGTGGAA
CAGTGCTCCTTATGTAACTGAGCCCTTTGTTTAAAAACAATTCCAAATGTGAACTAGAATGAGAGGGAAGAG
ATAGCATGGCATGCAGCACACAGGCTGCTCCAGTTCATGGCCTCCAGGGGTGCTGGGGATGCATCCAAAGTGG
TTGTCTGAGACAGAGTTGGAACCCCTACCAACTGGCCTCTTACCTTCCACATTATCCGCTGCCACCGGCTGC
CCTGTCTCACTGCAGATTCAGGACAGCTTGGGCTGCGTGCGTTCTGCTTGGCAGTCAAGGAGGATGAGTTG
TTGCTGCCGTGCTCCACACCTCAGGGACAGAGGGCTAGGTTGGCACTGCGGCCCTCACCAGGTCCTGGGCTC
GGACCCAACTCCTGGACCTTTCCAGCCTGTATCAGGCTGTGGCCACACGAGAGGACAGCGCGAGCTCAGGAGAGA
TTTCGTGACAATGTACGCCTTTCCCTCAGAATTCAAGGAAGAGACTGTGCGCTGCCTTCTCCGTTGTTGCGTGA
GAACCCGTGTGCCCTTCCCACCATATCCACCTCGCTCCATCTTTGAACTCAAACACGAGGAACCTAAGTGCACC
CTGGTCTCTCCCCAGTCCCCAGTTCACTCCATCCCTCACCTTCTTCACTCTAAGGGATATCAACACTGCC
AGCACAGGGGCCCTGAATTTATGTGGTTTTTATACATTTTTTAATAAGATGCACCTTTATGTCATTTTTTAATAAA
GTCTGAAGAACTACTGTTTAAAAA

458/615

FIGURE 454

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA67962
><subunit 1 of 1, 837 aa, 1 stop
><MW: 92750, pI: 7.04, NX(S/T): 6
MLRTAMGLRSWLAAPWGALPPRPPLLLLLLLLLLLLLLQPPPPTWALSPRISLPLGSEERPFLRFE
AEHISNYTALLLSRDGRTLYVGAREALFALSSNLSFLPGGEYQELLWGADAEEKQQCSFKGKD
PORDCQNYIKILLPLSGSHLFTCGTAAFSMPCTYINMENFTLARDEKGNVLLEDGKGRCPFDP
NFKSTALVVDGELYTGTVSSFQGNPAISRSQSLRPTKTESSLNWLQDPAFVASAYIPESLGS
LQGDDDKIYFFFSETGQEFFEFFENTIVSRIARICKGDEGGERVLQQRWTSFLKAQLLCSRPDD
GFPFENVLQDVFTLSPSPQDWRDTLFYGVFTSQWHRGTTEGSAVCVFTMKDVQRVFSGLYKEVN
RETQQWYTVTHPVPTPRPGACITNSARERKINSSLQLPDRVLNFKDHFMDGQVRSRMLLLQ
PQARYQRVAVHRVPGLHHTYDVLFLGTGDGRLHKAVSVGPRVHII EELQIFSSGQPVQNLLLD
THRGLLYAASHSGVVQVPMANCSLYRSCGDCLLARDPYCAWSGSSCKHVSLYQPQLATRPWIQ
DIEGASAKDLCSASSVVSPSFVPTGEKPCEQVQFQPNVTNTLACPLLSNLATRLWLRNGAPVN
ASASCHVLPTGDL LLVG TQQLGEFQCWSLEEGFQQLVASYCPEVVEDGVADQTDEGGSPVVI
STSRVSAPAGGKASWGADRSYWKEFLVMCTLFVLAVLLPVLFLLYRHRNSMKVFLKQGECA SV
HPKTCPPVLPPEPTRPLNGLGPPSTPLDHRGYQSLSDSPPGARVFTSEKRPLSIQDSFVEVSP
VCPRPRVRLGSEIRDSVV
```

Transmembrane domains:

amino acids 23-46 (type II), 718-738

459/615

FIGURE 455

TAAGATGAGGGCATCCCTCACGTTACACCCCTGGTGGCATCTGCCAGCCCTGTTCTGGGGAC
AAGGCGGGCTTTTCGTGGGAGCCATGCTCAGCCTGCCAGGAAGCCAAGCCCTACAGTGCAGAGG
AAACAGAAATTTCAACGGGAAGCTGGTTTGCTTCATACCATTTGGGATCTGCTGGTAAAGCTGTT
ATTTGGGTTTAGGGACTGATCCCTTGCAGTTTACTTCTGGATCACCATGAATGGCCAAGATGG
TGGCAGAACACGCTGTGGACCCTGAGTTAGAGACAATGCAAATGTTGGATTGGGTGTAATTCT
TTTTGAATCCCAGATCCAGTCTGTACTTGAATATGAGCAGAAGATCTACAAGAATGCTGACAG
GGAACCGTGTTAAGACCCAGCACCCCTATTCCCAGGAGCTTCTGGCCTGACCATCTGCAGCCA
AAGCACTAACAGGGACAGATATGGGAATGTCCACCTTTGATCCGCATCCTGCACAATAGTGGT
CCCACCATGGCTGCCACTTTTTTATACTATTTGGAGAAAAGACCTTGTATAAATTCGAGGCC
GAGTGACTAACGTCTCTGTACACGGAAATGGGTACTTGGTGGCATAGAGAAACACAATTAGC
CACTTTTTTCAGCTACACTTCTCACTCAGCTGCACCCCTACACTTCTCACTCAGGTGCACCCCT
TCTGCTGTCCCTTTCCCAACGTACTGGGTCCCGAGCGTGGTGGGTATTTGCCACACTGGGTGC
CAGCTCAGCAGCCCCCACCTCTCTTTATTCTCTCCAAAGCTGGTCTTTCTGACTATCATTTGT
GGTAGGGGGAGGACAGATGCTAAAGGTGGAAGCTGACCTGGAGAAAAGAGACACACGGGGTGAC
TGTGGCAAAGGACAGCTGGAAAAGAACTCTATCACTTCTTCATTGGCAACCACAAGGCACCC
GAGGCCATGGCACTCCCAGAGGCTGTGCGCAGAGCCAAGCCTCTCAACCTCTTCTGGCCCTGC
GTCCTGCAGCGAAGTCTCTGCTGTAAGACAGTAGACTCCTTCGATGAGGTGCTCAAAAATGCT
ACCCGGGGTGGTGGTGTCTGGCTTGCACTCTGGCCCAGTTCAGAGAAAGTTGCAGAGATCAGGG
GCCAAGGATGTCATAGCCCCAGGTTGTCTCAGGGTCCCAATCCTAGGGCAGGGTGTGCATGG
AAGCAAGAACTATGGAAACCTAGCTCCAGTCTGCAGGCTCTGAGCCCCTAGTTCCTCACTCCA
GCGGGGCTCCCTCACTGCACAGAACCCACCCCTTCTGTGTGGGCACTGCTGACCACACAGATG
ACCCAGACCCAAAGAGCCTGGCAGAAGCTCTGTGGTTGGAGCTGGGCTCCGTCTCAGGTCTG
GTTCAGGGGGATCAGGAAGGCTCTTTTCCACCTGTGGCTTCACTGGCCCTTTGAGATTTCTTA
TCTCACCCTTACTTCAGTTACCCTTGCAGGGGGCCAGGGAGTCAAGAATATACCGTGTTCTC
CAGGGTTTAAGCCGGCCATGCCTTCCCGAGAGCATAACCAACTTGACAGGGGTGCCCAGTTAC
CCCACAACTGAAGGAAGGAGATCCTTCCCCCGTCCCCAGGAGTGCTCTCAACCAGCCTCAGA
AAGCTTGAGAAGATGGACCCTTGCCCACCAGGGTTAATTCCTGGTGGGGCAGCTCGGCTGTG
ATCAGGGCAACCAACCTATAGGAAGCCTTCCAGTGTGAGCTGGAATTAGACTGAACATGTGC
TTGGGCCTGCCTCTCCCTAGACGAGTTGCGGGGCACTCCAGGGAATGAACCAGCTCAAGTGT
GTCCCTAACAGCAGCCTGGAGCTACCCCCAATCCCTCACAGCCTGACCCTCCTCATTCATCA
GATCTCGTGCCG

460/615

FIGURE 456

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA69555
><subunit 1 of 1, 148 aa, 1 stop
><MW: 16214, pI: 10.22, NX(S/T): 0

MGTWWHRETQLATFSATLLTQLHPTLLTQVHPLLLSFPQRTGSRAWVVFATLGASSAAPH
LSLFSPKLVFLTIIVVGGGQMLKVEADLEKETHGVTVAKDSWKRNSITSSLATTRHPRPW
HSQRLCAEPSLSTSSGPASCSEVSAVRQ

Important features of the protein:**Signal peptide:**

Amino acids 1-28

Transmembrane domain:

Amino acids 64-78

cAMP- and cGMP-dependent protein kinase phosphorylation site:

Amino acids 103-107

N-myristoylation sites:

Amino acids 53-59;94-100

461/615

FIGURE 457

CCCGCGCGCCCTGGCACTCAATCCCCGCCATGTGGGGGCTCCTGCTCGCCCTGGCCGCCTTC
GCGCCGGCCGTGCGCCCGGCTCTGGGGGCGCCAGGAACTCGGTGCTGGGCCTCGCGCAGCCC
GGGACCACCAAGGTCCCAGGCTCGACCCCGGCCCTGCATAGCAGCCGGGCACAGCCGCCGGCG
GAGACAGCTAACGGGACCTCAGAACAGCATGTCCGGATTTCGAGTCATCAAGAAGAAAAAGGTC
ATTATGAAGAAGCGGAAGAAGCTAACTCTAACTCGCCCCACCCCACTGGTGACTGCCGGGCCC
CTTGTGACCCCACTCCAGCAGGGACCCTCGACCCCGCTGAGAAACAAGAAACAGGCTGTCCT
CCTTTGGGTCTGGAGTCCCTGCGAGTTTCAGATAGCCGGCTTGAGGCATCCAGCAGCCAGTCC
TTTGGTCTTGGACCACACCGAGGACGGCTCAACATTTCAGGCCTGGAGGACGGCGATCTA
TATGATGGAGCCTGGTGTGCTGAGGAGCAGGACGCCGATCCATGGTTTCAGGTGGACGCTGGG
CACCCACCCGCTTCTCGGGTGTTATCACACAGGGCAGGAACCTCTGTCTGGAGGTATGACTGG
GTCACATCATAACAAGGTCCAGTTCAGCAATGACAGTCGGACCTGGTGGGGAAGTAGGAACCAC
AGCAGTGGGATGGACGCAGTATTTCTGCCAATTCAGACCCAGAACTCCAGTGCTGAACCTC
CTGCCGGAGCCCCAGGTGGCCCGCTTCATTTCGCTGCTGCCCCAGACCTGGCTCCAGGGAGGC
GCGCCTTGCTCCGGGCAGAGATCCTGGCCTGCCAGTCTCAGACCCCAATGACCTATTCCTT
GAGGCCCCCTGCGTCGGGATCCTCTGACCCTCTAGACTTTTCAGCATCACAATTACAAGGCCATG
AGGAAGCTGATGAAGCAGGTACAAGAGCAATGCCCCAACATCACCCGCATCTACAGCATTGGG
AAGAGCTACCAGGGCCTGAAGCTGTATGTGATGGAAATGTCGGACAAGCCTGGGGAGCATGAG
CTGGGGGAGCCTGAGGTGCGCTACGTGGCTGGCATGCATGGGAACGAGGCCCTGGGGCGGGAG
TTGCTTCTGCTCCTGATGCAGTTCCTGTGCCATGAGTTCCTGCGAGGGAACCCACGGGTGACC
CGGCTGCTCTCTGAGATGCGCATTACCTGCTGCCCTCCATGAACCTGATGGCTATGAGATC
GCCTACCACCGGGGTTCAGAGCTGGTGGGCTGGGCGGAGGGCCGCTGGAACAACCAGAGCATC
GATCTTAACCATAAATTTGCTGACCTCAACACACCACTGTGGGAAGCACAGGACGATGGGAAG
GTCCCCCACATCGTCCCCAACCATCACCTGCCATTGCCCACTTACTACACCCTGCCCAATGCC
ACCGTGGCTCCTGAAACGCGGGCAGTAATCAAGTGGATGAAGCGGATCCCCTTTGTGCTAAGT
GCCAACCTCCACGGGGGTGAGCTCGTGGTGTCTTACCCATTTCGACATGACTCGCACCCCGTGG
GCTGCCCGCGAGCTCACGCCCACACCAGATGATGCTGTGTTTCGCTGGCTCAGCACTGTCTAT
GCTGGCAGTAATCTGGCCATGCAGGACACCAGCCGCCGACCCTGCCACAGCCAGGACTTCTCC
GTGCACGGCAACATCATCAACGGGGCTGACTGGCACACGGTCCCCGGGAGCATGAATGACTTC
AGCTACCTACACACCAACTGCTTTGAGGTCACTGTGGAGCTGTCCTGTGACAAGTTCCTCAC
GAGAATGAATTGCCCCAGGAGTGGGAGAACAAAGACGCCCTCCTCACCTACCTGGAGCAG
GTGCGCATGGGCATTGCAGGAGTGGTGAGGGACAAGGACACGGAGCTTGGGATTGCTGACGCT
GTCATTGCCGTGGATGGGATTAACCATGACGTGACCACGGCGTGGGGCGGGGATTATTGGCGT
CTGCTGACCCAGGGGACTACATGGTGACTGCCAGTGCCGAGGGCTACCATTCAGTGACACGG
AACTGTCGGGTACCTTTGAAGAGGGCCCCCTTCCCCTGCAATTTTCGTGCTCACCAAGACTCCC
AAACAGAGGCTGCGCGAGCTGCTGGCAGCTGGGGCCAAGGTGCCCCCGGACCTTCGCAGGCGC
CTGGAGCGGCTAAGGGGACAGAAGGATTGATACCTGCGGTTTAAGAGCCCTAGGGCAGGCTGG
ACCTGTCAAGACGGGAAGGGGAAGAGTAGAGAGGGAGGGACAAAGTGAGGAAAAGGTGCTCAT
TAAAGCTACCGGGCACCTTAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA

462/615

FIGURE 458

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA71162
><subunit 1 of 1, 734 aa, 1 stop
><MW: 81677, pI: 6.60; NX(S/T): 6
MWGLLLALAAFAVGPALGAPRNSVLGLAQP GTTKVPGSTPALHSSPAQPPAETANGTS
EQHVRIRVIKKKKVIMKKRKKLTLTRPTPLVTAGPLVTPTPAGTLDPAEKQETGCPPLGL
ESLRVSDSRLEASSSQSFGLGPHRGRLNIHSGLEDGDLYDGAWCAEEQDADPWFQVDAGH
PTRFSGVITQGRNSVWRYDWVTSYKVQFSNDSRTWWGSRNHSSGMDAVFPANSDPETPVL
NLLPEPQVARFIRLLPQTWLQGGAPCLRAEILACPVSDPNDLFLEAPASGSSDPLDFQHH
NYKAMRKLKMQVQEQC PNITRIYSIGKSYQGLKLYMEMSDKPGEHELGEPEVRYVAGMH
GNEALGRELLLLLMQFLCHEFLRG NPRVTRLLSEMRIHLLPSMNP DGYEIA YHRGSELVG
WAEGRWNNQSIDL N HNFADLNTPLWEAQDDGKVPHIVPNHHLPLPTYYTLPNATVAPETR
AVIKWMKRIPFVLSANLHGGELVVSYPFDMTRTPWAARELTPTPDDAVERWLSTVYAGSN
LAMQDTSRRPCHSQDFSVHGNIINGADWHTVPGSMNDFSYLHTNCFEVTVELSCDKFPHE
NELPQEWENNKDALLTYLEQVRMGIAGVVRDKDTELGIADAVIAVDGINHDVTTAWGGDY
WRLLT PGDYMVTASAEGYHSVTRNCRVT FEEGPFPCNFVLTKTPKQRLRELLAAGAKVPP
DLRRRLERLRGQKD
```


463/615

FIGURE 459

TAAACAGCTACAATATTCCAGGGCCAGTCACTTGCCATTTCTCATAACAGCGTCAGAGAGAA
AGAACTGACTGAAACGTTTGAGATGAAGAAAGTTCTCCTCCTGATCACAGCCATCTTGGCAGT
GGCTGTTGGTTTCCCAGTCTCTCAAGACCAGGAACGAGAAAAAAGAAGTATCAGTGACAGCGA
TGAATTAGCTTCAGGGTTTTTTGTGTTCCCTTACCCATATCCATTCGCCCCACTTCCACCAAT
TCCATTTCCAAGATTCCATGGTTTAGACGTAATTTTCTATTCCAATACCTGAATCTGCCCC
TACAAC TCCCCTTCCTAGCGAAAAGTAAACAAGAAGGATAAGTCACGATAAACCTGGTCACCT
GAAATTGAAATTGAGCCACTTCCTTGAAGAATCAAAATTCCTGTTAATAAAAGAAAAACAAAT
GTAATTGAAATAGCACACAGCATTCTCTAGTCAATATCTTTAGTGATCTTCTTTAATAAACAT
GAAAGCAAAGATTTTGGTTTCTTAATTTCCACA

464/615

FIGURE 460

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA71290
><subunit 1 of 1, 85 aa, 1 stop
><MW: 9700, pI: 9.55, NX(S/T): 0
MKKVLLLLITAILAVAVGFPVSQDQEREKRSISDSDELASGFFVFPYPYPFRPLPPIPFPRFPW
FRRNFPIPIPIESAPTTPLPSEK

Important features of the protein:**Signal peptide:**

amino acids 1-17

Homologous region to B3-hordein:

amino acids 47-85

Important features of the protein:**Signal peptide:**

Amino acids 1-20

N-glycosylation sites:

Amino acids 57-61;210-214;220-224;318-322;428-432;472-476

cAMP- and cGMP-dependent protein kinase phosphorylation site:

Amino acids 80-84

N-myristoylation sites:Amino acids 3-9;20-29;39-48;152-161;161-170;262-271;358-364;
538-544;560-566;637-643**Zinc carboxypeptidases, zinc-binding region 2 signature:**

Amino acids 498-509

Zinc carboxypeptidases:

Amino acids 391-411

465/615

FIGURE 461

AGCAGGAGCAGGAGAGGGACA**ATG**GAAGCTGCCCCGTCCAGGTTTCATGTTCTCTTATTTCTC
CTCACGTGTGAGCTGGCTGCAGAAAGTTGCTGCAGAAAGTTGAGAAATCCTCAGATGGTCCTGGT
GCTGCCCAGGAACCCACGTGGCTCACAGATGTCCAGCTGCCATGGAATTCATTGCTGCCACT
GAGGTGGCTGTCATAGGCTTCTTCCAGGATTTAGAAATACCAGCAGTGGCCATACTCCATAGC
ATGGTGCAAAAATTTCCAGGCGTGTCAATTTGGGATCAGCACTGATTCTGAGGTTCTGACACAC
TACAACATCACTGGGAACACCATCTGCCTCTTTCGCCTGGTAGACAATGAACAACCTGAATTTA
GAGGACGAAGACATTGAAAGCATTGATGCCACCAAATTGAGCCGTTTCATTGAGATCAACAGC
CTCCACATGGTGACAGAGTACAACCTGTGACTGTGATTGGGTTATTCAACAGCGTAATTCAG
ATTCATCTCCTCCTGATAATGAACAAGGCCTCCCCAGAGTATGAAGAGAACATGCACAGATAC
CAGAAGGCAGCCAAGCTCTTCCAGGGGAAGATTCTCTTTATTCTGGTGGACAGTGGTATGAAA
GAAATGGGAAGGTGATATCATTTTTCAAACATAAGGAGTCTCAACTGCCAGCTTTGGCAATT
TACCAGACTCTAGATGACGAGTGGGATACACTGCCACAGCAGAAGTTTCCGTAGAGCATGTG
CAAACTTTTGTGATGGATTCTTAAGTGGAAAATTGTTGAAAGAAAATCGTGAATCAGAAGGA
AAGACTCCAAAGGTGGAACCT**TGA**CTTCTCCTTGGAACCTACATATGGCCAAGTATCTACTTTA
TGCAAAGTAAAAAGGCACAACCTCAAATCTCAGAGACACTAAACAACAGGATCACTAGGCCTGC
CAACCACACACACACGCACGTGCACACACGCACGCACGCGTGCACACACACACGCGCACACAC
ACACACACACAGAGCTTCATTTCTGTCTTAAATCTCGTTTTCTCTTCTTCTTCTTTTAA
TTTCATATCCTCACTCCCTATCCAATTTCTTCTTATCGTGCATTCATACTCTGTAAGCCCAT
CTGTAACACACCTAGATCAAGGCTTTAAGAGACTCACTGTGATGCCTCTATGAAAGAGAGGCA
TTCCTAGAGAAAGATTGTTCCAATTTGTCAATTTAATATCAAGTTTGTATACTGCACATGACTT
ACACACAACATAGTTCTCTGCTCTTTTAAGGTTACCTAAGGGTTGAACTCTACCTTCTTTTCAT
AAGCACATGTCCGTCTCTGACTCAGGATCAAAAACCAAAGGATGGTTTTAAACACCTTTGTGA
AATTGTCTTTTTGCCAGAAGTTAAAGGCTGTCTCCAAGTCCCTGAACTCAGCAGAAATAGACC
ATGTGAAAACCTCCATGCTTGGTTAGCATCTCCAACCTCCCTATGTAAATCAACAACCTGCATAA
TAAATAAAAGGCAATCATGTTATA

466/615

FIGURE 462

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA76401
><subunit 1 of 1, 273 aa, 1 stop
><MW: 30480, pI: 4.60, NX(S/T): 1
MEAAPSRFMFLLFLLTCELAAEVAAEVEKSSDGPAAQEPTWLTDVPAAMEFIAATEVAVIGF
FQDLEIPAVPILHSMVQKFPGVSGISTDSEVLTHYNITGNTICLFRDVDNEQLNLEDEDIES
IDATKLSRFIEINSLHMTVEYNPVTVIGLFNSVIQIHLLIMNKASPEYEENMHRYQKAALF
QGKILFILVDSGMKENGKVISFFKLKESQLPALAIYQTLDDDEWDTLPTAEVSVQHVQNFCDGF
LSGKLLKENRESEGKTPKVEL
```

Signal peptide:
amino acids 1-20

Transmembrane domain:
amino acids 143-162

467/615

FIGURE 463

CTCGCTTCTTCCTTCTGGATGGGGGGCCCAGGGGGCCCAGGAGAGTATAAAGGCGATGTGGAGG
GTGCCCCGGCACAACCAGACGCCCAGTCACAGGCGAGAGCCCTGGG**ATG**CACCGGCCAGAGGCC
ATGCTGCTGCTGCTCAGCTTGCCCTCCTGGGGGGGGCCCACCTGGGCAGGGAAGATGTATGGC
CCTGGAGGAGGCAAGTATTTTCAGCACCACTGAAGACTACGACCATGAAATCACAGGGCTGCGG
GTGTCTGTAGGTCTTCTCCTGGTGAAAAGTGTCCAGGTGAACTTGGAGACTCCTGGGACGTG
AAACTGGGAGCCTTAGGTGGGAATACCCAGGAAGTCACCCTGCAGCCAGGCGAATACATCACA
AAAGTCTTTGTGCGCCTTCCAAGCTTTCCTCCGGGGTATGGTCATGTACACCAGCAAGGACCGC
TATTTCTATTTTGGGAAGCTTGATGGCCAGATCTCCTCTGCCTACCCAGCCAAGAGGGGCAG
GTGCTGGTGGGCATCTATGGCCAGTATCAACTCCTTGGCATCAAGAGCATTGGCTTTGAATGG
AATTATCCACTAGAGGAGCCGACCACTGAGCCACCAGTTAATCTCACATACTCAGCAAACCTCA
CCCGTGGGTGCGT**TAG**GGTGGGGTATGGGGCCATCCGAGCTGAGGCCATCTGTGTGGTGGTGGC
TGATGGTACTGGAGTAACTGAGTCGGGACGCTGAATCTGAATCCACCAATAAATAAAGCTTCT
GCAGAAAA

468/615

FIGURE 464

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA76541
><subunit 1 of 1, 178 aa, 1 stop
><MW: 19600, pI: 5.89, NX(S/T): 1
MHRPEAMLLLLTLALLGGPTWAGKMYGPGGGKYFSTTEDYDHEITGLRVSVGLLLVKSQVVKL
GDSWDVKLGALGGNTQEVTLQPGYITKVFVAFQAFLRGMVMTSKDRYFYFGKLDGQISSAY
PSQEGQVLVGIYGQYQLLGIKSIKFEWNYPLEEPTTEPPVNLTYSANSPVGR
```

Signal peptide:
amino acids 1-22

469/615

FIGURE 465

CGGACGCGTGGGTCCGGCGGCCTGAGGCTGCACCGGGCACGGGTGCGCCGCAATCCAGCCTGGGCGGAGCCGGAG
TTGCGAGCCGCTGCCCTAGAGGCCGAGGAGCTCACAGCTATGCGGCTGGAGGCCCGGAGAGCTCGGGGGACCCCGT
TGCTGCTGCTGCTACTACTGCTGCTGCTCTGGCCAGTGCCAGGCGCCGGGTGCTTCAAGGACATATCCCTGGGC
AGCCAGTCACCCCGCACTGGGTCCCTGGATGGACAACCCTGGCGCACCGTCAGCCTGGAGGAGCCGGTCTCGAAGC
CAGACATGGGGCTGGTGGCCCTGGAGGCTGAAGGCCAGGAGCTCCTGCTTGAGCTGGAGAAGAACCACAGGCTGC
TGGCCCCAGGATACATAGAAACCCACTACGGCCAGATGGGCGACCCAGTGGTGTGGCCCCCAACCACACGGATC
ATTGCCACTACCAAGGGCGAGTAAGGGGCTTCCCCGACTCCTGGGTAGTCTCTGCACCTGCTCTGGGATGAGTG
GCCTGATCACCCCTCAGCAGGAATGCCAGCTATTATCTGCGTCCCTGGCCACCCCGGGCTCCAAGGACTTCTCAA
CCCACGAGATCTTTCGGATGGAGCAGCTGCTCACCTGGAAGGAACCTGTGGCCACAGGGATCCTGGGAACAAAG
CGGGCATGACCAGCCTTCCCTGGTGGTCCCCAGAGCAGGGGCGAGGCGAGAAGCGCGCAGGACCCGGAAGTACCTGG
AACTGTACATTGTGGCAGACCACACCCTGTTCTTGACTCGGCACCGAACTTGAACCACACCAACAGCGTCTCC
TGGAAGTCGCCAACTACGTGGACAGCTTCTCAGGACTCTGGACATTAGGTGGCGTGACCGGCTGGAGGTGT
GGACCGAGCGGGACCGCAGCCGCTCAGCAGGACGCCAACGCCACGCTCTGGGCTTCTGCACTGGCGCCGGG
GGCTGTGGGCGCAGCGGCCACGACTCCGCGCAGCTGCTCACGGGCGCGCTTCCAGGGCGCCACAGTGGGCC
TGGCGCCCGTTCGAGGGCATGTGCCGCGCGAGAGCTCGGGAGGCGTGAGCACGGACCACTCGGAGCTCCCCATCG
CGCGCGCAGCCACCATGGCCCATGAGATCGGCCACAGCCTCGGCCTCAGCCACGACCCCGACGGCTGCTGCGTGG
AGGCTGCGGGCCGAGTCCGGAGGCTGCGTCATGGCTGCGGCCACCGGGCACCCGTTTCCGCGCGTGTTCAGCGCT
GCAGCCGCGCCAGCTGCGCGCCTTCTTCCGCAAGGGGGCGGCGCTTGCCTCTCCAATGCCCCGGACCCCGGAC
TCCCGGTGCCCGCGCGCTCTGCGGGAACGGCTTCGTGGAAGCGGGCGAGGAGTGTGACTGCGGCCCTGGCCAGG
AGTGCCGCGACCTCTGCTGCTTTGCTCACAAGTCTGCTGCGTCCGCGCGGGGGCCAGTGGCGCCACGGGGACTGCT
GCGTGCGCTGCCCTGCTGAAGCCGGCTGGAGCGCTGTGCCGCCAGGCCATGGGTGACTGTGACCTCCCTGAGTTTT
GCACGGGCACCTCCTCCCACTGTCCCCCAGACGTTTACCTACTGGACGGCTCACCCCTGTGCCAGGGGCACTGGCT
ACTGCTGGGATGGCGCATGTCCCACGCTGGAGCAGCAGTGCCAGCAGCTCTGGGGGCTGGCTCCCACCCAGCTC
CCGAGGCTGTTTCCAGGTGGTGAAGTCTGCGGGAGATGCTCATGGAAGTGGCGCCAGGACAGCGAGGGCCACT
TCTTGCCTGTGCGAGGGAGGGATGCCCTGTGTGGGAAGTGCAGTGCCAGGGTGGAAAGCCAGCCTGCTCGCAC
CGCACATGGTGCCAGTGGACTCTACCGTTACCTAGATGGCCAGGAAGTGAAGTGTGCTGGGGGAGCCTTGGCACTCC
CCAGTGCCCGAGCTGGACCTGCTTGGCCTGGGCTGGTAGAGCCAGGCACCCAGTGTGGACCTAGAATGGTGTGCC
AGAGCAGGCGCTGCAGGAAGAATGCCTTCCAGGAGCTTCAGCGCTGCCTGACTGCCTGCCACAGCCACGGGGTTT
GCAATAGCAACCATAACTGCCACTGTGCTCCAGGCTGGGCTCCACCCCTTCTGTGACAAGCCAGGCTTTGGTGGCA
GCATGGACAGTGGCCCTGTGCAAGCTGAAAACCATGACACCTTCTGCTGGCCATGCTCCTCAGCGTCTGCTGC
CTCTGCTCCAGGGGCGCGCTGGCCTGGTGTGCTACCGACTCCAGGAGCCCATCTGCAGCGATGCAGCTGGG
GCTGCAGAAGGGACCTGCGTGCAGTGGCCCCAAAGATGGCCACACAGGGACCAACCCCTGGGCGGCGTTCACC
CCATGGAGTTGGGCCCCACAGCCACTGGACAGCCCTGGCCCCCTGGACCCCTGAGAACTCTCATGAGCCAGCAGCC
ACCCTGAGAAGCCTCTGCCAGCAGTCTCGCCTGACCCCCAAGCAGATCAAGTCCAGATGCCAAGATCCTGCCTCT
GGTGAAGAGTGTGCTCCTAAAATGAACAGATTTAAAGACAGGTGGCCACTGACAGCCACTCCAGGAACCTGAACTG
CAGGGGCGAGAGCCAGTGAATCACCGGACCTCCAGCACCTGCAGGCAGCTTGGAAAGTTTCTTCCCCGAGTGGAGCT
TCGACCCACCCACTCCAGGAACCCAGAGCCACATTAGAAGTTCCTGAGGGCTGGAGAACACTGCTTGGGCACACT
CTCCAGCTCAATAAAACCATCAGTCCCAGAAGCAAAGGTACACAGCCCTGACCTCCCTCACCAGTGGAGGCTGG
GTAGTGTGGCCATCCCAAAGGGCTCTGTCTGGGAGTCTGGTGTGTCTCTACATGCAATTTCCACGGACCCA
GCTCTGTGGAGGGCATGACTGCTGGCCAGAAGCTAGTGGTCTTGGGGCCCTATGGTTGAGTGTGACCTCCACTCC
CCTGCAGCCTGGCTGGCCTCTGCAAAACAAACATAATTTTGGGGACCTTCTTCTGTTTCTTCCCACCCCTGTCTT
CTCCCCTAGGTGGTTTCTGAGCCCCCACCCTCAATCCAGTGTACACCTGAGGTTCTGGAGCTCAGAATCTGAC
AGCCTCTCCCCATTTCTGTGTGTCCGGGGGACAGAGGGAACCATTTAAGAAAAGATACCAAAGTAGAAGTCAA
AAGAAAGACATGTTGGCTATAGGCGTGGTGGCTCATGCTATAATCCAGCACTTTGGGAAGCCGGGGTAGGAGG
ATCACAGAGGCGCAGGCTCCACACCAGCCTGGGCAACACAGCAAGACACCGCATCTACAGAAAAATTTTAAAA
TTAGCTGGGCGTGGTGGTGTGTACCTGTAGGCTAGCTGCTCAGGAGGCTGAAGCAGGAGGATCACTTGAGCCTG
AGTTCAACACTGCAGTGAGCTATGGTGGCACCCTGCACTCCAGCCTGGGTGACAGAGCAAGACCCCTGTCTCTAA
AATAAATTTTAAAGGACTTAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAGAAAA

470/615

FIGURE 466

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA76788
><subunit 1 of 1, 813 aa, 1 stop
><MW: 87739, pI: 6.94, NX(S/T): 5

MGWRPRRRARGTPLL LLLLLLLLLLWVPVGAGVLQGHIPGQPVTPHWVLDGQPWRTVSLEEPVSKPDMGLVALEAEGQ
ELLLELEKHNHRL LAPGYIETHYGPDPGQPVVLAPNHTDHCHYQGRVRFDPDSWVVLCTCSGMSGLITLSRNASYLL
RPWPFRGSKDFSTHEIFRMEQLLTWKGTGHRDPGNKAGMTSLPGGPQSRGRREARRTRKYLELYIVADHTLFLT
RHRNLNHTKQRLLEVANYVDQLLRLDIQVALTGLEVWTERDRSRVTQDANATLWAFLOWRRGLWAQRPHDSAQL
LTGRAFGQATVGLAPVEGMCRAESSGGVSTDHSELPIGAAATMAHEIGHSLGLSHDPDGCCVEAAAESGGCVMAA
ATGHPFPRVFSACSRRLRAFFRKGGGACLSNAPDPGLPVPPALCGNGFVEAGEECDGPGQECRDLCCFAHNCS
LRPGAQCAHGDCCVRCLLKPAGALCRQAMGDCDLPEFCTGTSSHCPPDVYLLDGSPCARGSGYCWDGACPTLEQQ
CQQLWGP GSHPAPEACFQV VNSAGDAHGNCQDSEGHFLPCAGRDALCGKLQCQGGKPSLLAPHMVPVDSTVHLD
GQEVTCRGALALPSAQLDLLGLGLVEPGTQCGRMVCQSRRCRKNAFQELQRCLTACHSHGVCNSNHNCHCAPGW
APPFCDKPGFGGSMDSGPVQAENHDTFLLAMLLSVLLPLLPAGLAWCCYRLPGAHLQRCSWGCRRDPACSGPKD
GPHRDHPLGGVHPMELGPTATGQPWFLDPENSHEPSSHPEKPLPAVSPDPQADQVQMPSRCLW

Important features of the protein:**Signal peptide:**

Amino acids 1-27

Transmembrane domain:

Amino acids 702-720

N-glycosylation sites:

Amino acids 109-113;145-149;231-235;276-280;448-452

Tyrosine kinase phosphorylation site:

Amino acids 236-244

N-myristoylation sites:

Amino acids 29-35;185-191;195-201;308-314;318-324;326-332;338-344;370-376;
400-406;402-408;454-460;504-510;510-516;517-523;580-586;
601-607;661-667;687-693;717-723;719-725

Amidation site:

Amino acids 200-204

Neutral zinc metallopeptidases, zinc-binding region signature:

Amino acids 342-352

471/615

FIGURE 467

CGGCCAGGGCGCCGACAGCCCGACCTCACCAGGAGAACA**ATG**CAGCTCGGCACTGGGCTCCTGC
TGGCCGCCGTCTTGAGCCTGCAGCTGGCTGCAGCCGAAGCCATATGGTGTACCAGTGCACGG
GCTTCGGAGGGTGCTCCCATGGATCCAGATGCCTGAGGGACTCCACCCACTGTGTACCACCTG
CCACCCGGGTCTCAGCAACACCGAGGATTTGCCTCTGGTCACCAAGATGTGCCACATAGGCT
GCCCCGATATCCCCAGCCTGGGCTGGGCCCTACGTATCCATCGCTTGCTGCCAGACCAGCC
TCTGCAACCATGAC**TGA**CGGCTGCCCTCCTCCAGGCCCCCGGACGCTCAGCCCCCACAGCCCC
CACAGCCTGGCGCCAGGGCTCACGGCCGCCCTCCCTCGAGACTGGCCAGCCCACCTCTCCCG
GCCTCTGCAGCCACCGTCCAGCACCGCTTGTCTTAGGGAAGTCTTGCCTGGAGTCTTGCCTCA
ATCTGCTGCGCTCCAAGCCTGGGGCCCATCGTGCCTGCCGCCCTTCAGGTCCCGACCTCCCC
ACAATAAAATGTGATTGGATCGTGTGGTACAAAAA
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA

472/615

FIGURE 468

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA77623
><subunit 1 of 1, 97 aa, 1 stop
><MW: 10160, pI: 6.56, NX(S/T): 0
MQLGTGLLLAAVLSLQLAAAEAIWCHQCTGFGGCSHGSRCLRDSTHCVTTATRVLSNTEDLPL
VTKMCHIGCPDIPSLGLGPYVSIACCQTSLCNHD

Important features of the protein:

Signal peptide:

amino acids 1-20

N-myristoylation sites.

amino acids 6-11 and 33-38

Prokaryotic membrane lipoprotein lipid attachment sites.

amino acids 24-34 and 78-88

473/615

FIGURE 469

CATGGAGCCTCTTGCAGCTTACCCGCTAAAATGTTCCGGGCCCAGAGCAAAGGTATTTGCAGT
TTTGCTGTCTATAGTTCTATGCACAGTAACGCTATTTCTTCTACAACATAAAATTCCTCAAACC
TAAAATCAACAGCTTTTATGCCTTTGAAGTGAAGGATGCAAAAGGAAGAACTGTTTCTCTGGA
AAAGTATAAAGGCAAAGTTTTCACTAGTTGTAAACGTGGCCAGTGACTGCCAACTCACAGACAG
AAATTACTTAGGGCTGAAGGAACTGCACAAAGAGTTTGGACCATCCCACTTCAGCGTGTGGC
TTTTCCCTGCAATCAGTTTGGAGAATCGGAGCCCCGCCCAAGCAAGGAAGTAGAATCTTTTGC
AAGAAAAAACTACGGAGTAACTTTCCCCATCTTCCACAAGATTAAGATTCTAGGATCTGAAGG
AGAACCTGCATTTAGATTTCTTGTTGATTCTTCAAAGAAGGAACCAAGGTGGAATTTTTGGAA
GTATCTTGTCAACCCTGAGGGTCAAGTTGTGAAGTTCTGGAGGCCAGAGGAGCCCATTGAAGT
CATCAGGCCTGACATAGCAGCTCTGGTTAGACAAGTGATCATAAAAAAGAAAGAGGATCTATAG
AGAATGCCATTGCGTTTCTAATAGAACAGAGAAATGTCTCCATGAGGGTTTGGTCTCATTTTA
AACATTTTTTTTTTGGAGACAGTGTCTCACTCTGTCACCCAGGCTGGAGTGCAGTAGTGCCTT
CTCAGCTCATTGCAACCTCTGCCTTTTTTAAACATGCTATTAAATGTGGCAATGAAGGATTTTT
TTTTAATGTTATCTTGCTATTAAAGTGGTAATGAATGTTCCCAGGATGAGGATGTTACCCAAAG
CAAAAATCAAGAGTAGCCAAAGAATCAACATGAAATATATTAATACTACTTCCTCTGACCATACT
AAAGAATTCAGAATACACAGTGACCAATGTGCCTCAATATCTTATTGTTCAACTTGACATTTT
CTAGGACTGTACTTGATGAAAATGCCAACACACTAGACCACTCTTTGGATTCAAGAGCACTGT
GTATGACTGAAATTTCTGGAATACTGTAAATGGTTATGTTAATGGAATAAAACACAAATGTT
GAAAAATGTAAATATATATACATAGATTCAAATCCTTATATATGTATGCTTGTGTTTGTGTAC
AGGATTTTGTGTTTTTCTTTTTTAAGTACAGGTTCCCTAGTGTGTTTACTATACTGTCACATGTA
TGTAAGTACATATATAAATAGTCATTTATAAATGACCGTATTATAACATTTGAAAAAGTCTT
CATCAAAAAAAAAAAAAA

474/615

FIGURE 470

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA80136
><subunit 1 of 1, 209 aa, 1 stop
><MW: 23909, pI: 9.68, NX(S/T): 0
MEPLAAYPLKCSGPRAKVFAVLLSIVLCTVTLFLLQLKFLKPKINSFYAFEVKDAKGRTVSLE
KYKGKVSLLVNVASDCQLTDRNYLGLKELHKEFGPSHFSLAFPCNQFGESEPRPSKEVESFA
RKNYGVTFPIFHKIKILGSEGPAFRFLVDSSKKEPRWNFWKYLVNPEGQVVKFWRPEEPIEV
IRPDIAALVRQVVIKKKEDL
```

Important features of the protein:**Signal peptide:**

amino acids 1-31

Glutathione peroxidases signature 2.

amino acids 104-112

Glutathione peroxidases.

amino acids 57-82

475/615

FIGURE 471

GCCCTAACCTTCCCAGGGCTCAGCTCTTTGGAGCTGCCATTCTCCGGCTGCGAGAAAGGACGCGCGCCCTGCG
TCGGGCGAAGAAAAGAAGCAAACTTGTGGGAGGGTTTCGTCAACAACCTCCTTCCCGCAAACCTAAACCTCCT
GCCGGGGCCATCCCTAGACAGAGGAAAGTTCTGCAGAGCCGACCGCCCTAGTGGATCTGGGGCAGGCAGCGGC
GCTGGCTGTGGAATTAGATCTGTTTTGAACCCAGTGGAGCGCATCGCTGGGGCTCGGAAGTCACCGTCCGCGGGC
ACCGGGTTGGCGCTGCCCAGTGGAAACGACAGTTTGCAGCCCTCGGCTGCAAGTGGCCTCTCCTCCCGCGGTT
GTTGTTCACTGTCGGGTGAGGGCTGCGAGTGTGGCAAGTTGCAAAGAGAGCCTCAGAGGTCCGAAGAGCGCTGCG
CTCCTACTCGCGTTTCGTTCTTCTCTCGGTTCCCTACTGTGAAATCGCAGCGACATTTACAAAGGCGCTCCG
GGTCTACCGAGACCGATCCGCAGCGTTTGGCCCGGTGCTGCCTATTGCATCGGGAGCCCCGAGCACCGGCGAA
GGAAGTGGCGGGTGGGGTAGGGAGGTGGCGGCGGGCAGTGGCGAGGTTCCCGAAGGCCGACCTGGCCGCTGCAGG
AGTTATGTTACTTTGCCACTTCTTACGGACAGTTTCAGTTGCGCGATGGGAAACCCGGAGACCAAATCCTTGA
TTGGCAGTATGGAGTTACTCAGGCCTTCCCTCACACAGAGGAGGAGGTGGAAGTTGATTACACCGCTACAGCCA
CAGGTGGAAAAGAACTTGACTTTCTCAAGGCGGTAGACACGAACCGAGCAAGCGTCGGCCAAGACTCTCCTGA
GCCCAGAAGCTTACAGACCTGCTGCTGGATGATGGGCAGGACAATAACACTCAGATCGAGGAGGATACAGACCA
CAATTACTATATATCTCGAATATATGGTCCATCTGATTCTGCCAGCCGGGATTTATGGGTGAACATAGACCAAAT
GGAAAAGATAAAGTGAAGATTCATGGAATATGTCCAATACTCATCGGCAAGCTGCAAGAGTGAATCTGTCCTT
CGATTTTCCATTTTATGGCCACTTCCCTACGTGAAATCACTGTGGCAACCGGGGGTTTCATATACACTGGAGAAGT
CGTACATCGAATGCTAACAGCCACACAGTACATAGCACCTTTAATGGCAAATTTGATCCCAGTGTATCCAGAAA
TTCAACTGTCAGATATTTTGATAATGGCACAGCACTTGTGGTCCAGTGGGACCATGTACATCTCCAGGATAATTA
TAACCTGGGAAGCTTACATTCCAGGCAACCCCTGCTCATGGATGGACGAATCATCTTTGGATACAAAGAAATTCC
TGTCTTGGTCACACAGATAAGTTCAACCAATCATCCAGTGAAAGTCGGACTGTCCGATGCATTTGTGCTTGTCCA
CAGGATCCAACAAATTCCCAATGTTTGAAGAAGAACAATTTATGAATACCACCGAGTAGAGCTACAAATGTCAA
AATTACCAACATTTTCGGCTGTGGAGATGACCCCATACCCACATGCCTCCAGTTTAACAGATGTGGCCCCGTGTGT
ATCTTCTCAGATTGGCTTCAACTGCAGTTGGTGTAGTAACTTCAAAGATGTTCCAGTGGATTTGATCGTCATCG
GCAGGACTGGGTGGACAGTGGATGCCCTGAAGAGTCAAAAGAGAAGATGTGTGAGAATACAGAACCAGTGGAAAC
TTCTTCTCGAACCACCACAACCGTAGGAGCGACAACCCAGTTTCAGGGTCTTAACACCACCAGAAGAGCAGT
GACTTCTCAGTTTCCACCAGCCTCCCTACAGAAGATGATACCAAGATAGCACTACATCTAAAAGATAATGGAGC
TTCTACAGATGACAGTGCAGCTGAGAAGAAAGGGGGAACCCCTCCACGCTGGCCTCATCATTTGGAATCCTCATCCT
GGTCCCTCATTGTAGCCACAGCCATTCTTGTGACAGTCTATATGTATCACCACCAACATCAGCAGCCAGCATCTT
CTTTATTGAGAGACGCCCCAAGCAGATGGCCTGCGATGAAGTTTAGAAGAGGCTCTGGACATCCTGCCTATGCTGA
AGTTGAACCAGTTGGAGAGAAAGAAGGCTTTATTGTATCAGAGCAGTGTCTAAATTTCTAGGACAGAACAACACC
AGTACTGGTTTACAGGTGTTAAGACTAAAATTTTGCCATACCTTTAAGACAAACAAACACACACACAAC
AAGCTCTAAGCTGCTGTAGCCTGAAGAAGACAAGATTTCTGGACAAGCTCAGCCCAGGAAACAAAGGGTAACAA
AAAATAAACTTATACAAGATACCATTTACACTGAACATAGAATTCCTAGTGAATGTCATCTATAGTTCACT
CGGAACATCTCCCGTGGACTTATCTGAAGTATGACAAGATTATAATGCTTTTGGCTTAGGTGCAGGGTTGCAAAG
GGATCAGAAAAAAAATCATAATAAGCTTTAGTTCATGAGGG

476/615

FIGURE 472

MARFPKADLAAAGVMLLCHFETDQFQFADGKPGDQILDWQYGVTAQAFPHTEEEVEVD SHAYSH
RWKRNLDFLKAVDTNRASVGQDSPEPRSFDTLLLDGQDNNTQIEEDTDHNYYSRIYGPSDS
ASRDLWVNIDQMEKDKVKI HGILSNTHRQAARVNLSFDFFPYGHFLREITVATGGFIYTGEVV
HRMLTATQYIAPLMANFDPSVSRNSTVRYFDNGTALVVQWDHVHLQDNYNLGSFTFQATLLMD
GRIIFGYKEIPVLVTQISSTNHPVKVGLS DAFVVVHRIQQIPNVRRTIY EYHRVELQMSKIT
NISAVEMTPLPTCLQFNRCGPCVSSQIGFNC SWCSKLRQCSSGFDRHRQDWVDSGCPEESKEK
MCENTEPVETSSRTTTTVGATTQFRVLTTTTRRAVTSQFFPTSLPTEDDTKIALHLKDNGASTD
DSAAEKKGGTLHAGLIIGILILVLIVATAILVTVYMYHHPTSAASIFFIERRPSRWPAMKFRR
GSGHPAYAEVEPVGEKEGFIVSEQC

Important features of the protein:**Transmembrane domain:**

amino acids 454-478

N-glycosylation sites.

amino acids 103-107, 160-164, 213-217, 221-225, 316-320, 345-349

cAMP- and cGMP-dependent protein kinase phosphorylation sites.

amino acids 297-301, 492-496, 503-507

N-myristoylation sites.amino acids 42-48, 100-106, 147-153, 279-285, 397-403, 450-456,
455-461

477/615

FIGURE 473

CGCGGAGCCCTGCGCTGGGAGGTGCACGGTGTGCACGCTGGACTGGACCCCCATGCAACCCCG
CGCCCTGCGCCTTAACCAGGACTGCTCCGCGCGCCCCCTGAGCCTCGGGCTCCGGCCCCGGACCT
GCAGCCTCCCAGGTGGCTGGGAAGAACTCTCCAACAATAAATACATTTGATAAGAAAGATGGC
TTTAAAAGTGCTACTAGAACAAAGAGAAAACGTTTTTCACTCTTTTAGTATTACTAGGCTATTT
GTCATGTAAAGTGACTTGTGAATCAGGAGACTGTAGACAGCAAGAATTCAGGGATCGGTCTGG
AACTGTGTTCCTGCAACCAGTGTGGGCCAGGCATGGAGTTGTCTAAGGAATGTGGCTTCGGC
TATGGGGAGGATGCACAGTGTGTGACGTGCCGGCTGCACAGGTTCAAGGAGGACTGGGGCTTC
CAGAAATGCAAGCCCTGTCTGGACTGCGCAGTGGTGAACCGCTTTCAGAAGGCAAATTGTTCA
GCCACCAGTGATGCCATCTGCGGGGACTGCTTGCCAGGATTTTATAGGAAGACGAAACTTGTC
GGCTTTCAAGACATGGAGTGTGTGCCTTGTGGAGACCCTCCTCCTTACGAACCGCACTGT
GCCAGCAAGGTCAACCTCGTGAAGATCGCGTCCACGGCCTCCAGCCACGGGACCGGCGCTG
GCTGCCGTTATCTGCAGCGCTCTGGCCACCGTCTGCTGGCCCTGCTCATCCTCTGTGTCATC
TATTGTAAGAGACAGTTTATGGAGAAGAAACCCAGCTGGTCTCTGCGGTGCGAGGACATTTCAG
TACAACGGCTCTGAGCTGTCTGTTTTGACAGACCTCAGCTCCACGAATATGCCACAGAGCC
TGCTGCCAGTGCCGCCGTGACTCAGTGCAGACCTGCGGGCCGGTGCGCTTGCTCCCATCCATG
TGCTGTGAGGAGGCCCTGCAGCCCCAACCCGGCGACTCTTGGTTGTGGGGTGCATTCTGCAGCC
AGTCTTCAGGCAAGAAACGCAGGCCCAGCCGGGAGATGGTGCCGACTTCTTCGGATCCCTC
ACGCAGTCCATCTGTGGCGAGTTTTTCAGATGCCTGGCCTCTGATGCAGAATCCCATGGGTGGT
GACAACATCTCTTTTTGTGACTCTTATCCTGAACTCACTGGAGAAGACATTCATTCTCTCAAT
CCAGAACTTGAAAGCTCAACGTCTTTGGATTCAAATAGCAGTCAAGATTTGGTTGGTGGGGCT
GTTCCAGTCCAGTCTCATTCTGAAAACTTTACAGCAGCTACTGATTTATCTAGATATAACAAC
ACACTGGTAGAATCAGCATCAACTCAGGATGCACTAACTATGAGAAGCCAGCTAGATCAGGAG
AGTGGCGCTGTCATCCACCCAGCCACTCAGACGTCCCTCCAGGAAGCTTAAAGAACCTGCTTC
TTTCTGCAGTAGAAGCGTGTGCTGGAACCCAAAGAGTACTCCTTTGTAGGCTTATGGACTGA
GCAGTCTGGACCTTGCAATGGCTTCTGGGGCAAAAATAAATCTGAACCAAACCTGACGGCATTG
AAGCCTTTTCAGCCAGTTGCTTCTGAGCCAGACAGCTGTAAGCTGAAACCTCAATGAATAACA
AGAAAAGACTCCAGGCCGACTCATGATACTCTGCATCTTTCCTACATGAGAAGCTTCTCTGCCAC
AAAAGTGACTTCAAAGACTGATGGGTTGAGCTGGCAGCCTATGAGATTGTGGACATATAACAA
GAAACAGAAATGCCCTCATGCTTATTTTCATGGTGATTGTGGTTTTTACAAGACTGAAGACCCA
GAGTATACTTTTTCTTCCAGAAATAATTTATACCGCCTATGAAATATCAGATAAATTACCT
TAGCTTTTATGTAGAATGGGTTCAAAGTGAGTGTCTTATTTGAGAAGGACACTTTTTTCATC
ATCTAAACTGATTCGCATAGGTGGTTAGAATGGCCCTCATATTGCCTGCCTAAATCTTGGGT
TATTAGATGAAGTTTACTGAATCAGAGGAATCAGACAGAGGAGGATAGCTCTTTCAGAAATCC
ACACTTCTGACCTCAGCCTCGGTCTCATGAACACCCGCTGATCTCAGGAGAACACCTGGGCTA
GGGAATGTGGTCGAGAAAGGGCAGCCCATTGCCCAGAATTAACACATATTGTAGAGACTTGTA
TGCAAAGGTTGGCATATTTATATGAAAATTAGTTGCTATAGAAACATTTGTTGCATCTGTCCC
TCTGCCTGAGCTTAGAAGGTTATAGAAAAAGGGTATTTATAAACATAAATGACCTTTTACTTG
CATTGTATCTTATACTAAAGGCTTTAGAAATTACAACATATCAGGTTCCCCTACTACTGAAGT
AGCCTTCCGTGAGAACACACCACATGTTAGGACTAGAAGAAAATGCACAATTTGTAGGGGTTT
GGATGAAGCAGCTGTAACCTGCCCTAGTGTAGTTTGACCAGGACATTGTCGTGCTCCTTCCAAT
TGTGTAAGATTAGTTAGCACATCATCTCCTACTTTAGCCATCCGGTGTTGGATTTAAGAGGAC
GGTGCTTCTTTCTATTAAAGTGCTCCATCCCCTACCATCTACACATTAGCATTGTCTCTAGAG
CTAAGACAGAAATTAACCCCGTTCAGTCACAAAGCAGGGAATGGTTCATTTACTCTTAATCTT
TATGCCCTGGAGAAGACCTACTTGAACAGGGCATATTTTTTAGACTTCTGAACATCAGTATGT
TCGAGGGTACTATGATATTTTGGTTTGAATTGCCCTGCCCAAGTCACTGTCTTTTAACTTTT
AACTGAATATTAAATGTATCTGTCTTCTCT

478/615

FIGURE 474

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA84210
><subunit 1 of 1, 417 aa, 1 stop
><MW: 45305, pI: 5.12, NX(S/T): 6
MALKVLLEQEKTFFTLLVLLGYLSCKVTCESGDCRQQEFRDRSGNCVPCNQCGPGMELSK
ECGFGYGEDAQCVTCLHRFKEDWGFQKCKPCLDCAVVNRFOKANCSATSDAICGDCLPG
FYRKTKLVGFQDMCEVPCGDP PPPYEPHCASKVNLVKIASTASSPRDTALAAVICSALAT
VLLALLILCVIYCKRQFMEKKPSWSLRSQDIQYNGSELSCFDRPQLHEYAHRACCQCRRD
SVQTCGPVRLLP SMCCEEACSPNPATLGC GVHSAASLQARNAGPAGEMVPTFFGSLTQSI
CGEFSDAWPLMQNPMGGDNISFCDSYPELTGEDIHSLNPELESSTSLDSNSSQDLVGGAV
PVQSHSENFTAATDLSRYNNTLVESASTQDALTMRSQLDQESGAVIHPATQTSLQEA
```

Important features of the protein:**Signal peptide:**

Amino acids 1-25

Transmembrane domain:

Amino acids 169-192

N-glycosylation sites:

Amino acids 105-109;214-218;319-323;350-354;368-372;379-383

cAMP- and cGMP-dependent protein kinase phosphorylation sites:

Amino acids 200-204;238-242

Tyrosine kinase phosphorylation site:

Amino acids 207-214

N-myristoylation sites:

Amino acids 55-61;215-221;270-276

Prokaryotic membrane lipoprotein lipid attachment site:

Amino acids 259-270

TNFR/NGFR family cysteine-rich region proteins:

Amino acids 89-96

479/615

FIGURE 475

AGCCAGGCAGCACATCACAGCGGGAGGAGCTGTCCCAGGTGGCCCAGCTCAGCA**ATG**GCAATG
GGGGTCCCCAGAGTCATTCTGCTCTGCCTCTTTGGGGCTGCGCTCTGCCTGACAGGGTCCCAA
GCCCTGCAGTGCTACAGCTTTGAGCACACCTACTTTGGCCCCCTTTGACCTCAGGGCCATGAAG
CTGCCCAGCATCTCCTGTCTCATGAGTGCTTTGAGGCTATCCTGTCTCTGGACACCGGGTAT
CGCGCGCCGGTGACCCTGGTGCGGAAGGGCTGCTGGACCGGGCCTCCTGCGGGCCAGACGCAA
TCGAACCCGGACGCGCTGCCGCCAGACTACTCGGTGGTGCGCGGCTGCACAACCTGACAAATGC
AACGCCCACCTCATGACTCATGACGCCCTCCCCAACCTGAGCCAAGCACCCGACCCGCCGACG
CTCAGCGGCGCCGAGTGCTACGCCTGTATCGGGGTCCACCAGGATGACTGCGCTATCGGCAGG
TCCCGACGAGTCCAGTGTCACCAGGACCAGACCGCCTGCTTCCAGGGCAGTGGCAGAATGACA
GTTGGCAATTTCTCAGTCCCTGTGTACATCAGAACCTGCCACCGGCCCTCCTGCACCACCGAG
GGCACCACCAGCCCCCTGGACAGCCATCGACCTCCAGGGCTCCTGCTGTGAGGGGTACCTCTGC
AACAGGAAATCCATGACCCAGCCCTTCACCAGTGCTTCAGCCACCACCCCTCCCCGAGCACTA
CAGGTCCTGGCCCTGCTCCTCCCAGTCCTCCTGCTGGTGGGGCTCTCAGCA**TAG**ACCGCCCCCT
CCAGGATGCTGGGGACAGGGCTCACACACCTCATTCTTGCTGCTTCAGCCCCTATCACATAGC
TCACTGGAAAATGATGTTAAAGTAAGAATTGCAAAA

480/615

FIGURE 476

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA86576
><subunit 1 of 1, 251 aa, 1 stop
><MW: 26935, pI: 7.42, NX(S/T): 2
MAMGVPRVILLCLFGAALCLTGSQALQCYSFEHTYFGPFDLRAMKLPSISCPHECFEAILSLD
TGYRAPVTLVRKGCWTGPPAGQTQSNPDALPPDYSVVRGCTTDKCNAHLMTHDALPNLSQAPD
PPTLSGAECYACIGVHQDDCAIGRSRRVQCHQDQTACFQSGRMTVGNFSVPVYIRTCHRPSC
TTEGTTSPWTAIDLQSCCEGYLCNRKSMTQPFTSASATTPPRALQVLALLLPVLLLVGLSA

Important features of the protein:**Signal peptide:**

amino acids 1-19

Transmembrane domain:

amino acids 233-251

N-glycosylation sites.

amino acids 120-124, 174-178

N-myristoylation sites.

amino acids 15-21, 84-90

481/615

FIGURE 477

CCCACGCGTCCGGGACAGATGAACCTTAAAGAGAAGCTTTAGCTGCCAAAGATTGGGAAAGGGAAAGGACAAAA
AGACCCCTGGGCTACACGGCGTAGGTGCAGGGTTTCTACTGCTGTTCTTTTATGCTGGGAGCTGTGGCTGTAAC
CAACTAGGAAATAACGTATGCAGCAGCTATGGCTGTCAGAGAGTTGTGCTTCCCAAGACAAAGGCAAGTCCCTGTT
TCTTTTTCTTTTTTGGGAGTGTCTTTGGCAGGTTCTGGGTTTGGACGTTATTTCGGTGACTGAGGAAACAGAGAA
AGGATCCTTTGTGGTCAATCTGGCAAAGGATCTGGGACTAGCAGAGGGGGAGCTGGCTGCAAGGGGAACCAGGGT
GGTTTCCGATGATAACAAACAATACCTGCTCCTGGATTACATACCGGAATTTGCTCACAAATGAGAACTGGA
CCGAGAGAAGCTGTGTGGCCCTAAAGAGCCCTGTATGCTGTATTTCCAAATTTTAAATGGATGATCCCTTTTCAGAT
TTACCGGGCTGAGCTGAGAGTCAGGGATATAAATGATCAGCGGCCAGTATTTTCAGGACAAAGAAACAGTCTTAAA
AATATCAGAAAATACAGCTGAAGGGACAGCATTAGACTAGAAAGAGCACAGGATCCAGATGGAGGACTTAACGG
TATCCAAAATACAGATCAGCCCCAACTCTTTTTTCCATATTAACATTAGTGGCGGTGATGAAGGCATGATATA
TCCAGAGCTAGTGTGGACAAAGCACTGGATCGGGAGGAGCAGGGAGAGCTCAGCTTAACCTCACAGCGCTGGA
TGGTGGGTCTCCATCCAGGTCTGGGACCTCTACTGTACGCATCGTTGTCTTGGACGTCAATGACAATGCCCCACA
GTTTGGCCAGGCTCTGTATGAGACCCAGGCTCCAGAAAACAGCCCCATTGGGTTCTTTATTGTTAAGGTATGGGC
AGAAGATGTAGACTCTGGAGTCAACGCGGAAGTATCCTATTCTTTTTTGTATGCCTCAGAAAATATTGGAACGAC
CTTTCAAATCAATCCTTTTTCTGGGGAATCTTTCTCAGAGAATTGCTTGATTATGAGTTAGTAAATCTTACAA
AATAAATATACAGGCAATGGACGGTGGAGGCCTTTCTGCAAGATGTAGGGTTTTAGTGGAAAGTATTGGACACCAA
TGACAATCCCCCTGAACGTATCGTATCATCATTTTCCAACCTCTGTTGCTGAGAATTCTCCTGAGACGCCGCTGGC
TGTTTTTAAGATTAATGACAGAGACTCTGGAGAAAATGGAAGATGGTTTGCTACATTCAAGAGAATCTGCCATT
CCTACTAAAACCTTCTGTGGAGAATTTTACATCCTAATTACAGAAGGCGCGCTGGACAGAGAGATCAGAGCCGA
GTACAACATCACTATCACCGTCACTGACTTGGGGACACCCAGGCTGAAAACCGAGCACAAACATAACGGTCTGGT
CTCCGACGTCAATGACAACGCCCCCGCCTTACCCAAACCTCCTACACCCTGTTCTGTCGCGGAGAACAACAGCCC
CGCCCTGCACATCGGCAGCGTCAGCGCCACAGACAGAGACTCGGGCACCAACGCCAGGTCACCTACTCGCTGCT
GCCGCCCAAGACCCGCACCTGCCCTCGCCTCCCTGGTCTCCATCAACGCGGACAACGGCCACCTGTTCCGCCCT
CAGGTCGCTGGACTACGAGGCCCTGCAGGCTTTGAGTTCGCGTGGGCGCCACAGACCGCGGCTCCCCCGCGCT
GAGCAGAGAGGCGTGGTGCAGTGTGGTGTGAGCGCCAACGACAACCTCGCCCTTCTGCTGTACCCGCTGCA
GAACGGCTCCGCGCCCTGCACCGAGCTGGTGGCCCGGGCGGCGGAGCCGGGCTACCTGGTGACCAAGGTGGTGGC
GGTGGACGGCGACTCGGGCCAGAACGCCCTGGCTGTCTGACAGCTGCTCAAGGCCACGGAGCCCCGGGCTGTTCCGG
TGTGTGGGCGACAATGGGGAGGTGCGCACCGCCAGGCTGCTGAGCGAGCGCGACGCAGCCAAGCACAGGCTCGT
GGTGTGTGCAAGGACAATGGCGAGCCTCCTCGCTCGGCCACCGCCACGCTGCACTTGTCTCTGCTGGACGGCTT
CTCCAGCCCTACCTGCCTCTCCCGAGGCGGCCCCGGCCAGGCCAGGCCAGGCGGACTTGCTCACCCTTA
CCTGGTGGTGGCCTTGGCCTCGGTGTCTTCTGCTCTTCTCTCTCTCGGTGCTCCTGTTCTGCTGGCGGTGCGGCTGTG
CAGGAGGAGCAGGGCGGCTCGGTGGGTGCTGCTCGGTGCCCCAGGGTCTTTTTCCAGGGCATCTGGTGGACGT
GAGGGGCGCTGAGACCCTGTCCAGAGCTACCAGTATGAGGTGTGTCTGACGGGAGGCCCCGGGACCAAGTGTG
CAAGTCTTGAAACAGTTATTTCCGATATTCAGGCACAGGGCCCTGGGAGGAAGGGTGAAGAAAATTCCACCTT
CCGAAATAGCTTTGGATTAAATATTAGTAAAGTCTGTTTTAGTTTCATATACTTTGGTGTGTTACATAGCCA
TGTTTCTATTAGTTTACTTTTAAATCTCAAATTTAAGTTATTATGCAACTTCAAGCATTATTTTCAAGTAGTATA
CCCCTGTGGTTTTACAATGTTTCATCATTTTTTTGCATTAATAACAAGTGGGTTAATTTAATGAGTATTTTTTT
CTAAATGATAGTGTAAAGTTTTAATTCTTTCCAACCTGCCAAGGAATTAATTACTATTATCTCATTACAGAA
ATCTGAGGTTTTGATTCATTTAGAGCTTGCATCTCATGATTCTAATCACTTCTGTCTATAGTGTACTTGCTCTA
TTAAGAAGGCATATCTACATTTCCAACTCATTCTAATCTATATATTCTGTTTGAAGCATGCTACTTTTACTT
TTTCTACATCATGTATTTAAAAAGAAATATTTCTCTACTACTATGCTCATGACAAAATGAAACAAAGCATATTGT
GAGCAATACTGAACATCAATAATACCTTAGTTTATATACTTATTATTTTATCTTTAAGCATGCTACTTTTACTT
GGCAATATTTTCTTATGTTAACTTTTGTGATGTATAAACAGACTATGCCTTATAATTGAAATAAAATTATAA
TCTGCTGAAATGAATAAAAATAAAACATTTTGAATGTGAAAAAAAAAAAAAAAAAAAAA

482/615

FIGURE 478

```

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA87976
><subunit 1 of 1, 800 aa, 1 stop
><MW: 87621, pI: 4.77, NX(S/T): 7
MAVRELCFPRQRQVLFLEFWGVSLAGSGFGGRYSVTEETEKGSFVVNLAKDLGLAEGELAARG
TRVVSDDNKQYLLLDSTGNLLTNEKLDREKLCGPKEPCMLYFQILMDDPFQIYRAELRVRDI
NDHAPVFQDKETVLKISENTAEGTAFRLERAQDPDGGNGIQNYTISPNSFFHINISGGDEGM
IYPELVLDKALDREEQGELSLLTALDGGSPSRSGTSTVRIVVLDVNDNAPQFAQALYETQAP
ENSPIGFLIVKVWAEDVDSGVNAEVSYSFFDASENIRTTFQINPFSGEIFLRELLDYELVNSY
KINIQAAMDGGGLSARCRVLVEVLDTNDNPPELIVSSFSNSVAENSPETPLAVFKINDRDSGEN
GKMVCYIQENLPFLKPSVENFYILITEGALDREIRAEYNITITVTDLGTPLKTEHNITVLV
SDVNDNAPAFQTQTSYTLFVRENNPALHIGSVSATDRDSGTNAQVTYSLLPQDPHLPLASLV
SINADNGHLFALRSLDYELQAFEFVRGATDRGSPALSREALVRVLVDANDNSPFVLYPLQN
GSAPCTELVPRAAEPGYLVTKVAVDGDGSGQNAWLSYQLLKATEPGLFGVWAHNGEVRTARLL
SERDAAKHRLVVLVKDNGEPPRSATATLHLLLVDGFSQPYLPLPEAAPAQAEADLLTVYLV
VALASVSSLFLLSVLLFVAVRLCRRSRAASVGRCSVPEGPFPGHLVDVRGAETLSQSYQYEV
LTGGPGTSEFKFLKPVISDIQAQGPGRKGEENSTFRNSFGFNQ

```

Important features of the protein:**Signal peptide:**

amino acids 1-26

Transmembrane domain:

amino acids 687-711

N-glycosylation sites.

amino acids 169-173, 181-185, 418-422, 436-440, 567-571, 788-792

Glycosaminoglycan attachment site.

amino acids 28-32

Tyrosine kinase phosphorylation sites.

amino acids 394-402, 578-585

N-myristoylation sites.amino acids 22-28, 27-33, 53-59, 82-88, 162-168, 184-190,
217-223, 324-330, 325-331, 471-477, 568-574, 759-765**Amidation site.**

amino acids 781-785

Aminoacyl-transfer RNA synthetases class-II signature 1.

amino acids 117-138

Cadherins extracellular repeated domain signature.

amino acids 121-132, 230-241, 335-346, 439-450, 549-560

483/615

FIGURE 479

CTCGGCTGGATTTAAGGTTGCCGCTAGCCGCTGGGAATTTAAGGGACCCACACTACCTTCCC
GAAGTTGAAGGCAAGCGGTGATTGTTTGTAGACGGCGCTTTGTCA**ATG**GGACCTGTGCGGTTGG
GAATATTGCTTTTCCCTTTTTTTGGCCGTGCACGAGGCTTGGGCTGGGATGTTGAAGGAGGAGG
ACGATGACACAGAACGCTTGCCCAGCAAATGCGAAGTGTGTAAGCTGCTGAGCACAGAGCTAC
AGGCGGAAGTGAAGTCGCACCGGTGATCTCGAGAGGTGCTGGAGCTGGGGCAGGTGCTGGATA
CAGGCAAGAGGAAGAGACACGTGCCTTACAGCGTTTCAGAGACAAGGCTGGAAGAGGCCTTAG
AGAATTTATGTGAGCGGATCCTGGACTATAGTGTTTACGCTGAGCGCAAGGGCTCACTGAGAT
ATGCCAAGGGTCAGAGTCAGACCATGGCAACACTGAAAGGCCTAGTGCAGAAGGGGGTGAAGG
TGGATCTGGGGATCCCTCTGGAGCTTTGGGATGAGCCCAGCGTGGAGGTACATACCTCAAGA
AGCAGTGTGAGACCATGTTGGAGGAGTTTGAAGACATTGTGGGAGACTGGTACTTCCACCATC
AGGAGCAGCCCCCTACAAAATTTCTCTGTGAAGGTCATGTGCTCCCAGCTGCTGAAACTGCAT
GTCTACAGGAACTTGGACTGGAAAGGAGATCACAGATGGGGAAGAGAAAACAGAAGGGGAGG
AAGAGCAGGAGGAGGAGGAGGAAGAGGAGGAAGAGGAAGGGGGAGACAAGATGACCAAGACAG
GAAGCCACCCCAAACCTTGACCGAGAAGATCTTT**TGA**CCCTTGCCTTTGAGCCCCCAGGAGGGGA
AGGGATCATGGAGAGCCCTCTAAAGCCTGCACTCTCCCTGCTCCACAGCTTTCAGGGTGTGTT
TATGAGTGACTCCACCCAAGCTTGTAGCTGTTCTCTCCCATCTAACCTCAGGCAAGATCCTGG
TGAAACAGCATGACATGGCTTCTGGGGTGGAGGGTGGGGGTGGAGGTCCTGCTCCTAGAGATG
AACTCTATCCAGCCCCCTTAATTGGCAGGTGTATGTGCTGACAGTACTGAAAGCTTTCCTCTTT
AACTGATCCCACCCCCACCCAAAAGTCAGCAGTGGCACTGGAGCTGTGGGCTTTGGGGAAGTC
ACTTAGCTCCTTAAGGTCTGTTTTTAGACCTTCCAAGGAAGAGGCCAGAACGGACATTCTCT
GCGATCTATATACATTGCCTGTATCCAGGAGGCTACACACCAGCAAACCGTGAAGGAGAATGG
GACACTGGGTCATGGCCTGGAGTTGCTGATAATTTAGGTGGGATAGATACTTGGTCTACTTAA
GCTCAATGTAACCCAGAGCCCACCATATAGTTTTATAGGTGCTCACTTTCTATATCGCTATT
AAACTTTTTTCTTTTTTCTA

484/615

FIGURE 480

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA92256
><subunit 1 of 1, 248 aa, 1 stop
><MW: 28310, pI: 4.63, NX(S/T): 0
MGPVRLGILLFLFLAVHEAWAGMLKEEDDDTERLPSKCEVCKLLSTELQAELSRTGRSREVLE
LGQVLDTGKRKRHVPYSVSETRLEEALNLCERILDYSVHAERKGSRLRYAKGQSQTMATLKGL
VQKGVKVDLGIPLELWDEPSVEVTYLLKKQCETMLEEFEDIVGDWYFHHQEQPLQNFLCEGHVL
PAAETACLQETWTGKEITDGEEKTEGEEEEEEEEEEEEEGGDKMTKTGSHPKLDREDL

Important features of the protein:**Signal peptide:**

amino acids 1-21

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 106-110

N-myristoylation site.

amino acids 115-121

Amidation site.

amino acids 70-74

485/615

FIGURE 481

GGCGTGTGCAAGGCGGGGTCCGGCCCGCGCAGGTCGGGTAAGCGCGTCTAGGGCGCTGCGCGG
CGCAGCGAAAAATGCGCGGCTTCCAGGTGGGCGCGCAAGGCCGTGGTCCTGCTTTGTGCCCTCTGA
CCTGCTGCTGCTGCTGCTACTGCTACCACCGCCTGGGTCTGCGCGGCCGAAGGCTCGCCCCG
GACGCCCCGACGAGTCTACCCACCTCCCCGGAAGAAGAAGGATATTCGCGATTACAATGA
TGCAGACATGGCGCGTCTTCTGGAGCAATGGGAGAAAGATGATGACATTGAAGAAGGAGATCT
TCCAGAGCACAAGAGACCTTCAGCACCTGTCGACTTCTCAAAGATAGACCCAAGCAAGCCTGA
AAGCATATTGAAAATGACGAAAAAAGGGAAGACTCTCATGATGTTTGTCACTGTATCAGGAAG
CCCTACTGAGAAGGAGACAGAGGAAATTACGAGCCTCTGGCAGGGCAGCCTTTTCAATGCCAA
CTATGACGTCCAGAGGTTTCATTGTGGGATCAGACCGTGCTATCTTCATGCTTCGCGATGGGAG
CTACGCCTGGGAGATCAAGGACTTTTTTGGTCCGTCAAGACAGGTGTGCTGATGTAACCTCTGGA
GGGCCAGGTGTACCCCGGCAAAGGAGGAGGAAGCAAAGAGAAAAATAAAACAAAGCAAGACAA
GGGCAAAAAAAGAAGGAAGGAGATCTGAAATCTCGGTCTTCCAAGGAAGAAAATCGAGCTGG
GAATAAAAGAGAAGACCTGTGATGGGGCAGCAGTGACGCGCTGTGGGGGGACAGGTGGACGTG
GAGAGCTCTTTGCCCAGCTCCTGGGGTGGGAGTGGTCTCAGGCAACTGCACACCGGATGACAT
TCTAGTGTCTTCTAGAAAGGGTCTGCCACATGACCAGTTTGTGGTCAAAGAATTACTGCTTAA
TAGGCTTCAAGTAAGAAGACAGATGTTTTCTAATTAATACTGGACACTGACAAATTCATGTTT
ACTATAAAATCTCCTTACATGGAAATGTGACTGTGTTGCTTTTTTCCATTTACACTTGGTGAG
TCATCAACTCTACTGAGATTCCACTCCCCCTCCAAGCACCTGCTGTGATTGGGTGGCCTGCTCT
GATCAGATAGCAAATTCATGATCAGAGAAGACTTTAAACTCTTGACTTAATTGAGTAAACTCT
TCATGCCATATACATCATTTTTATTATGTAAAGGTAAAATATGCTTTGTGAACTCAGATGTC
TGTAGCCAGGAAGCCAGGGTGTGTAAATCCAAATCTATGCAGGAAATGCGGAGAATAGAAAA
TATGTCACTTGAAATCCTAAGTAGTTTTGAATTTCTTTGACTTGAATCTTACTCATCAGTAAG
AGAACTCTTGGTGTCTGTCAGGTTTTATGTGGTCTGTAAAGTTAGGGGTTCTGTTTTGTTTCC
TTATTTAGGAAAGAGTACTGCTGGTGTGCGAGGGGTATATGTTCCATTTAATGTGACAGTTTT
AAAGGATTTAAGTAGGGAATCAGAGTCCTTTGCAGAGTGTGACAGACGACTCAATAACCTCAT
TTGTTTCTAAACATTTTTCTTTGATAAAGTGCCTAAATCTGTGCTTTTCGTATAGAGTAACATG
ATGTGCTACTGTTGATGTCTGATTTTGCCGTTTCATGTTAGAGCCTACTGTGAATAAGAGTTAG
AACATTTATATACAGATGTCATTTCTAAGAACTAAAATTCTTTGGGAAAAACCTCAAAAAA
AAAAAAAAAAAAAAAAAAAAA

486/615

FIGURE 482

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA92289
><subunit 1 of 1, 234 aa, 1 stop
><MW: 26077, pI: 8.13, NX(S/T): 1
MAASRWARKAVVLLCASDLLLLLLLLPPPGSCAAEGSPGTPDESTPPPRKKKKDIRDYND
ADMARLLEQWEKDDDDIEGDLPEHKRPSAPVDFSKIDPSKPESILKMTKKGKTLMMFVTV
SGSPTEKETEEITSLWQGSLEFNANYDVQRFIVGSDRAIFMLRDGSYAWWEIKDFLVGQDRC
ADVTLEGQVYPGKGGGSKEKNKTKQDKGKKKKEGDLKSRSSKEENRAGNKREDL
```

Important features of the protein:**Signal peptide:**

Amino acids 1-32

N-glycosylation site:

Amino acids 201-205

cAMP- and cGMP-dependent protein kinase phosphorylation site:

Amino acids 85-89

Tyrosine kinase phosphorylation site:

Amino acids 50-59

N-myristoylation sites:

Amino acids 30-36;138-144;153-159;176-182

Amidation site:

Amino acids 207-211

488/615

FIGURE 484

MALPPGPAALRHTLLLLPALLSSGWGELEPQIDGQTWAERALRENERHAFTCRVAGGPGT
PRLAWYLDGQLQEASTSRLLSVGGEAFSGGTSTFTVTAHRAQHELNCSLQDPRSGRSANASVILNV
QFKPEIAQVGAKYQEAQGPGLLVVLFALVRANPPANVTWIDQDGPVTVNTSDFLVLDAQNYPW
LTNHTVQLQLRSLAHNLSVVATNDVGVTSASLPAPGPSRHPSLISSDSNNLKLNNVRLPRENM
SLPSNLQLNDLTPDSRAVKPADRQMAQNNSRPELLDPEPGGLLTSQGFIRLPVLGYIYRVSSV
SSDEIWL

N-glycosylation sites:

amino acids 106-110, 119-123, 162-166, 175-179, 192-196, 205-209,
251-255, 280-284

Glycosaminoglycan attachment site:

amino acids 23-27

Casein kinase II phosphorylation sites:

amino acids 36-40, 108-112, 164-168, 282-286, 316-320

N-myristoylation sites:

amino acids 34-40, 89-95, 215-221, 292-298, 293-299

489/615

FIGURE 485

AGAGTTCCTTTTTCTAGGTCGATTAGGTTATACATTGTTGAAGTATAGTTTCGAGTTAGAATT
GGTCATTTTATTTTCAGTGTTTCACAGAAATCGAAGAAGACAGAAATGGCGCTTCTGTGGTGG
ATATCTACAGTAGCAATACTGTTGTTTACTTCGACGATTTTGGGAACATACGTTGAAGCTGGT
GCCGCTAAGTCTAACGAAGAAGAGATTGTGAACAAAAGCGAATTTGGAAGATTTCCACGAGGG
TCGAGAAAGGATGCATCGGGGTGCCACAAGCCGGGCTACCTGTACCCCTCATTCTCGCTGC
CCTCCACCTCCCCATGTGCAGCGTCCTCGTCCTATTCTGCATGCTTAGTCTAACACCATCAGG
CTCGTTTATCTTTTCTGTCATTGATCTCACCAGGAGCAAATCACTAGTGCGTGCTTCTGATTC
ACGTAACGTAGTATGTAAATAAATGTCAGTGATATTATGAATTGGTAAAACATTTCTGTTATC
TAAATAAAACAGTGAAGTTTGTGTTGACTAAAAAA

490/615

FIGURE 486

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA96855
><subunit 1 of 1, 84 aa, 1 stop
><MW: 9274, pI: 9.70, NX(S/T): 1
MALLWWISTVAILLFTSTILGTYVEAGAAKSNEEEIVNKSEFGRFPRGSRKDASGCHKPG
YPVPPHSRCPPPPHVQRPRPILHA
```

Signal peptide:

Amino acids 1-21

N-glycosylation site:

Amino acids 38-42

N-myristoylation site:

Amino acids 27-33

491/615

FIGURE 487

CGGGGACGGAAGCGGCCCTGGGCCCAGGGGCTGGAGCCGGGCCGGGGCGATGTGGAGCGCG
GGCCGCGGCGGGGCTGCCTGGCCGGTGCTGTTGGGGCTGCTGCTGGCGCTGTTAGTGCCGGGC
GGTGGTGCCGCCAAGACCGGTGCGGAGCTCGTGACCTGCGGGTCGGTGCTGAAGCTGCTCAAT
ACGCACCACCGCGTGCGGCTGCACTCGCACGACATCAAATACGGATCCGGCAGCGGCCAGCAA
TCGGTGACCGGCGTAGAGGCGTCGGACGACGCCAATAGCTACTGGCGGATCCGCGGCGGCTCG
GAGGGCGGGTGCCCGCGCGGGTCCCCGGTGCGCTGCGGGCAGGCGGTGAGGCTCACGCATGTG
CTTACGGGCAAGAACCTGCACACGCACCACTTCCCGTCGCCGCTGTCCAACAACCAGGAGGTG
AGTGCCTTTGGGGAAGACGGCGAGGGCGACGACCTGGACCTATGGACAGTGCGCTGCTCTGGA
CAGCACTGGGAGCGTGAGGCTGCTGTGCGCTTCCAGCATGTGGGCACCTCTGTGTTCTGTCA
GTCACGGGTGAGCAGTATGGAAGCCCCATCCGTGGGCAGCATGAGGTCCACGGCATGCCCAGT
GCCAACACGCACAATACGTGGAAGGCCATGGAAGGCATCTTCATCAAGCCTAGTGTGGAGCCC
TCTGCAGGTACGATGAACTCTGAGTGTGTGGATGGATGGGTGGATGGAGGGTGGCAGGTGGG
GCGTCTGCAGGGCCACTCTTGGCAGAGACTTTGGGTTTGTAGGGGTCTCAAGTGCCTTTGTG
ATTAAAGAATGTTGGTCTATGAAA

492/615

FIGURE 488

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA96857
><subunit 1 of 1, 221 aa, 1 stop
><MW: 23598, pI: 6.96, NX(S/T): 0
MWSAGRGGAAWPVLLGLLLALLVPGGGAAKTGAELVTCGSVLKLLNTHHRVRLHSHDIKYGSG
SGQQSVTGVEASDDANSYWRIRGGSEGGCPRGSPVRCGQAVRLTHVLTGKNLHTHHFPSPLSN
NQEVSAFGEDGEGDDLDLWTVRCSGQHWEREAAVRFQHVGTSVFLSVTGEQYGSPIRGQHEVH
GMPSANTHNTWKAMEGIFIKPSVEPSAGHDEL

Important features of the protein:**Signal peptide:**

amino acids 1-28

Glycosaminoglycan attachment site.

amino acids 62-66

N-myristoylation sites.amino acids 16-22, 25-31, 27-33, 61-67, 71-77, 86-92, 87-93,
91-97, 190-196**Endoplasmic reticulum targeting sequence.**

amino acids 218-223

493/615

FIGURE 489

CAGCAGCCGAGACAGCAGCTGAGACGGCAGCGGCAGCTTCTCAGGGCCGGAGCCAGTTCTTGGAGGAGACTCTGC
ACAGGGCATGGATCACTGTGGTGCCCTTTTCTGTGCCTGTGCCTTCTGACTTTGCAGAATGCAACAACAGAGAC
ATGGGAAGAACTCCTGAGCTACATGGAGAATATGCAGGTGTCCAGGGGCCGGAGCTCAGTTTTTCTCTCGTCA
ACTCCACCAGCTGGAGCAGATGCTACTGAACACCAGCTTCCCAGGCTACAACCTGACCTTGACAGACCCACCAT
CCAGTCTCTGGCCTTCAAGCTGAGCTGTGACTTCTCTGGCCTCTCGCTGACCAGTGCCACTCTGAAGCGGGTGCC
CCAGGCAGGAGGTGAGCATGCCCGGGGTGACGACGCCATGCGAGTTCCCCGCCGAGCTGACCCGGGACGCCTGCAA
GACCCGCCCCAGGGAGCTGCGGCTCATCTGTATCTACTTCTCCAACACCCACTTTTTCAAGGATGAAAACAATC
ATCTCTGCTGAATAACTACGTCTGGGGGCCAGCTGAGTCATGGGCACGTGAACAACCTCAGGGATCCTGTGAA
CATCAGCTTCTGGCACAACCAAGCCTGGAAGGCTACACCCTGACCTGTGTCTTCTGGAAGGAGGGAGCCAGGAA
ACAGCCCTGGGGGGGCTGGAGCCCTGAGGGCTGTCGTACAGAGCAGCCCTCCCCTCTCAGGTGCTCTGCCGCTG
CAACCACCTCACCTACTTTGCTGTTCTCATGCAACTCTCCCCAGCCCTGGTCCCTGCAGAGTTGCTGGCACCTCT
TACGTACATCTCCCTCGTGGGCTGCAGCATCTCCATCGTGGCCTCGCTGATCACAGTCTGCTGCACTTCCATTT
CAGGAAGCAGAGTGACTCCTTAACACGTATCCACATGAACCTGCATGCCTCCGTGCTGCTCCTGAACATCGCCTT
CCTGCTGAGCCCCGCATTTCGAATGTCTCCTGTGCCCGGTGACGATGCACGGCTCTGGCCGCTGCCCTGCACTA
CGCGCTGCTCAGCTGCCTCACCTGGATGGCCATCGAGGGCTTCAACCTCTACCTCCTCTCGGGCGTGTCTACAA
CATCTACATCCGCAGATATGTGTTCAAGCTTGGTGTGCTAGGCTGGGGGGCCCCAGCCCTCCTGGTGTGCTTTT
CCTCTCTGTCAAGAGCTCGGTATACGGACCCCTGCACAATCCCCGTCTTCGACAGCTGGGAGAAATGGCACAGGCTT
CCAGAACATGTCCATATGCTGGGTGCGGAGCCCCGTGGTGCACAGTGTCTGGTCTATGGGCTACGGCGGCCTCAC
GTCCCTCTTCAACCTGGTGGTGTGCTGGCCTGGGCGCTGTGGACCCTGCGCAGGCTGCGGGAGCGGGCGGATGCACC
AAGTGTGAGGGCCTGCCATGACACTGTCACTGTGCTGGGCCTCACCGTGTGCTGCTGGGAACCACTGGGCCTTGGC
CTTCTTTTCTTTTGGCGTCTTCTGCTGCCCCAGCTGTTCTTCAACATCTTAACTCGCTGTACGGTTTCTT
CCTTTTCTGTGGTTCTGCTCCCAGCGGTGCCCTCAGAAGCAGAGGCCAAGGCACAGATAGAGGCCTTCAGCTC
CTCCCAAACAACACAGTAGTTCGGGCCTCCTGGCCTGGAATCCTCAGCCTCTCTGGCCGCCAGTAGCCTGAGGCT
ACGGCTCCTGCTAGAGAGGTGGCAGGCCTGCTGCTGGACCCAGAGGCCACTGTGACCGCCAAGGGGCCTTTTC
CACTTCCACGGCCTCTCCAGGCACTGAGGGGAAGGCATTGCTCTACCTCTCCCTGACATTTTGCTCCGGGGCAGA
TCCAACCTTACCTGGGGCAGCAAACCTTTGCTGCTGACCTGGGCCCAGCTCGCCAGGGATGTGGGCAGAGCACCA
GCCTGGGCATCAGGAAGCCAAGTTTCAAGGACTGTCTTTGAGTCTGTCTGTATGACCTTGGGCCTGCCACTTCTC
ACAGACCCTAGGTATCCACAGCTGTGACATGGGGGCAAGCAGCTTTGTTTCAGCCTAACCCAGGAGCTTAGTAAA
AATTGCATAAGACCAGGGGGAAGAGTGTGAGCGTGGGGTGGGAATTCCCCGGGCCTCCACCTGCTTGCTAGGGGC
AGGATCTCATTTCAGGCTGCCCTGGAAGCACCTGCTTGGCCCTGCCACCTTCTCCAGGGGAGGGCCAGATGGCAT
CCTGGCTTGGGGCGGGTGGGACCTACCCAGGCTCTGAGACTTTACTGGCCTATGCCTGAGGCCTCTTTTCTTTA
ACTCCCTAAATTATGATGACTCCAAGTCCAAGCCACCCTTCCCAAAGATTGGGAGGTTCGGCCGTTCCAGAGG
CTCCTCCTGCGGTGCTCCCAAGACTTCCATAGACCATCTGGACCAGTAGCCCATCCCGCAGTTTTCTTGGGGGCA
GAGGAAAACGCTTCTTCTCCTCCAGCTGAATCAGCTGGATCCAGTGTCTTGGCTGTTTGGTGATTGGGCAAGA
TTGAATTTGCCAGGTAGGCGTGAGAGTGTGGGTTTTAAATTCGAAGCTCAGGCCATAGTTTCAGAGAATCACCC
TTACCCAGACCTTCATGAGACAGTGCTCATGAAGCCAGTGCGTTTTCCAGAACGAACACTAGGCGGCACCGTTG
GTCCACACTCAGAGGCCCTTGGCGCCAAGACTGCATCTAGAATCGCTCAAACACCTGTTTGACAGACCCCATGCAC
CAGCTGGAGGGGGCCGTAACCTGCAGGACTGCGCCTACTGAGTGACCCATTTCTCCAGGAGGAAAGGCAAGACAG
CTTACACGGCCATTTGTCTCTTTTCCCAATGCGGCGGTGCACTTTTCGCTCTTGGGGGCTGCACCCAGACATAGC
TGGCACCAGAGCAGGGTGCTCAGGTGGTGGGTGCTCAGGGCCCTGCCCCAGGCCACTGGGCCGTTTTGATGACCT
CAAAGGTACAGGCAGAAAATAGGAGCAGGATTTCCCTGGGGAAAAGTTATCCTGGGACATCTTCTGCTCTTCT
GTACATTTCTAGATGCAAATAACTCCTTACCAGGCAGTGAGTGGCGTAGGCTCTGGAGCCAGGCTGCCTGGGCT
CCAATGCCAGCTCTGCCACTTGCTAGCTGTGAGACTGTGGACAAACCACTCAGCCTCTGTGTGCCTCAGTTTTCC
TATTTGTAAAATAGAGACCATAGTGGTACCTATTTTGAAGACTAAGTAAAAGAATTCAAATAAAGAGACTTGGCA
CAGAGTAAGTGCTCAGTAAAAA

494/615

FIGURE 490

```

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA96860
><subunit 1 of 1, 528 aa, 1 stop
><MW: 59000, pI: 8.73, NX(S/T): 9
MDHCGALFLCLCLLTQNATTETWEELLSYMENMQVSRGRSSVFSSRQLHQLEQMLLNTS
FPGYNLTQLQTPTIQSLAFKLSCDFSGLSLTSATLKRVPQAGGQHARGQHMQFFAELTRD
ACKTRPRELRLICIYFSNTHFFKDENNSSLNNYVLGAQLSHGHVNNLRDPVNISFWHNQ
SLEGYTLTCVFWKEGARKQPPWGGWSPEGCRTEQPSHSQVLCRCNHLTYFAVLMQLSPALV
PAELLAPLTYISLVGCSISIVASLITVLLHFHFRKQSDSLTRIHMNLHASVLLLNIAFLL
SPAFAMSPVPGSACTALAAALHYALLSCLTWMAIEGFNLYLLLGRVYNIYIRRYVFKLGV
LGWGAPALLVLLSLSVKSSVYGPCTIPVFDSEWNGTGFQNMSCWVRSPVVHSLVMGYG
GLTSLFNLVVLAWALWTLRRLRERADAPSVRACHDTVTVLGLTVLLGTTWALAFFSFGVF
LLPQLFLFTILNSLYGFFLFLWFCSQRCRSEAEAKAQIEAFSSSQTTQ

```

Important features of the protein:**Signal peptide:**

Amino acids 1-21

Transmembrane domains:

Amino acids 244-264;290-309;316-344;358-376;411-431;468-491

N-glycosylation sites:Amino acids 18-22;58-62;65-69;146-150;147-151;173-177;
179-183;394-398;400-404**cAMP- and cGMP-dependent protein kinase phosphorylation site:**

Amino acids 274-278

N-myristoylation sites:

86 GLSLTS
 101 GGQHAR
 157 GAQLSH
 255 GCSISI
 311 GSACTA
 420 GGLTSL
 467 GTTWAL

Prokaryotic membrane lipoprotein lipid attachment sites:

Amino acids 246-257;318-329

Eukaryotic thiol (cysteine) proteases histidine active site:

Amino acids 410-421

G-protein coupled receptors family 2 proteins:

Amino acids 273-302;314-343

495/615

FIGURE 491

CTTGGCTGCCCCGACAACAAGCTCGCCACCTGCGCTGGGCGCATCCACCATCCAAGGCCAGCT
GAGGGGCACCAGACAGAGG**ATG**AGGAGAGAGAGTCGCACACGGGCTGCCCTGAGAGACATTTT
CATGGACATCCTCATGCTGCTTCTGCTTTTGTGTGTAATATATGGGAGATTTTCCCAAGATGA
ATACTCCCTCAATCAAGCTATCCGGAAAGAATTTACAAGAAATGCCAGAACTGCTTGGGTGG
CCTGAGAAACATCGCTGACTGGTGGGACTGGAGTCTGACCACACTTCTGGATGGCCTGTACCC
GGGAGGCACCCCGTCAGCCCGTGTGCCGGGGGCTCAGCCTGGAGCTCTTGGAGGAAAATGCTA
CCTAATAGGCAGTTCCGTAATTAGGCAGCTAAAAGTTTTTCTAGGCATTTATGCAAGCCTCC
CAGGCCATTTTCAGCACTCATCGAAGACTCTATTCCCTACATGTAGTCCCGAAGTTGGAGGCC
TGAGAACCCCTACCTGATAGACCCAGAGAACCAAAACGTGACCCTGAATGGTCCTGGGGGCTG
TGGGACAAGGGAGGACTGTGTGCTCAGCCTGGGCAGAACAAAGGACTGAAGCCCACACAGCCCT
GTCCCGACTCAGGGCCAGCATGTGGATTGACCGCAGCACCAGGGCTGTGTCTGTGCACTTCAC
TCTCTATAACCCTCCAACCAACTCTTCACCAGCGTGTCCCTGAGAGTGGAGATCCTCCCTAC
GGGGAGTCTCGTCCCCTCATCCCTGGTGGAGTCATTACGCATCTTCCGCAGCGACTCAGCCCT
GCAGTACCACCTCATGCTTCCCCAGCTGGTCTTCCCTGGCACTCAGCCTGATCCACCTCTGTGT
TCAACTCTACCGTATGATGGACAAGGGCGTCCTCAGCTACTGGCGAAAGCCAAGGAACTGGCT
GGAGGTAGCCTCTCTTGTGTCATTTTCTTTGAAAA**TAA**CAATAAACTGTTTATATCTTGAA
AAAATAATTTAAATAAGAAATTGATTATGCACTAGCTACTGCCAACATTATTGCAGTTTTCTC
CCTCTGTAGTGTTAATCTCAAACAGCATTTGAGATCAGGTATCATTTAGTGTTGTACAGTT
ACCGTCATGTACCACACGAATTTAGCCAAGGTGGTGGTCCCATAAGATCATATGGTGCTAAG
AAATTTCTGTACCTAATGACATCTTGATTCTGACCTTGTATGTAGGCCTAGGCTAAATATGT
CTGTTTGTATCTTAGCTTTTAATAAAGAAGTTTAAAAATAAAAAA

496/615

FIGURE 492

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA96861
><subunit 1 of 1, 300 aa, 1 stop
><MW: 33649, pI: 9.26, NX(S/T): 1
MRRESRTRAAALRDISMDILMLLLLLLCVIYGRFSQDEYSLNQAIRKEFTRNARNCLGGLRN
IADWWDWSLTTLLDGLYPGGTPSARVPGAQPGALGGKCYLIGSSVIRQLKVFPRHLCKPP
RPFSAIEDSIPTCSPEVGGPENPYLIDPENQNVTLNGPGGCGTREDCVLSLGRTRTEAH
TALSRLRASMWIDRSTRAVSFHFTLYNPPTQLFTSVSLRVEILPTGSLVPSSLVESFSIF
RSDSALQYHMLLPQLVFLALSLIHLVCVQLYRMMDKGVLSYWRKPRNWLEVASLVSFSEK
```

Important features of the protein:**Signal peptide:**

Amino acids 1-30

Transmembrane domain:

Amino acids 250-267

N-glycosylation site:

Amino acids 153-157

cAMP- and cGMP-dependent protein kinase phosphorylation site:

Amino acids 2-6

N-myristoylation sites:

Amino acids 56-62;75-81;79-85;80-86;88-94;92-98;160-166

497/615

FIGURE 493

TCTCAGGGCTTCATACAGGAAATCTATTGCTGTGTCAAGTTCCAGAGAAAAGCTTCTGTTTCGT
CCAAGTTACTAACCAGGCTAAACCACATAGACGTGAAGGAAGGGGCTAGAAGGAAGGGAGTGC
CCCACTGTTGATGGGGTAAGAGGATCCTGTACTGAGAAGTTGACCAGAGAGGGTCTCACCATG
CGCACAGTTCCTTCTGTACCTGTGTGGAGGAAAAGTACTGAGTGAAGGGCAGAAAAAGAGAAA
ACAGAAATGCTCTGCCCTTGGAGAACTGCTAACCTAGGGCTACTGTTGATTTTGACTATCTTC
TTAGTGGCCGAAGCGGAGGGTGCTGCTCAACCAAACAACCTCATTAAATGCTGCAAACCTAGCAAG
GAGAATCATGCTTTAGCTTCAAGCAGTTTATGTATGGATGAAAAACAGATTACACAGAACTAC
TCGAAAGTACTCGCAGAAGTTAACACTTCATGGCCTGTAAAGATGGCTACAAATGCTGTGCTT
TGTTGCCCTCCTATCGCATTAAAGAAATTTGATCATAATAACATGGGAAATAATCCTGAGAGGC
CAGCCTTCCTGCACAAAAGCCTACAGGAAAGAAAACAAATGAGACCAAGGAAACCAACTGTACT
GATGAGAGAATAACCTGGGTCTCCAGACCTGATCAGAATTCGGACCTTCAGATTTCGTCCAGTG
GCCATCACTCATGACGGGTATTACAGATGCATAATGGTAACACCTGATGGGAATTTCCATCGT
GGATATCACCTCCAAGTGTTAGTTACACCTGAACCTGACCCTGTTTCAAACAGGAATAGAAT
GCAGTATGCAAGGCAGTTGCAGGGAAGCCAGCTGCGCAGATCTCCTGGATCCCAGAGGGCGAT
TGTGCCACTAAGCAAGAATACTGGAGCAATGGCACAGTACTGTTAAGAGTACATGCCACTGG
GAGGTCCACAATGTGTCTACCGTGACCTGCCACGTCTCCCATTTGACTGGCAACAAGAGTCTG
TACATAGAGCTACTTCCTGTTCCAGGTGCCAAAAAATCAGCAAAATTATATATTCATATATC
ATCCTTACTATTATTATTTTGACCATCGTGGGATTCATTTGGTTGTTGAAAGTCAATGGCTGC
AGAAAATATAAATTGAATAAAACAGAATCTACTCCAGTTGTTGAGGAGGATGAAATGCAGCCC
TATGCCAGCTACACAGAGAAGAACAATCCTCTCTATGATACTACAAACAAGGTGAAGGCATCT
CAGGCATTACAAAGTGAAGTTGACACAGACCTCCATACTTTATAAGTTGTTGGACTCTAGTAC
CAAGAAACAACAACAAACGAGATACATTATAATTACTGTCTGATTTTCTTACAGTTCTAGAAT
GAAGACTTATATTGAAATTAGGTTTTCCAAGGTTCTTAGAAGACATTTTAATGGATTCTCATT
CATACCCTTGATAAATTGGAATTTTGTATTCTTAGCTGCTACCAGCTAGTTCTCTGAAGAACT
GATGTTATTACAAAGAAAATACATGCCCATGACCAAATATTCAAATTGTGCAGGACAGTAAAT
AATGAAAACCAAATTTTCCTCAAGAAATAACTGAAGAAGGAGCAAGTGTGAACAGTTTCTTGTTG
TATCCTTTTCAAGATATTTTAATGTACATATGACATGTGTATATGCCTATGGTATATGTGTCAA
TTTATGTGTCCCCTTACATATACATGCACATATCTTTGTCAAGGCACCAGTGGGAACAATACA
CTGCATTACTGTTCTATACATATGAAAACCTAATAATATAAGTCTTAGAGATCATTTTATATC
ATGACAAGTAGAGCTACCTCATTCTTTTAAATGGTTATATAAAATTCATTGTATAGTTATAT
CATTATTTAATTAAAAACAACCCTAATGATGGATATTTAGATTCTTTTAAAGTTTTGTTTATTT
CTTTTAAAGTTTTGTTTGTGGTATAAACAATACCACATAGAATGTTTCTTGTTTCATATATCTCT
TTGTTTTTGTAGTATATCTGTAGGATAACTTTCTTGAGTGGAAATTGTCAGGTCAAAGGGTTTGT
GCATTTTACTATTGATATATATGTTAAATTGTGTCAAATATATATGTCAAATTCCTCCAACA
TTGTTTAAATGTGCCTTTCCTTAAATTTCTATTTTAAATACTGTACTATTCTGCTTCTACAG
TTGCCACTTTCTCTTTTAAATCAACCAGATTAAATATGATGTGAGATTATAATAAGAATTATA
CTATTTAATAAAAAATGGATTTATA

498/615

FIGURE 494

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA96866
><subunit 1 of 1, 348 aa, 1 stop
><MW: 39069, pI: 8.13, NX(S/T): 10
MLCPWRTANLGLLLILTIFLVAEAEAGAAQPNNSLMLQTSKENHALASSSLCMDEKQITQN
YSKVLAEVNTSWPVKMATNAVLCCPPIALRNLIITWEIILRGQPSCTKAYRKETNETKE
TNCTDERITWVSRPDQNSDLQIRPVAITHDGYRCIMVTPDGNFHRGYHLQVLVTPELTL
FQNRNRTAVCKAVAGKPAAQISWIPEGDCATKQEYWSNGT VTVKSTCHWEVHNVSTVTCH
VSHLTGNKSLYIELLPVPGAKKSAKLYIPYIILTIILTIIVGFIWLLKVNGCRKYKLNKT
ESTPVVEEDEMOPYASYTEKNNPLYDTTNKVKASQALQSEVDTDLHTL
```

Important features of the protein:**Signal peptide:**

Amino acids 1-24

Transmembrane domains:

Amino acids 78-98;267-286

N-glycosylation sites:Amino acids 31-35;60-64;69-73;116-120;122-126;185-189;
218-222;233-237;247-251;298-302**cAMP- and cGMP-dependent protein kinase phosphorylation site:**

Amino acids 112-116

N-myristoylation sites:

Amino acids 103-109;259-265

499/615

FIGURE 495

CCAGGTGCACAGCGCATCGCCCGAGGCTGTACCGCCCTGCCCGCCCAACCCAGCTGTCCTG
GACCCAGGGGCGAGGAGAGGCTGGACGCCAGGTGCGCGGACACAGAAAGCGTCTAAGCACAGCT
TCCTCCTTGCCGCTCCGGGAAGTGGGCAGCCAGCCAGGAACCAAGTACCACCTGCACCA**ATGGG**
GCTGTCCCGGAAGGAGCAGGTCTTCTTGCCCTGCTGGGGGCTCGGGGGTCTCAGGCCTCAC
GGCACTCATTTCTCCTCCTGGTGGAGGCCACCAGCGTGCTCCTGCCACAGACATCAAGTTTGG
GATCGTGTTTGATGCGGGCTCCTCCACACGTCCCTCTTCTGTATCAGTGGCCGGCGAACAA
GGAGAATGGCACGGGTGTGGTCAGCCAGGCCCTGGCCTGCCAGGTGGAAGGGCCTGGAATCTC
CTCCTACACTTCTAATGCTGCACAGGCTGGTGAGAGCCTGCAGGGCTGCTTGGAGGAGGCGCT
GGTGCTGATCCAGAGGCCAGCATCGGAAAACACCCAGTTCTTGGGGGCCACGGCTGGCAT
GAGGTTGCTCAGCCGGAAGAACAGCTCTCAGGCCAGGGACATCTTGCAGCAGTCAACCCAGGT
CCTGGGCGGTCTCCCGTGGACTTTTGGGGTGCCGAGCTCCTGGCCGGGAGGCCGAAGGTGC
CTTTGGTTGGATCACTGTCAACTACGGCTTGGGGACGCTGGTCAAGTACTCCTTCACTGGAGA
ATGGATCCAGCCTCCGGAGGAGATGCTGGTGGGTGCCCTGGACATGGGAGGGGCTCCACCCA
GATCACGTTTCGTGCCTGGGGGCCCCATCTTGGACAAGAGCACCCAGGCCGATTTTCGCCTCTA
CGGCTCCGACTACAGCGTCTACACTCACAGCTACCTGTGCTTTGGACGGGACCAGATGCTGAG
CAGGCTCCTCGTGGGGCTGGTGACAGCCGCGCGCTGCCCTGCTCCGTACCCGTGCTACCT
CAGCGGCTACCAGACCACACTGGCCCTGGGCGCGCTGTATGAGTCAACCTGTGTCCACGCCAC
GCCCCCGCTGAGCCTCCCCCAGAACCTCACAGTTGAAGGGACAGGCAACCCTGGAGCCTGCGT
CTCAGCCATCCGGGAACTTTTCAACTTCTCCAGCTGCCAGGGCCAGGAGGACTGCGCCTTTGA
CGGGGTCTACCAGCCCCCGCTGCGGGGCCAGTTCTATGTGGAGGCCAGCTACCCTGGGCAGGA
CCGCTGGCTGCGGGACTACTGTGCCTCAGGCCTGTACATCCTCACCTCCTGCACGAGGGCTAC
GGGTTACGCGAGGAGACCTGGCCCAGCCTCGAGTTCGAAAGCAGGCGGGCGGTGTGGACATT
GGCTGGACACTGGGCTACATGCTGAACCTGACCGGGATGATCCCGGCCGATGCGCCGGCTCAG
TGGCGGGCAGAGAGCTACGGCGTCTGGGTGGCCAAAGTGGTGTTCATGGTGTGCTGGCCCTGGTG
GCGGTGGTGGGGGCTGCCTTGGTCCAGCTCTTCTGGTTGCAGGACT**TAGT**GGGAAGGCGGAGGT
GGGCCCCACAGAGCCCACAGGCAGCTGCGTCCCGGATGCTGGAGGCTTCTGAGCCCTGAGC
GCCGTGGGGCCTTGCTCTGTGGCTCTGCCACGGTCAGGTGACAGCCACCTCCAGGGCACCGT
CAGGGTGGTGCTGGCCACAGAGGCTGCATGACCTCCCCTCCCGGCGTCCCTCCCCAACCTCC
TTCCGCAACTGGGCTTCCAGGGCCGTAGGTGCCTTTCTGCACACAGGCCGCCAGGACTCGTGG
TGTCTCCAGGCTGTGTGACTGCAGGGCCACATGCTGCCTGCAAACAGGGCAAGACCACGGAGG
CACAGGGGTCTGCTCCTGATGGGGCTCAGGAGGGGCGGAGAGGGGTGGAAGGGAGGGAGCT
GCCCCACCTGGACCCCCGCTCTCCCTGCTGTTGTCTGAGCAGATGGATGGAGTCCAGGCCTGG
GGGCTTCTGCTGGGCCAGCCGGCCTCCCACACCCACTTGGAGGGTGAGACTGCAGTGGGGGT
TGTTTTTATTAAAAGCATCATGGACACAGCAAAAAAAAAAAAAAAAAA

500/615

FIGURE 496

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA96870
><subunit 1 of 1, 458 aa, 1 stop
><MW: 49377, pI: 4.98, NX(S/T): 5
MGLSRKEQVFLALLGASGVSGLTALILLVEATSVLLPTDIKFGIVFDAGSSHTSLFLYQ
WPANKENGTVVVSQALACQVEGPGISSYTSNAAQAGESLQGCLEEALVLIPEAQHRKTPT
FLGATAGMRLLSRKNSQARDIFAAVTQVLGRSPVDFWGAELLAGQAEGAFGWITVNYGL
GTLVKYSFTGEWIQPPEEMLVGALDMGGASTQITFVPGGPILDKSTQADFRLYGSDYSVY
THSYLCFGRDQMLSRLLVGLVQSRPAALLRHPCYLSGYQTTLALGPLYESPCVHATPPLS
LPQNLTVEGTGNPGACVSAIRELFNFSSCQGQEDCAFDGVYQPPLRGQFYVEASYPGQDR
WLRDYCASGLYILTLLHEGYGFSEETWPSLEFRKQAGGVDIGWTLGYMLNLTGMIPADAP
AQWRAESYGVVWAKVVFVVLALVAVVGAALVQLFWLQD
```

Important features of the protein:**Signal peptide:**

Amino acids 1-21

Transmembrane domain:

Amino acids 428-449

N-glycosylation sites:

Amino acids 67-71;135-139;304-308;325-329;410-414

cAMP- and cGMP-dependent protein kinase phosphorylation site:

Amino acids 133-137

N-myristoylation sites:Amino acids 50-56;123-127;165-171;207-213;234-240;
259-265;311-317;314-320;331-337;398-404;
413-419;429-435**GDA1/CD39 family of nucleoside phosphatases proteins:**

Amino acids 43-59;202-215

501/615

FIGURE 497

GCCTTATAAAGTAGCCTCTGCATCTGCCTGCCTCGGGCAGAGGAGGGGCTACCCTGGGGCTGAG
AGTTCACCTGTCTCAGGAACCACCTGAGCCACAGATCCTGTGGGCAGCGGCCAGGGCAGCCA
TGGCTTGGGCAAGTAGGCTGGGCCTGCTGCTGGCACTGCTGCTGCCCGTGGTTCGGTGCCTCCA
CGCCAGGCACCGTGGTCCGACTCAACAAGGCAGCATTGAGCTACGTGTCTGAAATTGGGAAAG
CCCCTCTCAGCGGGCCCTGCAGGTCACTGTCCCTCATTTCCCTGGACTGGAGTGGAGAGGGCGC
TTCAGCCCACCAGGATCCGGATTCTGAATGTCCATGTGCCCCGCCTCCACCTGAAATTCATTG
CTGGTTTCGGAGTGCGCCTGCTGGCAGCAGCTAATTTTACTTTCAAGGTCTTTCGCGCCCCAG
AGCCCCTGGAGCTGACGCTGCCTGTGGAAGTGTGGCTGACACCCGCGTGACCCAGAGCTCCA
TCAGGACCCCTGTGGTCAGCATCTCTGCCTGCTCTTTATTCTCGGGCCACGCCAACGAGTTTG
ATGGCAGTAACAGCACCTCCACGCGCTGCTGGTCTGGTGCAGAAGCACATTAAAGCTGTCT
TGAGTAACAAGCTGTGCCTGAGCATCTCCAACCTGGTGCAGGGTGTCAATGTCCACCTGGGCA
CCTTAATTGGCCTCAACCCCGTGGGTCTGAGTCCAGATCCGCTATTCCATGGTCAAGTGTGC
CCACTGTCAACAGTGACTACATTTCCCTGGAAGTCAATGCTGTTCTCTTCTGCTGGGCAACC
CCATCATCCTGCCCACGGATGCCACCCCTTTTGTGTTGCCAAGGCATGTGGGTACCGAGGGCT
CCATGGCCACCGTGGGCCTCTCCAGCAGCTGTTTGACTCTGCGCTCCTGCTGCTGCAGAAGG
CCGGTGGCCTCAACCTGGACATCACAGGGCAGCTGAGGTGGATGACAACCTGCTGAACACCT
CTGCTCTGGGCCGGCTCATCCCGGAGGTGGCCCGCCAGTTTCCCGAGCCCATGCCTGTGGTGC
TCAAGGTGCGGCTGGGTGCCACACCTGTGGCCATGCTCCACACAAACAACGCCACCCTGCGGC
TGCAGCCCTTCGTGGAGGTCTGGCCACAGCCTCCAACCTCGGCTTTCCAGTCCCTCTTCTCCC
TGGATGTGGTAGTGAACCTTGAGACTCCAGCTCTCTGTGTCCAAGGTGAAGCTTCAGGGGACCA
CGTCTGTGCTGGGGGATGTCCAGCTCACGGTGGCCTCCTCCAACGTGGGCTTCATTGATACAGAT
CAGGTGCGCACACTGATGGGCACCGTTTTTGTAGAAGCCCCTGCTGGACCATCTCAATGCTCTC
TTGGCCATGGGAATTGCCCTCCCTGGTGTGGTCAACCTCCACTATGTTGCCCTGAGATCTTT
GTCTATGAGGGCTACGTGGTGATATCCAGTGGACTCTTCTACCAGAGCTTGAGGCAAGACCACT
GGGAGGCCTGAGAGTGGGCCAGCTCGCTGCTCAGGCGAATTTCTCATTTCAAGCCACTGGGGA
AACTGAGGCAAAACCATACTTAGTCATCACCACAAGCTGGACTGCTTAGCTGGGCTGTTTTA
TCTTCCCTGAGTGCCTGGGTCTCCCTCCCTCACTTCTGCCCTTTCCCTTCCTCCTCCTCTCT
CCTCCCTCTTCCCTCATCTCCCCCTCCTTCTGCCCCACCCAGGGGGGAGCAGACTGCT
CCTCCAGGCTGTATAGACCTGCCCTCTTGCAATTAAACAACCTTCTCTTGAGCTGC

502/615

FIGURE 498

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA96872
><subunit 1 of 1, 458 aa, 1 stop
><MW: 49158, pI: 8.72, NX(S/T): 4
MAWASRLGLLLALLLPVVGASTPGTVVRLNKAALSYVSEIGKAPLQRALQVTVPHFLDWS
GEALQPTRIRILNVHVPRLHLKFIAGFGVRLLAANFTFKVFRAPEPLELTPVELLADT
RVTQSSIRTPVVSISACSLFSGHANEFDGSNSTSHALLVLVQKHIKAVLSNKLCLISISNL
VQGVNVHLGTLIGLNPVGPEsqIRYSMVSVPTVTSDYISLEVNAVLFLLGNPIILPTDAT
PFVLPRHVGTEGSMATVGLSQQLFDSALLLLQKAGALNLDITGQLRSDDNLLNTSALGRL
IPEVARQFPEPMPVVLKVRLGATPVAMLHTNNATLRLQPFVEVLATASNSAFQSLFSLDV
VVNLRLQLSVSKVKLQGTTSVLGDVQLTVASSNVGFIDTDQVRTLMGTVFEKPLLDHLNA
LLAMGIALPGVVNLHYVAPEIFVYEGYVVISSGLFYQS
```

Important features of the protein:**Signal peptide:**

Amino acids 1-20

Transmembrane domain:

Amino acids 217-236

N-glycosylation sites:

Amino acids 96-100;151-155;293-297;332-336

N-myristoylation sites:

Amino acids 8-14;149-155;189-195;249-255;252-258;283-289

LBP / BPI / CETP family proteins:

Amino acids 22-50; 251-287

503/615

FIGURE 499

TTGAAAATCTACTCTATCAGCTGCTGTGGTTGCCACCATTCTCAGGACCCTCGCCATGAAAGC
CCTTATGCTGCTCACCCCTGTCTGTTCTGCTCTGCTGGGTCTCAGCTGACATTCGCTGTCACTC
CTGCTACAAGGTCCCTGTGCTGGGCTGTGTGGACCGGCAGTCCTGCCGCCTGGAGCCAGGACA
GCAATGCCTGACAACACATGCATACCTTGGTAAGATGTGGGTTTTCTCCAATCTGCGCTGTGG
CACACCAGAAGAGCCCTGTCAGGAGGCCTTCAACCAAACCAACCGCAAGCTGGGTCTGACATA
TAACACCACCTGCTGCAACAAGGACAACCTGCAACAGCGCAGGACCCCGGCCCACTCCAGCCCT
GGGCCTTGTCTTCCTTACCTCCTTGGCTGGCCTTGGCCTCTGGCTGCTGCACTGAACTCATT
CCATTGGCTGCCCTCCTCCCACCTGCCTTGGCCTGAGCCTCTCTCCCTGTGTCTCTGTATCC
CCTGGCTTTACAGAATCGTCTCTCCCTAGCTCCCATTTCTTTAATTAAACACTGTTCCGAGTG
GTCTCCTCATCCATCCTTCCCACCTCACACCCTTCACTCTCCTTTTTCTGGGTCCCTTCCCAC
TTCCTTCCAGGACCTCCATTGGCTCCTAGAAGGGCTCCCCACTTTGCTTCCTATACTCTGCTG
TCCCCTACTTGAGGAGGGATTGGGATCTGGGCCTGAAATGGGGCTTCTGTGTTGTCCCCAGTG
AAGGCTCCCACAAGGACCTGATGACCTCACTGTACAGAGCTGACTCCCCAAACCCAGGCTCCC
ATATGTACCCCATCCCCATACTCACCTCTTTCCATTTTGAGTAATAAATGTCTGAGTCTGGA
AAAAAAAAAAAAAAAAAA

504/615

FIGURE 500

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA96878
><subunit 1 of 1, 125 aa, 1 stop
><MW: 13821, pI: 8.60, NX(S/T): 2
MKALMLLTLSVLLCWVSADIRCHSCYKVPVLGCVDRQSCRLEPGQQCLTTHAYLGKMWVFSNL
RCGTPEEPCQEAFNQTNRKLGLTYN TTCNKDNCNSAGPRPTPALGLVFLTSLAGLGLWLLH

Important features of the protein:**Signal peptide:**

amino acids 1-18

N-glycosylation sites.

amino acids 77-81, 88-92

N-myristoylation site.

amino acids 84-90

Ly-6 / u-PAR domain protein signature.

amino acids 85-98

505/615

FIGURE 501

GGAGCCTCCTAATGCAGTCTTCTGCACAGTCCCTGGGGACTGACTGACTGAATCACACCTCTGG
GGCTGGGGGGCTGCTGACATGTGTGCCTTTCCTTGGCTGCTTCTTCTCCTGCTGCTCCAGGAGG
GCAGCCAAAGGAGACTCTGGAGATGGTGTGGATCCGAGGAAGTGGTTGCGGTCCTTCAGGAGT
CCATCAGCCTCCCCCTGGAAATACCACCAGATGAAGAGGTTGAGAACATCATCTGGTCCTCTCAC
AAAAGTCTTGCCACTGTGGTGCCAGGGAAAGAGGGGACATCCAGCTACCATCATGGTGACCAAT
CCACACTACCAGGGCCAAGTGAGCTTCCTGGACCCAGCTATTCCCTGCATATCAGCAATCTG
AGCTGGGAGGATTCAGGGCTTTACCAAGCTCAAGTCAACCTGAGAACATCCCAGATCTCTACC
ATGCAGCAGTACAATCTATGTGTCTACCATCCTAACTATGCTTCTGAGAAGCCTTCAACAGCC
TTCTGCCTCCTGGCCAAGGGATTGCTCATCTTCTTGCTCTTGGTAATTCTGGCCATGGGACTC
TGGGTTCATCCGAGTCCAGAAAAGACACAAAATGCCAAGGATGAAGAACTCATGAGAAACAGA
ATGAAATTGAGGAAGGAGGCCAAAGCCTGGCTCCAGCCCTGCCTTGACTGCTCCTTGGGAACCCC
AGTCCTGAGCTTGGTTTCTTCCCAGCACCCAGAGAATCCTTCCTCAGCTCTCTTTCCAGG
GGAAGGAGGTGCTCAGGGGTGGGTATCCAGAGAGCCATACTTCTGAGGGAAGACTGGCTGGCA
ATAAAGTCAAATTAAGTGACCACA

506/615

FIGURE 502

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA96879
><subunit 1 of 1, 198 aa, 1 stop
><MW: 22584, pI: 9.40, NX(S/T): 1
MCAFPWLLLLLLLLLQEGSQRRLLWRWCGSEEVVAVLQESISLPLEIPPDEEVENIIWSSHKS
LATVVPKGEGHPATIMVTNPHYQGQVSFLDPSYSLHISNLSWEDSGLYQAQVNLRTSQIS
TMQQYNLCVYHPNYASEKPSTAFCLLAKGLLIFLLLVLAMGLWVIRVQKRHKMPRMKKL
MRNRMKLRKEAKPGSSPA
```

Important features of the protein:**Signal peptide:**

Amino acids 1-18

Transmembrane domain:

Amino acids 144-165

N-glycosylation site:

Amino acids 99-103

N-myristoylation site:

Amino acids 106-112

507/615

FIGURE 503

ACGGGCCGCGAGCGGCAGTGACGTAGGGTTGGCGCACGGATCCGTTGCGGCTGCAGCTCTGCAG
TCGGGCCGTTCCCTTCGCCGCCGCCAGGGGTAGCGGTGTAGCTGCGCAGCGTCGCGCGCGCTAC
CGCACCCAGGTTTCGGCCCCGTAGGCGTCTGGCAGCCCCGGCGCCATCTTCATCGAGCGCC**ATGGC**
CGCAGCCTGCGGGCCGGGAGCGGCCGGGTACTGCTTGCTCCTCGGCTTGCAATTTGTTTCTGCT
GACCGCGGGGCCCTGCCCTGGGCTGGAACGACCCTGACAGAATGTTGCTGCGGGATGTAAAAGC
TCTTACCCCTCCACTATGACCGCTATAACCACCTCCCGCAGGCTGGATCCCATCCCACAGTTGAA
ATGTGTTGGAGGCACAGCTGGTTGTGATTCTTATACCCCAAAGTCATACAGTGTGAGAACAA
AGGCTGGGATGGGTATGATGTACAGTGGGAATGTAAGACGGACTTAGATATTGCATACAAATT
TGGAAAACTGTGGTGAGCTGTGAAGGCTATGAGTCCTCTGAAGACCAGTATGTACTAAGAGG
TTCTTGTGGCTTGGAGTATAATTTAGATTATACAGAACTTGGCCTGCAGAACTGAAGGAGTC
TGGAAAGCAGCACGGCTTTGCCCTCTTCTCTGATTATTATTATAAGTGGTCCTCGGCGGATTCT
CTGTAACATGAGTGGATTGATTACCATCGTGGTACTCCTTGGGATCGCCTTTGTAGTCTATAA
GCTGTTCCCTGAGTGACGGGCAGTATTCTCCTCCACCGTACTCTGAGTATCCTCCATTTTCCCA
CCGTTACCAGAGATTACCAACTCAGCAGGACCTCCTCCCCAGGCTTTAAGTCTGAGTTTAC
AGGACCACAGAATACTGGCCATGGTGCAACTTCTGGTTTTGGCAGTGCTTTTACAGGACAACA
AGGATATGAAAATTCAGGACCAGGGTTCTGGACAGGCTTGGGAACCTGGTGGAATACTAGGATA
TTTGTTTGGCAGCAATAGAGCGGCAACACCCTTCTCAGACTCGTGGTACTACCCGTCCTATCC
TCCCTCCTACCCTGGCACGTGGAATAGGGCTTACTCACCCCTTCATGGAGGCTCGGGCAGCTA
TTCGGTATGTTCAAACCTCAGACACGAAAACCAGAACTGCATCAGGATATGGTGGTACCAGGAG
ACG**ATAA**AGTAGAAAGTTGGAGTCAAACACTGGATGCAGAAATTTTGGATTTTTCATCACTTT
CTCTTTAGAAAAAAGTACTACCTGTTAACAATTGGGAAAAGGGGATATTCAAAGTTCTGTG
GTGTTATGTCCAGTGTAGCTTTTTGTATTCTATTATTTGAGGCTAAAAGTTGATGTGTGACAA
AATACTTATGTGTTGTATGTCAGTGTAAACATGCAGATGTATATTGCAGTTTTTGAAGTGATC
ATTACTGTGGAATGCTAAAAATACATTAATTTCTAAAACCTGTGATGCCCTAAGAAGCATTA
GAATGAAGGTGTTGTACTAATAGAACTAAGTACAGAAAATTTAGTTTTTAGGTGGTTGTAGC
TGATGAGTTATTACCTCATAGAGACTATAATATTCTATTTGGTATTATATTATTGATGTTTG
CTGTTCTTCAAACATTTAAATCAAGCTTTGGACTAATTATGCTAATTTGTGAGTTCTGATCAC
TTTTGAGCTCTGAAGCTTTGAATCATTCACTGGTGGAGATGGCCTTCTGGTAACTGAATATTA
CCTTCTGTAGGAAAAGGTGGAAAATAAGCATCTAGAAGGTTGTTGTGAATGACTCTGTGCTGG
CAAAAATGCTTGAAACCTCTATATTTCTTTCGTTTATAAGAGGTAAAGGTCAAATTTTTCAAC
AAAAGTCTTTTAATAACAAAAGCATGCAGTTCTCTGTGAAATCTCAAATATTGTTGTAATAGT
CTGTTTCAATCTTAAAAAGAATCA

508/615

FIGURE 504

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA96889
><subunit 1 of 1, 339 aa, 1 stop
><MW: 36975, pI: 7.85, NX(S/T): 1
MAAACGPGAAGYCLLLGLHLFLLTAGPALGWNDPDRMLLRDVKALTLHYDRYTTSSRRLDPIPO
LKCVGGTAGCDSYTPKVIQCQNKGDGYDVQWECKTDLDIAYKFGKTVVSCEGYESSEDQYVL
RGSCGLEYNLDYTELGQLKESGKQHGFAFSDYKKWSSADSCNMSGITIVVLLGIAFVV
YKLFLSDGQYSPPPYSEYPPFSHRYQRFTNSAGPPPPGFKSEFTGPQNTGHGATSGFGSAFTG
QQGYENSGPGFWTGLGTGGILGYLFGSNRAATPFSDSWYYPSYPPSYPGTWNRAYSPLHGGSG
SYSVCSNSDTKTRTASGYGGTTRR

Signal peptide:

amino acids 1-30

Transmembrane domain:

amino acids 171-190

N-glycosylation site.

amino acids 172-176

Glycosaminoglycan attachment sites.

amino acids 244-248, 259-263, 331-335

Tyrosine kinase phosphorylation site.

amino acids 98-106

N-myristoylation sites.amino acids 68-74, 69-75, 131-137, 241-247, 247-253, 266-272,
270-276, 278-284, 312-318

509/615

FIGURE 505

GCAAAAGGAAGGGAGGGGAAGCACTCCATCATCTCACTGGGAAGAACGGCACGGGCATACCTGC
AGCTACTGGGGTTCCACTGGGCTTGAGGGTCGATTTTTTACCTTTTGAAGGACAAGATGCATT
GGAAGATGTTGCTGCTTCTGCTGTTGTATTACAATGCTGAGGCTTCTATGTGCCACAGGTGGA
GCAGGGCTGTGCTCTTCCCTGCCGCCACCGGCCAAAGAGGTCTCATCACTGCCATTGAACC
CAGTCCTGCAGACCTCCCTGGAGGAGGTGGAGCTGCTCTACGAGTTCCTGCTGGCCGAACCTTG
AGATCAGCCCTGACCTGCAGATCTCCATCAAGGACGAGGAGCTGGCCTCCTTGCGGAAGGCCT
CAGACTTCCGCACCGTCTGCAACAACGTCATCCCCAAGAGCATCCCAGACATCCGCCGGCTCA
GCGCCAGCCTCTCCAGCCACCCTGGCATCCTCAAGAAAGAAGACTTTGAAAGGACAGTGCTGA
CCCTGGCCTACACAGCCTACCGCACAGCCCTGTCCCACGGCCATCAGAAGGACATCTGGGCGC
AGTCCCTCGTTAGCCTCTTCCAGGCCCTGAGGCACGACTTGATGCGCTCCTCACAGCCGGGAG
TACCTCCCTGAGAGACTGGCCACACCAGGACCTCAGAGCAGGGACCAGCACAGTAATCCAGA
AAGTCTTCATTCTCTACTCCATTTACAGAGACCAGCAACAAAACACTTACCGCTGACACAGAG
CAGCAGAGATCAAACAGTAACCCCGATGCTCTTTTCTCCTTGTTAGTTTCCTGGAAGACACATC
TGATTCATGCCATCATGTGACCTGGGCTGGAAGAAAGGGCTGGAATGGTCATTCAAGACGCCT
CCATGGGCAGAATGGTTTGCCTATGGCAGGCAGAATTCTGATATGCTTCAACCCAGAGCAGTG
GCCACACACTCAAGAGTGAGAACAGGCGTGAGCCACCGTGCCTGGCCCAGGATCTAAAACTT
TCTAAGTTTCCTCCATCGTTGGCATCCTCACAGCTATCTCCAATGTCACTCAAGAGACATCAA
CAGACATTTAACTGCTGCAGACTTCATTGCTCTGTACCTCACCTTGAATCTAACAAATCAAA
GTATTTCTGCAGGTCCAATGGTCTAAATCAAATGCTTGTTAAATGACTTTTTTACAACACCCCTT
ACTTTCCTAATCCATTTCAATCTTATTTTTTTTTTATTGTGGTAAAAAACACATCACGTAAAATG
TACCATCTTAACCATTTTTTAAGCATATGGTACAGCAGTGTTAACTCCATGCATGTTGTGAAAC
AGACCCCGGAACTTTCTCATCTTGTAATTCTGAAGTTCTATACCCACCGAACAACCTCCTCTT
TTCCCCTTCCCCCTGCCTGCCCCAGCTCTTGGCACCATTATTCTGCTTTCTGTTTTTGAGAGT
CTGACTACTTAAGATACCTCATAAAGCGGGATCTGGCTTACATTTCTTGAGCATTGTATTCT
GGAAAAGTGTTTCCTTCTCTGAAAAATGGGTAGAGTTCTGAAGGAGAACTACTGGTCTTATT
GTACACTTGCTGTACCTATTTTTATTTAACAAATATTCATCTATGGTATAATAAAGATGTCAT
GGTTGGAAAAAAAAAAAAAAAAAAAAAAAAAAAA

510/615

FIGURE 506

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA96893
><subunit 1 of 1, 173 aa, 1 stop
><MW: 19733, pI: 8.78, NX(S/T): 0
MHWKMLLLLLLLYYNAEASMCHRWSRAVLFPAAHRPKRSSSLPLNPVLQTSLEEVLLYEF
LLAELEISPDQLQISIKDEELASLRKASDFRTVCNNVIPKSIPDIRRLSASLSSHPGILKK
EDFERTVLTLAYTAYRTALSHGHQKDIWAQSLVSLFQALRHDLMRSSQPGVPP
```

Important features of the protein:**Signal peptide:**

Amino acids 1-17

cAMP- and cGMP-dependent protein kinase phosphorylation sites:

Amino acids 36-40;84-88;105-109

511/615

FIGURE 507

GGCGGCGGGCTGCGCGGAGCGGCGTCCCCTGCAGCCGCGGACCGAGGCAGCGGCGGCACCTGC
CGGCCGAGCAATGCCAAGTGAGTACACCTATGTGAAACTGAGAAGTGATTGCTCGAGGCCTTC
CCTGCAATGGTACACCCGAGCTCAAAGCAAGATGGAGAAGGCCAGCTTGTTATTAAAAGACAT
CCTCAAATGTACATTGCTTGTGTTTGGAGTGTGGATCCTTTATATCCTCAAGTTAAATTATAC
TACTGAAGAATGTGACATGAAAAAATGCATTATGTGGACCTGACCATGTAAAGAGAGCTCA
GAAATATGCTCAGCAAGTCTTGCAAGGAATGTGCTCCCAAGTTTGCCAAGACATCAATGGC
GCTGTTATTTGAGCACAGGTATAGCGTGGACTTACTCCCTTTTGTGCAGAAGGCCCCCAAAGA
CAGTGAAGCTGAGTCCAAGTACGATCCTCCTTTTGGGTTCCGGAAGTTCTCCAGTAAAGTCCA
GACCTCTTGGAACCTCTTGCCAGAGCACGACCTCCCTGAACACTTGAAAGCCAAGACCTGTCTG
GCGCTGTGTGGTTATTGGAAGCGGAGGAATACTGCACGGATTAGAACTGGGCCACACCCTGAA
CCAGTTCGATGTTGTGATAAGGTTAAACAGTGCACCAAGTTGAGGGATATTCAGAACATGTTGG
AAATAAACTACTATAAGGATGACTTATCCAGAGGCGCACCACTGTCTGACCTTGAATATTAT
TCCAATGACTTATTTGTTGCTGTTTTATTAAAGAGTGTTGATTTCAACTGGCTTCAAGCAATG
GTAAAAAAGGAAACCCTGCCATTCTGGGTACGACTCTTCTTTTGGGAAGCAGGTGGCAGAAAAA
ATCCCACTGCAGCCAAAACATTTTCAGGATTTTGAATCCAGTTATCATCAAAGAGACTGCCTTT
GACATCCTTCAGTACTCAGAGCCTCAGTCAAGGTTCTGGGGCCGAGATAAGAAGTCCCCACA
ATCGGTGTCATTGCCGTTGTCTTAGCCACACATCTGTGCGATGAAGTCAGTTTGGCGGGTTTT
GGATATGACCTCAATCAACCCAGAACACCTTTCGACTACTTCGACAGTCAATGCATGGCTGCT
ATGAACTTTCAGACCATGCATAATGTGACAACGGAAACCAAGTTCCTCTTAAAGCTGGTCAA
GAGGGAGTGGTGAAAGATCTCAGTGGAGGCATTGATCGTGAATTTTGAACACAGAAAACCTCA
GTTGAAAATGCAACTCTAACTCTGAGAGCTGTTTTTACAGCCTTCTTGATGTATTTCTCCAT
CCTGCAGATACTTTGAAGTGCAGCTCATGTTTTTAACTTTTAAATTTAAAAACACAAAAAAAT
TTTAGCTCTTCCCACTTTTTTTTTTCTATTTATTTGAGGTGAGTGTGTTTTTGCACACCAT
TTTGTAATGAACTTAAGAATTGAATTGGAAAGACTTCTCAAAGAGAATTGTATGTAACGAT
GTTGTATTGATTTTAAAGAAAGTAATTTAATTTGTAAACTTCTGCTCGTTTACACTGCACAT
TGAATACAGGTAATAATTGGAAGGAGAGGGGAGGTCACTCTTTTGATGGTGGCCCTGAACCT
CATTCTGTTCCCTGCTGCGCTGCTTGGTGTGACCCACGGAGGATCCACTCCCAGGATGACGT
GCTCCGTAGCTCTGCTGCTGATACTGGGTCTGCGATGCAGCGGCGTGAGGCCTGGGCTGGTTG
GAGAAGGTCACAACCCTTCTCTGTTGGTCTGCCTTCTGCTGAAAGACTCGAGAACCAACCAGG
GAAGCTGTCTGGAGGTCCCTGGTGGAGAGGGACATAGAATCTGTGACCTCTGACAACCTGTG
AAGCCACCCTGGGCTACAGAAACCACAGTCTTCCCAGCAATTATTACAATTCTTGAATTCCTT
GGGGATTTTTTACTGCCCTTTCAAAGCACTTAAGTGTTAGATCTAACGTGTTCCAGTGTCTGT
CTGAGGTGACTTAAAAAATCAGAACAAAACCTTCTATTATCCAGAGTCATGGGAGAGTACCCC
TTTCCAGGAATAATGTTTTGGGAAACACTGAAATGAAATCTTCCCAGTATTATAAATTGTGTA
TTTAA

512/615

FIGURE 508

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA96897
><subunit 1 of 1, 362 aa, 1 stop
><MW: 41736, pI: 8.80, NX(S/T): 3
MRRPSLLLKDILKCTLLVFGVWILYILKLNYTTEECMDKMMHYVDPDHVKRAQKYAQQVL
QKECRPKFAKTSMA LLFEHRYSDLLPFVQKAPKDSEAESKYDPPFGFRKFSSKVQTLLE
LLPEHDLPEHLKAKTCRRCVVIGSGGILHGLELGH TLNQFDVVIRLNSAPVEGYSEHVGN
KTTIRMTYPEGAPLSDLEYYSNDLFVAVLFKSVDFNWLQAMVKKETLPFWVRLFFWKQVA
EKIPLQPKHFRILNPV I IKETAFDILQYSEPQSREFWGRDKNVPTIGVIAVVLATHLCDEV
SLAGFGYDLNQPRTP LHYFDSQCMAAMNFQTMHNVTTETKFL LKLVKEGVVKDLSSGGIDR
EF
```

Important features of the protein:**Transmembrane domains:**

Amino acids 11-27;281-297

N-glycosylation sites:

Amino acids 30-34;180-184;334-338

cAMP- and cGMP-dependent protein kinase phosphorylation sites:

Amino acids 2-6;109-113;223-227

N-myristoylation sites:

Amino acids 146-152;150-156;179-185;191-197

513/615

FIGURE 509

GGGCGGACGCAGTGCAGTAAGAGCAGATGGGCGGACCCAAATTTCTTCGGCTTCACGATTTTG
CCGAGGTCTAGCCCTGCATCCAGCCTTGAAACAGGGTGGGGAGGAGGCAGAAAGGGGAGGGAC
TGCACTCCCTCTGAGCGTGCTAGCTCCGACTGCCTGACGGATCACCTTCCGCTCCAACATGG
CTAGTTCCCTCAACGCCGTGACTCAAGCCTGTTGTGCCAGGCAGGGCGCACTCAGCAGCGCAGC
CCCACAGGTGGCGAAGGCTCCGCGAGAGGGTTCGCGCCAGGCTAGACAGTGGAGTGCCGCACA
GCGCGCCTTCCAGCCTCGCAGCCGCCACCCTAGCGGTTCCGACCCGGCGCCAGCAGGCCTGCT
TGGTCGATCTTCGAGCCAAAGATGCGGCGAGGCTGGAAGATGGCTCTGTCTGGGGGGCTGCGG
TGCTGCCGCCGGGTACTGTCCTGGGTGCCAGTGCTCGTTATTGTCTCGTCGTGCTCTGGTCC
TACTATGCCTACGTCTTTGAACTCTGCCTGGTTATTTACCTCATACTCTACCATGCCATCTTT
GTGTTCTTTACCTGGACCTACTGGAAGTCTATCTTTACACTCCACAGCAGCCAAACCAGAAG
TTCCACTTGTCCTACACAGACAAGGAGCGCTATGAAAATGAAGAAAGACCTGAGGTCCAGAAG
CAGATGCTTGTTGATATGGCCAAAAAGCTACCGGTTTACACAAGAAGTGAAGTGGAGGTCAG
TTCATCCAAAGGCAGCTAGAGAGGCAGCTCAGCAAGTATCTCAGAAAGGCTAAGTCATATATG
TTCTCAAACTAGCCCTTTTTTTTTCCTCCCATCTTCTGAAAACCACTATGGAGATTTTTCTCCA
CATTTTATTTCTAAAAAATTTTAAACACATATCAAAGCTGGAAGAATTGTATAGTAAACAAAC
TGTATACCCCAAACCTGGATTCTTCTGCTAACATTTTCTGTGTGCTATATCACATATCTATC
CACATATGCATACCTCTATTTATCTTTCTGCAAGCCATCTTATGTTTCTGATGCATTTCAAAG
TAAATAGCTGACATCAGTAAGACATCTACCTAAATATTTTATTCTGTTTTGTTAAAATTTACA
TACAAAACATGCATAATCTTAAGGGTACCATTCCATGTATTTGAAAAGTGTACACATCTGT
GTAACATAAACCCCAATAAAATTGCCATCACCTCAG

514/615

FIGURE 510

b2/sst/DNA/Dnaseqs.min/ss.DNA98564

of 1, 143 aa, 1 stop

, pI: 9.99, NX(S/T): 0

GLRCCRRVLSWVPVLVIVLVVLWSYYAYVFELCLVIYLILYHAIFVFFT
QQPNQKFHLSYTDKERYENEERPEVQKQMLVDMAKKLPVYTRTGSGGQF
YLRKAKSYMFSN

Features of the protein:

one domain:

24-45

Phosphorylation sites:

11-17;12-18

AGCTGCTGCTGTGGGGCG
TGCTGCAGAGGGTGGCGA
CGCGCCTACCCACTGGTG
CGCTCCTCCTGGAGCGCA
CGCTGCTTGTGGCGCTGG
TTCTAGTCGTTGCCCT
TTCTTTGTGTGTAGCACA
ACCGCTGCTCAGCTCTCA
AGAAGCTCCCTGGGAGC
CTCCTCTCGCTGCCACT
ATCACAAGACTTGACTGC
TGTTACATAATAACAATT
ACGCCCTTGTTTATTAAAG
TTTATTGATGGAAAAA
CTCCCTGTCAGGGAGGGC
ACCCAGAAATGAGAAGA
AGTTTCCTCTGGGATTAT
CTTGAAGGACTTTTTCTC
ATCACAAGATGAGGCCTC
AATCAAGCGAACTCTTT
AGATATGAAAATCACTGG
TTGTCCTAAGGCTTTAT
CCCTACCCCTGGAAAGTA
AATCTCTAGTGAACAAA
ATTCTCCTTGTAATCAC
TTTTATTCCACCAACAA
TATATCCAAGTTGTTTG
TACTTGTTAAAGTGACT
TCTAGATCACTGTCTAG
AGGCCCTGCTTTGTGCC
ACAGTCGTTGTTCCCAA
CTAATGTCCAAACGCTG
CTCTAAACTCTAATCTA
CCAGCTGTTGGACCTGC

516/615

FIGURE 512

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA107443
><subunit 1 of 1, 178 aa, 1 stop
><MW: 19353, pI: 10.97, NX(S/T): 0
MAGLWLGLVWQKLLWGAASALSLAGASLVLSLLQRVASYARKWQOMRPIPTVARAYPLV
GHALLMKPDGRGKGRRSSWSATGSAAPFPPSDQPGTRCLWRWPQERGACHPVENALPVLV
VAPWHPPTLLVPHPKVSIFFVCSTGCGISKPLPSVFSHLTAAQLSKPCRFLLPWLGKP
```

Important features of the protein:**Signal peptide:**

Amino acids 1-25

cAMP- and cGMP-dependent protein kinase phosphorylation site:

Amino acids 75-79

N-myristoylation sites:

Amino acids 3-9;17-23;145-151

Amidation site:

Amino acids 73-77

Leucine zipper pattern:

Amino acids 8-30

533/615

FIGURE 528

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA108738
><subunit 1 of 1, 196 aa, 1 stop
><MW: 22225, pI: 9.90, NX(S/T): 0
MISPDLPFLTIVLIIVSWTTCGALAILLSYLYYVFKVVHLQASLTTFKNSQPVNPKHSRR
SEKKSNNHHKDSSIHLRLSANDAEDSLRMHSTVINLLTWIVLLSMPSLIYWLKNLRYFFK
LNPDPCKPLAFILIPMAILGNTYTVSIKSSKLLKTTTSQFPLPLAVGVIAFGSAHLYRLP
CFVFIPLLLHALCNFM
```

Important features of the protein:**Signal peptide:**

Amino acids 1-25

Transmembrane domains:

Amino acids 91-108;128-143;167-186

N-myristoylation site:

Amino acids 141-147

534/615

FIGURE 529

GCGAGCCGGGTCCCACCATGGCCGCGAATTATTCCAGTACCAGTACCCGGAGAGAACATGTCA
AAGTTAAAACCAGCTCCCAGCCAGGCTTCCTGGAACGGCTGAGCGAGACCTCGGGTGGGATGT
TTGTGGGGCTCATGGCCTTCCTGCTCTCCTTCTACCTAATTTTCACCAATGAGGGCCGCGCAT
TGAAGACGGCAACCTCATTGGCTGAGGGGCTCTCGCTTGTGGTGTCTCCCGACAGCATCCACA
GTGTGGCTCCGGAGAATGAAGGAAGGCTGGTGCACATCATTGGCGCCTTACGGACATCCAAGCTT
TTGTCTGATCCAACTATGGGGTCCATCTTCCGGCTGTGAACTGCGGAGGCACGTGGAGATG
TACCAATGGGTAGAACTGAGGAGTCCAGGGAGTACACCGAGGATGGGCAGGTGAAGAAGGAG
ACGAGGTATTCTTACAACACTGAATGGAGGTGAGAAATCATCAACAGCAAAAACCTTCGACCGA
GAGATTGGCCACAAAACCCAGTGCCATGGCAGTGGAGTCATTTCATGGCAACAGCCCCCTTT
GTCCAAATTGGCAGGTTTTTCTCTCGTCAGGCCTCATCGACAAAGTCGACAACTTCAAGTCC
CTGAGCCTATCCAAGCTGGAGGACCCTCATGTGGACATCATTCGCCGTGGAGACTTTTTCTAC
CACAGCGAAAATCCCAAGTATCCAGAGGTGGGAGACTTGCCTGTCTCCTTTTTCTATGCTGGA
CTGAGCGGCGATGACCTGACCTGGGCCCAGCTCACGTGGTCACTGTGATTGCCCGGCAGCGG
GGTGACCAGCTAGTCCCATTCTCCACCAAGTCTGGGGATACCTTACTGCTCCTGCACCACGGG
GACTTCTCAGCAGAGGAGGTGTTTCATAGAGAACTAAGGAGCAACTCCATGAAGACCTGGGGC
CTGCGGGCAGCTGGCTGGATGGCCATGTTTCATGGGCCTCAACCTTATGACACGGATCCTCTAC
ACCTTGGTGGACTGGTTTCTGTGTTTTCCGAGACCTGGTCAACATTGGCCTGAAAGCCTTTGCC
TTCTGTGTGGCCACCTCGCTGACCCTGCTGACCGTGGCGGCTGGCTGGCTCTTCTACCGACCC
CTGTGGGCCCTCCTCATTGCCGGCCTGGCCCTTGTGCCCATCCTTGTTGCTCGGACACGGGTG
CCAGCCAAAAAGTTGGAGTGA~~AA~~AAAGACCCTGGCACCCGCCCGACACCTGCGTGAGCCCTGAGG
CTGGTTGTACAATGCCCACGCCTGCCTGGCTGCTTTACCTGGGAGTGCTTTTCGATGTGGGCA
CCTGGGCTTCCTAGGGCTGCTTCTGAGTGGTTCCTTTCACGTGTTGTGTCCATAGCTTTAGTCT
TCCTAAATAAGATCCACCCACACCTAAGTCACAGAATTTCTAAGTTCCCCAACTACTCTCACA
CCCTTTTAAAGATAAAGTATGTTGTAACCAGGACGTCTTAAATGATTCTTTGTGTACCTTTTC
TGTCATATTAGAAACCGTTCTGTGCCTGCTGGGAGTAATTCCTTTAGCAATTAAGTATTTGG
TAGCTGAATAAGGGGTGAGAACTTCTGAAACAGAGATCTGTAATCATCTCTATTGGCCTGGG
GTGCCCTGTGCTATAAATGAGTTTCTTCACATGAAAAACACAGCCAGCCCAAGATGACTTATCT
GGGTTTAGGATTCAATAGTATTTCACTAACTGCTTATTACATGAGCAATTTTCATCAAATCTCCA
AACTCTTAAAGGATGCTTTTCGGAACACACGCTGTATACCTAGATGATGACTAAATGCAAAATC
CTTGGGCTTTGGTTTTTTTCTAGTAAGGATTTTAAATAACTGCCGACTTCAAAGTGTTCTTA
AAACGAAAGATAATGTTAAGAAAAATTTGAAAGCTTTGGAAAACCAAATTTGTAATATCATTG
TATTTTTTATTAAAGTTTTGTAATAAATTTCTAAATTATCA

535/615

FIGURE 530

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA108743
><subunit 1 of 1, 400 aa, 1 stop
><MW: 44876, pI: 8.32, NX(S/T): 2
MAANYSSSTSTRREHVKVKTSSQPGFLERLSETSGGMFVGLMAFLLSFYLIFTNEGRALKT
ATSLAEGLSLVSPDSIHSVAPENEGRLVHIIGALRTSKLLSDPNYGVHLPVKLRRHVE
MYQWVETEEESREYTEDGQVKKETRYSYNTEWRSEIINSKNFDREIGHKNPSAMAVESFMA
TAPFVQIGRFFLSSGLIDKVDNFKSLSLSKLEDPHVDIIRRGDFFYHSENPKEYPEVGDLR
VSFSYAGLSGDDPDLGPAHVVTVIARQQRGDQLVPFSTKSGDTLLLLLHHGDFSAAEEVFHRE
LRNSMKTWGLRAAGWMAMFMGLNLMTRILYTLVDWFPVFRDLVNI GLKAF A F C V A T S L T
LLTVAAGWLFYRPLWALLIAGLALVPILVARTRVPAKKLE
```

Important features of the protein:**Transmembrane domains:**

Amino acids 34-53;365-388

N-glycosylation site:

Amino acids 4-8

cAMP- and cGMP-dependent protein kinase phosphorylation site:

Amino acids 140-144

Tyrosine kinase phosphorylation sites:

Amino acids 99-107;220-227

N-myristoylation sites:

Amino acids 35-41;93-99;310-316

Cell attachment sequences:

Amino acids 221-224;268-271

536/615

FIGURE 531

AAAAAAAAAAAAAAAAAAGAAGCTCTTATGCCAGGAACCTGGAATGGAGACCAAATATATATTG
GTTATATCATAGTATCACAGGGTTACTTTGGCATTGTTGGGAACTTGAGAGAAATGGGGCAATAA
CTGTTACTTTAAAAGCTTGGGTGCTGTGATTCTGCCTTCAGCCTCAGCCACTTTTGTGGTGCT
TTGCGTGGCATCAGTACCTCCACTGATTCTTCTGTCTTTCCTCTCTCTCTTCCCCCCTCTTT
CCCTTCTGTTTTTCTCAGATCTAAGGGTTATAATGGAGGGGCAAACCTGCCTGGCTATTTTCTCAGA
TAAGACTTCACTGAGTGACTGTTTCAGCCCATGATTTACCCTGCAGTTTAACAGGCTCAGGAAT
TAGGTCGCATCAGTTGAGCGCGGGTCACTTAGGCCTATAATCATCATCAGACGGCAATTAAAG
GACCATTTCTGCCTTTTTCCTATTACATCCCCCGCCTGTAGCCCAGCCTGCCATACAGTAGA
TACTCAATAAATATTTGCTGAATGATAACCAATAA

537/615

FIGURE 532

</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA108758
<subunit 1 of 1, 100 aa, 1 stop
<MW: 10316, pI: 8.52, NX(S/T): 0
MGNNCYFKSLGAVILPSASATFVVLCDVASVPPLILLSFLSLFPSPFSPVFLRSKGYNGGA
NCLAISDKTSLSDCSAHDLPCLTGTSGIRSHQLSAGHLGL

Important features of the protein:**Signal peptide:**

Amino acids 1-47

N-myristoylation site:

Amino acids 58-64

538/615

FIGURE 533

CGGGGTGTACGAAAGAGAAACCCGGAGGGCGCCGGGGACTGGGCCGGGGTCTGCAGGGCTCAG
CTGAGCCCATGAGCTCCCAGAGCTAACCCTGAACACCCAGGCGGGCAAAGGGCTGATGTCCG
TAGTCCCATCTCTGGAGGGGAGGCTCTGCGCATCTGCTCCTGGCATGGCGCTGCGGCACCTC
GCCCTCCTGGCTGGCCTTCTCGTGGGAGTCGCCAGCAAGTCCATGGAGAACACGGCCCAGCTG
CCCGAGTGTGTGTGGATGTGGTGGGCGTCAACGCCAGCTGCCAGGCGCAAGTCTGTGTGGT
CCAGGCTGTTACAGGCGCTGGAACGCGGACGGGAGCGCCAGCTGCGTCCGCTGTGGGAACGGA
ACCCTCCCAGCCTACAACGGCTCCGAGTGTAGAAGCTTTGCTGGCCCCGGGTGCGCCATTCCCC
ATGAACAGAAGCTCAGGGACCCCCGGGCGGCCACATCCTGGGGCTCCGCGCGTGGCCGCTCC
CTCTTCTGGGCACGTTCTTCATTAGCTCCGGCCTCATCCTCTCCGTAGCTGGGTTCTTCTAC
CTCAAGCGCTCCAGTAAACTCCCCAGGGCCTGCTACAGAAGAAACAAGCTCCGGCCCTGCAG
CCTGGCGAAGCCGCTGCAATGATCCCCCGCCACAGTCTCAGACGTGGGGTCTGCAGGAAAG
GAGGACCCACCACGACAGGGCAGACCCCCAATACCTGCTCCTCCTTGAAGTCCAGCTCCACCC
GAGGACAGACGCGAGCCGGCCTCCGCCAGGCCCTCCTGAGCAGCCATCGCTTCAGTGGTGTGG
GTCAGGCGGACCCAAGAGTCAGCCCGTACGGAAGCCGCGCTACGTCAGGCGGGAGCGGCCCT
GGACAGGGCCACGGATCCCGCTGCCTTCCCGGGGGAGGCCCGTATCAGCAATGTCTGACCTGG
AGGCCGAGACCACGCCACGCACTTGGCGGCAGGGACCCGGAGGCCGACCCCTTGGCGGGAACC
AGCACAAAGTGTTGGCATCGCCCGGCGCCCGGGACAGTCTTGGGCACAGCCTCGGCTCTGGGT
CCCTCCGCCTCCCAGCGACGGACGCCAAAGGTCCCGGGCCGCTGAGGCTCCTCCCCACCAC
AGCCATCTCGTTTATCGGACCAGGAGCAGGCATCCATGAGACCTCAGAGCTTCAGATCGAGGC
CTTGGGGGGTCCGGGCCCCCCCCAGGAAACACGGTGAGGCCCCAGCGCCTGCAGCCAAAGCTGG
CACGATCTATGGGGCAGGTGCCGCTCTGCCTAGAAAAGCCAGGGGGTCTGCTGCCGTGCCCTC
CAGAGCCCACAGCGGGCAGGACTCCTCCAGCACCACCACACCCAGTGGCCCCGAGACCCCTCTG
AGAACAGTGAGGCTGGTCCCTCGTGCCGTTCCAGCCGGTGCCCGGCCAGTGGGGAGGACACAGC
CTAGGAACCAGCTGCCTGAGACCAGGGTGCCTCTGGGCTGTCTCCCGCGTGGCGGAGACCCC
AAGCACGCAGCCACCCATTTCCGGAGCTGCAGGATAGAGCTTCCTCTTGATCTCTGTTTTTAAG
CAGAAATTCATTGTGCAGAAAAGTCTCCAGAGCTCTGTGGCCCCGCTCGGATCCGCTGGACC
CCCATGCCTGGCTGATCCCTGCCCACGTGGGGCAGGCCACATCTAACCCCCACAAGTCACTG
CCTCACTGCACCTGCCAAGGCTGCCCTGGCGCTGAGTCTTGGGGTCCCTCCCGGAGTTCCTGG
GAGAAAGGCGCCGTCGTGGCCGCTCCCGCACGCCAGGCCCGGGCTCCACCGTGGGTCTCAGA
CGCCCTGCGGCACCGGCACCGTCTGCTTTAGCATGGGACCCCCATCTGAGGGGTGGCCTGGCC
TTCGGGGTCCCCACGCTCCTTTGCGAAGTCCACTGTGGGTGCCATCATGGTCTCCGGGACCTG
GGCCAGCGGGAACGTGGGGGCACTGGGTGTGCTGATATAAAGTCGGCATTACTCAAAAAAAAAA
AAAAAAAAAAAAAAAAAAAAAAAAAAAAA

539/615

FIGURE 534

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA108765
><subunit 1 of 1, 189 aa, 1 stop
><MW: 19464, pI: 9.60, NX(S/T): 4
MALRHLALLAGLLVGVASKSMENTAQLPECCVDVVGVNASCPGASLCGPGCYRRWNADGS
ASCVRCNGNTLPAYNGSECRSFAGPGAPFFPMNRSSGTPGRPHPGAPRVAASLFLGTFEIS
SGLILSVAGFFYLKRSSKLPRACYRRNKAPALQPGEEAAMI PPPQSSDVGSAGKEDPPRQ
GRPPIPAPP
```

Important features of the protein:**Signal peptide:**

Amino acids 1-18

Transmembrane domain:

Amino acids 111-129

N-glycosylation sites:

Amino acids 38-42;68-72;75-79;92-96

cAMP- and cGMP-dependent protein kinase phosphorylation site:

Amino acids 134-138

N-myristoylation sites:

Amino acids 11-17;36-42;43-49;59-65;69-75;122-128

540/615

FIGURE 535

TGGATCTGCGGGAATGTGGGCTGGAGAGGTCCTGCCGTGGTACCAGCCTCCAGCCTGCCCCCA
GGACTGCCCCTGACCCAGGCGCGCCCGCTGCTCGGTGGCAGGAGGGCCGGCGGAGCGCCATGG
CCTGCATCCTGAAGAGAAAGTCTGTGATTGCTGTGAGCTTCATAGCAGCGTTCCTTTTCCTGC
TGGTTGTGCGTCTTGTAATGAAGTGAATTTCCCATTGCTACTAACTGCTTTGGACAACCTG
GTACAAAGTGGATAACCATTCTCCTACACATACAGGCGGCCCTTCGAACTCACTATGGATACA
TAAATGTGAAGACACAAGAGCCTTTGCAACTGGACTGTGACCTTTGTGCCATAGTGTCAAAC
CAGGTCAGATGGTTGGCCAGAAGGTGGGAAATGAGATAGATCGATCCTCCTGCATTTGGAGAA
TGAACAATGCCCCACCAAAGGTTATGAAGAAGATGTCGGCCGCATGACCATGATTCGAGTTG
TGTCCCATACCAGCGTTCCTCTTTTGCTAAAAAACCTGATTATTTTTTCAAGGAAGCGAATA
CTACTATTTATGTTATTTGGGGACCTTTCCGCAATATGAGGAAAGATGGCAATGGCATCGTTT
ACAACATGTTGAAAAAGACAGTTGGTATCTATCCGAATGCCCAAATATACGTGACCACAGAGA
AGCGCATGAGTTACTGTGATGGAGTTTTTAAGAAGGAACTGGGAAGGACAGTACAGAGTGAC
CATGCAGTGTTGATTGATCGAACAGCAACCACCACATACATGTCCTGCCCCACCACAAAAGGA
AGGAAGGAATAAAAGAAAGAAAGAAAGAAACAAACAAACAAACAAACAAACTAAGCAAGACA
AAACAAATACCCATGTCAGTGGTTCAAAGATTAAGATTGTGGCTTTGTGTAAAGTTCTTTCCC
TTTGTAGACTTGCTGCATAATTATTCAGGTATGATGGTTACAGTTTTTAAAAAGGAAGGGAAA
TTGTGGTATGTGGTATGTAAATATTTTTAAATGTTGTCTCTCTGTTTTGATCAGTTTTTGT
TATTCAATTTGTCTTTATTAAATCTTATCAAAGCA

541/615

FIGURE 536

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA108783
><subunit 1 of 1, 210 aa, 1 stop
><MW: 24022, pI: 9.51, NX(S/T): 1
MACILKRKSVIAVSFIAAFLLVVRLLVNEVNFLLLNCFGQPGTKWIPFSYTYRRPLRT
HYGYINVKTQEPLQLDCDLCAIVSNSGQMVGQKVGNEIDRSSCIWRMNNAPTKEYEEDVG
RMTMIRVVSHTSVPLLLKNPDYFFKEANTTIYVIWGPFRNMRKDGNGIVYNMLKKTVGIY
PNAQIYVTTEKRMSYCDGVFKKETGKDSTE

Important features of the protein:**Signal peptide:**

Amino acids 1-27

N-glycosylation sites:

Amino acids 148-152

cAMP- and cGMP-dependent protein kinase phosphorylation sites:

Amino acids 6-10;191-195;201-205

N-myristoylation sites:

Amino acids 41-47;87-93;91-97;167-173;178-184

542/615

FIGURE 537

GTTTTATTGACAATACATGCATCATATCTTTTGACTTTGAAGGATATCTCATGTCAAAGGAAT
CAAGTTATGATTTATAGAGGATTCAGCTGGAATACCTTGTGGGTGCTGGCTGAGGGTGGCAAA
ACGCCTACCGAGACATGAAGGTTTTAGCCACTAGTTTTGTCCTTGGGAGCCTGGGGTTGGCCT
TCTACCTGCCTTTGGTGCTGACTACACCTAAAACACTGGCCATCCCTGAGAAGCTGCAAGAAG
CTGTGGGGAAAGTTATCATCAATGCCACAACCTGTACTGTCACCTGTGGCCTTGGCTATAAGG
AGGAGACCGTCTGTGAGGTGGGCCCTGATGGAGTGAGAAGGAAATGTCAGACTCAGCGCTTAGAA
TGTCTGACCAACTGGATCTGTGGGATGCTCCATTTACCATTCTCATTGGCAAGGAATTTGAG
CTTAGCTGTCTGAGTTCAGACATCTGGAGTTTGGACAGGAAGCTTTCGGGTTACCTGGAGA
CTTGCTCGAGGTGTCATCTCCACTGACGATGAGGTCTTCAAACCCTTTCAAGCCAACTCCAC
TTTGTGAAGTTTAAATATGCTCAGGAGTATGACTCTGGGACATATCGCTGTGATGTGCAGCTG
GTAAAAAAGTTGAGACTTGTCAAGAGGCTCTATTTTGGGTTGAGGGTCCTTCCTCCTAACTTG
GTGAATCTGAATTTCCATCAGTCACTTACTGAGGATCAGAAGTTAATAGATGAGGGATTGGAA
GTTAATCTGGACAGCTACTCCAAGCCTCACCACCCAAAGTGGAAAAAGAAGGTGGCGTCAGCC
TTGGGAATAGGAATTGCCATTGGAGTGTTGGTGGCGTGTTGGTGAGGATTGTCTCTGTGCG
CTAAGGGGGGGCCTGCAGCAGTGAAGCTTCAAGAACTTAACAGCCTTGCTCCTGAAGAAGT
GCTGCCCAGGAAGCCAAGCTAGCTTTTTAGGGGAGTGTTCCAGCTGCTGGTAGTGGATCAGCT
TAGAGGGAACACTCCACAGCCAAAAGAATGAGTGGGAGAAATGGAGGGGACAATCTCCTGGG
AGCTATGCGCAGTAACCTAACTTCCTTATGTCCCATGGATCTCTCCTGATCTTCCCTGCCCCA
TTGGGTACCCAGGAACTGCAAGCATTGCCTGTGTTCCCTGGGAAGAGTTCTAAGAAGCTTGCA
TTCATTTTCTACCCTTTATGACTTGATGCCTCCCCACCTCCATTTCCCCTCTTCTGAGCTGT
GTATTCATGTAGAGGGATGTATTCAGCCTTTTGTAGTGAACATTTTTTTTCAATAAAAGTAATT
CACAGTAA

543/615

FIGURE 538

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA108789
><subunit 1 of 1, 255 aa, 1 stop
><MW: 28440, pI: 8.92, NX(S/T): 1
MKVLATSFVLGSLGLAFYLPLVVTTTPKTLAIPEKLQEAVGKVIINATTCTVTCGLGYKEE
TVCEVGPDGVRRCQTQRLECLTNWICGMLHFTILIGKEFELSCLSSDILEFGQEAFRFT
WRLARGVISTDDEVFKPFQANSHFVKFKYAEYDSGTYRCDVQLVKNLRLVKRLYFGLRV
LPPNLVNLNFHQSLTEDQKLIDEGLEVNLDSYKPHHPKWKKKVASALGIGIAIGVVGGV
LVRIVLCALRGGLQQ
```

Important features of the protein:**Signal peptide:**

Amino acids 1-30

Transmembrane domain:

Amino acids 225-244

N-glycosylation site:

Amino acids 45-49

N-myristoylation sites:

Amino acids 126-132;156-162;204-210;229-235;231-237;235-241

544/615

FIGURE 539

GCGCTCATCACTGGCTGGGGACAGAGCCGGGCACCAAGGAGCGACAGGATCCCGAAGAGAGAG
AGAGAAGGCAGCGAGGGAAGGAGGACCCCGGCAGGCAGCAGCATGAATTCAGCCCAGCGCAC
TACCTGCTGCCTCTCCTGCCTGCGCTGGTCCTCAGCACCAGACAGGACTATGAAGAGCTAGAA
AAGCAGCTGAAAGAAGTCTTTAAGGAGCGAAGCACCATTCTTCGTCAGCTGACAAAGACATCA
AGAGAACTTGATGGAATTAAAGTCAATCTTCAGTCCTTAAAAACGATGAGCAGTCTGCCAAA
ACTGATGTTTCAGAACTTCTGGAATTAGGACAGAAACAAAGAGAAGAAATGAAGTCTCTTCAG
GAGGCCCTGCAAAATCAGCTTAAGGAGACATCAGAGAAAGCAGAAAAACACCAGGCTACTATT
AATTTTTTAAAGACTGAAGTTGAAAGAAAGAGCAAAATGATCCGAGACCTCCAGAATGAGGAT
TCAAGGAAGAGACCAAGAGATCTCCAGTGGAAGATAGTCTCCATGAGGACCATGTCAATATAC
TTATTGATGTATCTCTAGTACCTAGAATAGTGGAGATTTATATTAGATACAAAATAAATATGT
GTGGAATTAATTAATAA

545/615

FIGURE 540

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA108806
><subunit 1 of 1, 159 aa, 1 stop
><MW: 18865, pI: 9.76, NX(S/T): 0
MKFSPAHYLLPLLPAVLSTRQDYEELEKQLKEVFKERSTILRQLTKTSRELDGIKVNLO
SLKNDEQSAKTDVQKLLELGQKQREEMKSLQEQALQNQLKETSEKAEKHQATINFLKTEVE
RKSKMIRDLQNEQSRKRPRDLQWKIVSMRTMSIYLLMYL
```

Important features of the protein:**Signal peptide:**

Amino acids 1-22

N-myristoylation site:

Amino acids 54-60

546/615

FIGURE 541

[illegible]

547/615

FIGURE 542

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA108936
><subunit 1 of 1, 178 aa, 1 stop
><MW: 19472, pI: 5.71, NX(S/T): 0
MSPSGRLCLLTIVGLILPTRGQTLKDDTSSSSADSTIMDIQVPTRAPDAVYTELOPTSPT
PTWPADETPQPQTQTQQLEGTDGPLVTDPEHVKSTKAAHPTDDTTTLSEKPSSTDVQTD
PQTLKPSGFHEDDPFFYDEHTLRKRGLLVAAVLFITGIIILTSGKCRQLSRLCRNRCR
```

Important features of the protein:**Signal peptide:**

Amino acids 1-21

Transmembrane domain:

Amino acids 147-162

Tyrosine kinase phosphorylation site:

Amino acids 45-52

N-myristoylation site:

Amino acids 146-152

548/615

FIGURE 543

CGGCTCGAGGTGAGAAGGAACTGCAAGAGTGGGGCAGAGAACCAGAGTGTGAGAGCAAAACC
TCCTCTATCTGCACATCCTGGGGACGAACCGGGCAGCCGGAGAGCTGCGGCCGGCCAGTCCC
GCTCCGCCTTTGAAGGGTAAAACCCAAGGCGGGGCCTTGTTCTGGCAGAAGGGACGCT**ATGA**
CCGCAGAATTCCTCTCCCTGCTTTGCCTCGGGCTGTGTCTGGGCTACGAAGATGAGAAAAAGA
ATGAGAAACCGCCCAAGCCCTCCCTCCACGCCTGGCCCAGCTCGGTGGTTGAAGCCGAGAGCA
ATGTGACCCTGAAGTGTGAGGCTCATTCCAGAAATGTGACATTTGTGCTGCGCAAGGTGAACG
ACTCTGGGTACAAGCAGGAACAGAGCTCGGCAGAAAACGAAGCTGAATCCCCTTCACGGACC
TGAAGCCTAAGGATGCTGGGAGGTACTTTTGTGCCTACAAGACAACAGCCTCCCATGAGTGGT
CAGAAAGCAGTGAACACTTGCAGCTGGTGGTCACAGATAAACACGATGAACTTGAAGCTCCCT
CAATGAAAACAGACACCAGAACCATCTTTGTGCGCATCTTCAGCTGCATCTCCATCCTTCTCC
TCTTCCTCTCAGTCTTCATCATCTACAGATGCAGCCAGCACGGTTCATCATCTGAGGAATCCA
CCAAGAGAACCAGCCATTCCAAACTTCCGGAGCARGAGGCTGCCGAGGCAGATTTATCCAATA
TGGAAGGGGTATCTCTCTCGACGGCAGACCCCAAGGAGTGACCTATGCTGAGCTAAGCACCA
GCGCCCTGTCTGAGGCAGCTTCAGACACCACCCAGGAGCCCCCAGGATCTCATGAATATGCGG
CACTGAAAGTG**TAG**CAAGAAGACAGCCCTGGCCACTAAAGGAGGGGGGATCGTGCTGGCCAAG
GTTATCGGAAATCTGGAGATGCAGATACTGTGTTTCCTTGCTCTTCGTCCATATCAATAAAAT
TAAGTTTCTCGTCTTA

549/615

FIGURE 544

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA119510
><subunit 1 of 1, 236 aa, 1 stop
><MW: 26079, pI: 5.05, NX(S/T): 3
MTAEFLSLLCLGLCLGYEDEKKNEKPPKPSLHAWPSSVVEAESNVTLKCQAHSONVTFVL
RKVNDSGYKQEQSSAENEAFFFTDLKPKDAGRYFCAYKTTASHEWSESSEHLQLVVTDK
HDELEAPSMKTDTRTIFVAIFSCISILLFLSVFIIYRCSQHGSSEESTKRTSHSKLPE
QEAAEADLSNMERVSLSTADPQGVTYAELSTSALSEAASDTTQEPPGSHEYAALKV
```

Important features of the protein:**Signal peptide:**

Amino acids 1-16

Transmembrane domain:

Amino acids 135-153

N-glycosylation sites:

Amino acids 44-48;55-59;64-68

cAMP- and cGMP-dependent protein kinase phosphorylation site:

Amino acids 171-175

Tyrosine kinase phosphorylation sites:

Amino acids 61-69;87-95

N-myristoylation sites:

Amino acids 12-18;203-209

550/615

FIGURE 545

GGCGGCCCCGGAGCTGGGAGCGCGGGGAAGGCGGTTGGGGTTCTGACAGCTGCGCGCGATCCTG
CTCTCTCTCAGCCGCCTGTGGACATGCGCAAAGGGCCCTCTCCTGAGTCCAGATGATGCTCAT
ACCAATGGCTTCAGTGATGGCGGTGACTGAACCGAAATGGGTCTCGGTCTGGAGCCGCTTCCT
CTGGGTGACGCTGCTGAGCATGGTGCTGGGGTCCCTGCTGGCCCTGCTGCTGCCGCTGGGGGC
TGTGGAGGAGCAGTGCTTGGCTGTGCTCAAAGGCCTCTACCTGCTCAGGAGCAAACCGGACAG
GGCGCAGCATGCCGCCACCAAGTGCACCAGCCCGTCCACGGAGCTCAGCATCACCTCCAGGGG
CGCGACGCTGCTGGTGGCCAAGACCAAGGCCTCTCCAGCGGGTAAGTTGGAAGCCAGAGCTGC
CCTGAACCAGGCCCTGGAGATGAAGCGCCAGGGCAAGCGGGAAAAAGCCAAAAGCTCTTCAT
GCACGCCCTCAAGATGGACCCGGACTTCGTGGACGCGCTCACCGAGTTTGGCATCTTCTCGGA
AGAAGACAAGGACATCATCCAGGCGGACTACTTGTACACCAGAGCATTGACCATCTCACCTA
CCATGAGAAAAGCACTGGTCAACCGCGATCGGACACTGCCTCTTGTGGAAGAGATCGACCAGAG
GTATTTTACGCATCATCGACAGCAAAGTGAAGAAGGTCATGTCCATCCCCAAGGGGAACTCAGC
TCTGCGCAGGGTCATGGAGGAGACCTACTACCATCACATCTACCACACAGTGGCCATCGAGGG
CAACACCCTCACCTCTCGGAAATCAGGCACATCCTGGAGACCCGCTACGCCGTGCCCGGGAA
GAGCCTGGAGGAGCAGAACGAGGTCATAGGCATGCATGCAGCCATGAAGTACATCAACACGAC
TCTGGTTTTCGCGCATCGGCTCCGTCACCATCAGCGACGTGCTGGAGATCCACAGGCGGGTGCT
GGGCTACGTGGACCCCGTGGAAGCCGGCAGGTTTCGGACAACACAGGTCCTGGTCGGACACCA
CATCCCTCCCCATCCGCAGGATGTGGAAAAGCAGATGCAGGAGTTTGTACAGTGGCTCAACTCC
GAGGAAGCCATGAACCTGCACCCAGTGGAGTTTGCAGCCTTAGCCCATTATAAACTCGTTTAC
ATCCACCCTTTCATTGATGGCAACGGGAGGACCTCCCGTCTGCTCATGAACCTCATCCTCATG
CAGGCGGGCTACCCGCCCATCACCATCCGCAAGGAGCAGCGGTCCGACTACTACCACGTGTTG
GAAGCTGCCAACGAGGGCGACGTGAGGCCTTTCATTGCTTCATCGCCAAGTGTACTGAGACC
ACCCTGGACACCCTGCTTTTTGCCACAACAGTACTCGGTGGCACTGCCAGAAGCCCAACC
AACCCTCTGGGTTCAAGGAGACGCTTCCTGTGAAGCCCTTAAACCCTAGAAATCCTCAGTGACA
AAGGCTGTCCTGAGGTAGGAAA

551/615

FIGURE 546

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA119517
><subunit 1 of 1, 458 aa, 1 stop
><MW: 51778, pI: 7.81; NX(S/T): 2
MMLIPMASVMAVTEPKWVSVWSRFLWVTLLSMVLGSLALLPLGAVEEQCLAVLKGLYL
LRSKPDRAQHAATKCTSPSTELITSRGATLLVAKTKASPAGKLEARAALNQALEMKRQG
KREKAQKLFMHALKMDPDFVDALTEFGIFSEEDKDIIQADYLYTRALTISPYHEKALVNR
DRTLPLVEEIDQRYFSIIDSKVKVMSIPKGNALRRVMEETYYHHIYHTVAIEGNTLTL
SEIRHILETRYAVPGKSLEEQNEVIGMHAAMKYINTTLVSRIGSVTISDVLEIHRRVLGY
VDPVEAGRFRFTTQVLVGHHPHPQDVEKQMQUEFVQWLNSEEAMNLHPVEFAALAHYKLV
YIHPFIDGNGRTSRLLMNLILMQAGYPPITIRKEQRSDDYHVLEAANEQDVRPFIRFIK
CTETTLDTLLFATTEYSVALPEAQPNHSGFKETLPVKP
```

Important features of the protein:**Signal peptide:**

Amino acids 1-46

N-glycosylation sites:

Amino acids 275-279;446-450

Tyrosine kinase phosphorylation sites:

Amino acids 216-225;217-225;244-232

N-myristoylation sites:

Amino acids 35-41;235-241;266-272;368-374

Amidation site:

Amino acids 119-123

552/615

FIGURE 547

CCTCTGTCTGTGCTCCCATCCCAGGGAGTATAGGTGGAGCCTCCAGAGCCCATGGACAGGGCA
TGCTGGGGCTGGGCCAGCCCCAGCGGTGTCTCTAAGGCACCCCTGGGATCCCCACTGAGCTGG
CCTACTTCAGACAGCCAGGGCCCACCCCTCTGGCCCCCTTAGTGTCCAGCTCGTGGCCCCCTTG
GCATTTCCACAAGACGCCAAGATGGAGATTCCCATGGGGACCCAGGGCTGCTTCTCAAAGAGC
CTCCTGCTCTCAGCCTCAATCCTGGTCTCTGGATGCTCCAAGGCTCCCAGGCAGCTCTCTAC
ATCCAGAAGATTCCAGAGCAGCCTCAAAAGAACCAGGACCTTCTCCTGTCTAGTCCAGGGTGTG
CCAGACACCTTCCAGGACTTCAACTGGTACCTGGGGGAGGAGACGTACGGAGGCACGAGGCTA
TTTACCTACATCCCTGGGATACAACGGCCTCAGAGGGATGGCAGTGCCATGGGACAGCGAGAC
ATCGTGGGCTTCCCCAATGGTTCCATGCTGCTGCGCCGCGCCCAGCCTACAGACAGTGGCACC
TACCAAGTACCATTAACCATCAACTCTGAATGGACTATGAAGGCCAAGACTGAGGTCCAGGTA
GCTGAAAAGAATAAGGAGCTGCCCAGTACACACCTGCCACCAACGCTGGGATCCTGGCGGCC
ACCATCATTGGATCTCTTGCTGCCGGGGCCCTTCTCATCAGCTGCATTGCCTATCTCCTGGTG
ACAAGGAAGTGGAGGGGGCCAGAGCCACAGACTGCCTGCTCCGAGGGGCCAGGGATCTCTGTCC
ATCTTGCTGCTCGGCTGTATCCCCAGTGCCCTTCACTGACGCCCAGCACATGGATGGCGACCACA
GAGAAGCCAGAATTGGGCCCTGCTCATGATGCTGGTGACAACAACATCTATGAAGTGATGCCC
TCTCCAGTCTCTGGTGTCCCCCATCAGTGACACAAGGTCCATAAACCCAGCCCCGGCCCCCTG
CCCACACCCCCACACCTGCAGGCGGAGCCAGAGAACCACCAGTACCAGCAGGACCTGCTAAAC
CCCGACCCTGCCCCCTACTGCCAGCTGGTGCCAACTTCTTGATGGGTCTGGGCCAGGCCAGC
CAGGGAGAAGACAAGGCCCCAGCCCTCCTCTGGGAGCCTCACACCTGAGACCAGCAGGACAAG
GCCATTGGGGGCTGTGGGGCCGATGAGGTGGACTCAGCCAAAGACTCAGCAGCACATGGGGCA
GGTGTCTGGCAGGGGGACAGGAGACTGTAACAGGCCCAGGTCCTTGTGCAGCCCCTGAATGC
ACGCCCCGCTTCGGTCTGTTCTTCAAGCAAGCTGGCCTGGGCCATGTGCCTGTGAAAGGCAG
GCTCTGGCCCCCTTTCATGCCAAAGTCCCCCAAGATCTGGATATCTGGGGACAAGATGGTGGC
CTCAGGCCTGCCTCCCAGGCAGTTGGCTGGGCTCCCAACTGTCTGTCTCAATGCCCTACCCC
AACTCCACTAGTGACCCTCAGAGTCTTCTCCCCTTAGGACAAGGCAGACACCCACCATGCGG
GCCTCAGGTGGCAGAGAGGCCAGCCTCACAGGCCTGTGGCCCCACACACCAGTCCCAGCAAG
GTGACCACGGCTGCTGGACCCCTTCCCTGTTCAAGGCAGGCCCAGCCCCCTCTCAGAACCTGCTG
CCAGCTGTGGTCTTGGCCCCCACCCTGAATCTTACTGAGTCCCTCTGGGCAGCAGCTCCCTT
CTCCACCCACCCAGCACCCGTCCCAAATGTGGCCTCAGCTTGTCTCTCCCTTCCCCAACT
ATGCATTTCATTAGCAATAAATGAGCCTTTGCTGCA

553/615

FIGURE 548

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA119535
><subunit 1 of 1, 300 aa, 1 stop
><MW: 32638, pI: 6.02, NX(S/T): 1
MEIPMGQTQGCFSKSLLLSASILVLWMLQGSQAALYIQKIPEQPQKNQDLLLSVQGVPDF
QDFNWYLGEETYGGTRLFTYIPGIQRPQRDGSAMGQRDIVGFPNGSMILLRRAQPTDSGT
QVAITINSEWTMKAKTEVQVAEKNKELPSTHLPNTAGILAATTIIGSLAAGALLISCIAYL
LVTRNWRGQSHRLPAPRGQGSLSILCSAVSPVPSVTPSTWMATTEKPELGPAGDAGDNNI
YEVMPSPVLLVSPISDTRSINPARPLPTPPHLQAEPENHQYQDILLNPDPAPYCQLVPTS

Important features of the protein:**Signal peptide:**

Amino acids 1-32

Transmembrane domain:

Amino acids 159-178

N-glycosylation site:

Amino acids 104-108

N-myristoylation sites:

Amino acids 6-12;29-35;55-61;91-97;157-163;165-171

554/615

FIGURE 549

GCCACTCACACCATCTGCTAATGGGACAGCTCACTCTCCCTCCAAACCATGGCCTTGGCTCA
AGAGCTTCCTTGTTTCTGGAATGTTCTTTCCCTCCAGCTCCAGGTGTTGAAATTTCTGCCTGGTC
TGGGTCTCCTGTTGAAGGACGCCCTCCACTGGGAAGGATCCTCTTGCCCTCACCACCTTGCTTT
CACCAGCCCCTGCTCCCCCTCTTCCTCTTGGGGCTGTTGTCGTTGTTGATACTTTTTTTTTTGT
GTGTTTGACACACATCTTCTTCTCACCTCTAACACAGTTCTCAACCACAGCACTTTTGTCCC
TGGAGATGTTGGCAGTGTCCAGAGGCGTGTTGATGGTCCCCTGGGGTGGGGGTGCTGCTGGCA
CCAGATGGTAGGGAGATGCCAGGGGTGCTGCTCCACACCCTATGGGACACTGCACAGTACACC
TGGCCTGTGTCCCCACAGCGAGAGCTGGCCCTGGGCAGGCGTGGTCCCTGCGGTGTGTGTTG
GTTGGGATCCTCCACAGTGACAGACGGTGCGCTCTGCCACGTTTCCACACAGCTCTTTTGCT
TGTGGAGCTCACCCCTTTGCAGAGAGCTCATTTCCCTGCGGTCTTTGGCCTGCAGAAGTAAAA
TGAGGGGTGGTGAATTACACCCTGCTGGTTACACATGGAAAACCTCAGGAGTGAGAATTTGT
GGAGAGCAAGAGAGGTGAGACTGGGGTGGCTGGCTGCCAGCCAGGCGGTCCCTCAGCCCCGGGA
GAAGCGGGGTGGGGCCTGCACACCGAGTCCTTCCAGTGAGTCCAGTGATGCTCTCTCTCTTCTC
CTCCAGTCACCTTTCTCTCCAGTGCCACTACTGCGCTTTCGATGCAGAATAATTCAGTATTT
GGCGACTTGAAGTCGGACGAGATGGAGCTGCTCTACTCAGCCTACGGAGATGAGACAGGCGTG
CAGTGTGCGCTGAGCCTGCAGGAGTTTGTGAAGGATGCTGGGAGCTACAGCAAGAAAGTGGTG
GACGACCTCCTGGACCAGATCACAGGCGGAGACCACTCTAGGACGCTCTTCCAGCTGAAGCAG
AGAAGAAATGTTCCCATGAAGCCTCCAGATGAAGCCAAGGTGGGGACACCCTAGGAGACAGC
AGCAGCTCTGTTCTGGAGTTCATGTCGATGAAGTCCTATCCCGACGTTTCTGTGGATATCTCC
ATGCTCAGCTCTCTGGGGAAGGTGAAGAAGGAGCTGGACCCTGACGACAGCCATTTGAACCTG
GATGAGACGACGAAGCTCCTGCAGGACCTGCACGAAGCACAGGCGGAGCGCGGCGGCTCTCGG
CCGTCTGCTCCAACCTCAGCTCCCTGTCCAACGCCTCCGAGAGGGACCAGCACCACCTGGGAAGC
CCTTCTCGCCTGAGTGTGCGGGGAGCAGCCAGACGTCACCCACGACCCCTATGAGTTTCTTCAG
TCTCCAGAGCCTGCGGCCTCTGCCAAGACCTAACTCTAGACCACCTTCAGCTCTTTTATTTTA
TTTTTTTAGTTTTATTTTGCACGTGTAGAGTTTTTGTGTCATCAGACAAGGACTTTGATCCTGTC
CCCTTTGGCATGCGGGAAGCAGCCGCGGGGAGGTAATGAATTGTCTGTGGTATCATGTCAGCA
GAGTCTCCAAGCCCCACGAACCCTGAGGAGTGGAGTCATACGCGAAGGCCATATGGCCATCGT
GTCAGCAGAGAGAGTCTCTGTACACAGCCCCGTGAACCCTGAGGAGTGGAGTCATACACGAAG
GGCGTGTGGCCATCGTGTGTCAGCAGAGAGAGTCTCTGTACACAGCCCCGTGAACCCTGAGGAGTGG
AGTCATACGCGAAGGGTGTGTGGCCAGGCTGCAGAGCTGCGTGCCGTTTGTGTCCGAGCATCA
CGTGTGGCTCCAGCCCTTGTCTGCCAGTGTAGACACCTCTGTCTGCCCCACTGTCCTGGGG
TCGCTCTTGGGAGGCACAGGCATGGGTGTGTCTGGCCTCATTCTGTATCAGTCCAGTGTGTTT
CTGTCTAGTTTGTGTCTCCAGGCAGGCCATGGTAGGGGCCTCGCAGGGGCCATTGGGGAGC
ACAGGGCCAGGCTGGGGTGGAGAGAGCTCCCCTGTTTTCTGTTTAATTGATGAGCCTGGGAAA
GGAGTGTGTTCTGCCTGCCCGTTACAGTGGAGCGTTCCGTGTCCATAAAACGTTTTCTAACTG
GGAA

555/615

FIGURE 550

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA119537
><subunit 1 of 1, 104 aa, 1 stop
><MW: 11136, pI: 8.20, NX(S/T): 0
MLAVSRGVL MVPLGLGVLLAPDGREMPGVLLHTLWDTAQYTWPVSPTARAGPGQAWSLRC
VLVGILHSDRRCALPTFPHSSFACGAHPFAESSFPCGLWPAEVK

Important features of the protein:**Signal peptide:**

Amino acids 1-20

N-myristoylation sites:

Amino acids 53-59;64-70;97-103

Prokaryotic membrane lipoprotein lipid attachment site:

Amino acids 74-85

FIGURE 551

CGCCCTTAGCATGGGTTTCTGCCGCAGCGCCCTGCACCCGCTGTCTCTCTGGTGACGGCCATCATGCTGGCCAT
GACCCTGGCCCTGGGTACCTTGCTGCTTCTTACCCTGTGAGCTCCAGCCCCACGGCCTGGTGAAGTGCACCTG
GCTGTTCTGTAAGTCTGTGCCCCACTTCTCCATGGCAGCACCCCTGGCAATGTCACCAGCCTTTCTTGTCTCTC
CAACCGCATCCACCAACCTCCATGATTCTGACTTTGCCACCTGCCAGCCTGCGGCATCTCAACCTCAAGTGGAA
CTGCCCGCGGTTGGCCTCAGCCCCATGCACTTCCCCTGCCACATGACCATCGAGCCACGACCTTCTTGGCTGT
GCCCACCCTGGAAGAGCTAAACCTGAGCTACAACAACATCATGACTGTGCCTGCGCTGCCCAAATCCCTCATATC
CCTGTCCCTCAGCCATACCAACATCCTGATGCTAGACTCTGCCAGCCTCGCCGGCCTGCATGCCCTGCGCTTCTC
ATTCAATGGACGCGCACTGTTATTACAAGAACCCTGCAAGGCAGGACTGGAGGTGGCCCCGGGTGCCCTCCTTGC
CCTGGGAGCCTCACCACCTGTCACTCAAGTACAACAACCTCACTGTGGTGGCCCCGCAACCTGCCTTCCAGCCT
GGAGTATCTGCTGTTGTCTCTCAACCCGATCGTCAAACCTGGCCGCTGAGACCTGGCCAAATCTGACCGCCCTGCG
TGTGCTCGATGTGGGCGGAAATTGCCGCGCTGCGACCACGCTCCCAACCCCTGCATGGAGTGCCCTCGTCACTT
CCCCCAGCTACATCCGATACCTTCAGCCACCTGAGCCGTCTTGAAGGCCTGGTGTGAAGGACAGTTCTCTCTC
CTGGCTGAATGCCAGTTGGTTCGCTGGGCTGGGAAACCTCCGAGTGCTGGACCTGAGTGAGAAGTTCTCTATCAA
TGTCATCACTAAACCAAGGCCCTCAGGGCCTAACACAGCTGCGCAAGCTTAACCTGTCTTCAATTACCAAA
GAGGGTGTCTTTGCCACCTGTCTCTGGCCCCCTTCTTCCGGAGCCTGGTGCCTGAAGGAGCTGGACATGCA
CGGCATCTTCTTCCGCTCACTCGATGAGACCACGCTCCGGCCACTGGCCCGCTGCCATGCTCCAGACTCTGCG
TCTGCAGATGAATTCATCAACCAGGCCCCAGCTCGGCATCTTCAGGGCCTTCCCTGGCCTGCGCTACGTGGACCT
TCTGGCAACCCGATCAGCGGAGCTTCGGAGCTGACAGCCACCATGGGGGAGGAGCATGGAGGGGAGAAGGTCTG
GCTGCAGCTGGGGACCTTGCTCCGGCCAGTGGACATCCAGCTCTGAAGACTTCAGGCCCCAATGCAGCAC
CCTCAACTTCACCTTGGATCTGTACGGAACAACCTGGTGACCGTGACAGCCGAGATGTTTGCCACGCTCTCGCA
CCTGCAGTGCTGCGCTGAGCCACAACCTGCATCTCGCAGGCAGTCAATGGCTCCAGTTCTTGCCTGACCGG
TCTGCAGGTGCTAGACCTGTCCACAATAAGCTGGACCTTACCACGAGCACTATTCAAGGAGCTACCACGACT
TGAGGCCCTGGACCTCAGCTACAACGACCCCTTTGGCATGCAGGCGTGGGCCACAACCTCAGCTTCTGTTGGC
TCACCTGCGCACCTTGCGCCAACCAGCCTGGCCACAACAACATCCACAGCCAAAGTCTCCAGCAGCTCTGCAG
TACGTGCTGCGGGCCCTGGACTTCAGCGGCAATGCACTGGGCCATATGTGGGCCGAGGGAGACCTCTATCTGCA
CTTCTTCCAAAGCCTTGAGCGGTTTGATCTGGCTGGACTTGTCCCAAGACCGCCTGCACACCTTCTGCCCAAAC
CTGCGCAACCTCCCCAAGAGCCTACAGGTGCTCGCTCTCCGTGACAACCTTACCTGGCCTTCTTAAAGTGGTGGAG
CCTCACTTCTTGCCCAAACCTGGAAGTCTCGACCTGGCAGGAACCAAGTGAAGGCCCTGACCAATGGCAGTTCT
GCCTGCTGGCACCCGGCTCCGGAGGCTGGATGTGAGCTGCAACAGCATCAGCTTCTGTTGGCCCCGGCTTCTGCTT
CAAGGCCAAGGAGCTGCGAGAGCTCAACCTTAGCGCCAACGCCCTCAAGACAGTGGACCCTCCTGGTTTGGGCC
CTTGGCGAGTGCCCTGCAAATACTAGATGTAAAGCGCAACCCCTGTGACTGCGCCTGTGGGGCGGCCTTTATGGA
CTTCTGCTGGAGTTGCAAGCTGCCGTGCCGTCTGCCCTAGCCAGCCGGTGAAGTGTGGCAGTCCGGGCCAGCTCCA
GGGCTCAGCATCTTTGCAAGGACCTGCGCCTCTGCTGGATGAGGCCCTCTCTGGGAGTGTTCGCCCCCTCTC
GCTGCTGGCTGTGGCTCTGGGCTGGGTGTGCCATGCTGCATCACCTCTGTGGCTGGGACCTCTGGTACTGCTT
CCACTGTGCTTGGCTGGCTTCCCTGGCGGGGGCGGCAAGTGGGCGAGATGAGGATGCCCTGCCCTACGATGC
CTTCGTGGTCTTCGACAAAACGACGCGAGCTGGCAGACTGGGTGTACACAGGACTTCGGGGGAGCTGGAGGA
GTCCGTGGGCGCTGGGCACTCCGCTGTGCTGGAGGAACGCACTGGCTGCTGGCAAAACCTCTTTGAGAA
CCTGTGGGGCTCGGTCTATGGCAGCCGCAAGACGCTGTTTGTGCTGGCCACACGACCGGGTCACTGGTCTTCT
GCGGCCAGCTTCTGCTGGCCAGCAGCGCTGTGGTGGAGACCGCAAGGACGTCGTGGTGTGGTGTATCCTGAG
CCCTGACGGCCGCGCTCCCGCTACGTGCGGCTGCGCCAGCGCCTCTGCCGCCAGAGTGTCCTCTCTGGCCCCA
CCAGCCAGTGGTCAAGCGACCTTCTGGGCCAGCTGGGCATGGCCCTGACCAGGAGCAACCCACTTCTATAA
CCGGAACCTTCTGCCAGGGACCCACGCGGAATAGCCGTGAGCGGAATCTGCAAGGTGCCACCTC

557/615

FIGURE 552

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA119714
><subunit 1 of 1, 1032 aa, 1 stop
><MW: 115799, pI: 8.61, NX(S/T): 12
MGFCRSALHPLSLLVQAIMLAMTLALGTLPAFLPCELQPHGLVNCNWFLKSVPHFSMAA
PRGNVTSLSLSSNRIHHLHDSDFAHLPRLHLNLKWNCPVGLSPMHFPCHMTIEPSTFL
AVPTLEELNLSYNNIMTVPALPKSLISLSLSHTNILMLDSASLAGLHALRFLFMDGNCY
KNPCRQALEVAPGALLGLGSLTHLSLKYNLTVVPRNLPSSELYLLLSYNRIVKLAPEDL
ANLTALRVLDVGGNCRCDHAPNPMCECPRHFPQLHPDTFSHLSRLEGLVLKDSSLSWLN
ASWFRGLGNLRVLDLSENFYKCIKTALQGLTQLRKLNLNFNYQKRVFAHLSLAPSF
GSLVALKELDMHGIFFRSLDETTLRPLARLPMLQTLRLQMNFINQAQLGIFRAFPGLRYV
DLSDNRISGASELTATMGEADGGEKVWLQPGDLAPAPVDTPSSEDFRPN CSTLNFTLDLS
RNNLVTVPQPEMFAQLSHLQCLRLSHNCISQAVNGSQFLPLTGLQVLDLSHNKLDLYHEHS
FTELPRLEALDLSYNSQPFQGMQGVGHNFSAHLRTRLRHLSLAHNNIHSQVSQQLCSTSL
RALDFSGNALGHMWAEGDLYLHFFQGLSGLIWLDSLQNLRLHTLLPQTLRNLPKSLQVRL
RDNYLAFFKWWSLHFLPKLEVLDLAGNQLKALTNGSLPAGTRLRLDLVSCNSISFVAPGF
FSKAKELRELNLSANALKTVDSWFGPLASALQILDVSANPLHCACGA AFMDFLLEVQAA
VPGLPSRVKCGSPGQLQGLSIFAQDLRLCLDEALSWDCFALSLLAVALGLGVPMHLHLCG
WDLWYCFHLCLAWLPWRGRQSGRDEDALPYDAFVVF DKTQSAVADWVYNELRGQLEECRG
RWALRLCLEERDWLP GKTLFENLWASVYGSRKTLFVLAHTDRVSGLLRASFLLAQQRLL
DRKDVVVLVILSPDGRRSRYVRLRQRLCRQSVLLWPHQPSGQRSFWAQLGMALTRDNHFF
YNRNFCQGPTAE

Important features of the protein:**Signal peptide:**

Amino acids 1-30

Transmembrane domain:

Amino acids 818-835

N-glycosylation sites:Amino acids 64-68;129-133;210-214;242-246;300-304;340-344;
469-473;474-477;513-517;567-571;694-698;731-735**cAMP- and cGMP-dependent protein kinase phosphorylation site:**

Amino acids 347-351

Tyrosine kinase phosphorylation site:

Amino acids 863-871

N-myristoylation sites:Amino acids 27-33;41-47;63-69;193-199;361-367;409-415;
563-569;607-613;695-701;794-800;929-935;945-951;
1010-1016**Amidation site:**

Amino Acids 974-978

Leucine zipper patterns:

Amino acids 204-226;644-666;814-836

558/615

FIGURE 553

GGCGTGGGACGTGCTGCGGCGTCCTAGCTGGCTTACAGGGCGGCGGGGGTGTGTGTCCTCT
GTTAAGAGTGCTACTCGCCCGGGGTTGATCTGTGCATGCCACTCCTGGGTGAGACGGTGAGGT
CGGCGTCTGCGAGGACGCGGCGGTGGAGTAGAAGGGCAGCCGGAGACAGGCCCCGGCGCCCTT
CCGAGGCTAGACGGCCCCAGCTTCGCGGGGATCATGGCATTGCTGGTGGACCGAGTGCGGGGC
CACTGGCGAATCGCCGCGGGCTCCTGTTCAACCTGCTGGTGTCCATCTGCATTGTGTTCCCTC
AACAAATGGATTTATGTGTACCACGGCTTCCCCAACATGAGCCTGACCCTGGTGCACCTTCGTG
GTCACCTGGCTGGGCTTGTATATCTGCCAGAAGCTGGACATCTTTGCCCCAAAAGTCTGCCG
CCCTCCAGGCTCCTCCTCCTGGCCCTCAGCTTCTGTGGCTTTGTGGTCTTCACTAACCTTTCT
CTGCAGAACAAACACCATAGGCACCTATCAGCTGGCCAAGGCCATGACCACGCCGGTGATCATA
GCCATCCAGACCTTCTGCTACCAGAAAACCTTCTCCACCAGAATCCAGCTCACGCTGATTCCT
ATAACTTTAGGTGTAATCCTAAATTCTTATTACGATGTGAAGTTTAATTTCCCTTGAATGGTG
TTTGCTGCTCTTGGTGTTTTAGTTACATCCCTTTATCAAGTGTGGGTAGGAGCCAAACAGCAT
GAATTACAAGTGAACCTCAATGCAGCTGCTGTACTACCAGGCTCCGATGTCATCTGCCATGTTG
CTGGTTGCTGTGCCCTTCTTTGAGCCAGTGTGGGAGAAGGAGGAATATTGGTCCCTGGTCA
GTTTCTGCTTTGCTTATGGTGCTGCTATCTGGAGTAATAGCTTTCATGGTGAACCTTATCAATT
TATTGGATCATTGGGAACACTTCACCTGTCACCTATAACATGTTCCGACACTTCAAGTTCTGC
ATTACTTTATTTCGGAGGATATGTTTTATTAAAGGATCCACTGTCCATTAATCAGGCCCTTGGC
ATTTTATGTACATTATTGGCATTCTCGCCTATACCCACTTTAAGCTCAGTGAACAGGAAGGA
AGTAGGAGTAACTGGCACAACGTCCTTAATGGGTTTTTGTGGAGAAAAGAATGTTGTCCCA
AGAAGATAAAAAATATTGTTAAGTGTGCAAGTTATTA

559/615

FIGURE 554

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA125170
><subunit 1 of 1, 313 aa, 1 stop
><MW: 35066, pI: 9.39, NX(S/T): 5
MALLVDRVRGHWRIAAGLLFNLLVSICIVFLNKWIYVYHGFNMSLTLVHFVVTWLGLYI
CQKLDIFAPKSLPPSRLLLLALSFCGFVFTNLSLQNTTIGTYQLAKAMTTPVIIAIQTF
CYQKTFSTRIQLTLIPITLGVILNSYYDVKFNFGLGMVFAALGVLVTSLYQVWVGAKQHEL
QVNSMQLLYYQAPMSSAMLLVAVPFFEPVFEGGGIFGPWSVSALLMVLLSGVIAFMVNLS
IYWIIGNTSPVTYNMFGHFKFCITLFGGYVLFKDPLSINQALGILCTLFGILAYTHFKLS
EQEGSRSKLAQRP
```

Important features of the protein:**Signal peptide:**

Amino acids 1-27

Transmembrane domains:

Amino acids 46-60;75-90;153-167;192-208;221-237

N-glycosylation sites:

Amino acids 43-47;92-96;97-101;238-242

N-myristoylation sites:

Amino acids 17-23;57-63;140-146;155-161;162-168;283-289

560/615

FIGURE 555

GTTAGGCAGAGCCAAGGTGGTTGCAGACCTGGAATCAGAACAGCTTTTAGACCAACCTGAAAG
CAGGAATGTAAGCACTGTTTCACAGAGATTTTCGTCTTTGGCTTATTGTGCCTGCAGAGTCTAG
TGCTTCTTTGCCAGCTGTGCTGACTCAGCACTCCATGCCTGTTTTCTGGAACCAGTCCCTGGA
GCTGGGCCATGTTTTGATTGACAGTGTGGAGCTAGCCCAGCAAGTACTCTACATGCAACCCCC
CACCCAGGCACTACCTCTGCTCCTCCTCCATGGCCTCCTGCTACACCGGCAGCTCTATGGAAC
AAGGCTGCAGGCACACAGGGGGCGCTGGAGTCAAGTGACTCTAACCCAGGTTCTTCAGACCCA
AGACCAGCTGTGGGCAAGTCTTAGCAATCCCCGTGCTGCCATGCAAGAGCTGGCTGCTTCAGT
TTTCTACGGGGGTCTCTGCGGGGACACTGAGGACAGGGAGGCCCTGATTAGCCTCACACAAGC
CTGCCTGAGCCCCAGTAGTGGGAGCTGGGTCCAGCCACACACACCTCAGTCTTTGCTGGCCAC
GCTCATGCCCCCTCCAGCTAAGGGAGCTGGATGCAATGGCAGAGTGCAAGGCCAGATGCACC
TACTGCCCTCACCACTTGAACCCCGGCTCTGCGGACTGAGTGAGGGCCCCCAAGCCTGGCTGT
TGCGACGCCAGAGTCGCGCTCTCTTGAGTGCGCTGCAGCGGAGTTCACCCGTGTGGGTTCCTG
AGTCTCGAAGAGGCGCCCAGCTTGCGGAAAGGCGACTGCGGCAACGCCTAGTGCAAGTCAACCG
GAGGCTGGAGTCACTGCAGGATCTGCTGACCCACGTGATTCGCCAAGACGAGTCCGACGCCCC
GTGGTCAGTGCTGGGGCCAAATGCACGGCGGCCTCTGGAGGGCGTCTTAGAGACCGAGGCTCT
AGAAGTGAAGCCAGTTGGTGGGCACGCTACAACGCGACCTTGATTGCCTGTTGCAGCAGCTGAA
GGGCGCACCCCCGTGCCCCCTCCCGCCGCTGTGCTGCGGTGGCCCACGCTCTCTGGACTGGCCG
CCTACCCTTGCCCTTGGCGACCTCATGCGCCGGCCGGTCCGCAGCCGCCCTGGCACTGGCTGCG
ACAGTTGTCGCGCCGTGGGCAACTGTTGGTTTCGTTACTTGGGCGTGGGCGCGGACGCGAGCAG
TGATGTACCAGAGCGCGTCTTCCACCTGTCAGCCTTTCGCCACCCGCGCCGCCTGCTGCTGGC
ATTGCGTGGGGAAGCTGCCCTGGACCAGAATGTGCCAGCTCGAATTTCCCTGGTAGCCGAGG
CTCGGTCTCCAGTCAGCTCCAGTATAAACGTCTGGAGATGAACAGCAACCCCTCTGCACTTCAG
GGTGGAGAATGGTCCAAATCCCACGGTTCCAGAGAGAGGGCTGCTGCTGATCGGGCTACAGGT
CCTACATGCGGAGTGGGACCCAATAGCTGGAGCCTTGCAAGACAGTCCTTCCAGCCAACCCAG
CCCTCTGCCTCCCGTCAGCATCAGCACACAGGCCCCGGGCACCAAGTGACCTGCCAGCCCCAGC
CGACCTGACTGTGTACTCGTGTCTGTGTACATGGGAGGGCCCCCTTGGCACCGCTAAGCTGCA
GAGCAGGAACATCGTGATGCATCTGCCTTTACCCACCAAGCTCACCCCCAACACCTGTGTCCA
AAGGAGGGTCCATGTGTGCAGCCCACCCCTGTCTTGAGCCCGTCTACCAAATAAAGTTGTAG
TGATTCCA

561/615

FIGURE 556

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA129594
><subunit 1 of 1, 162 aa, 1 stop
><MW: 17598, pI: 6.58, NX(S/T): 1
MPVFWNQSLLELGHVLIDSVELAQQVLYMQPPTQALPLLLHGLLLHRQLYGTRLQAHRGR
WSQVTLTQVLQTQDQLWASLSNPRAAMQELAASVFYGGPLGDTEDREALISLTQACLSPS
SGSWVQPHTPQSLLATLMPLPAKGAGCNGRVQGPDPAPTALTT

Important features of the protein:**Signal peptide:**

Amino acids 1-45

N-glycosylation site:

Amino acids 6-10

N-myristoylation sites:

Amino acids 97-103;144-150

562/615

FIGURE 557

GACCTTGAGCCCTCGAAAGCGACATGGCGGTTCTCTTAAAGCTGGGCGTTCTCTGCAGTGGCC
AAGGAGCTCGAGCTCTCCTACTCCGAAGCCGGGTGGTCAGACCCGCTTATGTGTCAGCATTTC
TCCAGGACCAGCCTACCCAAGGACGGTGTGGTACCCAGCACATTACCTGTACCAAGCCACC
ACTCTGGTTCCAAGGCTGCATCTCTCCACTGGACCAGTGAGAGGGTTGTGAGTGTCTGCTCT
TGGGGCTGATCCCTGCTGGGTACTTGAATCCCTGCTCTGTGGTGGACTACTCTCTGGCTGCAG
CCCTCACCCCTGCACAGTCACTGGGGCCTTGGACAAGTGGTTACCGACTACGTTTCATGGGGACA
CCCTGCCGAAGGCTGCCAGGGCAGGCCTCTTGGCACTCTCAGCTTTGACCTTTGCTGGGCTTTGC
TACTTCAATTACCACGATGTCGGCATCTGCAGAGCGGTTGCCATGCTGTGGAAGCTCTTGACCT
GGGTGCAGCACTTTGATTGTGTGCCTCCTTGCCTCTGCTTTACCAATGCCGTTACCTCGCAG
TGAGGGGGGATGAAGGATAAGCCCATTGGTGGGCAGAATGTCTTCTAATTACATGGTTATTTT
CAGAATTTATTTGTTGAGGAAGAGGTTTGAGGAGTTAGGTTGACCATTCGTGAGTCTGTGTT
CCATACTCCACTGAGTGTGGGCACCTAGCTCACAGCCTCGCGGTGAGACTGAACATTCATGAG
CTCATGTTGCCTTTGACCACCATTCTTAAAGGAGAGCCAGCTGATTGCTGTCAGGATAAGAGC
ATCTCTTCAGCCAGGAGGGAGGCCTGTTCCCTCCTGAGTTAGACTTTGCATGAAGCTCGAAAG
TATTCCCTTTGGAACCTCCCATTCTTGTTTCAGGTGACACCAGCTCTGTTGATGGCTCTGCTTC
TAGGGAACATTTAATCAGGAGATGCTCTCAATGACTAATTTGTCTAAGTCTTAGGAAGGAGGT
TGAGGAAAGCTGGATTTAGACAAGTTCAATTTAGGGAGTTCTCCTTGTTTGTGGATTAAAATA
TGACAGATTGCAAACAGACTACTCTTCAAATGTATCTCAATTGTGCAGAAGTGAGCTGTCCAA
AAGTATAAGACTAAGTGATAAACTGTCTTCCCACCGTGGGAGTTGTTAATGAGAAAGAAAGTG
TACTCTGAAAAACAAGGGGG

563/615

FIGURE 558

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA129793
><subunit 1 of 1, 159 aa, 1 stop
><MW: 17014, pI: 9.38, NX(S/T): 0
MAVLLKLGVLCSGQGARALLRSRVVRPAYVSAFLQDQPTQGRCGTQHIHLSPSHHSGSK
AASLHWTSEVVSVLLLGLIPAGYLNPCSVVDYSLAAALTLHSHWGLGQVVTDYVHGDTL
PKAARAGLLALSALTFLAGLCYFNYHDVGICRAVAMLWKL

Important features of the protein:**Signal peptide:**

Amino acids 1-15

Transmembrane domains:

Amino acids 71-88;126-140

Glycosaminoglycan attachment site:

Amino acids 12-16

N-myristoylation sites

Amino acids 8-14;58-64;78-84;108-114;148-154

564/615

FIGURE 559

CCCAGCCCCGCGTTTCGGCTGCTCTCGAGGAGGCCGGAGTCCCCGGAGACGATGCGCCCCGCGC
AGCCGCCTGCGCCTGCGGGAGCCGGCTGCCCTTGAGATGGAGTTGCTGCCCTCTTTGGCTCTGC
CTGGGTTTTCACTTCCTGACCGTGGGCTGGAGGAACAGAAGCGGAACAGCCACAGCAGCCTCC
CAAGGAGTCTGCAAGTTGGTGGGTGGAGCCGCTGACTGCCGAGGGCAGAGCCTCGCTTCGGTG
CCCAGCAGCCTCCCGCCCCACGCCCCGATGCTCACCTGGATGCCAACCCTCTCAAGACCCTG
TGGAATCACTCCCTCCAGCCTTACCCTCTCTGGAGAGCCTCAGCCTGCACAGCTGCCACCTG
GAGCGCATCAGCCGCGGCGCCTTCCAGGAGCAAGGTCACCTGCGCAGCCTGGTCTTGGGGGAC
AACTGCCTCTCAGAGAACTACGAAGAGACGGCAGCCGCCCTCCACGCCCTGCCGGGCCTGCGG
AGGCTGGACTTGTGAGGAAACGCCCTGACGGAGGACATGGCAGCGCTCATGCTCCAGAACCTC
TCCTCGCTGCGGTCCGTGTCCCTGGCGGGGAACACCATCATGCGGCTGGACGACTCCGTCTTC
GAGGGCCTGGAGCGTCTCCGGGAGCTGGATCTGCAGAGGAACTACATCTTCGAGATCGAGGGC
GGCGCTTTCGACGGCCTGGCTGAGCTGAGGCACCTCAACCTGGCCTTCAACAACCTCCCCTGC
ATCGTGGACTTCGGGCTCACGCGGCTGCGGGTCTCAACGTCAGCTACAACGTCCTGGAGTGG
TTCCTCGCGACCGGGGAGAGGCTGCCTTCGAGCTGGAGACGCTGGACCTGTCTCACAACAG
CTGCTGTTCTTCCCGCTGCTGCCCCAGTACAGCAAGTTGCGGACCCTCCTGCTGCGCGACAAC
AACATGGGCTTCTACCGGGACCTGTACAACACCTCGTCGCCGAGGGAGATGGTGGCCAGTTC
CTCCTCGTGGACGGCAACGTGACCAACATCACCACCGTCAGCCTCTGGGAAGAATTCTCCTCC
AGCGACCTCGCAGATCTCCGCTTCTGGACATGAGCCAGAACCAGTTCCAGTACCTGCCAGAC
GGCTTCTGAGGAAAATGCCTTCCCTCTCCACCTGAACCTCCACCAGAATTGCCTGATGACG
CTTCACATTCGGGAGCACGAGCCCCCGGAGCGCTCACCGAGCTGGACCTGAGCCACAACAG
CTGTGCGGAGCTGCACCTGGCTCCGGGGCTGGCCAGCTGCCTGGGCAGCCTGCGCTTGTTC AAC
CTGAGCTCCAACCAGCTCCTGGGCGTCCCCCTGGCCTCTTCGCCAATGCTAGGAACATCACTAC
ACTTGACATGAGCCACAATCAGATCTCACTTTGTCCCTGCCAGCTGCCTCGGACCGGGTGGG
CCCCCTAGCTGTGTGGATTTAGGAATATGGCATCTTTAAGGAGCCTGTCTCTGGAGGGCTG
TGGCCTGGGGGCATTGCCAGACTGCCCATTTCCAAGGGACCTCCCTGACCTACTTAGACCTCTC
AAGCAACTGGGGGGTTCTGAATGGGAGCCTCGCCCCACTCCAGGATGTTGCCCCCATGTTACA
GGTCTGTCTCTCAGGAACATGGGCCTCCACTCCAGCTTTATGGCGTTGGACTTCTCTGGGTT
TGGGAATCTCAGGGACTTAGATCTGTGCGGGGAATTGCTTGACCACCTTCCCAAGGTTTGGGGG
CAGCCTGGCCCTGGAGACCCTGGATCTCCGTAGAAACTCGCTCACAGCCCTTCCCCAGAAGGC
TGTGTCTGAGCAGCTCTCGAGAGGTCTGCGGACCATCTACCTCAGTCAGAATCCATATGACTG
CTGTGGGGTGGATGGCTGGGGGGCCCTGCAGCATGGGCAGACGGTGGCCGACTGGGCCATGGT
CACCTGCAACCTCTCCTCCAAGATCATCCGCGTGACGGAGCTGCCCGGAGGTGTGCCTCGGGA
CTGCAAGTGGGAGCGGCTGGACCTGGGCCTGCTCTACCTCGTGCTCATCTCCCCAGCTGCCT
CACCTGCTGGTGGCCTGCACTGTATCGTCCTCACTTTTAAGAAGCCTCTGCTTCAGGTCAT
CAAGAGCCGCTGCCACTGGTCCTCCGTTTACTGACCTGGCTGTGTGCCAAGACTCGAAATTTCG
GTCCGCACACAACAGGACACTTTCTCTGCCAGCTTTCAAGATGTGATGCAGAGGCCAAGTCTG
ACGAATTGAAGTTTCAATTAAAATTTAATATGTTTCCATTCTCATCGCCACCCACCCCCG
CCCCACCAACCGCCCAAGTTCTTTTCCATCATTATAATTATCTTGGTAAAAT
ATTTATTAAGTGACTTTTTTCAGAAATAAAAGGCAACGTGTCTCATAAATATTTTTTAAAAAAA
AAAAAAAAAAAAAA

565/615

FIGURE 560

><subunit 1 of 1, 692 aa, 1 stop
><MW: 76366, pI: 6.07, NX(S/T): 11
MELLPLWLCLGFHFLTVGWRNRSGTATAASQGVCKLVGGAADCRGQSLASVPSSLPPHAR
MLTLDANPLKTLWNHSLQPYPLLESLSLHSCHLERISRGAFQEQGHLRSLVLGDNCLSEN
YEETAAALHALPGLRRLDLSGNALTEDMAALMLQNLSSLRSVSLAGNTIMRLDDSVFEG
ERLRELDLQRNYIFEIEGGAFDGLAELRHLNLA FNNLPCIVDFGLTRLRVNLVSYNVLEW
FLATGGEAAFELETLDLSHNQLLFFPLLPQYSKLRTLLLRDNNMGFYRDLYNTSSPREMV
AQFLLVDGNVTNITTVSLWEEFSSSDLADLRFLDMSQNFQYLPDGFRLKMPSSLSHLNLH
QNCIMTLHIREHEPPGALTELDLSHNQLSELHLAPGLASCLGSLRFLNLSSNQLLGVP
LFEANARNITTLDMSHNQISLCPLPAASDRVGPPSCVDFRNMASLRSLSLGCGLGALPDC
PFQGTSLTYLDLSSNWGVNLGSLAPLQDVAPMLQVLSLRNMGLHSSFMALDFSGFGNLRD
LDLSGNCLTTFFPRFGGSLALETDLRRNSLTALPQKAVSEQLSRGLRTIYLSQNPYDCCG
VDGWGALQHGQTVADWAMVTCNLSSKII RVTELPGGVPRDCKWERLDLGLLYLVLI LPSC
LTLLVACTVIVLTFKKPLLQVIKSRCHWSSV

Important features of the protein:**Signal peptide:**

Amino acids 1-18

Transmembrane domain:

Amino acids 651-672

N-glycosylation sites:Amino acids 21-25; 74-78; 155-159; 232-236; 292-296; 309-313;
312-316; 408-414; 427-431; 500-504; 622-626**Glycosaminoglycan attachment site:**

Amino acids 533-537

cAMP- and cGMP-dependent protein kinase phosphorylation site:

Amino acids 566-570

N-myristoylation sites:Amino acids 24-30; 39-45; 45-51; 141-147; 199-205; 245-251;
308-314; 396-402; 416-422; 420-426; 471-477;
484-490; 497-503; 522-528; 545-551; 555-561; 610-616**Prokaryotic membrane lipoprotein lipid attachment site:**

Amino acids 657-668

Leucine zipper patterns:

Amino acids 48-70; 492-514

566/615

FIGURE 561

TGGCCTACTGGAAAAAAAAAAAAAAAAAAAAAAAAAGTCACCCGGGCCCGCGGTGGCCACAACAT
GGCTGCGGCGCCGGGGCTGCTCTTCTGGCTGTTTCGTGCTGGGGGCGCTCTGGTGGGTCCCGGG
CCAGTCGGATCTCAGCCACGGACGGCGTTTCTCGGACCTCAAAGTGTGCGGGGACGAAGAGTG
CAGCATGTTAATGTACCGTGGGAAAGCTCTTGAAGACTTCACGGGCCCTGATTGTCGTTTTGT
GAATTTTAAAAAAGGTGACGATGTATATGTCTACTACAACTGGCAGGGGGATCCCTTGAAC
TTGGGCTGGAAGTGTTGAACACAGTTTTGGATATTTTCCAAAAGATTTGATCAAGGTAATTCA
TAAATACACGGAAGAAGAGCTACATATTCCAGCAGATGAGACAGACTTTGTCTGCTTTGAAGG
AGGAAGAGATGATTTTAATAGTTATAATGTAGAAGAGCTTTTAGGATCTTTGGAAGTGGAGGA
CTCTGTACCTGAAGAGTCGAAGAAAGCTGAAGAAGTTTCTCAGCACAGAGAGAAATCTCCTGA
GGAGTCTCGGGGGCGTGAACCTTGACCCTGTGCCTGAGCCCGAGGCATTGAGAGCTGATTGAGA
GGATGGAGAAGGTGCTTTCTCAGAGAGCACCGAGGGGCTGCAGGGACAGCCCTCAGCTCAGGA
GAGCCACCCTCACACCAGCGGTCCTGCGGCTAACGCTCAGGGAGTGCAGTCTTCGTTGGACAC
TTTTGAAGAAATTCTGCACGATAAATTGAAAGTGCCGGGAAGCGAAAGCAGAACTGGCAATAG
TTCTCCTGCCTCGGTGGAGCGGGAGAAGACAGATGCTTACAAAGTCCTGAAAACAGAAATGAG
TCAGAGAGGAAGTGGACAGTGCCTTATTACAGCAAAGGATTTGTTGGCATCAAAATCT
AAGTTTGTTTTACAAAGATTGTTTTTTAGTACTAAGCTGCCTTGGCAGTTTGCATTTTTGAGCC
AAACAAAATATATTATTTTCCCTTCTAAGTAAAAAAAAAAAAAAAAAAAAA

567/615

FIGURE 562

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA131639
><subunit 1 of 1, 303 aa, 1 stop
><MW: 33900, pI: 4.81, NX(S/T): 2
MAAAPGLLFWLFLVWVPGQSDLSHGRRFSDLKVCGDEECSSMLMYRGKALEDFTGPD
CRFVNFKKGDDVYVYYKLAGGSLELWAGSVEHSFGYFPKDLIKVLHKEYTEELHIPADET
DFVCFEGGRDDFNSYNVEELLGSLELEDSVPEESKKAEEVSQHREKSPESRGRELD PVP
EPEAFRADSEEDGEAFSESTEGLQGQPSAQESH PHTSGPAANAQGVQSSLDTFEEILHDK
LKVPGESERTGNSSPASVEREKTDAYKVLKTEMSQRGSGQCVIHYSKGFWRWHQNL SLFYK
DCF
```

Important features of the protein:**Signal peptide:**

Amino acids 1-22

N-glycosylation site:

Amino acids 294-298

cAMP- and cGMP-dependent protein kinase phosphorylation site:

Amino acids 30-34

Tyrosine kinase phosphorylation site:

Amino acids 67-76

N-myristoylation sites:

Amino acids 205-211;225-231;277-283

Amidation site:

Amino acids 28-32

568/615

FIGURE 563

GCCAGCCGTGGGATTAGGCTTCGCCGGCTACGATTGCGGCCCCCATCTTCTGACTTTTCCTCG
TGTGACCCATCTTTTCAAATTCCTTACCTGAGGAAGGAGCCCCGATTACAAGGATATTTACCT
GCTCCTACCCTGATCTAGGGACGAGGATGGGAAGACCGCCTGTGGCCATGAGCCCTCCCCGGT
GCTCCTGGGGCTAAGGCTGGGGCTGCAGCCATGGGGGCTGGGTGAGCCCCAGGCCTGGTTGCTG
GGTCTGCCCACAGCTGTGGTCTATGGCTCCCTGGCTCTCTTCACCACCATCCTGCACAATGTC
TTCCTGCTCTACTATGTGGACACCTTTGTCTCAGTGTACAAGATCAACAAAATGGCCTTCTGG
GTCGGAGAGACAGTGTTTCTCCTCTGGAACAGCCTCAATGACCCTCTCTTCGGTTGGCTCAGT
GACCGGCAGTTCCTCAGCTCCCAGCCCCGCCTGTGTGGAGAGGAGCTGCTTGTGGGCAGTGAG
GAGGCGGACAGCATCACCTTGGGCCGGTATCTCCGGCAGCTGGCACGCCATCGGAACCTTCCTG
TGGTTCGTGAGCATGGACCTGGTGCAGGTGCAGTGGCTCACGCCTGTAATCCCAGCACTTCGG
GACGCCAAGGTGGAAAGACCGCTTGAGCCCAGGAGTTCGAGGCTGCAATTGAGTTATGATTGCA
CCTGCACTCCAGCCTGGGCGGCAGAGAAAGGCTCCATCTCTAAAAAAGAAGAGCTAAGTG
CTGTACCTAAAACATGCAGTATATAAACTGGCTGAACTTAGAAATAAACTGTTTTTCATGTTAT
GAAA

569/615

FIGURE 564

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA131649
><subunit 1 of 1, 153 aa, 1 stop
><MW: 17603, pI: 7.42, NX(S/T): 0
MGLGQPQAWLLGLPTAVVYGSLALFTTILHNVFLLYYVDTFVSVYKINKMAFWVGETVFL
LWNSLNDPLFGWLSDRQFLSSQPRLCGEELLVGSEEADSITLGRYLRLARHRNFLWFVS
MDLVQVQWLTPVIPALRDAKVERPLEPRSSRLQ
```

Important features of the protein:**Signal peptide:**

Amino acids 1-20

N-myristoylation sites:

Amino acids 4-10;12-18;93-99

Leucine zipper pattern:

Amino acids 102-124

570/615

FIGURE 565

CGGCACGAGTAAAATGGAGATAATATCACCATGCACTCAGCCCTAGCCACTGCATTGCTGTTA
CTGATACCATTACTGCTGCTACGTCGTTTTTTTGGATGGCTCAGCCCTTAGGGAAGGGGGATCA
AGGGAGAAGCCCGGACCTTCCCGCAGGAGGTGGGCTGGGCACAGCCCTGAACCATGGAGGTCA
CCCACCCTGAGGTGCGGACCTGGGTTCCTTCCCTATCCACTGGGGGTCCCAGCCTTTGTCTTC
ATCTCTCCAGGTCCCAGCCCTTCACAGTGGGCACTTCCCTGCCTGTGACGGAGGCCCCAGCCA
TCTCC

571/615

FIGURE 566

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA131652
><subunit 1 of 1, 89 aa, 1 stop
><MW: 9688, pI: 11.49, NX(S/T): 0
MHSALATALLLLLIPLLLLRFFDGSALREGGSREKPGPSRRRWAGHSPEPWRSPTLRSGP
GFPSYPLGVPAFVFISPGSPSQWALPCL

Important features of the protein:**Signal peptide:**

Amino acids 1-18

Glycosaminoglycan attachment site:

Amino acids 58-62

572/615

FIGURE 567

AGTCTAGCAGGAAAGGAGAGGGAGCTTTCCCCGAAGACCCTCCTGGACCAGCCCCAGGCTCCT
GTGCTGGTTGCACGCCAGGGCCTGTACTGACCACCTCCACGTGCCACTGGGGCTGTAAGGAGGA
ATGGCGGCCGTGGGCAGCCTGCTTGGCCTGGCAGCCTCTTCCTGGCTAGGGGGCCAGAACGCC
TCTGACCACAGCCTGTGGCTCCTGAGGAAGCCCCGAGGCTCATCCTGCCCCGGCACGGGTCAC
CAGCTCTGCCGGCTGAGGCAGAGCACCGTGAAGGCCACCGGACCTGCACTCCGCCGCCTGCAC
ACATCCTCCTGGCGAGCTGACAGCAGCAGGGCCTCACTCACTCGTGTGCACCGCCAGGCTTAT
GCACGACTCTACCCCGTGCTGCTGGTGAAGCAGGATGGCTCCACCATCCACATCCGCTACAGG
GAGCCACGGCGCATGCTGGCGATGCCCATAGATCTGGACACCCTGTCTCCTGAGGAGCGCCGG
GCCAGGCTGCGGAAGCGTGAGGCTCAGCTCCAGTCGAGGAAGGAGTACGAGCAGGAGCTCAGT
GATGACTTGCATGTGGAGCGCTACCGACAGTTCTGGACCAGGACCAAGAAG**TGA**CCGTGGCTC
CAGCCACCCCGGGACATTGCTAAGATGGGAGGGCTGTTCTTAAATCACTCGTTCTTGAAGCTGC

574/615

FIGURE 569

GGTGCCAAGGGTTTCGGGGGGGAGCACTGAGGCTTTAGCAGCTCTCCTGTATCCTCATTTGCAT
CCTCCTGTAGCAGCTGGAAAATTCAGATTACAGGTGAAATTCCTGGCTGGCAATCTTCTGTA
TATGGACACAGTGATGTGCCAGAAGGGCTTTGCATCCCTGAGACTGAAGGAAGCTCCATTTTT
GGAGCCCTCCACACCTTGCTCTGTGTGCCTCTCATTTCTGATTTGAATTCCTATTTTGCTATA
TGATGAAGCTGTAATCCTAAGTTTAAAAAGGGGAGTAGGTATTGACATCATGGTAGAAATAGG
CTGTCTTATGGAAGCTGTAGTTAGGGATCACAGCCTATTGGACCAGCCCCAGCCTTAGCAGCAG
TTCTGTACACTGATTCTTCCAGATTAGTCTACGTTCCCTCGAACAGACCTATGCCATGGGTTA
CAACTACAATTTGTTGTCGATTAGAGTTAACTTACAGACTCTCAAACCCCATTTCTTTGGGTT
TAGGCAACTTCCAGAAGTAGTCATTTATTTGAATTTTAGTCTAAGATCAACTGAATTAGGGAG
GTTTGAAAGTGTAAGCAAATCGTACATTCCCAAACACTTTGTAAAGAAGGAATGGGTAGTG
TCAACTAAAGGAAATGGTGTGCATCCCAGCAAAGAAAGAGACCGAAAGCAAAGTCATAAACC
ATGCCCACGAGCTCAGCTGTCCTGCTCCGTGTCCTCTCCATAACCCTTGTTGACTGTGCTCATA
TTAGCCAGAGACCTAAGTGCTCTTGAGGATGTCCCTGGGGCCCCCTCCCCCTCCGCTGTCAC
TGTCTACTTCTGATCCTCTCTTCTGTGCAGGAGAGGTCCAGGCCTTCTATGAGGACCTGAGT
GGCCGGCAGTACGTGAATGAAGCTTCAACTTCAGCGTGGACAAGCTCTATGACCTCCTCTTC
ACCAACTCGCCCTTCCAGCGGGATTTTCATGGAGCAGCGCGCTTCTCTGATATCATCTTCCAT
CCATGGAAAAAGGAGGAGAATGGAAACCAGAGCCGAGTGATTCTTTACACCATCACCTTACC
AACCCTCTGGCTCCCAAACCTGCCACTGTCAGGGAGACACAGACCATGTACAAGGCGAGCCAG
GAGAGTGAATGTTACGTGATAGATGCCGAAGTCCTCACCCACGACGTGCCCTACCACGACTAC
TTCTACACAATCAATCGCTACACGCTCACCCGTGTGGCTCGGAACAAGAGCCGACTCAGGGTC
TCCACAGAGCTGCGCTATCGAAAACAGCCCTGGGGGTTAGTGAAAACGTTTCATCGAGAAGAAC
TTCTGGAGTGGGCTGGAGGACTACTTCCGCCATTTAGAGAGCGAGCTGGCCAAAACGGAGAGC
ACTTATTTGGCTGAGATGCACAGACAATCTCCCAAAGAGAAGGCCAGCAAGACTACAACGGTG
CGGAGGAGGAAGCGTCCCCATGCCACCTGCGAGTCCCTCACCTGGAAGAGGTGATGAGCCCCG
GTCACCACGCCCCACAGATGAGGATGTGGGCCACAGGATCAACATGTGGCAGGTTCCACACAG
ACGCGGCATATCCCGGAGGACACCCCCAACGGTTTCCACCTGCAGAGCGTGTCCAAGCTGCTG
CTGGTTATCAGCTGTGTTCTGGTGCTGCTGGTCATCCTTAACATGATGCTCTTCTACAACTC
TGGATGTTGGAATACACCACGCAGACCCTCACTGCCTGGCAGGGTCTAAGGCTCCAAGAAAGG
TTACCCCAGTCTCAGACAGAATGGGCCCAGCTCTTAGAGTCCCAACAAAAGTACCACGATACT
GAGCTCCAAAAATGGAGGGAAATCATCAAATCCTCAGTGATGCTCCTTGACCAGATGAAGGAC
TCGCTCATCAACCTTCAGAACGGCATCAGGTCCCGCGACTACACGTCGGAAAGTGAAGAAAAG
AGGAATCGCTATCAT**TGA**CAAGGCAGGAACAGGGTGGCTGCAAGAGGCCTGTGCAATACATGT
ACATAGACCATATAAATATATATATATAAATATATATATATACAGAATATAAATATATATATT
ATATACAGATTTTAAAAAGAGATAATGCCTATGTACCAGGGAGAAGGAGCGGGCCCTCCCGC
GCCCTGTGCTGGCCGGAGCAGCGTTTTCTTATGGTGGAGCAGCTGAGGAGGGCAGGAACCGCC
TCTCAGCACCGACCTCCCCTGATCTCCCTCCTCCACCCCTCTGTTCCCCACCCCTTCCCTTGC
TGGCCATTCTTGGCTTTTAGAAGGGAAATGTTGAGCCAAAGTTATGCCTGCGAAGACCCTAAG
GTCTCAAAAAGAAGCTTAAGACGGCATTGCTTAAGGTGCTTCATTCCCTAATCCCCTTTTGA
TTTGTTCCTCAAAAATAAAGAGAATCTTTTCTCCCTAAAAAAAAAAAAAAAAAAAAAAAAA

575/615

FIGURE 570

><subunit 1 of 1, 425 aa, 1 stop
><MW: 49786, pI: 8.84, NX(S/T): 3
MPTSSAVLLRVLSIPLLTVLILARDLSALGGCPWGFLPLRCHCLLPDPLFCAGEVQAFYE
DLSGRQYVNEVFNFSDKLYDLLFTNSPFQDFMEQRRFSDIIFHPWKKEENGNSRVIL
YTITLTNPLAPKTATVRETQTMKASQSECECYVIDAEVLTHDVPYHDYFYTINRYTLTRV
ARNKSRLRVSTELRYRKQPWGLVKTFIEKNFWSGLEDFRHLSESELAKESTYLAEMHRQ
SPKEKASKTTTVRRRKRPFAHLRVPHLEEVMSPVTTPTDEDVGHRIKHVAGSTQTRHIPE
DTPNGFHLQSVSKLLLVISCVLVLLVILNMMLFYKLWMLEYTTQTLTAWQGLRLQERLPQ
SQTEWAQLLESQQKYHDTLQKWREIIKSSVMLLDQMKDSLINLQNGIRSRDYSSEEEK
RNRYH

Important features of the protein:**Signal peptide:**

Amino acids 1-28

Transmembrane domain:

Amino acids 312-334

N-glycosylation sites:

Amino acids 73-77;114-118;183-187

cAMP- and cGMP-dependent protein kinase phosphorylation site:

Amino acids 97-101

Tyrosine kinase phosphorylation sites:

Amino acids 144-153;188-196

N-myristoylation sites:

Amino acids 201-207;291-297

Leucine zipper pattern:

325-347

576/615

FIGURE 571

GTAGAGAGTGAAGCAGCAAGACTGCAGAGCCTCATCAAGAAGTGTGGAGTGAAGGGAAGGCTTCAGATGGACAAT
TTGTGTGCTGGGGAAAAAATGGAATGTGCTGCAAATCCCCTGTGGATAAGGGTGGACGGCTGCTCTGTCAACTT
TGACCATTTTCAGATTCTGCGGGCCATTGGTAAAGGGAGTTTTGGAAAGGTATGCATCGTGCAGAAGCGAGACAC
TAAGAAAATGTATGCAATGAAGTACATGAACAAGCAGAAGTGCATCGAGAGGGATGAGGTTCCGAATGTTTTCCG
GGAGCTGCAGATCATGCAAGGGCTGGAGCACCCCTTCCTGGTCAATCTGTGGTACTCCTTCCAGGATGAGGAGGA
CATGTTTCATGGTGGTGGACCTGCTCCTGGGAGGCGAACCCTGCGCTACCATCTGCAGCAGAATGTGCATTTTCACAGA
GGGACTGTGAAACTCTACATCTGTGAGCTGGCCTGGCCCTGGAGTATCTTCAGAGGTACCATCATCCACAG
AGACATCAAGCCAGACAATATCCTGCTGGATGAACACGGACATGTTACATTACAGACTTCAACATAGCGACGGT
AGTGAAGGAGCAGAAAGGGCTTCCTCCATGGCTGGCACCAGCCCTACATGGCTCCAGAAGTATTCCAGGTGTA
CATGGACAGAGGCCCCGGATACTCGTACCCTGTGCACTGGTGGTCCCTGGGCATCACAGCCTATGAGCTGCTGCG
GGGCTGGAGGCCGTACGAAATCCACTCGGTACGCCCCATCGATGAAATCCTTAACATGTTCAAGGTGGAGCGTGT
CCACTACTCCTCCACGTGGTGCAAGGGGATGGTGGCCCTGCTGAGGAAGCTCCTGACCAAGGATCCTGAGAGCCG
CGTGTCCAGCCTTCATGACATACAGAGCGTGCCCTACTTGGCCGACATGAACTGGGACGCGGTGTTCAAGAAGGC
ACTGATGCCCCGCTTTGTGCCCAATAAAGGGAGGTTGAACTGCGATCCACATTTGAGCTTGAAGAGATGATTCT
AGAATCCAAGCCACTTCACAAAAAGAAGAAGCGATTGGCAAAGAACAGATCCAGGGATGGCACAAGGACAGCTG
CCCGCTGAATGGACACCTGCAGCACTGTTTGGAGACTGTCGGGAGGAATTCATCATATTCAACAGAGAGAAGCT
CAGGAGGCGCAGGGGACAGGGCAGCCAGCTCTTGGACACCGACAGCCGAGGGGGAGGCCAGGCCCAAAGCAAGCT
CCAGGACGGGTGCAACAACAACCTCCTCACCCACACCTGCACCCGTTGGCTGCAGCAGCTGAGGCCACACTTGTG
CTGCTCAACAGGACTGCACTCGTCTCTGCCCTGCCACCCAGAGCCCCCTCTTTGTGCCCTGATGGTCCCTGTCTC
ACCCCTGAAAACATCAGATGCAGAAAAAGCCCTGGACTTGGAGCTGGGAAGCCTGGGTTCTGGTCCCCTCTCCAT
GACTGATTCACGTGTGACCTCAGACAAGTCACGCCCTCTCTGTGCCCTCCGTTTTCTGCATCTGCCAAAGGGGTTA
AACACTTCTGCCCACTTCAAATTACAAGATTATGGGAGAACCCAAATTAGGTAGGAAACATGAAAAACCTTTGA
TATTTATAAATCATTTTTACGTGCAAATATAACCTTAATATTTGAAGTGACCCCCATTCCCCAAAGCAATCAA
ACCGTCATGACTTTGCAATTTGGCACATCCTAGCTTGTAGAGGGCACTTCCGAAAAACACAGCCCTGACAGCAA
AATAAAGTCTGATATGTTGGCCCCCTTCTATGGAACAACGCTGCCAAATCCTGGAGCAAAACCTGAAGTGTCTT
CATGTGCATTCTCTGGCAGGCCACAGTCCTTCTGAGCTTGTAAAGATGGTGCAGCATGCAGACCAGACTTGTCCCC
AAGGTCTCAGCGCTGCGGTCTCACTCCTCCCCTCATTTAAGAAGACTATCCTTACCTTTTAGTTTCAGCAGTCCT
CACCACCACCATATCCCCAGTGCTGGGATGGCACACAGGTGTCCATTGAGATGAGAGTTGGGTGCTGAGCATTG
GTTACTCCTGCAGAGTGTAATCAGCACCCCATCCAATGGCCCCGAAAGCCCAGACCTGCAGCAGAATCTCCAAC
TCTCTATCAGCTTTTCAGGGTTTTCTCCTGGGAAGGGTGTAATAATCAGCTTGTGAGATTCTTCTTACAGAGAGT
ATCCAATCGGTATTGGTGGAGCGGCTCCCTATTTATACAATAGGAAGCATGGGTGCTTAGAAAGTTTATTTTCAGG
AGGAAAATGGGTTACACAAAAAGCAAATACATTCTGATCTGCTCAGGGAGAAGCTTGCCTTTGAACTGGAAGA
TGTTGGGATGAGCAGGGAAAGCTTAGACTTTGGAGTCAGGTTTGTGTTTCAGAAATCCAGCCCTGCTGGCTACTAAC
TAAGTGGGAGACCTTAGGCAAAGCATGCAATCGCTCTGAATGGCAGTTTCCTCATTTTTAAACAGGGATAATAAA
ACTAATATTGCAGGGGAGTTACAGGGTTAAATAAGATCCTGTGTGTAACCCCAAGCATTGGATGACTCATAGAAT
GGCCTTTTTTGTGAGCATAATCGTCATCATTATTTAGATACTTTCTTCTTCACTCACCCAGCAGGTGAGTTTTC
TGTGCAACAAACCTGTTTAGGATTCTTCAAATGTTCTTCTTGGGCTCTTTGATATTTGTTTGTACATCCTGCT
TGAAGTTCGACTGTGTTTTATTTTTTTCATCCAATTCATTTTTTCACTTTTTTACATGATTACTCAATCCTTGGG
GCTGTCCATGTCACTCTTAGATTTCTTAAAAGACATTTTAATGTATGGTTAGGTTTTATATTTTTTATTTTTTAA
AAAAGAAATAGTCAGTGTTCCTCCTTTCAACCGAGACTATTTCTGGATTGTGTGCTCCTCGTCAGTTGACTTGT
TTTGCACTTTTTCTTTACTTCATGTCCCATCAACAACCGTCTGCTCCACCTCCCCAGGAAATAAGGGGC
CTGCTCCTCTCCTACTGTGACCCTGGAGGCTCTTAAGATGATGATGGTTTTTTTTTATTGGGCTGAGTTCACGAA
TTAGGGGCGAGGCTGGAAGTCGCCCTAGGAACACCAGATTTCCTGTTCTGTTCAAGTTGGCATTCTTGTGTTG
GAATAAACTATTTCTTGG

577/615

FIGURE 572

</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA136110
<subunit 1 of 1, 364 aa, 1 stop
<MW: 42195, pI: 7.40, NX(S/T): 1
MKYMNKQKCIERDEVNRNRFRELQIMQGLEHPFLVNLWYSFQDEEDMFMVVDLLLGGDLRY
HLQQNVHFTEGTVKLYICELALALEYLQRYHIIHRDIKPDNILLDEHGHVHITDFNIATV
VKGAERASSMAGTKPYMAPEVFQVYMDRGPYSPVDWWSLGITAYELLRGWRPYEIHVS
TPIDEILNMFKVERVHYSSWCKGMVALLRKLLTKDPESRVSSLHDIQSVPYLADMNWDA
VFKKALMPGFVPNKGRLNCDPTFELEEMILESKPLHKKKKRLAKNRSRDGTDSCPLNGH
LQHCLLETVREEFIIFNREKLRRQQGQSQLLDTSRGGGQAQSKLDGCNNNLLTHTCTR
GCSS

Important features of the protein:**N-glycosylation site:**

Amino acids 285-289

N-myristoylation sites:

Amino acids 123-129;290-296;337-343;339-345;348-354

Serine/Threonine protein kinases active-site signature:

Amino acids 92-105

FIGURE 573

[illegible]

581/615

FIGURE 576

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA139608
><subunit 1 of 1, 80 aa, 1 stop
><MW: 8927, pI: 3.77, NX(S/T): 0
MIDLWLPALFVLVALESLLLSPCPGTSSTLTRTFFPSLVSCVQVPFSWIPCLECFLIYFL
ILAEDVLQLFSGNANMQVNQ
```

Important features of the protein:**Signal peptide:**

Amino acids 1-29

Transmembrane domain:

Amino acids 47-62

N-myristoylation sites:

Amino acids 25-31

582/615

FIGURE 577

ATCGGTTAGCGCCTTGCCATGATTAATCCAGAGCTGCGGGATGGCAGAGCTGATGGCTTCATA
CATCGGATAGTTCCCAAGTTGATACAAAAGTGAAGATTGGCCTTATGTGCTTCCTGAGTATT
ATTATTACTACAGTTTGCATTATTATGATAGCCACATGGTCCAAGCATGCTAAACCTGTGGCA
TGTTTCAGGGGACTGGCTTGGAGTGAGAGATAAGTGTTTCTATTTTCTGATGATACCAGAAAT
TGGACAGCCAGTAAAATATTTTGTAGTTTGCAGAAAGCAGAACTTGCTCAGATTGATACACAA
GAAGACATGGAATTTTGAAGAGGTACGCAGGAAGTATGATATGCACTGGATTGGACTAAGCAGG
AAACAAGGAGATTCTTGGAATGGACAAATGGCACCACATTCAATGGTTGGCCATCAAACCTCC
AAATGGTCTTGCAACTGGAGCCTCCGACAATGGCTTCTTCTGCTGGGACCCCTTAGATAGGCC
TCTGAGGGAGCTCTGACTGCCGTTTCCCCAAAACAATGTCCCCTGTCAGCAGGAAGCAGTTAA
ATCAGTCTTCATCCTTATCCTTAATATAACGGCAGTTAGATGTACTTCTTTAGAGGGAGTAAA
TTTATCAATTCAGAGCAATTCATCCTCCTCTTCCATCTTTGATTACAGTTAATAGGCTATA
AATTTTGATAATGTAGAATAAACTACAGAAAACCTTCTTG

584/615

FIGURE 579

TGAAGGCCTGTGAGTGAGGAATGCCTCTCACCAGCTGTGCCTGAGCTGCAGCACTCCAGCCAC
TGCTGTCTCCTTAGCTGCTCACATATGGATACTTTCACAGTTCAGGATTCCACTGCAATGAGC
TGGTGGAGGAATAATTTCTGGATCATCTTAGCTGTGGCCATCATTGTTGTCTCTGTGGGCCTG
GGCCTCATCCTGTACTGTGTCTGTAAAGTGGCAGCTTAGACGAGGCAAGAAATGGGAAATTGCC
AAGCCCCCTGAAACACAAGCAAGTAGATGAAGAAAAGATGTATGAGAATGTTCTTAATGAGTCG
CCAGTTCAATTACCGCCTCTGCCACCGAGGAATTGGCCTTCTCTAGAAGACTCTTCCCCACAG
GAAGCCCCAAGTCAGCCGCCCGCTACATACTCACTGGTAAATAAAGTTAAAAATAAGAAGACT
GTTTCCATCCCAAGCTACATTGAGCCTGAAGATGACTATGACGATGTTGAAATCCCTGCAAAT
ACTGAAAAAGCATCATTTTGAACAGCCATTTCTTCTTTTGGCAAAACTGAAGAGGGTTCAC
ACAACCTTATTTTAAACAATCAAGAATGGTTGAACTTCAGTAGGTCTCTGGGCCCTGAAAGCC
AGTGGTGATTTTATGAAGCTCTATAAGATAAAGCACTTCCCAAACCTTAGATGAAGACACCCC
TGCGATCGGATGACTGCAGCCAGAGGAGACACATGGGTGCTCGGCTCTGAGGACTTAGAGGGG
TCAGCCTTGTGCTGTTGAGGAACTTTCCATGGGAAGGACCACGGGGCTCCATGGCTCCCACC
TGTGGGAAACTACTCATTTCTTGGCATTCTTTCCCCCTTCATTCCCTTTGGTTTGCATGGTTC
TGAGTGATATTAAATCTCAGCATTGTTGTGCAAAAAAAAAA

586/615

FIGURE 581

GGCCGCCTCCGCGGGGCTGTGGGAAGCTTGGGCTGTCCCAGGACCGTCAGTCTCCTCCTCTGA
CCCTCCCTTTCCCCTTGTGTGTAGGGCCGCCGTCCCACCCCCACCTCGCCGGAGTCCGGGGCG
GCCCCGGTGTCCCCTCCGAGCCTGCTGCACTCCACGTCCCCCTACCAGGGCTCCAGCCCCCAG
GGAAATCTCCGACCAGGCCCCGCCAGGAGCCAGATCCAGGCTCCTGGAAGAACCATGTCCGGC
AGCTACTGGTCATGCCAGGCACACACTGCTGCCCAAGAGGAGCTGCTGTTTGAATTATCTGTG
AATGTTGGGAAGAGGAATGCCAGAGCTGCCGGCTGAAAATTACCCAACCAAGAGAAATCTGCAGG
ATGGACTTTCTGGTCCTCTTCTTGTCTACCTGGCTTCGGTGCTGATGGGTCTTGTTCTTATC
TGCCTCTGCTCGAAAACCCATAGCTTGAAAGGCCTGGCCAGGGGAGGAGCACAGATATTTTCC
TGTATAATTCCAGAATGTCTTCAGAGAGCCGTGCATGGATTGCTTCATTACCTTTTCCATACG
AGAAACCACACCTTCATTGTCTGACCTGGTCTTGCAAGGGATGGTTTATACTGAGTACACC
TGGGAAGTATTTGGCTACTGTCAGGAGCTGGAGTTGTCTTGCAATTACCTTCTTCTGCCCTAT
CTGCTGCTAGGTGTAAACCTGTTTTTTTTTACCCTGACTTGTGGAACCAATCCTGGCATTATA
ACAAAAGCAAATGAATTATTATTCTTCATGTTTATGAATTTGATGAAGTGATGTTTCCAAAG
AACGTGAGGTGCTCTACTTGTGATTTAAGGAAACCAGCTCGATCCAAGCACTGCAGTGTGTGT
AACTGGTGTGTGCACCGTTTCGACCATCACTGTGTTTGGGTGAACAACTGCATCGGGGCCCTGG
AACATCAGGTACTTCCTCATCTACGTCTTGACCTTGACGGCCTCGGCTGCCACCGTCGCCATT
GTGAGCACCCTTTTCTGGTCCACTTGGTGGTGATGTCAGATTTATACCAGGAGACTTACATC
GATGACCTTGGACACCTCCATGTTATGGACACGGTCTTTCTTATTCAGTACCTGTTCTGACT
TTTCCACGGATTGTCTTCATGCTGGGCTTTGTCTGGTTCTGAGCTTCCTCCTGGGTGGCTAC
CTGTTGTTTGTCTGTATCTGGCGGCCACCAACCAGACTACTAACGAGTGGTACAGAGGTGAC
TGGGCCTGGTGCCAGCGTTGTCCCCTTGTGGCCTGGCCTCCGTCAGCAGAGCCCCAAGTCCAC
CGGAACATTCATCCCATGGGCTTCGGAGCAACCTTCAAGAGATCTTCTACCTGCCTTTCCA
TGTCATGAGAGGAAGAAACAAGAA**TGA**CAAGTGTATGACTGCCTTTG

587/615

FIGURE 582

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA144857
><subunit 1 of 1, 344 aa, 1 stop
><MW: 39787, pI: 7.44, NX(S/T): 2
MDFLVLFYFLASVLMGLVLCVCSKTHSLKGLARGGAQIFSCIIPECLQRAVHGLLHYL
FHTRNHTFIVLHLVLQGMVYTEYTWEVFGYCQELELSLHYLLLPYLLLGVNLFFFTITCG
TNPGIITKANELLFLHVYEFDEVMEFPKNVRCSTCDLRKPARSKHCSVCNWCVHRFDHHCV
WVNNCIGAWNIRYFLIYVLTLTASAATVAIVSTTFLVHLVMSDLYQETYIDDLGHLHVM
DTVFLIQYLFLTFFPRIVFMLGFVVVLSFLLGGYLLFVLYLAATNQTTNEWYRGDWAWCQR
CPLVAWPPSAEPQVHRNIHSHGLRSNLQEI FLPAFPCHERKKQE
```

Important features of the protein:**Signal peptide:**

Amino acids 1-29

Transmembrane domains:

Amino acids 100-116;201-217;256-275

N-glycosylation sites:

Amino acids 65-69;284-290

N-myristoylation sites:

Amino acids 32-38;77-83;120-126;322-328

Cell attachment sequence:

Amino acids 292-298

DHHC zinc finger domain:

Amino acids 140-204

590/615

FIGURE 585

GCCCGCCTGAGGAAGCCGTGTGCCTGGGATGCCAAGAGCCAGAGAATGGATCTTCTCCGAGTG
GGGACATTGCTGACAATCCCGGCTTCCCGAGGCGGCTAAGAACAGGCAGTTTGTGTCCGGCTGG
CTGCAGATACCCAGAGGCACAAAGAGACCGAAGCCACCCGGAGGGACCCACGGACGGACAGAT
GGTAGGCGCGAACCAGAGAGGACCGGCGGAGGCTGAGCACCGAGAGCCGCCAAGGAAGAGAAA
CTAACCACAGCCAAGTTACCCCGCCGGCTTTCCTTCGCTGCGCTAAGGAATGAAACCCCTTCCA
GCTCGATCTGCTCTTCGTCTGCTTCTTCCTCTTCAGTCAAGAGCTGGGCCTCCAGAAGAGAGG
ATGCTGTCTGGTGCTGGGCTACATGGCCAAGGACAAGTTTCGGAGAATGAATGAAGGCCAAGT
CTATTCCTTCAGCCAGCAGCCCCAGGACCAGGTGGTGGTGTCCGGACAGCCAGTGACGCTACT
TTGCGCCATCCCGAATACGATGGCTTCGTCTGTGGATCAAGGACGGCTTGGCTCTGGGTGT
GGGCAGGGACCTCTCAAGTTACCCACAGTACCTGGTGGTAGGGAACCACCTGTCAGGGGAGCA
CCACCTGAAGATCCTGAGGGCAGAGCTGCAAGACGATGCGGTGTACGAGTGCCAGGCCATCCA
GGCCGCCATCCGCTCCCGCCCCGCACGCCTCACAGTCTGGTGCCGCTGATGACCCCGTCAT
CCTGGGGGGGCCCTGTGATCAGCCTGCGTGCAGGGGGACCCCTCTCAACCTACCTGCCACGCAGA
CAATGCCAAGCCTGCAGCCTCCATCATCTGGTTGCGAAAGGGAGAGGTCATCAATGGGGCCAC
CTACTCCAAGACCCTGCTTCGGGACGGCAAGCGGGAGAGCATCGTCAGCACCCCTCTTCATCTC
CCCTGGTGACGTGGAGAATGGCCAGAGCATCGTGTGTCTGCCACCAACAAAGCCATCCCCGG
AGGAAAGGAGACGTCGGTCACCATTGACATCCAGCACCCCTCCACTGGTCAACCTCTCGGTGGA
GCCACAGCCAGTGCTGGAGGACAACGTCGTCACTTTCCACTGCTCTGCAAAGGCCAACCCAGC
TGTCACCAGTACAGGTGGGCCAAGCGGGGCCAGATCATCAAGGAGGCATCTGGAGAGGTGTA
CAGGACCACAGTGGACTACACGTACTTCTCAGAGCCCGTCTCCTGTGAGGTGACCAACGCCCTG
GGCAGCACCAACCTCAGCCGCACGGTTGACGTCTACTTTGGGCCCCGGATGACCACAGAACCC
CAATCCTTGCTCGTGGATCTGGGCTCTGATGCCATCTTCAGCTGCGCCTGGACCGGCAACCCA
TCCCTGACCATCGTCTGGATGAAGCGGGGCTCCGGAGTGGTCTGAGCAATGAGAAGACCCTG
ACCCTCAAATCCGTGCGCCAGGAGGACGCGGGCAAGTACGTGTGCCGGGCTGTGGTGGCCCGT
GTGGGAGCCGGGGAGAGAGAGGTGACCCTGACCGTCAATGGACCCCCCATCATCTCCAGCACC
CAGACCCAGCACGCCCTCCACGGCGAGAAGGGCCAGATCAAGTGCTTCATCCGGAGCACGCCG
CCGCCGGACCGCATCGCCTGGTCTGGAAGGAGAACGTTCTGGAGTCGGGCACATCGGGGCGC
TATACGGTGAGAGACCATCAGCACCGAGGAGGGCGTCATCTCCACCCTGACCATCAGCAACATC
GTGCGGGCCGACTTCCAGACCATCTACAACGACGGCCTGGAACAGCTTCGGCTCCGACACT
GAGATCATCCGGCTCAAGGAGCAAGGTTGCGAAATGAAGTCGGGAGCCGGGCTGGAAGCAGAG
TCTGTGCCGATGGCCGTCATCATTGGGGTGGCCGTAGGAGCTGGTGTGGCCTTCCTCGTCCTT
ATGGCAACCATCGTGGCGTTCTGCTGTGCCCGTTCCAGAGAAGTACGGGAGGGAGATCCGGG
ATCTCAGGGAGGGGGACAGAGAAAAAGGCCAGGCTTAGGCTGCCCCGGAGAGCAAGTAAGCAG
GAGTGCAATGAACAGGGGTCTTAAACAGTGCTGTGAGCTCCTGGGGCAGGGAGTGGGTCTGATG
CATCGGTGTATGTGAGCCTGGGCAACATGGCGCCTGGCAGAGTGGGCGCTAGGCTGAGGTTGA
CCTGGACTAGACTGAACTTCATCTGCAGGGCAGCCAGCATTTTGGATTGAACACATAGCTCTT
TCAGTCAGGAACTGTACAGAAAGATAGGGGGAAAAGCGGTTTGTGGTTTGTATCCTTGCTCTAC
AAGAGCTGTTAGTCTAGAGAGACCCATCTCTACAACAAAATAAAAATAAAGAGCTGCTAGTC
TCACCAGAAAAGCAGGTCACCTCACACAGCTGTGGGGGAGTGGGTGGGGAAGCAATAAAGGAAT
TGCTTTGAGAAAACCTAA

593/615

FIGURE 588

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA149893
><subunit 1 of 1, 199 aa, 1 stop
><MW: 22427, pI: 6.46, NX(S/T): 3
METFPLLLLSLGLVLAEESESTMKIIKEEFTDEEMQYDMAKSGQEKQTIEILMNPILLVK
NTSLMSKDDMSSTLLTFRSLHYNDPKGNSGNDKECCNDMTVWRKVSEANGSCKWSNNF
IRSSTEVMRRVHRAPSCKFVQNPGISCCESLELENTVCQFTTGKQFPRCQYHSVTSLEKI
LTVLTGHSILMSWLVC GSKL
```

Important features of the protein:**Signal peptide:**

Amino acids 1-16

N-glycosylation sites:

Amino acids 61-65;89-93;111-115

cAMP- and cGMP-dependent protein kinase phosphorylation site:

Amino acids 105-109

N-myristoylation sites:

Amino acids 12-18;88-94;144-150

Microbodies C-terminal targeting signal:

Amino acids 197-201

594/615

FIGURE 589

CAGTCCTGCCGGGACGGTGAGCGCATTACAGCACCTGGACAGCACCGCGGTTGCGCTGCCTCC
AGGGCGGCCCCGGGCTGCTCCTGCTCCGCAGAGCTACGCCCTCCCCCGGGTGCCCCGGACCC
TGCACTTGCCGCCGCTTTCCTCGCGCTGCTCTGGACCTTGCTAGCCGGCTCTGCACCTCCCAG
AAGCCGTGGGCGCGCCGCTCAGCTGCTCCATCGCCTCACTTTCCCAGGCTCGCGCCCGAAGCA
GAGCCATGAGAACCCAGGGTGCCTGGCGAGCCGCTAGCGCC**ATGGG**CCCCGGCGAGGCGCTG
CTGGCGGGTCTCCTGGTGATGGTACTGGCCGTGGCGCTGCTATCCAACGCACTGGTGCTGCTT
TGTTGCGCCTACAGCGCTGAGCTCCGCACTCGAGCCTCAGGCGTCCTCCTGGTGAATCTGTCT
CTGGGCCACCTGCTGCTGGCGGGCGCTGGACATGCCCTTCACGCTGCTCGGTGTGATGCGCGGG
CGGACACCGTCGGCGCCCCGGCGCATGCCAAGTCATTGGCTTCCTGGACACCTTCCTGGCGTCC
AACGCGGCGCTGAGCGTGGCGGGCGCTGAGCGCAGACCAGTGGCTGGCAGTGGGCTTCCCACTG
CGCTACGCCGGACGCCTGCGACCGCGCTATGCCGGCCTGCTGCTGGGCTGTGCCTGGGGACAG
TCGCTGGCCTTCTCAGGCGCTGCACTTGGCTGCTCGTGGCTTGGCTACAGCAGCGCCTTCGCG
TCCTGTTGCTGCGCCTGCCGCCCCGAGCCTGAGCGTCCGCGCTTCGCAGCCTTCACCGCCACG
CTCCATGCCGTGGGCTTCGTGCTGCCGCTGGCGGTGCTCTGCCTCACCTCGCTCCAGGTGCAC
CGGGTGGCACGCAGACACTGCCAGCGCATGGACACCGTCACCATGAAGGCGCTCGCGCTGCTC
GCCGACCTGCACCCCAGTGTGCGGCAGCGCTGCCTCATCCAGCAGAAGCGGCGCCGCCACCGC
GCCACCAGGAAGATTGGCATTGCTATTGCGACCTTCCTCATCTGCTTTGCCCCGTATGTCATG
ACCAGGCTGGCGGAGCTCGTGCCCTTCGTACCGTGAACGCCAGTGGGGCATCCTCAGCAAG
TGCCTGACCTACAGCAAGGCGGTGGCCGACCGTTACGTACTCTCTGCTCCGCCGGCCGTTT
CGCCAAGTCCTGGCCGGCATGGTGCACCGGCTGCTGAAGAGAACCCCGCGCCCAGCATCCACC
CATGACAGCTCTCTGGATGTGGCCGGCATGGTGCACCACTGCTGAAGAGAACCCCGCGCCCCA
GCGTCCACCCACAACGGCTCTGTGGACACAGAGAATGATTCCTGCCTGCAGCAGACACACT**TGA**
GGGCTGGCAGGGCTCATCGCCCCACCTTCTAAGAAGCCCTGTGGAAAGGGCACTGGCCCTG
CCACAGAGATGCCACTGGGGACCCCCAGACACCAGTGGCTTGACTTTGAGCTAAGGCTGAG

596/615

FIGURE 591

AACATGGCTGCGGCGCCTGGGCTGCTCGTCTGGCTGCTCGTCTCGGCTGCCCTGGCGGGTG
CCGGGCCAGCTGGACCCCAGCACTGGCCGGCGGTTCTCGGAGCACAACTCTGCGCGGACGAC
GAATGCAGCATGATGTACCGCGGTGAGGCTCTTGAAGATTTACAGGCCCGGATTGTCGTTTT
GTGAATTTTAAAAAGGTGATCCTGTATATGTTTACTATAAACTGGCAAGAGGATGGCCTGAA
GTTTGGGCTGGAAGTGTTGGACGCACTTTTGGATATTTTCCAAAAGATTTAATCCAGGTAGTT
CATGAATATACCAAAGAAGAGCTACAAGTTCCAACAGATGAGACGGATTTTGTGTTGTTTGTAT
GGAGGAAGAGATGATTTTCATAATTATAATGTAGAAGAACTTTTAGGGTTTTTGGAACTGTAC
AATTCCTGCAGCTACAGATTCTGAGAAAGCTGTAGAAAAAACTTTACAGGATATGGAAAAAAC
CCTGAATTATCTAAGGAAAGGGAACCTGAACCTGAACCACTAGAAAGCCAACTCAGAGGAAAGT
GATAGTGTATTCTCAGAAAAACACTGAGGATCTTCAGGAACAGTTTACAACCTCAGAAGCACCCAC
TCCCATGCAAACAGCCAAGCAAATCATGCTCAGGGAGAGCAGGCTTCATTTGAATCTTTTGAA
GAAATGCTGCAAGATAAACTAAAAGTGCCAGAAAGTGAAAACAACAAAACCAGCAATAGTTCT
CAGGTCTCAAATGAACAGGATAAGATTGATGCCTATAAACTTTTGAAAAAAGAAATGACTCTA
GACTTGAAAACCAAATTTGGCTCAACAGCTGATGCACTTGTATCTGATGATGAGACAACCAGA
CTCGTTACTTCATTAGAAGATGATTTTGTATGAGGAATTGGATACTGAGTATTATGCAGTTGGA
AAGGAAGATGAGGAGAACCAAGAAGACTTTGATGAGTTGCCATTACTTACCTTTACAGATGGG
GAAGATATGAAAACCTCCAGCAAAGTCTGGCGTTGAGAAATATCCAACAGATAAAGAGCAGAAT
TCAAATGAAGAGGACAAGGTTTCAGCTAACTGTGCCCCCTGGCATCAAAAATGATGATAAAAAT
ATACTAACAACCTGGGGGGACACTATCTTCTCTATTGTCACAGGAGGTGAAGAAACAAGAGAT
ACGATGGATTTAGAGAGCTCTAGTTTCAGAGGAAGAAAAAGAAAGATGATGATGATGCATTAGTC
CCAGATAGCAAACAGGGGAAACCACAGTCAGCAACAGATTATAGTGACCTGACAATGTAGAT
GATGGTCTTTTTATTGTAGACATTCCTAAAACAAATAATGACAAAGAAGTAAACGCAGAACAT
CACATTAAAGGAAAAGGGAGGGGAGTTTCAGGAATCCAAGAGGGGCCTGGTACAAGATGAGACA
GAATTAGAGGATGAAAATCAAGAAGGCTTTAAAACAGAGCCCATAAACTATTGACCCTCTGAGG
TTTCATTGGAAAGAAAGTGTACTGTGCATTATCCATTACAGTAAAGGATTTCAATTGGCTTCAA
AATCCAAAAGTTTATTTTAAAAGGTTTGTGTTAGAACTAAGCTGCCTTGGCAGTGTGCATTT
TTGAGCCAAACAATTCAAAAATGTCATTTCTTCCCTAAATAAAAATCACCTTTTAAAGCTAGAG
CGTCCTTACAACCTTTGAAATGTGCAATAAAGAATACCTGTGTTTTAGCTAATGTAGCATATGT
AATTGCAAAATGATTTAGAATGTCATGAAAAATATGAACATTTCTGTGGAAATGCTTTAAGA
ACATGTATTTCCATTATCCTATTTTGTAGTGTACACCAGCTGAATACGGAGCAATGGTGTATTAT
AAGCGTTTTTTTAACTATCTGGTCACAAAGACTGTTACGCTAAAAATGTTTACTAAAAGATC
ACTAACTATCTCCCCTCTTGCTGAAGTTCTTTGTAGTAATAGCTCATAAAAATTTGTTTATT
AATATTTAAAAA

598/615

FIGURE 593

GGGCCAGTAGAGTGTGTCTGGGTCAGCTGAGTGACTACATCAAAGCTCCCAGCCTTGAAAAAC
ACATGCTGTTCCCAGGCCTCAAGATATTGAAACATTAATTAGATAATTTAAAGTAGCGTTTTTC
TTCTACAATGCTCTGAAGAAGTGACCTACGCGACACTCACATTTTCAGGATTCTGCTGGAGCAAG
GAATAACCGAGATGGAAATAACCTAAGAAAAAGAGGGGCATCCAGCTCCATCTCCCATTTGGCG
TCATGCTGCTCTGGGCTCTGGTAACCTTTTGCTGATGTTGCTGATTGGGCTGGTGACGTTGGG
GATGATGTTTTTGCAGATATCTAATGACATTAACCTCAGATTCAGAGAAATTGAGTCAACTTCA
GAAAACCATCCAACAGCAGCAGGATAACTTATCCCAGCAACTGGGCAACTCCAACAACCTGTG
CATGGAGGAGGAATTTCTCAAGTCACAGATCTCCAGTCTACTGAAGAGGCAGGAACAAATGGC
CATCAAACCTGTGCCAAGAGCTAATCATTCTACTTTTACAAACAAATGAGGAGAAAACCTGGGC
GATGTGGCAATGGTACCAAAATAGTTGCTACTATTTTACAACAAATGAGGAGAAAACCTGGGC
TAACAGTAGAAAGGACTGCATAGACAAGAAGCTCCACCCTAGTGAAGATAGACAGTTTGGAAGA
AAAGGATTTTCTTATGTCACAGCCATTACTCATGTTTTTCGTTCTTTTGGCTGGGATTATCATG
GGACTCCTCTGGCAGAAGTTGGTTCTGGGAAGATGGCTCTGTTCCCTCTCCATCCTTGACGT
CTCTAACTATTGAGGGGTAAACACAAGCTTTCCATGGAATCCTGGGAAAATTAATAATGATTGT
GAGAATTATAAATACAGACATAAAAAGAGGAGTACAACATACTGAGAAAAGAGCTCCAGTAAC
AAATATTGAAAGGAGATTTAGTACTAAAGAACTTGACCAGATCAATGGATCCAAAGGATGTGC
TTATTTTCAAAAAGGAAATATTTATATTTCTCGCTGTAGTGCTGAAATTTTTTGGATTTGCGA
GAAGACAGCTGCCCCAGTGAAGACTGAGGATTTGGATTAGTATGCTTCTTCCAAATTCTCCAA
GAAGTAAGAGACTTGTGAGTAAGCTCATATGAGGAAAGAGGAAACTACGGTACCAGAGCAAGG
GCGAATTCTGCA

599/615

FIGURE 594

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA150163
><subunit 1 of 1, 232 aa, 1 stop
><MW: 26754, pI: 5.80; NX(S/T): 3
MSEEVTYATLTFQDSAGARNNRDGNLNRKRGHPAPSPIWRHAALGLVTLCLMLLIGLVTL
GMMFLQISNDINS DSEKLSQLQKTIQQQQDNLSQQLGNSNNLSMEEEFLLKSQISSLLKRQ
EQMAIKLCQELIIHTSDHRCNPCPKMWQWYQNSCIYFTTNEEKTWANSRKDCIDKNSTLV
KIDSLEEKDFLMSQPLLMFSFFWLGLSWDSSGRSWFWEDGSVPSPSLYVSNY
```

Important features of the protein:**Transmembrane domain:**

Amino acids 42-62

N-glycosylation sites:

Amino acids 91-95;101-105;176-180

N-myristoylation sites:

Amino acids 17-23;97-103

600/615

FIGURE 595

CGGACGCGTGGGGAAGAGGAGGAGGAGGAAGAAGACGTGGACAAGGACCCCCATCCTACCCAG
AACACCTGCCTGCGCTGCCGCCACTTCTCTTTAAGGGAGAGGAAAAGAGAGCCTAGGAGAACC
ATGGGGGGCTGCGAAGTCCGGGAATTTCTTTTGCAATTTGGTTTCTTCTTGCTATGCTGACA
GCGTGGCCAGGCGACTGCAGTCACGTCTCCAACAACCAAGTTGTGTTGCTTGATACAACAAC
GTACTGGGAGAGCTAGGATGGAAAACATATCCATTAAATGGGTGGGATGCCATCACTGAAATG
GATGAACATAATAGGCCCATTCACACATACCAGGTATGTAATGTAATGGAACCAACCAAAAC
AACTGGCTTCGTACAAACTGGATCTCCCGTGATGCAGCTCAGAAAATTTATGTGGAAATGAAA
TTCACACTAAGGGATTGTAACAGCATCCCATGGGTCTTGGGGACTTGCAAAGAAACATTTAAT
CTGTTTTATATGGAATCAGATGAGTCCCACGGAATTAAATTCAAGCCAAACCAGTATACAAAG
ATCGACACAATTGCTGCTGATGAGAGTTTTACCCAGATGGATTTGGGTGATCGCATCCTCAA
CTCAACACTGAAATTCGTGAGGTGGGGCCTATAGAAAGGAAAGGATTTATCTGGCTTTTCAA
GACATTGGGGCGTGCATTGCCCTGGTTTCAGTCCGTGTTTTCTACAAGAAATGCCCTTCACT
GTTCGTAACTTGGCCATGTTTCCTGATACCATTCCAAGGGTTGATTCCTCCTCTTGGTTGAA
GTACGGGGTTCTTGTGTGAAGAGTGCTGAAGAGCGTGACACTCCTAAACTGTATTGTGGAGCT
GATGGAGATTGGCTGGTTCCTCTTGAAGGTGCATCTGCAGTACAGGATATGAAGAAATTGAG
GGTCTTGCCATGGAGCCTCCAAAGGCCGCTGCTTCT**TAG**TTGGCCATCTTGGCCCCACCCCGA
AACAGTAACCTTTGAAGAATAAAAGAAAAAGCAAAAGAGTAGCATTACTAAAATATTAAACGG
TTACATTTACAAAAAAAAAAAAAAAAAAAAAAAAAAAAA

602/615

FIGURE 597

ACACTGGCCAAACAAAAACGAAAGCACTCCGTGCTGGAAGTAGGAGGAGAGTCAGGACTCCCA
GGACAGAGAGTGCACAACTACCCAGCACAGCCCCCTCCGCCCCCTCTGGAGGCTGAAGAGGG
ATTCCAGCCCCCTGCCACCCACAGACACGGGCTGACTGGGGTGTCTGCCCCCTTGGGGGGGGG
CAGCACAGGGCCTCAGGCCTGGGTGCCACCTGGCACCTAGAAGATGCCTGTGCCCTGGTTCTT
GCTGTCCTTGGCACTGGGGCCGAAGCCCAGTGGTCCTTTCTCTGGAGAGGCTTGTGGGGCCTCA
GGACGCTACCCACTGCTCTCCGGGCCTCTCCTGCCGCCTCTGGGACAGTGACATACTCTGCCT
GCCTGGGGACATCGTGCTGCTCCGGGGCCCCGTGCTGGCGCCTACGCACCTGCAGACAGAGCT
GGTGTGAGGTGCCAGAAGGAGACCGACTGTGACCTCTGTCTGCGTGTGGCTGTCCACTTGGC
CGTGCAATGGGCACTGGGAAGAGCCTGAAGATGAGGAAAAGTTTGGAGGAGCAGCTGACTCAGG
GTTGGAGGAGCCTAGGAATGCCTCTCTCCAGGCCCAAGTCGTGCTCTCCTTCCAGGCCTACCC
TACTGCCCCGTGCGTCTCTGCTGGAGGTGCAAGTGCCTGCTGCCCTTGTGCAGTTTGGTCAGTC
TGTGGGCTCTGTGGTATATGACTGCTTCGAGGCTGCCCTAGGGAGTGAGGTACGAATCTGGTC
CTATACTCAGCCCAGGTACGAGAAGGAACTCAACCACACACAGCAGCTGCCCTGCCCTG
GCTCAACGTGTGACGAGATGGTGACAACGTGCATCTGGTTCTGAATGTCTCTGAGGAGCAGCA
CTTCGGCCTCTCCCTGTACTGGAATCAGGTCCAGGGCCCCCCCCAAAACCCCGGTGGCACAAAAA
CCTGACTGGACCGCAGATCATTACCTTGAACCACACAGACCTGGTTCCCTGCCTCTGTATTCA
GGTGTGGCCTCTGGAACCTGACTCCGTTAGGACGAACATCTGCCCCCTCAGGGAGGACCCCCG
CGCACACCAGAACCTCTGGCAAGCCGCCGACTGCGACTGCTGACCCTGCAGAGCTGGCTGCT
GGACGCACCGTGTCTGCTGCCCGCAGAAGCGGCACTGTGCTGGCGGGCTCCGGGTGGGGACCC
CTGCCAGCCACTGGTCCCACCGCTTTCTGAGGAGAACGTCACTGTGGACAAGGTTCTCGAGTT
CCCATTGCTGAAAGGCCACCCTAACCTCTGTGTTTCAAGGTGAACAGCTCGGAGAAGCTGCAGCT
GCAGGAGTGCTTGTGGGCTGACTCCCTGGGGCCTCTCAAAGACGATGTGCTACTGTTGGAGAC
ACGAGGCCCCCAGGACAACAGATCCCTCTGTGCCCTTGAACCCAGTGGCTGTACTTCACTACC
CAGCAAAGCCTCCACGAGGGCAGCTCGCCTTGGAGAGTACTTACTACAAGACCTGCAGTCAGG
CCAGTGTCTGCAGCTATGGGACGATGACTTGGGAGCGCTATGGGCCTGCCCCATGGACAAATA
CATCCACAAGCGCTGGGCCCTCGTGTGGCTGGCCTGCCCTACTCTTTGCCGCTGCGCTTTCCCT
CATCCTCCTTCTCAAAAAGGATCACGCGAAAGGGTGGCTGAGGCTCTTGAACAGGACGTCCG
CTCGGGGGCGGCCGCCAGGGGCCGCGCGGCTCTGCTCCTCTACTCAGCCGATGACTCGGGTTT
CGAGCGCCTGGTGGGCGCCCTGGCGTCCGGCCCTGTGCCAGCTGCCGCTGCGCGTGGCCGTAGA
CCTGTGGAGCCGTCTGGAAGTGAAGCGCGCAGGGGCCCGTGGCTTGGTTTACGCGCAGCGGCG
CCAGACCCTGCAGGAGGGCGGCGTGGTGGTCTTGTCTCTCTCCCGGTGCGGTGGCGCTGTG
CAGCGAGTGGCTACAGGATGGGGTGTCCGGGCCCCGGGGCGCACGGCCCCGCACGACGCTTCCG
CGCCTCGCTCAGCTGCGTGTGCCGACTTCTTGACAGGGCCGGGCGCCCGGCAGCTACGTGGG
GGCCTGCTTCGACAGGCTGTCCACCCGACGCGCTACCCGCCCTTTTCCGCACCGTGCCCGT
CTTCACACTGCCCTCCCAACTGCCAGACTTCTTGGGGGCCCTGCAGCAGCCTCGCGCCCCGCG
TTCCGGGGCGGCTCCAAGAGAGAGCGGAGCAAGTGTCCCGGGCCCTTCAGCCAGCCCTGGATAG
CTACTTCCATCCCCCGGGGACTCCCGCGCCGGGACGCGGGGTGGGACCAGGGGCGGGACCTGG
GGCGGGGGACGGGACTTAAATAAAGGCAGACGCTGTTTTTCTAAAAAA

604/615

FIGURE 599

GGTCCTTAATGGCAGCAGCCGCCGCTACCAAGATCCTTCTGTGCCTCCCGCTTCTGCTCCTGC
TGTCCGGCTGGTCCC GGGCTGGGCGAGCCGACCCTCACTCTCTTTGCTATGACATCACCGTCA
TCCCTAAGTTCAGACCTGGACCACGGTGGTGTGCGGTTCAAGGCCAGGTGGATGAAAAGACTT
TTCTTCACTATGACTGTGGCAACAAGACAGTCACACCTGTCAGTCCCCTGGGGAAGAACTAA
ATGTCACAACGGCCTGGAAAGCACAGAACCCAGTACTGAGAGAGGTGGTGGACATACTTACAG
AGCAACTGCGTGACATTCAGCTGGAGAATTACACACCCAAGGAACCCCTCACCTGCAGGCAA
GGATGTCTTGTGAGCAGAAAGCTGAAGGACACAGCAGTGGATCTTGGCAGTTCAGTTTCGATG
GGCAGATCTTCCTCCTCTTTGACTCAGAGAAGAGAATGTGGACAACGGTTCATCCTGGAGCCA
GAAAGATGAAAGAAAAGTGGGAGAATGACAAGGTTGTGGCCATGTCCTTCCATTACTTCTCAA
TGGGAGACTGTATAGGATGGCTTGAGGACTTCTTGATGGGCATGGACAGCACCCCTGGAGCCAA
GTGCAGGAGCACCCTCGCCATGTCCTCAGGCACAACCCAACCTCAGGGCCACAGCCACCACCC
TCATCCTTTGCTGCCTCCTCATCATCCTCCCCTGCTTCATCCTCCCTGGCATCTGAAGGAGAGT
CCTTTAGAGTGACAGGTAAAGCTGATACCAAAGGCTCCTGTGAGCACGGTCTTGATCAAAC
TCGCCCTTCTGTCTGGCCAGCTGCCCACGACCTACGGTGTATGTCCAGTGGCCTCCAGCAGAT
CATGATGACATCATGGACCAATAGCTCATTCACTGCCTTGATTCCTTTTGCCAACAATTTTA
CCAGCAGTTATACCTAACATATTATGCAATTTTCTCTTGGTGCTACCTGATGGAATTCCTGCA
CTTAAAGTTCTGGCTGACTAAACAAGATATATCATTTTCTTTCTTCTTTTTGTTTGGAAAA
TCAAGTACTTCTTTGAATGATGATCTCTTTCTTGCAAATGATATTGTCAGTAAATAATCACG
TTAGACTTCAGACCTCTGGGGATTCTTTCCGTGTCCTGAAAGAGAATTTTTAAATTATTTAAT
AAGAAAAAATTTATATTAATGATTGTTTCTTTAGTAATTTATTGTTCTGTACTGATATTTAA
ATAAAGAGTTCTATTTCCCAAAAAAAAAAAAAAAAAAAAA

605/615

FIGURE 600

MAAAAATKILLCLPLLLLLSGWSRAGRADPHSLCYDITVIPKFRPGPRWC VQGQVDEKTFLH
YDCGNKTVTPVSP LGKKLVTTAWKAQNPVLREVVDILTEQLRDIQLENYTPKEPLTLQARMS
CEQKAEGHSSGSWQFSFDGQIFLLFDSEKRMWTTVHPGARKMKEKWENDKVVAMSFHYFSMGD
CIGWLEDFLMGMDSTLEPSAGAPLAMSSGTTQLRATATTLILCCLLIILPCFILPGI

Important features:**Signal peptide:**

amino acids 1-25

Transmembrane domain:

amino acids 224-246

N-glycosylation site.

amino acids 68-72, 82-86

N-myristoylation site.

amino acids 200-206, 210-216

Amidation site.

amino acids 77-81

607/615

FIGURE 602

MQAKYSSTRDMLDDDGDTTMSLHSQASATTRHPEPRRTEHRAPSSTWRPVALTLLTLCIVLLI
GLAALGLLFFQYYQLSNTGQDTISQMEERLGNTSQELQSLQVQNIKLAGSLOHVAEKLCRELY
NKAGAHRCSPCTEQWKWHGDNCYQFYKDSKSWEDCKYFCLSENSTMLKINKQEDLEFAASQSY
SEFFYSYWTGLLRPD SGKAWLWMDGTPFTSELFHIIIDVTSPRSRDCVAILNGMIFSKDCKEL
KRCVCERRAGMVKPESLHVPPETLGED

609/615

FIGURE 604

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA66675
><subunit 1 of 1, 247 aa, 1 stop
><MW: 25335, pI: 7.00, NX(S/T): 0
MHLARLVGSCSLLLLLGALSGWAASDDPIEKVIEGINRGLSNAEREVVGKALDGINSGITHAGR
EVEKVFNGLSNMGSHGTGKELDKGVQGLNHGMDKVAHEINHGIGQAGKEAEKLGHGVNNAAGQA
GKEADKAVQGFHTGVHQAGKEAEKLGQGVNHAADQAGKEVEKLGQGAHHAAGQAGKELQNAHN
GVNQASKEANQLLNGNHQSGSSSHQGGATTTPLASGASVNTPFINLPALWRSVANIMP

Important features of the protein:**Signal peptide:**

amino acids 1-25

Homologous region to circumsporozoite (CS) repeats:

amino acids 35-225

610/615

FIGURE 605

GCGACGCGCGGCGGGGCGGCGAGAGGAAACGCGGCGCCGGGCGGGCCCGGCCCTGGAGATGG
TCCCCGGGCGCCGCGGGGCTGGTGTTGTCTCGTGCTCTGGCTCCCCGCGTGCGTCGCGGCCACG
GCTTCCGTATCCATGATTATTTGTACTTTCAAGTGCTGAGTCCTGGGGACATTCGATACATCT
TCACAGCCACACCTGCCAAGGACTTTGGTGGTATCTTTCACACAAGGTATGAGCAGATTACCC
TTGTCCCCGCTGAACCTCCAGAGGCCTGCGGGGAACCTCAGCAACGGTTTCTTCATCCAGGACC
AGATTGCTCTGGTGGAGAGGGGGGGCTGCTCCTTCCTCTCCAAGACTCGGGTGGTCCAGGAGC
ACGGCGGGCGGGCGGTGATCATCTCTGACAACGCAGTTGACAATGACAGCTTCTACGTGGAGA
TGATCCAGGACAGTACCCAGCGCACAGCTGACATCCCCGCCCTCTTCCTGCTCGGCCGAGACG
GCTACATGATCCGCCGCTCTCTGGAACAGCATGGGCTGCCATGGGCCATCATTTCATCCCAG
TCAATGTCACCAGCATCCCCACCTTTGAGCTGCTGCAACCGCCCTGGACCTTCTGGTAGAAGA
GTTTGTCCACATTCCAGCCATAAGTGACTCTGAGCTGGGAAGGGGAAACCCAGGAATTTTGC
TACTTGGAATTTGGAGATAGCATCTGGGGACAAGTGGAGCCAGGTAGAGGAAAAGGGTTTGGG
CGTTGCTAGGCTGAAAGGGAAGCCACACCACTGGCCTTCCCTTCCCCAGGGCCCCCAAGGGTG
TCTCATGCTACAAGAAGAGGCAAGAGACAGGCCCCAGGGCTTCTGGCTAGAACCCGAAACAAA
AGGAGCTGAAGGCAGGTGGCCTGAGAGCCATCTGTGACCTGTCACACTCACCTGGCTCCAGCC
TCCCCTACCCAGGGTCTCTGCACAGTGACCTTCACAGCAGTTGTTGGAGTGGTTTAAAGAGCT
GGTGTGTTGGGGACTCAATAAACCTCACTGACTTTTGTAGCAATAAAGCTTCTCATCAGGGTTG
CAAAAAAAAAAAAAAAAAAAAAAAAAA

611/615

FIGURE 606

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA76532
><subunit 1 of 1, 188 aa, 1 stop
><MW: 21042, pI: 5.36, NX(S/T): 2
MVPGAAGWCCLVLWLPACVAAHGFRIDYLYFQVLSPGDIRYIFTATPAKDFGGIFHTRYEQI
HLVPAEPPEACGELSNGFFIQDQIALVERGGCSFLSKTRVVQEHGGRAVIISDNAVNDNSFYV
EMIQDSTQRTADIPALFLLGRDGYMIRRSLEQHGLPWAIISIPVNVTSIPTFELLQPPWTFW

Signal peptide:
amino acids 1-20

612/615

FIGURE 607

GCATTTGCCACTGGTTGCAGATCAGGCGGACGAGGAGCCGGAAGGCAGAGCC**ATG**TGGCTGC
CCCCTGCTCTGCTCCTTCTCAGCCTCTCAGGCTGTTTCTCCATCCAAGGCCAGAGTCTGTGA
GAGCCCCAGAGCAGGGGTCCCTGACGGTTCATGCCACTATAAGCAAGGATGGGAGACCTACA
TTAAGTGGTGGTGCCGAGGGGTGCGCTGGGATACATGCAAGATCCTCATTGAAACCAGAGGGT
CGGAGCAAGGAGAGAAGAGTGACCGTGTGTCCATCAAGGACAATCAGAAAGACCGCACGTTCA
CTGTGACCATGGAGGGGCTCAGGCGAGATGACGCAGATGTTTACTGGTGTGGGATTGAAAGAA
GAGGACCTGACCTTGGGACTCAAGTGAAAGTGATCGTTGACCCAGAGGGAGCGGCTTCCACAA
CAGCAAGCTCACCTACCAACAGCAATATGGCAGTGTTTCATCGGCTCCCACAAGAGGAACCACT
ACATGCTCCTGGTATTTGTGAAGGTGCCCATCTTGCTCATCTTGGTCACTGCCATCCTCTGGT
TGAAGGGGTCTCAGAGGGTCCCTGAGGAGCCAGGGGAACAGCCTATCTACATGAACCTTCTCCG
AACCTCTGACTAAAGACATGGCCACT**TAG**AGAGATGGATCTGCAGAGCCTTCCTGCCCTGGCC
ACGTTTCCAGAAGAGACTCGGGCTGTGGAAGGAACATCTACGAGTCCTCGGGATGCAGTGACT
GAGATAGGGGCCCTGGGCCTCCGCCCTGGCCTTGGAGCTGGTGGGCACCTCCCTGTTCTGCAC
AGCTCAGGGACTTAGCCAGGTCTCTCCTGAGCCACCATCACCTCCTGGGGTGCCAGCACCTG
TTCTCTTGGTCAGGAGCTGTAGAGATGGAGCTCAAGCACTGGACGACTCTGTCCCCACTGCTG
GAATAACTCGGGCACAGAGCATGGGACCAAAGTACAGAAAGAGGTTGGGGGAGACCCCCCAG
CCCTAGACTTCCATCATTCCGGAGACCAACTCAACACCGTCTTTGCCTGAGAACCTGATATATCC
GTGTTTTTAAATTTTTTTTTTCTAGCAAAGTTGGGTTTTAATGACTTATGTTCATAGGAAAC
CTCTCTGATCCACACACAAGGAGGGTGATTCTGGGATGAGTTCCTGGTCTAGGGCATGAGG
GGCTGGATGGACCCTGTCCCCAGGGAGGACATGGCTCTGAGTCCACAGGGCTGAGGAGGCAAT
GGGAACCTCCCTGGCCCCGGCCCCGGTGCTTGTCTCTCCCCCTCCACCTCTTCCTCCTCCTAGCT
CCCCAAGCTCCCTGCCTATTCCCCCACCTCCGAGGGGCTGCAGCTTGGGAGCCTCCTCAGCAT
GACAGCTTGGGTCTCCTCCCCAAAAGAGCCTGTGAGGCCTCAAGAACCACCTCCAGGTGGGGA
GGGCAGTAACGAAAACCATCGCAGGAAATGGCACCTCCCTTTTCGGTGATGTTGAAATCATG
TTACTAATGAAAAGTGTCTAGGGAAGTGTTCTGTCTCCTCACAGGCTTCACCCACGGCGAT
GAGGCCCTTGAATGTGGTCACTTTGTGCTGTATGGTTGAGGGACCTCACACCAAAGGGACCT
TCCCATGTGAGATGTGCTCCCGCCCCCACCTGCCCAAGCAAACACACCACACATGTTTCGGC
ATGTTGCCCTTTGAACACCCATGAGGACGCCTCCAACCTGCTCTTGGTTCTAATAGGGAGTAC
TGACTGTCAGCAGTGGATAAAGGAGAGGGGACCCTCTGGTCCCTAGCATGGCACCCAGAGCCT
CCCCTCTTCTTGTCTTCAGCCAAAGAGAACTTTCTCTGACTTTGAACTGAATTTAGGTCTC
TGGCCAATGATGGGCCTGAAAATTCCATAATGGCCAGAGAGGAGAGTTCGAGCCCGGCTAAGA
TCCCCTGAGTCATTCTGTGAGGGACCAAGACCCACAGTCCACCAGCCCCAGGGCCCTACCTCC
TGGAATGCTTTCTTGGATCCAGCTTCCCGAAGATCCGACCAGACCCAGGGAGGACGGCACCGC
TCCGCGGGAGGGAAAGCCAAAGCATGGTGCTTCACCAGCTGGACTCAGGGGCGAGGGGACATG
GGCGCTTGTCACGTGATGTCATTCTTTTCCCACCGTTTCTTCCTGTTGATATTCAATGAATC
CGTCAATCTCTCTGGGAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA

613/615

FIGURE 608

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA105849
><subunit 1 of 1, 201 aa, 1 stop
><MW: 22689, pI: 7.41, NX(S/T): 1
MWLPPALLLLSLSGCFSIQGPESVRAPEQGS�TVQCHYKQGWETIYIKWWCRGVRWDTCKI
LIETRGSEQGEKSDRVSIKDNQKDRTFTVTMEGLRRDDADVWCGIERRGPDŁGTQVKVI
VDPEGAASTTASSPTNSNMAVFIGSHKRNHYMLLVFVKVPILLILVTAILWLKGSQRVPE
EPGEQPIYMNFFSEPLTKDMAT

Important features of the protein:**Signal peptide:**

Amino acids 1-17

Transmembrane domain:

Amino acids 151-170

N-glycosylation site:

Amino acids 190-194

Tyrosine kinase phosphorylation site:

Amino acids 95-103

N-myristoylation sites:

Amino acids 66-72;125-131

Prokaryotic membrane lipoprotein lipid attachment site:

Amino acids 5-16

614/615

FIGURE 609

GATGGCGCAGCCACAGCTTCTGTGAGATTTCGATTTCTCCCCAGTTCCCCTGTGGGTCTGAGGG
GACCAGAAGGGTGAGCTACGTTGGCTTTCTGGAAGGGGAGGCTATATGCGTCAATTCCCCAAA
ACAAGTTTTGACATTTCCCCTGAAATGTCATTCTCTATCTATTCACTGCAAGTGCCTGCTGTT
CCAGGCCTTACCTGCTGGGCACTAACGGCGGAGCCAGGATGGGGACAGAATAAAGGAGCCACG
ACCTGTGCCACCAACTCGCACTCAGACTCTGAACTCAGACCTGAAATCTTCTCTTCACGGGAG
GCTTGGCAGTTTTTCTTACTCCTGTGGTCTCCAGATTTACGGCCTAAGATGAAAGCCTCTAGT
CTTGCCCTTCAGCCTTCTCTCTGCTGCGTTTTATCTCCTATGGACTCCTTCCACTGGACTGAAG
ACACTCAATTTGGGAAGCTGTGTGATCGCCACAAACCTTCAGGAAATACGAAATGGATTTTCT
GAGATACGGGGCAGTGTGCAAGCCAAAGATGGAAACATTGACATCAGAATCTTAAGGAGGACT
GAGTCTTTGCAAGACACAAAGCCTGCGAATCGATGCTGCCTCCTGCGCCATTTGCTAAGACTC
TATCTGGACAGGGTATTTAAAAACTACCAGACCCCTGACCATTATACTCTCCGGAAGATCAGC
AGCCTCGCCAATTCCTTTCTTACCATCAAGAAGGACCTCCGGCTCTCTCATGCCCACATGACA
TGCCATTGTGGGGAGGAAGCAATGAAGAAATAÇAGCCAGATTCTGAGTCACTTTGAAAAGCTG
GAACCTCAGGCAGCAGTTGTGAAGGCTTTGGGGGAACTAGACATTCTTCTGCAATGGATGGAG
GAGACAGAAATAGGAGGAAAGTGATGCTGCTGCTAAGAATATTCGAGGTCAAGAGCTCCAGTCT
TCAATACCTGCAGAGGAGGCATGACCCCAAACCACCATCTCTTTACTGTACTAGTCTTGTGCT
GGTCACAGTGTATCTTATTTATGCATTACTTGCTTCCTTGCATGATTGTCTTTATGCATCCCC
AATCTTAATTGAGACCATACTTGTATAAGATTTTTGTAATATCTTTCTGCTATTGGATATATT
TATTAGTTAATATATTTATTTATTTTTTGCTATTTAATGTATTTATTTTTTTACTTGGACATG
AACTTTAAAAAAATTCACAGATTATATTTATAACCTGACTAGAGCAGGTGATGTATTTTTAT
ACAGTAAAAAATAACCTTGTAATTCTAGAAGAGTGGCTAGGGGGGTATTTCATTTGTAT
TCAACTAAGGACATATTTACTCATGCTGATGCTCTGTGAGATATTTGAAATTGAACCAATGAC
TACTTAGGATGGGTGTGGAATAAGTTTTGATGTGGAATTGCACATCTACCTTACAATTACTG
ACCATCCCCAGTAGACTCCCCAGTCCCATAATTGTGTATCTTCCAGCCAGGAATCCTACACGG
CCAGCATGTATTTCTACAAATAAAGTTTTCTTGCATACCAAAAAAAAAAAAAAAAAAAAAA

615/615

FIGURE 610

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA83500
><subunit 1 of 1, 261 aa, 1 stop
><MW: 29667, pI: 8.76, NX(S/T): 0
MRQFPKTSFDISPEMSFSIYSLQVPAVPG LTCWALTAEPGWGQNKGATTCATNSHSDSEL
RPEIFSSREAWQFFLLWSPDFRPKMKASSLAFSLLSAAFYLLWTPSTGLKTLNLGSCVI
ATNLQEIRNGFSEIRGSVQAKDGNIDIRILRRTESLQDTKPANRCCLLRHLLRLYLDRVF
KNYQTPDHYTLRKISSLANSTFTIKKDLRLSHAMTCHCGEEAMKKYSQILSHFEKLEPQ
AAVVKALGELDILLQWMEETE

Important features of the protein:**Signal peptide:**

Amino acids 1-42

cAMP- and cGMP-dependent protein kinase phosphorylation sites:

Amino acids 192-196;225-229

N-myristoylation sites:

Amino acids 42-48;46-52;136-142